

Index

a

- Abbe's theory 18
- aberration 18
- abrasion 40
- absolute units 234
- absorption
 - angle-dispersive X-ray diffraction 137 f
 - B3 imaging 260
 - combined diffraction – tomography 380
 - neutrons 115
 - radiation-based imaging 290
 - white high energy X-rays 199
- absorption coefficients
 - diffraction enhanced imaging 323
 - radiation sources 93
 - synchrotron tomography 313 ff
 - white high energy X-rays 196, 201
- absorption-contrast microtomography 301
- absorption edges 250, 288
- accuracy 177
- acquisition time 192
- activation energy 217
- advanced photon source (APS) 182
- aging
 - IN718 390
 - residual stress 389
 - textures 57
- aircraft industrial applications 389–412
- algebraic reconstruction algorithm 344
- alkaline cells 310
- alkyl chain 246
- alloying 6 f
- aluminum
 - absorption-contrast microtomography 304
 - angle-dispersive X-ray diffraction 146 ff
 - attenuation coefficients 269
 - conical slit 183
 - diffraction imaging 223
 - edge enhancement 318
 - joints 400 f
 - Laue diffraction 366
 - plastic strain fields 372
 - tomography 284
 - transmission thickness 208
 - X-ray diffraction microscope 346
- aluminum alloys
 - AA6013 215, 400
 - AlMg₃ 184
 - AlSi₂₅Cu₄Mg₁ matrix 216
 - foams 312
 - microstructures 8
 - powder 315
 - residual stress 389
- aluminum–copper alloys 9
- aluminum– α -Fe 183
- aluminum–manganese materials 346
- amorphous materials 371
- amorphous Si–Ge alloys 255
- amphiphilic molecules 246
- analog digital units (ADU) 292
- angle dependence 8
- angle-dispersive X-ray diffraction 137–154
 - monochromatic high-energy 177
 - white high energy 195 ff
- anisotropy
 - diffraction methods 123
 - microstructures 15
 - textures 59
 - white high energy X-rays 202, 216
- annealing
 - residual stresses 30, 45
 - twins 7
 - X-ray diffraction microscope 335, 346
- anodes 311
- anomalous dispersion corrections 252

- anomalous grain growth 367
 - anomalous small-angle X-ray scattering (ASAXS) 249 ff
 - antenna yielding 97
 - antiphase boundaries 6
 - antiscatter grid 325
 - apertures
 - conical slit 181
 - Laue diffraction 358
 - small-angle scattering 229 ff
 - white high energy X-rays 201
 - Apoferitin solution 232
 - applications
 - angle-dispersive X-ray diffraction 148 ff
 - automotive industry 413
 - diffraction enhanced imaging 329
 - energy-dispersive neutron diffraction 174
 - industrial 387–420
 - materials science 287–308
 - monochromatic high-energy X-rays 193
 - small-angle X-ray scattering 249–255
 - synchrotron tomography 310
 - X-ray diffraction microscope 340 f
 - area detectors 191, 357, 361
 - argon partial pressure 47
 - artifacts 312 ff
 - atomic arrangement 3 ff
 - atomic scattering factor 251
 - atomic-scale interactions 353
 - attenuation
 - B3 imaging 257 ff, 269
 - contrast projections 287 ff
 - radiation-based imaging 290
 - tomography 274
 - Au-200 diffraction line 201
 - austenite
 - crankshaft stresses 417
 - diffraction elastic constant 129
 - energy-dispersive neutron diffraction 172
 - residual stresses 31, 43, 53
 - X-ray diffraction microscope 340
 - automated 3D probe 357
 - average grain characteristics 335, 339
 - Avogadro number 230, 260
 - Avrami-type models 340
 - AZ31 alloy 329
 - azimuth
 - diffraction methods 119
 - internal stresses 24
 - white high energy X-rays 197
 - X-ray diffraction microscope 336
- b**
- B3 imaging 257–286
 - background
 - angle-dispersive X-ray diffraction 145
 - combined diffraction – tomography 380
 - backprojection 343
 - bainite 31, 43, 173
 - beam tubes, radiation sources 93
 - beamline optics 300
 - bee diffraction image 330
 - Beer's law 125, 199
 - bending magnets
 - decomposition kinetics 250
 - Laue diffraction 359
 - monochromatic high-energy X-rays 179
 - synchrotron radiation sources 106
 - bending tests 130
 - beryllium moderator 92
 - Bessel functions 107
 - betatron oscillations 100
 - biaxial inplane residual stress state 203
 - biosurfactants 246
 - blowing agents 315
 - body-centered cubic (bcc) 4, 133
 - bonding types 3 ff
 - boron silicate glass 226
 - Bragg condition
 - energy-dispersive neutron diffraction 155 ff
 - grain mapping 349
 - Laue diffraction 354 ff
 - monochromatic high-energy X-rays 177
 - photon/neutron properties 87
 - textures 63
 - X-ray diffraction microscope 336
 - Bragg edges 171 ff
 - Bragg equation
 - angle-dispersive X-ray diffraction 139
 - diffraction methods 116 ff, 128
 - white high energy X-rays 196
 - brass
 - alloy CuZn₄₀Pb₂ 382
 - B3 imaging 270
 - tomography 282
 - brazing 42
 - brittle phases 7
 - broadening 282
 - B-splines 235
 - bulk density 230
 - bulk grains 188
 - bulk imaging 226
 - bunching 99, 110
 - butt joints 401 ff, 407 ff

c

- calibration
 - angle-dispersive X-ray diffraction 141
 - diffraction methods 132
 - energy-dispersive neutron diffraction 158
 - hydrogen storage 240
 - white high energy X-rays 199
- capabilities
 - conical slit 182
 - monochromatic high-energy X-rays 192
 - spiral slit 186
- capillaries 134, 226
- carbides 9
- carbon steel 340
- carbo-nitriding 33
- β -carotene 284
- Cartesian systems 22, 119
- case hardening 33
- casting 4, 29, 329
- catalysts systems 255
- cathodes 311
- cavity formation 69
- cementite (Fe_3C) phase 170
- ceramics 3 ff
- channeling 46
- characterization techniques 14 ff
- chemical properties 3–20
- chemical vapor deposition (CVD) 47
- chip forming processes 39
- clamping arrangement 214
- classification techniques 224
- clean environment 104
- climb processes 12
- clusters
 - diffraction imaging 224
 - IN718 392
- CO_2 emission 389
- coarse grain effects 10
 - diffraction imaging 223
 - diffraction methods 124
 - monochromatic high-energy X-rays 189
 - polycrystals 337
 - residual stresses 44
- coatings 46 ff
- CoFe single layer 47
- coherent background 137
- coherent scattering 230
- coincident site lattice (CSL) theory 363
- CoK_α radiation 117
- cold extrusion 37 f
- cold neutrons 96
- cold reactor spectrum 258
- cold working 4, 13
- collimators
 - angle-dispersive X-ray diffraction 139
 - B3 imaging 261
 - diffraction enhanced imaging 325
 - diffraction imaging 221 ff
 - energy-dispersive neutron diffraction 159, 164
 - monochromatic high-energy X-rays 179
 - radiation sources 99
 - small-angle scattering 229 ff, 239
 - synchrotron radiation sources 103
 - synchrotron tomography 309
 - X-ray diffraction microscope 335
- color infrared (CIR) image 224
- combined diffraction–tomography 379–386
- combs 149
- complex conjugate 86
- compliance tensor 23
- composite materials 329
- compressive stresses 119, 152
- computerized neutron tomography (NCT) 287–306
- concentrations 6
- conical slits 181 f, 192
- conjugated complex 324
- contrast
 - B3 imaging 268
 - diffraction enhanced imaging 325
 - radiation-based imaging 287 ff
 - small-angle scattering 230, 241
 - X-ray absorption tomography 371
- cooling
 - angle-dispersive X-ray diffraction 150
 - crankshaft stresses 417
 - IN718 391
 - residual stresses 29
 - synchrotron tomography 314
 - X-ray diffraction microscope 340
- coordinate measuring machine (CMM) 167
- copper
 - angle-dispersive X-ray diffraction 146
 - attenuation coefficients 269
 - crystallites 226
 - Cu–Co alloys 249–256
 - Cu–Nb composites 69
 - textures 74
- corrosion 48, 53, 389
- covalent bonding 3 ff
- cracking
 - residual stresses 28, 46 ff
 - tomography 379
 - white high energy X-rays 214
- crankshafts 35, 413–420
- creep 7, 12, 48, 379 f

- critical energy 100
- cross sections, neutrons–matter interactions 259
- crossed-beam techniques 179, 192
- cross-slip processes 8
- cross-slit system 199
- crystal defects 8 ff
- crystalline materials 4, 115
- crystallite–crystallite interactions 128
- crystallites
 - diffraction methods 118, 221 ff
 - orientation distribution 57–78
 - residual stresses 26
 - small-angle neutron scattering 241
 - white high energy X-rays 209
- crystallographic orientation 335
- crystallographic structures 58
- cutting processes 39 f
- cylinder coordinate system 24

- d**
- damage 12
- Darwin widths 326
- data acquisition 337, 379
- data analysis
 - angle-dispersive X-ray diffraction 142
 - energy-dispersive neutron diffraction 157
 - monochromatic high-energy X-rays 191
- data evaluation
 - radiation-based imaging 295
 - white high energy X-rays 213 f
- data reduction 224, 144 f
- data structure
 - diffraction imaging 223
 - monochromatic high-energy X-rays 180
- de Broglie relation 155 ff
- Debye–Scherrer cone 221 ff
- Debye–Scherrer formula 88
- Debye–Scherrer rings 71 f, 184 f
- Debye–Waller factors 87, 161
- deceleration 92
- decomposition
 - copper–cobalt alloy systems 249–256
 - synchrotron tomography 316
- deep drawing 59
- deep-rolling 35, 52, 413 ff
- defects 4 f, 16
 - Laue diffraction 353, 357
 - white high energy X-rays 214
- deflection 107, 281
- DEFORM2D 391 f
- deformation 6, 11, 27
 - diffraction methods 124
 - Laue diffraction 364
 - monochromatic high-energy X-rays 188
 - plastic strain fields 372
 - X-ray diffraction microscope 335
- degradation 313
- degrees-of-freedom 337
- densities 6
- depth-resolved energy-dispersive X-ray stress analysis (XSA) 196 ff
- desmeared scattering curve 232
- desorption 46
- detectors
 - angle-dispersive X-ray diffraction 139 ff
 - B3 imaging 257 f
 - combined diffraction – tomography 380
 - diffraction methods 132
 - monochromatic high-energy X-rays 177
 - radiation-based imaging 292
 - small-angle scattering 229 ff, 239
 - synchrotron tomography 317
 - white high energy X-rays 199
 - X-ray diffraction microscope 335
- detector–sample distance
 - radiation-based imaging 287 ff
 - radiography 261–274
 - tomography 274 f
 - X-ray diffraction microscope 339
- deuterium moderator 92
- deviatory stressparts 146
- diagonalization 22
- diamond structure 4
- diaphragms 132
- differential aperture
 - Laue diffraction 354, 357, 361
 - X-ray microscopy 335–352
- differential cross section 234, 259
- diffraction contrast tomography (DCT) 349
- diffraction elastic constants (DEC) 120, 128 f
 - angle-dispersive X-ray diffraction 146, 151
 - white high energy X-rays 203
- diffraction enhanced imaging (DEI) 323–332
- diffraction geometry 62
- diffraction methods
 - internal stress analysis 115–136
 - microstructure imaging 221–228
 - residual stress analysis 25, 389–412
- diffraction/tomography, combined 379–386

- diffractometers 130 ff
 - angle-dispersive X-ray 138 ff
 - radiation sources 96
 - textures 65 f
- Ω -diffractometer 130
- χ -diffractometer 131
- digital image correlation (DIC) 372
- direct age process, IN718 390
- direct phase-contrast projections 289
- discharging processes 310
- dislocations 4 f, 8
 - copper–cobalt alloys 251
 - hardening 12
 - IN718 390
 - Laue diffraction 356 f
- dispersion corrections
 - anomalous 252
 - photon/neutrons 85
- dispersions 6–12
- displacement gradient tensor (DGT) 372
- displacements
 - internal stresses 22
 - synchrotron tomography 318
 - X-ray absorption tomography 372
- dissolution 11, 310
- distortion
 - Debye–Scherrer rings 186
 - white high energy X-rays 214
- divergence
 - B3 imaging 258, 262
 - white high energy X-rays 201
- domains 6, 16
- double crystal diffractometer (DCD) 96, 240
- drilling 39
- dynamic loading 50
- e**
- edge artifacts 318
- edge dislocations 8, 28
- edge enhancement 317
- edge functions 267
- eigenimages 225
- elastic constants 120, 149
- elastic strains
 - energy-dispersive neutron diffraction 156, 169
 - Laue diffraction 356 f
 - white high energy X-rays 216 f
- elasticity tensor 21 ff
- electrical conductivity 255
- electrical properties 4
- electrochemical effect 7
- electromagnetic wave 80
- electromigration 369
- electron backscatter diffraction (EBSD) 17, 64
- electron diffraction 63 f
- electron energy-loss spectroscopy (EELS) 17
- electronegativity 7
- electronic bandstructure 83
- electronic shells 83
- electronic structure 4
- electrons 98
- embrittlement 7 ff, 255
- energies ranges 80, 335
- energy broadening 199
- energy-dispersive diffraction
 - combined diffraction/tomography 380
 - PM Al–Si-alloy 213
 - white high energy X-rays 195
- energy-dispersive neutron diffraction, stress analysis 155–176
- energy-dispersive radiography (EDR) 269
- energy-dispersive setup
 - monochromatic high-energy X-rays 177
 - see also* experimental setups
- energy-dispersive X-ray spectroscopy (EDX) 16, 64
- energy induced shifting 198
- energy spectra 196
- ENGIN-X virtual laboratory 158, 165
- equilibrium concentration 6
- errors
 - B3 imaging 267
 - synchrotron tomography 319
- Eshelby–Kröner model 203
- Euler angles 57 ff
- Eulerian cradle 62, 212
- Eulerian geometry 131
- European Synchrotron Radiation Facility (ESRF) 182
- eutectoid transformation 10
- Ewald's sphere 355
- examples
 - angle-dispersive X-ray diffraction 148 ff
 - conical slit 183
 - depth-resolved ED diffraction 200 f
 - diffraction enhanced imaging 329
 - Laue diffraction 363
 - spiral slit 186
 - white high energy X-rays 214
 - white transmission geometry 211
- experimental setup
 - 3D X-ray crystal microscope 358
 - absorption-contrast microtomography 301
 - combined diffraction – tomography 380

- conical slit 182
 - crankshaft stresses 414
 - diffraction enhanced imaging 326 ff
 - diffraction methods 130 ff
 - macrotomography 296
 - spiral slit 185
 - white high energy X-rays 199 f, 208
 - X-ray diffraction microscope 336
 - extended electron-loss fine structure (EXELFS) 18
 - extinction 88
 - extinction contrast 325
 - extruded Mg rod 73
 - extrusion 37 f
- f**
- face-centered cubic (fcc) 4, 133
 - failure 49
 - false color composite visualization 224
 - far field approximation 108
 - far-field detectors 337
 - fast neutrons 96
 - fatigue strength 35, 40, 50
 - Fe *see* iron
 - ferrites 169, 173, 340
 - α -ferrites 75, 146
 - ferritic steel 197
 - ferrous alloys 9
 - fiber composites 15
 - fiber texture formation 37
 - field-ion microscope (FIM) 19
 - film types 268
 - film-converter foil systems 257
 - filter function 279
 - filtered backprojection (FBP) 277
 - finite element model (FEM)
 - angle-dispersive X-ray diffraction 138, 150
 - IN718 393
 - residual stress analysis 390
 - turbine disks 397
 - fission process 91
 - flatfield correction 317
 - fluorescence microscopy 361
 - foaming agents 314
 - focused ion beam microscopy (FIB) 16
 - focusing optics 361
 - foliation 57
 - forging 11, 391
 - form factors
 - photon/neutron properties 84
 - small-angle scattering 234
 - forming processes 29 ff, 34, 389
 - forward projection 343
 - four-circle goniometer 62
 - Fourier slice theorem 275, 292
 - Fourier transform
 - B3 imaging 266
 - small-angle X-ray scattering 235, 251
 - fractal behavior
 - Laue diffraction 365
 - power law scattering 230
 - Fraunhofer region 289 f
 - free electron lasers (FELs) 103, 109
 - freedom degrees 337
 - Frenkel pairs 46
 - frequency space 278
 - Fresnel zone 272, 289 f
 - fretting damage 54
 - FRG-1 compact core 95
 - friction 36, 41, 54
 - friction stir welding (FSW)
 - angle-dispersive X-ray diffraction 148
 - diffraction imaging 223
 - residual stress analysis 389
 - white high energy X-rays 214
 - full width of the half maximum (FWHM) 117, 163
 - functional principle 184
 - see also* working principle
 - functional properties 3–20
 - fusion process 93
 - fusion welding 42
- g**
- gallium arsenide 4
 - GaN films 356, 366
 - gas detectors 229 ff
 - gauge lengths 183
 - gauge volume
 - angle-dispersive X-ray diffraction 140 ff, 150
 - diffraction methods 125
 - energy-dispersive neutron diffraction 158
 - IN718 395
 - monochromatic high-energy X-rays 179, 189
 - residual stresses 26
 - white high energy X-rays 209
 - Gaussian profiles
 - angle-dispersive X-ray diffraction 145
 - energy-dispersive neutron diffraction 157
 - radiation-based imaging 294
 - tomography 282
 - g-austenite 75
 - general structure analysis system (GSAS) 158
 - GENRA-3, macrotomography 296 f

- geometrical atomic arrangement 3 ff
 - geometrically induced shifting 198
 - geometries, B3 imaging 261
 - germanium 4
 - germanium detectors 199, 212
 - ghost stress 201
 - glass-fiber + epoxy sample 376
 - global textures 74
 - gluing 42
 - gluons 80
 - glycolipids 246
 - grain boundaries 4 f, 8 ff
 - Laue diffraction 363 ff
 - residual stresses 25, 28
 - X-ray diffraction microscope 335
 - grain characterization
 - monochromatic high-energy X-rays 188
 - X-ray diffraction microscope 339
 - grain coarsening 45
 - grain family elastic strains 169
 - grain–grain interactions 341
 - grain growth 346 f, 366
 - grain mapping
 - tomography 349 ff
 - X-ray diffraction microscope 338, 343 ff
 - grain size 4 f, 12
 - B3 imaging 268
 - diffraction methods 118
 - grain statistics 122
 - GRAINDEX 339, 344
 - gray levels 268
 - green surfactants 246
 - grey cast iron 413
 - grinding 39 f, 195
 - growth studies 340
 - Guinier equation 233
 - gyration radius 233
- h**
- H₂O/D₂O ratio 230
 - Haigh diagram 51
 - half value thickness 60
 - hardening 12
 - crankshaft stresses 413 f
 - residual stresses 30
 - HARWI-II beamline 300 ff
 - HASYLAB beamline G 3222
 - hcp materials 133
 - heat affected zone (HAZ)
 - angle-dispersive X-ray diffraction 149
 - residual stresses 43, 400
 - white high energy X-rays 214
 - heat capacity, IN718 394
 - heat treatment
 - microstructures 4, 9
 - IN718 390
 - residual stresses 30
 - small-angle neutron scattering 242
 - Hertz dipole 98
 - Hertzian pressure 35, 54
 - heterogenous deformation 374
 - heterophase interfaces 4
 - hexagonal closed-packed (hcp) micro-structures 4
 - high-energy ball milling 240
 - high-energy synchrotron radiation 177
 - high fatigue strength, IN718 390
 - High Flux Reactor FRM II 93
 - high-resolution TEM (HRTEM) 18
 - HIPPO diffractometer 67
 - holographic reconstruction 290
 - homogeneous deformation 373
 - Hooke's law 23
 - hoop stresses 414 ff
 - hot neutrons 96
 - hot-isostatic pressing (HIP) 29
 - Hough transformation 64
 - Hurst coefficients 366
 - hydrides 240
 - hydrocarbon chains 4
 - hydrogen moderator 93
 - hydrogen storage 240
 - hydrophilic shell 247
 - hydrostatic stresses 146
- i**
- image analysis 310
 - image artifact 316
 - image degradation 267
 - image noise 317
 - image reconstruction 277
 - imaging gas 19
 - imaging, radiation-based 287–308
 - immersion 144
 - impacts 92
 - impurity atoms 7
 - in situ texture measurement 74 f
 - inclusions 10, 28
 - incoherent background 137
 - incoherent scattering contribution 82
 - Inconel alloy 718 (IN 718)
 - angle-dispersive X-ray diffraction 150
 - residual stress analysis 390
 - white high energy X-rays 201
 - indepth residual stress analysis 133
 - indexing 339, 344 f
 - indirect phase-contrast projections 290

- induction hardening 416
 - industrial applications 387–420
 - inhomogeneities 229 ff
 - in-line imaging 325
 - instrumental gauge volume (IGV)
 - 158 ff, 163
 - instrumentation
 - radiation sources 96 f
 - small-angle scattering 229 ff, 239
 - intensities
 - diffraction methods 118
 - synchrotron radiation sources 101
 - interactions
 - neutrons–matter 259
 - photons–neutrons 80
 - interfaces 8
 - interferometers 289, 304
 - intergranular strains
 - angle-dispersive X-ray diffraction 147
 - diffraction methods 133
 - white high energy X-rays 207
 - intergranular stresses 38, 168
 - intermediate zone 195
 - intermetallic phases 7 ff
 - internal stress 21–56
 - internal stress analyses 115–136
 - interplanar lattice spacing 119
 - interstitial atoms 8, 28
 - intrinsic detector resolution 199
 - inverse pole figures 61
 - ionic bonding 3 ff
 - iron
 - angle-dispersive X-ray diffraction 146
 - attenuation coefficients 269
 - macroscopic cross section 260
 - magnetic scattering pattern 236
 - transmission thickness 208
 - irradiation chamber 296
 - irradiation of samples (ICI) 96
 - ISIS methane moderator 162
 - isostatic pressing 29
 - isosurfaces 375
 - isotope labeling 86
 - iterative statistical approach 224
- j**
- JCPDS data files 117
 - joining processes 42
- k**
- K-absorption edge 252
 - Kikuchi line/pattern 63
 - kinematic scattering theory 88
 - Kirkpatrick–Baez mirror system 358, 361
 - Kossel–Möllenstedt pattern 64
 - Kramers–Kronig analysis 18
 - Krivoglaž defects 357
 - Kronecker δ -function 23
 - Kröner model, IN718 397
 - Kropff model 157
 - Kurdjumov–Sachs orientation 75
- l**
- L/D-ratio 262 f, 273 f
 - laboratory scale measurements 62, 119
 - Lambert's law 275
 - lamellae 10, 239
 - Laplace stresses 206
 - Laplace transform 126, 199
 - large-scale facilities 65
 - laser beam welding (LBW) 389
 - laser-welded joints 400 f, 405
 - lattice defects 46
 - lattice parameters 121, 145
 - lattice planes 116, 145, 155 ff
 - lattice spacing
 - angle-dispersive X-ray diffraction 139
 - diffraction methods 119
 - photon/neutron properties 87
 - lattice strains
 - IN718 396
 - monochromatic high-energy X-rays 177 ff
 - white high energy X-rays 196
 - lattice structures 4
 - Laue crystal 183
 - Laue diffraction 353–370
 - Laue equations 116 f
 - Laue monochromator 188
 - Laue–Bragg geometry 301
 - Laue–Laue geometry 301
 - least-squares fits
 - energy-dispersive neutron diffraction 157
 - monochromatic high-energy X-rays 191
 - length scale 25
 - lifetime
 - alkaline cells 310
 - crankshafts 413
 - Lifshitz–Slyozov–Wagner theory 254
 - light optical microscopy (LOM) 16
 - line defects 8
 - line spread function (LSF) 264
 - linear pole figure 73
 - lineation 57
 - loading
 - internal stresses 21
 - residual stresses 50
 - textures 75 f
 - local residual stress analysis 133

- Lorentz factor 98, 107
 Lorentzian profile 158
 Loschmidt number 260
 low-TC superconductors 312
- m**
- machining 39
 macro/nanotomography 287–306
 macroscopic cross sections 234, 259
 macroscopic properties, metal foams 315
 macrostrain tensor 184 ff
 macrostresses
 – angle-dispersive X-ray diffraction 147
 – residual 25, 37, 47
 macrotomography 296
 magnesium 73
 magnesium hydride 240
 magnetic dipole moment 80
 magnetic holes 243
 magnetic scattering cross sections 243
 magnetic scattering length density (SLD) 243
 magnetic structures 235
 manganese oxide 311
 mapping 338, 343 ff
 maraging steels 242
 markers 305, 371–378
 martensite 31, 43
 master plot 199
 matching point 230
 materials properties 3–20, 329
 mathematical introduction, tomography 274 f
 MAXIM setup 180, 222
 Maxwell equations 79 f, 88
 Maxwell spectrum 259
 mean free path, neutrons 260
 mechanical agitation 268
 mechanical properties 4, 12, 21–56
 mechanical surface treatment 195, 205
 mechanical twins 6
 melting point 6, 12
 melting 313, 329
 mesoscopic structures 353
 metal carbides 255
 metal cutting 39
 metal hydrides 240
 metal matrix composites (MMCs) 215, 379
 metallic bonding 3 ff
 metallic foam structures 314
 metals 3 ff
 Mg–Al–Zn alloy 329
 MgH_x samples 240 f
 micelles 246
 microbeam diffraction 221 ff
 microbeam monochromator 359
 microbunching 110
 microchannel plate (MCP) 222
 microhardness 403
 micron-resolution Laue diffraction 353–370
 microscopic cross sections 259
 microscopic image, Nb₃Sn precursor wire 313
 microstrains 118, 184
 microstresses 25, 47, 147
 microstructural analysis 5, 221–228, 375
 microstructure 3–20
 – IN718 392
 microtomography 300 ff
 milling parameters 242
 mineralogical applications 331
see also applications
 miniature creep device 381
 minimum noise fraction rotation 225
 miscibility gap 252
 misorientation 9
 mobility 6
 moderator materials 92, 157
 modulation transfer function (MTF) 266, 292
 mole fractions 5
 momentum 80
 monochromatic high-energy X-rays, residual stress analysis 177–194
 monochromatic Laue microdiffraction 353
 monochromatic neutron beam 66
 monochromators
 – angle-dispersive X-ray diffraction 139
 – diffraction enhanced imaging 323 ff
 – energy-dispersive neutron diffraction 174
 – Laue diffraction 357
 – synchrotron tomography 309
 monodisperse spherical shell model 247
 monodisperse structure distribution 235
 Monte-Carlo-based reconstruction 344
 morphology
 – CuZn40Pb2 383
 – microstructures 12
 – X-ray diffraction microscope 335
 motion artifacts 318
 multichannel analyzers (MCA) 212
 multifilamentary superconductor wires 312
 multilayer thin films 46
 multiphase materials 26
 – angle-dispersive X-ray diffraction 138
 – energy-dispersive neutron diffraction 172

- multiple crystal reflections 289
 - multiple scattering 282
 - multiplicity factor 209
 - multiwavelength method 201 f
- n**
- nanocrystalline magnesium hydride 240
 - nanocrystalline materials 342
 - nanostructures 249
 - nanotomography 287–306
 - Nb₃Sn multifilamentary superconductor wires 312
 - near field detectors 336
 - near field region 289 ff
 - neutron diffraction
 - stress measurements 397
 - strain measurements 395, 404
 - textures 65
 - neutron flux 91, 259
 - neutron tomography 275, 281 f
 - neutron-radiation-based imaging 287–308
 - neutrons
 - diffraction methods 116
 - generation/properties 91–112
 - optics 163
 - physical properties 79–90
 - Ni₈Fe₂₀ single crystal 356
 - Ni-based superalloy 390
 - nickel 146, 208
 - nickel–aluminum alloys 9
 - nickel-based superalloys
 - microstructures 10
 - angle-dispersive X-ray diffraction 150
 - IN718 201
 - nickel crystal 356
 - nickel triple grain junction 364
 - nitriding 33
 - noise reduction 317
 - nondestructive methods
 - diffraction 115–136
 - textures 68
 - X-ray diffraction 335
 - nondispersive focusing optics 361
 - nonlinear lattice strain distributions 123 ff
 - nuclear fission process 91
 - nucleation
 - IN718 391
 - microstructures 7, 16
 - textures 58
 - X-ray diffraction microscope 340
 - nucleons 93
- o**
- object–detector distance
 - diffraction enhanced imaging 325
 - *see also* sample–detector distance
 - N*-octyl- β -maltopyranoside (OM) 247
 - optical transfer function (OTF) 266
 - orientation distribution function (ODF)
 - monochromatic high-energy X-rays 191
 - textures 57 ff, 61
 - orientation mapping 338, 343 ff
 - oscillations
 - photon/neutron properties 83
 - radiography 271
 - synchrotron radiation sources 100
 - oxide dispersion strengthened (ODS) superalloys 10
- p**
- parallel-beam tomography 290
 - parasitic mode 99
 - partially hardened components 32
 - particle growth 11
 - particle reinforced wear resistant metal matrix composites (PMMCs) 29
 - particle tracking 372
 - particle wave 80
 - peak fitting 144, 157
 - pearlite 31
 - pearls 331
 - Peierls–Nabarro stress 12
 - penetration depths
 - angle-dispersive X-ray diffraction 137 ff
 - diffraction methods 125, 131
 - white high energy X-rays 195 ff, 207 ff
 - penetration power 60
 - periodic magnetic multipole structures 105
 - perlitic steel 10, 225
 - phase analysis 172
 - phase contrast radiography 272
 - phase diagram, copper–cobalt alloys 250 f
 - phase mapping 192
 - phase sensitivity 115
 - phase shift 324
 - phase transformations 30, 43, 340
 - phase-contrast projections 288 f, 371
 - phase-enhanced projections 289
 - phases 4 f, 16
 - Laue diffraction 356
 - white high energy X-rays 207
 - X-ray diffraction microscope 335
 - photon flux 70, 258
 - photons
 - diffraction methods 115
 - physical properties 79–90

- rejection 325
 - physical properties 3–20
 - internal stresses 21–56
 - photons/neutrons 79–90
 - physical vapor deposition (PVD) 47
 - pinholes 263
 - planar defects, microstructures 8
 - Planck's constant 196
 - plane stress 24
 - plastic deformation
 - microstructures 13
 - residual stresses 37 ff
 - white high energy X-rays 207
 - X-ray absorption tomography 371
 - X-ray diffraction microscope 341
 - plastic strain
 - fields 371–378
 - monochromatic high-energy X-rays 188
 - plexiglass bar shoulder image 326
 - PM Al–Si-alloy (AlSi₂₅Cu₄Mg₁) 213
 - point defects 4, 8
 - point detectors 132
 - point sources 80
 - point spread function (PSF) 264
 - Poisson ratio
 - diffraction methods 128
 - IN718 394, 397
 - internal stresses 23
 - polarization 103
 - polarized neutrons
 - radiography 258 f
 - small-angle neutron scattering 239
 - small-angle scattering 237
 - POLDI diffractometer 96
 - pole figures 60 ff
 - polycapillary techniques 192
 - polychromatic Laue microdiffraction 353–370
 - polychromatic neutron beam 155 ff
 - polycrystal anisotropy 59
 - polycrystal deformation 341
 - polycrystalline indexing scheme 339
 - polycrystalline multiphase assembly 4
 - polycrystalline networks 363
 - polycrystalline singlephase material 10
 - polycrystalline solid aggregate 118
 - polycrystalline specimen 221 ff
 - polyethylene 270
 - polymer matrix–SiO₂ nanoparticles 245
 - polymers 3 ff
 - pore volume, CuZn₄₀Pb₂ 383
 - Porod approximations 233, 241
 - porosity 214
 - positrons 98
 - postweld heat treatment (PWHT) 45, 400
 - potassium hydroxide 311
 - powder metallurgy 4
 - powder-in-tube superconductor strand, Nb₃Sn 316
 - power law/scattering, fractal systems 232
 - precipitates
 - copper–cobalt alloy systems 249 ff
 - IN718 391
 - microstructures 5–12
 - residual stresses 28
 - precipitation behavior 242
 - primary bonds 3 ff
 - principal axis tensor transformation 22
 - principal component analysis (PCA) 225
 - principles, diffraction imaging 221 ff
 - Prins refractive index 324
 - processing chemicals 268
 - projections
 - B3 imaging 257 ff
 - radiation-based imaging 287 ff
 - tomography 274
 - X-ray diffraction microscope 343
 - protons 93
 - pseudostrains 157
 - pulsed sources 155 ff
 - pure cooling 30
- q**
- quality, synchrotron tomography 317
 - quantitative analysis 104, 371–378
 - quantitative phase analysis 172
 - quarks 80
 - quasiisotropic materials 121 f
 - quenching
 - crankshaft stresses 418
 - IN718 392
 - residual stresses 49
- r**
- radiation sources 91–112
 - radiography, B3 imaging 257–286
 - Radon transform 275, 281, 291
 - random walk method 121
 - real space 199, 206
 - real-life components 152
 - real-time radiography 271
 - reciprocal lattice vectors 87
 - reciprocal space 355
 - reconstruction
 - combined diffraction–tomography 380
 - radiation-based imaging 290
 - synchrotron tomography 317

- reconstruction algorithms 335 ff
 - recovery 6, 12, 44
 - recrystallization
 - diffraction imaging 226
 - microstructures 6, 12
 - residual stresses 44
 - X-ray diffraction microscope 340, 346 f
 - reflections
 - angle-dispersive X-ray diffraction 145 ff
 - diffraction enhanced imaging 326
 - diffraction methods 116, 132, 223
 - IN718 392
 - monochromatic high-energy X-rays 180 ff
 - white high energy X-rays 195–206
 - refraction
 - diffraction enhanced imaging 323, 328
 - radiation-based imaging 288 f
 - tomography 281
 - refraction index 221 ff, 324
 - reinforced materials 329
 - relaxation
 - residual stresses 47
 - white high energy X-rays 208, 217
 - research reactors 91 ff
 - residual stress 16, 24 ff
 - residual stress analysis (RSA)
 - angle-dispersive X-ray diffraction 137–154
 - crankshafts 413–420
 - diffraction methods 115
 - monochromatic high-energy X-rays 177–194
 - white high energy X-rays 195–221
 - resolution
 - angle-dispersive X-ray diffraction 145
 - B3 imaging 264
 - diffraction imaging 225
 - energy-dispersive neutron diffraction 160
 - Laue diffraction 353
 - marker-based strain measurements 373
 - microstructures 17
 - monochromatic high-energy X-rays 177 ff, 192
 - radiation-based imaging 290
 - small-angle scattering 231
 - synchrotron tomography 309
 - white high energy X-rays 199, 209
 - X-ray absorption tomography 371
 - X-ray diffraction microscope 336, 342
 - resonances 85
 - reversible hydrogen storage 240
 - Rietveld refinement
 - energy-dispersive neutron diffraction 158, 162
 - texture analysis 66
 - white high energy X-rays 213
 - ring artifacts 316
 - rolling 11, 58
 - rotation axis centering 319
 - roughness 318
- s**
- saccharide residues 246
 - sample–collimator distance 296
 - sample–detector distance 325, 336
 - sample positioning 141 ff
 - sample system, diffraction methods 119
 - scaling parameters 15, 99
 - scanning electron microscopy (SEM) 16
 - scanning transmission electron microscopy (STEM) 17
 - scatter free absorption imaging 323 ff
 - scattering
 - angle-dispersive X-ray diffraction 137 ff
 - B3 imaging 261
 - photon/neutron properties 81 ff
 - synchrotron tomography 318
 - scattering curve, small-angle 230
 - scattering geometry 209
 - scattering length density difference (SLDD) 230, 235
 - scattering vector
 - diffraction methods 126
 - small-angle X-ray scattering 251
 - white high energy X-rays 206
 - Schrödinger equation 80 f, 88
 - Schwinger equation 106
 - secondary bonds 3 ff
 - secondary ion mass spectroscopy (SIMS) 16
 - second-generation synchrotrons 179
 - section polynomial diffraction methods 126
 - segregation 7
 - selected area diffraction (SAD) 64
 - self affine behavior 365
 - self-amplification of spontaneous emission (SASE) 110 f
 - self-organization 353
 - self-organized criticality model 226
 - semicircle artifacts 319
 - semiconductors 3 ff
 - semifinished products 68
 - separation algorithm 312
 - shadowing effects 47
 - Shannon theorem 277
 - shape factor 312
 - shear strains 127 ff

- shear stresses 22, 122, 127 ff
- shell model 247
- shifting 198
- shot-peening 52, 195
- shoulder images 326
- shrinking 30, 42, 214
- Si particles 216
- signal-to-noise ratio 328
- silicon 4
- simultaneous strain measurements 188
- $\sin^2 \chi$ technique 122 f, 198 ff
- single crystal anisotropy 59
- single crystals 170, 174, 365
- single grain measurements 137
- single phase material 10, 25
- sintering 29, 379
- SiO₂ nanoparticles 245
- size distributions 235
- size ranges 5
- SKAT diffractometer 67
- skin–skin joints 401
- slice theorem 276
- sliding 12
- slip patterns 188
- slip planes 6, 13
- slit system
 - angle-dispersive X-ray diffraction 139 f
 - energy-dispersive neutron diffraction 159
 - monochromatic high-energy X-rays 177 ff, 192
 - white beam high energy X-rays 199, 211
 - X-ray diffraction microscope 335
- sluggishness 392
- small-angle convergent beam electron diffraction (SCBED) 63
- small-angle neutron scattering (SANS) 232 ff, 239–248
- small-angle scattering methods (SAS) 229–238
- small-angle X-ray scattering (SAXS) 249 ff
- SN (Wöhler-) curves 50
- Sn films 367
- Sn-Ag-Cu alloy 117
- software, Laue diffraction 362
- soldering 42
- sol–gel process 245
- solid solutions 7, 12
- solidification 340
- solidus–liquidus line, copper–cobalt alloys 250
- Soller collimator 222
- solubility, microstructures 7
- sonograms 292
- sources
 - Laue diffraction 358
 - synchrotron radiation 103
 - spallation 91 f
- space constraints 188
- spark plug 271
- spatial orientation 21
- spatial resolution *see* resolution
- spectral bandwidth 100 f
- spectral transforms 225
- sphere-of-confusion errors 354
- spherical aberration 18
- spherical shell model 247
- spins 80
- spiral slit system 184, 192
- splines 235
- spot overlap
 - monochromatic high-energy X-rays 188
 - X-ray diffraction microscope 342
- spot pattern 64
- spraying 47
- sputtering 46
- SRmCT 303
- stability 7
- stack plot 197
- stacking faults 6 ff
- stacking layers 344
- static loading 50
- stationary detector mode 71
- statistical approaches 224
- steels
 - crankshafts 413
 - microstructures 8
 - precipitation behavior 242
- steep residual stress gradients 204
- stereographic projection 60
- stereology 57
- stiffness tensor 23
- storage rings 99, 105 ff
- strain
 - diffraction methods 118 ff
 - energy-dispersive neutron diffraction 156
 - friction stir welds 214
 - gradients 125
 - relaxation 215
- strain fields 371–378
- strain-free diffraction rings 191
- strain-free lattice spacing 196
- strain hardening 9, 12
- strain scanning
 - AA6013 T4 (Al alloy) 215
 - angle-dispersive X-ray diffraction 138
 - energy-dispersive neutron diffraction 157 ff, 172

- monochromatic high-energy X-rays 192
 - strain tensor
 - internal stresses 21 ff
 - Laue diffraction 360
 - monochromatic high-energy X-rays 191
 - X-ray diffraction microscope 335
 - strengthening 7 ff, 12
 - stress analysis
 - angle-dispersive X-ray diffraction 137–154
 - diffraction methods 115–136
 - energy-dispersive neutron diffraction 155–176
 - stress equilibrium 24
 - stress-free interplanar lattice distance 121
 - stress-free references 147 f
 - stress gradients 125
 - stress relaxation 208, 215
 - stress relief annealing 45
 - stress–strain concentrations 375
 - stress tensor
 - diffraction methods 115
 - internal stresses 21 ff
 - stresses, turbine disks 397
 - structural properties 3–20
 - structural characterization, MgH_x samples 241
 - structure factor
 - photon/neutron properties 87
 - small-angle scattering 234
 - white high energy X-rays 210
 - subgrains 6, 342
 - superconducting films 356
 - superconductors 312
 - superplasticity 7
 - superpositions 325
 - supersaturated solid solution 9
 - surface grain growths 366
 - surface hardenings 32, 40
 - surface roughenings 365
 - surface stresses 137–154
 - surface treatment 195, 205
 - surfactants 246
 - synchrotron radiation 97
 - synchrotron sources 84
 - synchrotron tomography 309–322
 - synchrotron X-rays 70
 - synchrotron-radiation-based imaging 287–308
 - systematic errors 178
- t**
- Talbot effect 290
 - Taylor series approximations 188, 328
 - t-depth profiles *see* penetration depth
 - temperature dependence
 - energy-dispersive neutron diffraction 157
 - IN718 heat capacity 393
 - microstructures 6
 - residual stresses 27, 30, 41, 49
 - template matching 64
 - tensile stresses 30, 44
 - angle-dispersive X-ray diffraction 151
 - white high energy X-rays 205
 - tensile tests 130, 396
 - tetragonal microstructures 4
 - textures
 - analysis 57–78
 - conical slit 183
 - CuZn40Pb2 383
 - diffraction methods 120, 124
 - Laue diffraction 356 f
 - monochromatic high-energy X-rays 179, 190
 - tomography 379
 - white high energy X-rays 207
 - theoretical basis, polychromatic microdiffraction 355
 - thermal affected zone 224
 - see also* heat affected zone
 - thermal expansion coefficient 29, 44
 - thermal loading 39
 - thermal neutrons
 - photon/neutron properties 80
 - radiation sources 96
 - transmission thickness 208
 - thermal spraying 47
 - thermal treatment 313
 - thermomechanical treatment
 - IN718 390
 - textures 57
 - thermophysical properties 7
 - θ - θ -mode 196
 - thin film stresses 46
 - thin plate stresses 398
 - third-generation slit 182
 - Thomson scattering 84
 - three-dimensional grain growth 366
 - three-dimensional image analysis *see* image
 - three-dimensional micron-resolution Laue diffraction 353–370
 - three-dimensional plastic strain fields 371–378
 - three-dimensional X-ray diffraction (3DXRD) 335–352
 - monochromatic high-energy X-rays 178 ff, 188 f, 192
 - through-hardening 32

- through-thickness scan 152
 - time counting 160
 - time-dependent processes 208
 - time focusing 163
 - time-of-flight (TOF)
 - detectors 132
 - diffractometer 170
 - mass spectrometer 19
 - methods 66
 - spectrometers 138
 - strain scanners 159 f
 - transmission analysis 170
 - neutron diffraction 155 ff
 - time-temperature-transformation (TTT) 172
 - time structure 104
 - titanium
 - alloys 8
 - hydride powders 315
 - TiAl6V4 samples 379
 - TiB2 coating 11
 - transmission thickness 208
 - T-joints 400 ff, 405
 - tomographic reconstruction 291
 - tomography
 - B3 imaging 257 ff, 274 ff
 - combined with diffraction 379–386
 - 3DXRD 348
 - plastic strain fields 371–378
 - μ -tomography 309–322
 - top image 323 ff
 - topo-tomography 350
 - tracking
 - plastic strain fields 371
 - X-ray diffraction microscope 337
 - trajectory 106
 - transformation matrix 120
 - transformations 15
 - translation scan 212
 - transmission analysis 170
 - transmission electron microscopy (TEM)
 - microstructures 17
 - small-angle neutron scattering 244
 - textures 64
 - TiB₂ coating 11
 - transmission geometry 177
 - transmission modes 207–219
 - transmission technique 192
 - transmission thickness 208
 - triaxial stresses
 - angle-dispersive X-ray diffraction 146
 - diffraction methods 121
 - spiral slit 186
 - tribo-systems 53
 - tungsten inert gas (TIG) welding 44
 - turbine discs 390, 397, 150
 - turning processes 39
 - twinning-induced plasticity (TWIP) 9
 - twins 5, 8 ff
 - two-circle diffractometer 117
 - two-dimensional-ART reconstruction
 - algorithm 344
 - two-phase materials 10
 - two-phase model 241, 251
- u**
- ultrahigh-vacuum (UHV) chambers 104
 - ultrarelativistic electrons acceleration 309
 - ultrasmall angle neutron tomography (USANS) 282
 - undulators
 - decomposition kinetics 250
 - Laue diffraction 359
 - synchrotron radiation sources 105
 - unit cell 87
 - universal plot method
 - diffraction methods 126
 - white high energy X-rays 199, 204
 - Uranium-235 nucleus 91
- v**
- vacancies 5, 8, 28
 - vacuum-ultraviolet (VUV) range 110
 - van der Waals bonding 3 ff
 - vanadium 240
 - VESPERS beamline 360
 - virtual laboratory 164
 - visualization
 - diffraction imaging 224
 - radiation-based imaging 295
 - voids
 - copper–cobalt alloy systems 251
 - CuZn₄₀Pb₂ 383
 - residual stresses 28
 - synchrotron tomography 312
 - Voigt function 124, 129, 157
 - volume fraction
 - copper–cobalt alloy systems 254
 - diffraction methods 118
 - microstructures 6, 9
 - residual stresses 44, 54
 - small-angle neutron scattering 241
 - textures 57
 - X-ray diffraction microscope 340
 - volume renderings 296, 299
 - volume shrinkage 30
 - Von Mises criterion 51, 147

w

- W particles tracking 372
- water cooling 30
- water quenched turbine discs 150
- wave equation 324
- wave propagation 83
- wave vector 80 f, 239
- wavelength dispersive X-ray spectroscopy (WDX) 16
- wavelength distribution 258
- wavelength range
 - angle-dispersive X-ray diffraction 137 ff
 - energy-dispersive neutron diffraction 155 ff
 - IN718 396
 - photon/neutron properties 79
 - synchrotron radiation sources 101
 - synchrotron tomography 309
 - textures 66
- wear processes 53
- welding
 - angle-dispersive X-ray diffraction 138, 149
 - residual stresses 42, 401
 - see also* friction welding, etc.
- whiskers 367
- white high energy X-rays 195–221
- wigglers
 - combined diffraction – tomography 380
 - decomposition kinetics 250
 - synchrotron microtomography 301
 - synchrotron radiation sources 105 ff
 - white high energy X-rays 108, 211

- wires 11, 312
- Withers model 160
- Wöhler curves 50
- work hardening 6, 12
- working principle, conical slit 181

x

- X-ray absorption tomography, plastic strain fields 371–378
- X-ray diffraction microscope 62 ff, 335–352
- X-ray stress analysis (XSA) 196 ff
- X-rays 79, 83 ff

y

- Y₂O₃ particles strengthening 10
- yield strength
 - crankshaft stresses 416
 - microstructures 10, 13, 49
- yield stress 35, 169
- Young's modulus
 - IN718 394, 397
 - internal stresses 23
 - diffraction methods 128

z

- Z-contrast images 18
- z-depth profiles 199
- Zener predictions 341
- zinc/zinc oxide 310 ff
- zinblende structure 4
- zone model 47
- z-space 126