

# Subject index

## A

A1, evolution 148, 151, 156  
A2, evolution 148  
accumulator 98, 103, 104, 105  
action  
    different domain to perception 129  
    inseparable from perception 285, 286  
active sensing, definition 4  
agency 143  
alien hand syndrome 291  
antisaccades 63  
    motor 65  
    paradoxical activity in parietal cortex  
        66–68, 72–73  
    sensorimotor transformation in LIP 63,  
        65–66  
    sensorimotor transformation of inversion  
        63  
    visual 65  
area X 155  
association areas, cortical evolution  
    168–169  
attention  
    allocation 72  
    LIP 72, 115  
auditory system, language learning 254  
autism 207, 209  
automization, behaviour 291–292

## B

barrel cortex 20, 25, 39, 40–43, 50  
Bayes' rule 96, 193  
'Bayesian', meaning of 109  
Bayesian learning 193  
Bayesian theory 109, 110, 191–194, 196, 202,  
    236  
biased choice theory 104

## C

central pattern generator, whisking 14,  
    54  
cerebellum 233  
chess-playing computers 200  
choice 288, 289  
choice probability index 179  
cingulate cortex 143  
coding bias 57  
cognition  
    intention 138  
    saccades 287–288  
collateral sulcus 209  
collicular cells, decision making 165–166  
columns  
    conceptualization 232  
    inferior temporal cortex 218, 226–227,  
        229, 232  
    MT 232  
    whisker somatosensory cortex 20,  
        21  
command neuron hypothesis 60, 62  
comparison processes 176–179, 188,  
    189–190  
contact neurons 8, 10  
contagious behaviours 165  
context  
    sensitivity to in real life 145  
    sensorimotor transformations 62–63  
context categorization module 63, 69,  
    111  
corollary discharge 14  
cortical columns *see* columns  
cortical evolution *see* neocortex  
cortical field 147  
cortical microstimulation 180–183  
critical features 217–218  
cultural factors 208

**D**

- decisions and decision making 108–109, 164
  - artificial systems 168
  - Bayesian theory 109, 110, 191, 196, 202, 236
  - buzz word 108
  - choice 288, 289
  - collicular cells 165–166
  - cortical evolution 167
  - criteria for cell involvement 165
  - decoding from neuronal activity 179–180
  - deliberation 288–289, 291
  - evidence for neuron involvement 166
  - independent of senses and actions 168
  - information accumulation 289
  - LIP 115–116
  - mirror system 289
  - parieto-fronto-cingulate networks 292
  - rewards 167
  - social context 289
  - taking account of time 236
  - terminology 288
  - time-invariant diffusion model 117–118
  - time-variant diffusion model 119–123, 126–127
  - vague term to apply to brain 166
  - whisker system 53–54
- deliberation 288–289, 291
- detach neurons 10
- diffusion models 114
  - time-invariant 117–118
  - time-variant 119–123, 126–127
- dorsal stream 133

**E**

- Emx2* 153
- evolution *see* neocortex
- excitatory burst neurons 76, 79, 81–86
- expectation signal 189
- experience 93, 96, 99–100, 103–104
- extinction 159–160
- eye immobilization 52–53
- eye movements *see* saccades

**F**

- face recognition
  - inferior temporal cortex, area TE 224, 230–231
  - posterior fusiform gyrus (FFA) 209, 215

- feedback
  - rewards 96, 98–99, 103
  - whisking 16
- fibroblast growth factor 8 (FGF8) 153
- forward correlation 26, 28
- forward model 195
- fossil skulls 147
- foveal whisking 53
- frame problem 141
- frontal cortex
  - frequency discrimination 239
  - inferior parietal lobe connections 130
- fusiform face area (FFA) 209, 215

**G**

- general learning theory, language 252, 254, 271
- generalization 236
- grammar learning 253, 254, 255, 280–282

**H**

- hat problem 236
- Hebbian networks 253
- high input regime 40
- holistic intention signals 62
- hunger 113

**I**

- imitation
  - human lesions 140–141
  - innate 166
  - language 252
  - learning 141
  - utilization behaviour 142
- inferior parietal lobe (IPL)
  - action hypothesis 133
  - active movements 132
  - AIP 133
  - anatomy 130–132
  - association function 132
  - bimodal neurons 132
  - dorsal stream 133
  - frontal lobe connections 130
  - functional organization 132–133
  - functional role 133–134
  - heterogenous neuron population 132
  - intention 137
  - mirror neurons 133, 136–137, 140
  - motor action coding 132

motor acts/action 134  
 motor control 134–135  
 motor map 132  
 Opt 130  
 perception and action 129–130  
 PF 130, 133  
 PFG 130, 133  
 PG 130  
 receptive fields 134–135  
 somatotopic organization 132  
 space perception 133  
 superior temporal polysensory area (STP)  
     130, 132  
 tactile receptive fields 135  
 temporal lobe input 130  
 ventral stream 133  
 VIP 133  
 visual neurons 132  
 visual responses 136–137  
 inferior temporal cortex, area TE  
   ‘active spots’ 219, 220, 222, 223–224, 230,  
     233  
   columns 218, 226–227, 229, 232  
   configurational information 222  
   face neurons 224, 230–231  
   inversion of images 230  
   lack of cerebellar connections 233, 234  
   local feature representation 220, 222  
   neural representation of object images  
     219–220  
   optical imaging 218–219  
   time-dependent gating mechanism 235  
   visual feature representation 217–218  
 information  
   accumulation 288–289  
   confusion with knowledge 108  
 innate disposition  
   imitation 166  
   language 257–259  
   mirror neurons 166  
 intention  
   cognition 138  
   experience of 290  
   frame problem 141  
   guessing 145  
   holistic intention signals 62  
   IPL 137  
   mirror neurons 137, 141–142  
   motor organization 137–138  
   ownership 143–144  
 intermediate representations 62

intervocalic interval 265–266  
 intracortical microstimulation 180–183

**K**

Kalman controller 195  
 Kalman filter 195  
 Kalman gain 195  
 knowledge, confusion with information 108

**L**

language acquisition 251–280  
   auditory system 254  
   binary parameters 251  
   consonant/vowel distinction 273–276,  
     281–282  
   general learning theory 252–254, 271  
   grammar 253, 254, 255, 280–282  
   Head-Complement parameter 271  
   Hebbian networks 253  
   imitation 252  
   innate disposition 257–259  
   internal mapping between perception and  
     action 282–283  
   intervocalic interval 265–266  
   left hemisphere 258–260  
   Markov chains 280  
   neonatal response to speech 256–257, 259–263  
   optical topography 259–263  
   parameter setting 255–257, 270–273  
   parsing speech 256  
   phonetic structure and syntax 283  
   phonological bootstrapping 255  
   phonological phrase 272–273  
   principles and parameters theory 251–252,  
     253, 254, 255  
   prosody 255  
   rhythm 263–267, 270–273  
   segmenting speech 268–270  
   signals 270–273, 276  
   statistical information 269–270  
   syllables 263–265, 283  
   syntax 253, 254, 255  
   triggers 270–273  
   universal grammar 251  
   universal principles 251  
   voice region in brain 258  
 lateral intra-parietal area (LIP)  
   attention 72, 115  
   decision making 115–116

eye movements 115, 116–117  
 intermediate representations 62  
 noise stimuli 116  
 paradoxical activity 62  
 sensorimotor transformation of  
   antisaccades 63, 65–66  
   space coding 133  
   temporal integral of sensory activity 116,  
     121  
   two waves of activation 69  
 leaky integrators 127  
 learning 99–100  
   Bayesian 193  
   experience-dependent scaling 96  
   imitation 141  
   sensory representations 93  
   slow 201–202  
 left hemisphere, language 258–260  
 likelihood distribution 92, 93–96, 193

## M

M1 *see* primary motor cortex  
 Markov chains 280  
 Markov property 195  
 matching behaviour 96–97  
 McGurk effect 285  
 medial premotor cortex (MPC) 173, 176,  
   183  
 memory  
   cortical network store 183  
   medial premotor cortex 176  
   mirror neurons 166  
   prefrontal cortex 175  
   S1 247, 249–250  
   S2 176  
   saccades 63  
   ventral premotor cortex 176  
   whisking 51, 57–58  
 microstimulation 180–183  
 mirror neurons  
   decision making 289  
   frontal/parietal distinction 140, 144  
   inferior parietal lobe 133, 136–137, 140  
   innate 166  
   intention 137, 141–142  
   memory system 166  
   ownership 143–144  
   representing actions of someone else 164  
   social cognition 210  
   visual responses 136–137

mixed memory prosaccade/antisaccade task  
   63–65, 69, 70  
 modularity 63, 155, 162  
 motor antisaccades 65  
 motor coding 1  
 motor-sensory loop 5  
 MT, columns 232

## N

natural viewing 203–212  
   intersubject correlation 204–208, 213  
   reverse correlation 208–210  
 neocortex, evolution 146–159  
   A1 148, 151, 156  
   A2 148  
   association areas 168–169  
   comparative approach 148–151  
   conservation 148  
   cortical fields 147  
   decision making 167  
   developmental approach 151–153  
   *Emx2* 153  
   environmental manipulation 153  
   extinction 159–160  
   extrinsic mechanisms 152–153, 155–156  
   FGF8 153  
   fossil skulls 147  
   genetic models 152  
   inference studies 147  
   intrinsic mechanisms 152, 153–155  
   M1 148  
   modularity 155, 162  
   *Pax6* 153  
   peripheral morphology 155, 160  
   phenotypic change 148  
   physical manipulations 152  
   plasticity 160  
   primary areas 148, 168–169  
   rostrocaudal axis assignment 152, 153  
   S1 148, 151  
   S2 148  
   secondary areas 148, 162–163  
   sensory domain allocation 148–151  
   sensory stimulation 155–156  
   size and behavioural complexity 147  
   size of primary cortical areas 148–149  
   thalamocortical connections 152, 153, 155  
   V1 148, 149, 155  
   V2 148, 160  
 neural codes 2

neuronal sensitivity 94, 101–102, 106  
 neurophysiology 1  
 noise  
   accumulator 104  
   determinant of behaviour 197, 199–200  
   frequency discrimination 240–242, 243,  
     244, 246–247  
   intra-uterine 257  
   LIP response 116  
   signal-dependent 197, 201  
   signal detection theory 243  
   signal:noise ratio calibrating weighing  
     function 102–103  
   speed–accuracy trade-off 98

**O**

object selectivity 228  
 omnipause neurons 76  
 optical imaging, area TE 218–219  
 optical topography 259–263  
 optimal estimates 193–194, 195–196, 200  
 optimization process 104  
 ownership 143

**P**

paper clip recognition 233  
 paradoxical activity 62, 66–68, 69, 72–73  
 parameter setting 255–257, 270–273  
 parietal cortex  
   cingulate cortex connections 143  
   information from S1 189  
   paradoxical activity 66–68, 72–73  
   perception and action 129  
   *see also* inferior parietal lobe; lateral intra-  
     parietal area  
 parsing speech 256  
 pattern generator, whisking 14, 54  
*Pax6* 153  
 perception  
   different domain to action 129  
   inseparable from action 285, 286  
   sensation and 285–286  
 phonological bootstrapping 255  
 plasticity 99–100, 160  
 posterior probabilities 96, 193  
 PPA 209  
 prefrontal cortex  
   context categorization module 69, 111  
   intermediate representations 62

paradoxical activity 69, 73  
 rule implementation 71–72  
 stimulus frequency 173, 175, 183  
 working memory 175  
 pressure neurons 10  
 primary auditory cortex (A1), evolution 148,  
   151, 156  
 primary cortex, evolution 148, 168–169  
 primary motor cortex (M1)  
   comparison processes 179  
   evolution 148  
 primary somatosensory cortex (S1)  
   driving higher cortical areas 171  
   driving S2 173  
   evolution 148, 151  
   frequency discrimination 172–173,  
     238–240, 243, 244  
   memory 247, 249–250  
   parietal lobe 189  
   quickly adapting neurons 180, 182  
   slowly adapting neurons 182  
   somatotopic organisation 239  
   transcranial magnetic stimulation 239,  
     247  
   velocity coding 242, 246, 248  
 primary visual cortex (V1), evolution 148,  
   149, 155  
 principles and parameters theory 251–252,  
   253, 254, 255  
 priors 96–98, 193  
 probabilistic tasks 192–194  
 prosaccades 63  
 prosody 255  
 psychophysics 1

**Q**

quickly adapting neurons 180, 182

**R**

random dot motion direction discrimination  
   115  
 reaching, consciousness 235  
 resource  
   allocation 199  
   limitation 237  
 rewards  
   decision making 167  
   feedback 96, 98–99, 103  
   internal 196–197  
   optimization 123–125

rhythm  
 language 263–267, 270–273  
 whisking 4, 15, 46  
 rostrocaudal axis 152, 153  
 rule implementation, prefrontal cortex 71–72

## S

S1 *see* primary somatosensory cortex  
 S2 *see* secondary somatosensory cortex  
 saccades  
 amplitude and spike numbers 79–81  
 cognition 287–288  
 excitatory burst neurons 76, 79, 81–86  
 holistic intention signals 62  
 initiation 75–78  
 LIP 115, 116–117  
 memory 63  
 motor vector 60  
 omnipause neurons 76  
 prosaccades 63  
 pulse–step 75–76, 89  
 reliability of motor signals 78–87  
 saccade-related burst neurons 76–78  
 sensorimotor loop 59–60  
 sensorimotor transformation of identity  
 60  
 superior colliculus 76–78  
 target selection 78  
 visual vector 60  
 when do they occur? 112–113  
*see also* antisaccades  
 saliency mapping, time-dependent 235  
 scaling factors 94–96  
 secondary auditory cortex (A2), evolution  
 148  
 secondary cortex, evolution 148, 162–163  
 secondary somatosensory cortex (S2)  
 clusters of neurons 188–189  
 comparison 188  
 driven by S1 173  
 driving more central areas 173  
 dual representation 173, 184, 187  
 evolution 148  
 frequency discrimination 173, 239  
 population vector 186–187  
 working memory 176  
 secondary visual cortex (V2), evolution 148,  
 160  
 selective input regime 40  
 self-generated responses 164–165

sensation, separate from perception 285–286  
 sensorimotor loop 59–60, 62  
 sensorimotor transformation 59–62  
 antisaccades, LIP 63, 65–66  
 command neuron hypothesis 60, 62  
 contextual information 62–63  
 identity 60  
 inversion 63  
 module 63  
 space 60  
 switching 62–63  
 sensory coding 1  
 sensory neurophysiology 1  
 sequential probability ratio test 93  
 signal detection theory 243  
 slowly adapting neurons 182  
 social cognition, mirror system 210  
 social context, decision making 289  
 speech *see* language acquisition  
 speed–accuracy trade-off 98–99  
 state estimation 194–195  
 stereotyping  
 human movement 197  
 whisking 33, 35  
 stimulus description 21  
 stimulus-triggered responses 164–165  
 superior colliculus, saccades 76–78  
 syllables 263–265, 283  
 syntax acquisition 253, 254, 255

## T

TE *see* inferior temporal cortex  
 temporal lobe, input to inferior parietal lobe  
 130 *see also* inferior temporal cortex  
 tetrodes 112  
 texture 19, 21–23, 25, 26, 28–29, 32, 33, 34,  
 37  
 texture constancy 29  
 thalamocortical connections 152, 153, 155  
 thalamus  
 modulating sensory inputs 291  
 whisking 20  
 touch cells 8, 10  
 training 99  
 transcranial magnetic stimulation 239, 247  
 trigeminal ganglion 7–10, 20, 25  
 contact neurons 8, 10  
 detach neurons 10  
 pressure neurons 10  
 touch cells 8, 10

- whisking cells 8
  - whisking-touch neurons 10, 52
- U**
- uncertainty 196–197
  - universal grammar 251
  - universal principles 251
  - ‘urgency’ mechanism 119
  - utilization behaviour 142
- V**
- V1, evolution 148, 149, 155
  - V2, evolution 148, 160
  - ventral premotor cortex (VPC) 173, 176, 183
  - ventral stream 133
  - visual antisaccades 65
  - visual illusions 200, 202
- W**
- weight of evidence 93
  - whisker system 4–5, 19–20
    - action potential (AP) 39, 40, 41
    - active whisking 7, 15, 43–44
    - amplitude–frequency relationship 16
    - artificial whisking 7
    - barrel cortex 20, 25, 39, 40–43, 50
    - base angle of whisker 15, 23
    - central pattern generator 14, 54
    - coding bias 57
    - corollary discharge 14
    - cortical cell numbers 39
    - cortical columns 20, 21
    - cortical integration of information 36
    - cortical interconnections 39
    - cortical processing 40
    - curvature of whisker 14–15, 16, 33
    - decision making 53–54
    - directional tuning 31–32
    - efference copy 45
    - excitatory postsynaptic potentials 40
    - expectation of texture 29–30
    - exploration of objects 16
    - extracellular stimulation 45–46, 49
    - feedback loop 16
    - follicle 11, 20
    - foveal whisking 53
    - frequency of whisking 15
    - head movements 16, 35–36
    - high input regime 40
    - immobilization of whiskers 52
    - intracellular stimulation 45–46
    - intracortical transformation of neural codes 29
    - kinematics 10–13, 14–15
    - kinetics 21–23, 33
    - length of whiskers 29, 32, 53, 56–57
    - memory 51, 57–58
    - model system 38–39
    - movement-modulated neurons 43–44
    - movement-suppressed neurons 43
    - natural stimulus 21
    - neural encoding 23–25
    - passive whisking 7, 15, 40–43
    - pattern generator 14, 54
    - play-back system 24, 33
    - positive versus negative stimuli 36–37
    - postsynaptic potentials 40
    - prediction of texture 29–30
    - primary afferents 20, 39
    - receptive field analysis 40–43
    - resonance frequency 32
    - rhythm of whisking 4, 15, 46
    - selective input regime 40
    - semi-automatic whisker tracking algorithm 13
    - sensory fibres 20
    - sparse cortical activity 41, 43, 45–46, 55
    - stereotyped whisking with training 33, 35
    - subthreshold cortical responses 41, 46
    - synchronized changes in movement 49
    - texture discrimination 19, 21–23, 25, 26, 28–29, 32, 33, 34, 37
    - thalamic neurons 20
    - torsion 34
    - trigeminal ganglion 7–10, 20, 25
    - velocity profiles 23, 25–28
    - ‘what’ and ‘where’ distinction 57
    - whisking cells 8
    - whisking-touch neurons 10, 52
  - working memory
    - cortical network store 183
    - prefrontal cortex 175
    - S1 249–250
    - S2 176
    - ventral premotor cortex 176
- X**
- X, area 155

