

Index

COPYRIGHTED MATERIAL

Index

Symbols & Numbers

ampersand (&), 6

ampersand (&) operator, 7

arithmetic operators

" , 500

* , 500

- , 205

/ , 500

Δ , 499

+ , 501

Mod , 501

assignment operator (=), 17

bitwise operators

And , 507

Eqv , 507

Imp , 508

Not , 507

Or , 507

Xor , 507

character (.), 27

circumflex (^), 233

comparison operators

< , 504

<= , 504

<> , 504

= , 503

> , 504

>= , 504

concatenation operators

& , 502

+ , 503

dots (.), 237

equals (=) operator, 63, 174, 184

exclamation point (!), 134

logical operators

And , 505

Eqv , 506

Imp , 506

Not , 505

Or , 506

Xor , 506

math functions

Abs , 508

Atn , 509

Cos , 509

Exp , 509

Fix , 510

Int , 510

Log , 511

Randomize , 511

Rnd , 512

Round , 513

Sgn , 513

Sin , 513

math functions Sqr, 514

mathematical operators

(+ , - , / , *), 6

equals sign (=), 6

operator precedence

& , 18

= , 18

<> , 18

< , > , 18

<= , 18

>= , 18

Is , 18

Not , 18

And , 18

Or , 18

Xor , 18

Eqv , 18

Imp , 18

rules , 508

period (.), 466

regular expression characters

" , 230

\$, 230

\$num , 232

\(, 231

slash (\), 237

subtraction operator (-), 17

underscore (.) character, 81

single quote character ('), 4

accessing and manipulate

A

accessing and manipulate

- databases, 38
- servers, 308

Active Directory Service Interfaces (ADSI), 308

active scripting, 29

Active Server Page (ASP), 127

Active Server Pages Object Model, 444

Active Server Pages, introducing, 441

ActiveX

- components, 250
- control, 40, 250, 469

ActiveX data objects

- Command, 631
- Connection, 631
- Error, 632
- Parameters and Parameter, 631
- Recordset, 631

ActiveX Data Objects (ADO), 65, 129

ActiveX Scripting engine, 307

ActiveX Scripting host environment, 307

ActiveX Scripting Language, 308

ActiveX scripting, 38

ActiveX-enabled scripting languages, 40

Ad Rotator, 459

Add() method, 176

add/remove white space, 405

AddBehavior() method, 293, 303

AddEntry() method, 218

AddOneDay() function, 93

AddPrinterConnection method, 346

address book, 3

AddWindowsPrinterConnection method, 346

administrative functions, 35

ADO enumerated constants

- AffectEnum, 653
- CommandTypeEnum, 653
- ConnectOptionEnum, 653
- CursorLocationEnum, 653
- CursorOptionEnum, 654
- CursorTypeEnum, 654
- DateTypeEnum, 654
- ExecuteOptionEnum, 655
- LockTypeEnum, 655
- ObjectStateEnum, 655
- ParameterDirectionEnum, 655

advanced clipboard control, 40

advanced programming languages, 31

advanced testing and rollout, 2

all collection, 274

alpha character, 81

anatomy of HTTP protocol, 436

AppActivate method

- object, 328
- title, 328

application and session objects, 455

APPLICATION attribute, 429

application level protocol, 436

Application object, methods of

- Lock, 456
- Unlock, 456

Application objects, 445

Application.OnStart event, 456

Application.OnStart procedure, 151

Arguments property, 315, 354

arguments, 5, 83

array bounds and declaring arrays, 70

array functions and statements

- Array, 525
- Erase, 525
- For Each, 526
- IsArray, 526
- Lbound, 527
- ReDim, 527
- Ubound, 528

arrays

- erasing, 76
- looping through, 74

arrays as complex data types, 68

arrays have dimensions, 69

arrays with subscripts, accessing, 71

arrays, 69

As keyword, 46

ASCII mode, 194

ASP basics, 442

ASP debugging, enabling, 162

ASP file format, significance of, 399

ASP files, 399

ASP objects

- Application, 382
- Request, 382
- Response, 382
- Server, 382
- Session, 382

ASP page into VBScript object, transforming, 412

ASP page, 37, 39

ASP script components, working of, 383

ASP syntax, 141
ASP Web sites, 162
ASP, 162
ASP/VBScript section, 465
asp_debug_stop.asp page, 163
ASPError object, 142
ASPError object, properties of
 ASPCode, 142
 ASPDescription, 142
 Description, 142
 Number, 142
 Source, 142
assertions, 154
associative array, 180
asynchronously, 408
AtEndOfStream property, 118
attached behaviors, removing, 304
AttachEvent method, 302
auto-backup, 40
auto-indenting, 40
automatic assignment of
 data subtype, 52
 string subtype, 48

B

Back button, 371
backreferencing, 239
basic HTA, creating, 416
BASIC programming language, 34
behavior attached dynamically, removing, 294
behavior dynamically, applying, 293, 304
Behavior property, 293
behavior statically, applying, 293, 304
behavior to HTML element, applying
 CSS class, using, 293
 scripting, 293
behavior. *See* objects, classes and components, 200
behaviors technology, 292
binary behaviors, 292
binary language, 31
BinaryRead() method, 450
black box, 19
binFileExists, 168
block. *See* branching, 8, 9, 105
Boolean subtype, 63, 118
Boolean variable, 151
boolLoopAgain variable, 118

branching constructs, 9, 105
branching logic, 11, 105
branching, 8, 9, 105
breaking down URIs, 245
breakpoints, setting, 166
browser capabilities, 459
browser events, responding to, 254
browser scripting language, 37
browser scripting, working of, 250
browser security, 278
browser wars, 252
browser-based VBScript code, 134
BubbleEvent() method, 287, 290
bug. *See* logic errors, 131
building on simplicity, 226
built-in objects
 Debug, 174
 Err, 174
 RegExp, 174
built-in VBScript functions
 Day(), 55
 Month(), 55
 TypeName(), 47
 VarType(), 47
 Year(), 55
built-in VBScript functions, using, 2
built-in VBScript named constants
 vbYes, 89
 vbYesNo, 89
built-in VBScript procedure, 22
ByRef and ByVal, 96
ByRefByValExample procedure, 97
Byte subtype, 58

C

C++ executable programs, 32
CalculateOrder procedure, 149
CalculatePrice function, 149
Call keyword, 87
Call Stack window, 171
call stack, 149
call stack, viewing, 169
Cascading Style Sheets (CSS), 292, 415
Case statement, 108
CDate() conversion function, 53
class events, 210
class in a script component, use of, 385
Class statement, 201

Class_Initialize event

- Class_Initialize event, 210**
- Class_Terminate event, 211**
- Class . . . End Class block, 201**
- classes in VBScript (writing own COM objects), overview of, 199**
- classes, 65, 199**
- class-level arrays, 213**
- class-level constants, 212**
- Clear method, 588**
- Click event, 24**
- client side, 29**
- client/server applications, 407**
- CLIENT_COOKIE.HTM, code for, 282**
- ClientCertificate, 449**
- client-side Dynamic HTML (DHTML), xxii**
- client-side script error, 133**
- client-side script, 38**
- client-side scripting**
 - Behaviors, 277
 - HTML components, 277
 - Scriptlets, 277
- client-side scripting, capabilities of, 250**
- client-side VBScript code, 133**
- client-side VBScript errors in Internet Explorer, 133**
- client-side Web development, 35**
- client-side Web scripting, 38**
- client-side Web scripting, overview of, 249**
- CLng() conversion function, 48**
- Close method, 194**
- CLSID key, 379**
- cmdTest button, 159**
- code blocks, 20, 105**
- code framework, 250**
- code scripts, 292**
- code, calling, 83**
- code, organizing and reusing, 19**
- codes with which script code can be embedded**
 - HTML, 33
 - other script languages, 33
 - XHTML, 33
 - XML, 33
- coding convention**
 - commenting, 572
 - for indentation, 572
 - procedure naming, 571
- coding guidelines, 24**
- coercing string to Long, 50**
- collection, properties of**
 - Count, 188
 - Item, 188
- collections, 273, 445**
- collections, using, 186**
- color constants**
 - VbBlack, 575
 - VbBlue, 575
 - VbCyan, 575
 - VbMagenta, 575
 - VbRed, 575
 - VbWhite, 575
 - VbYellow, 575
- color-coded syntax, 40**
- COM components, 38, 363**
- COM development environment, 287**
- COM handlers, built-in**
 - ASP, 378
 - behaviors, 378
- COM objects, 39**
- COM-based libraries, 186**
- COM-based programming interface, 470**
- COM-enabled language, 173**
- COMHandlerName handler, 378**
- Command object**
 - methods, 639
 - properties, 637
- Command object, 636**
- Command Window, 168**
- Command Window, using, 168**
- command-line execution, 310**
- comment types**
 - inline, 573
 - tombstone, 573
- commenting ASP code, 444**
- comments, 2**
- comments, using, 27**
- common branching constructs**
 - If . . . End If, 105
 - Select . . . End Select, 105
- common errors raised by Script Control, 488**
- common language runtime framework, 36**
- CompareMode property, 185**
- comparison constants**
 - defined, 575
 - VbBinaryCompare, 576
 - VbFirstFourDays, 576
 - VbFirstFullWeek, 576

CreateEventObject() function

vbFirstJan1, 576
VbFriday, 576
VbMonday, 576
VbSaturday, 576
VbSunday, 576
VbTextCompare, 576
VbThursday, 576
VbTuesday, 576
vbUseSystemDayOfWeek, 576
VbWednesday, 576

comparison operators

<, 504
<=, 504
<>, 504
=, 503
>, 504
>=, 504
Is, 505

compile code, 33

compiled binary executable program, 31

compiled language, 44

compiled program, 33

compiler, 31

compile-time error checking, 384

components-server, 278

computer memory, 2

ComputerName property, 344

concatenating strings, 61

concatenation operators

&, 502
+, 503

concatenation, 6

Connection object

methods, 634
properties, 633

ConnectObject() method, 318

Const statement, 100, 212

Content Linker, 459

Content Rotator, 459

control of flow, overview of, 105

control types

3D panel, 570
Animated button, 570
Check box, 570
Combo list box, 570
Command button, 570
Common dialog, 570
Frame, 570
Horizontal scroll bar, 570
Image control, 570

Label, 570
Line, 570
List box, 570
Pop-up menu, 570
Radio/Option button, 570
Slider, 570
Spin button, 570
Tab strip, 570
Text box, 570
Vertical scroll bar, 570

control variable, 14

conversion functions

Asc, 546
AscB, 546
AscW, 547
Cbool, 547
Ccur, 548
Cdate, 548
Cdbl, 548
Chr, 548
ChrB, 549
ChrW, 549
Cint, 253
Cint, 550
CLng, 253, 550
CSng, 550
CStr, 253, 551
Fix, 551
Hex, 551
Int, 551
Oct, 552

Cookies Manager scriptlet, working of, 282

Cookies Manager, interface of

GetCookieKey (Key), 281
KeyExists, 281
RemoveCookieKey (Key), 281
SetCookieKey (Key, Value), 281

Cookies, 449

COOKIESMANAGER.HTM scriptlet, code for, 281

CopyFile() method, 190, 191

CopyFolder() method, 192

core VBScript interpreter, 173

Count method

object, 351
strName, 351

Count property, 174

Counter variable, 16

CreateComponent() function, 382

CreateEventObject() function, 300

CreateFolder() method

CreateFolder() method, 175

CreateObject() function, 134, 174, 459

CreateObject() method

object, 318

strPrefix, 318

strProgID, 318

CreateShortcut() method

object, 329

strPathname, 329

CreateShortcut() object, 359

CreateTextFile, 196

creating script components, list of items for, 364

creating shortcut, steps for, 329

CryptedKey property, 296

cscript, 153

cscript.exe, 155

cscript.exe, command line options for

//B, 311

//D, 311

//E, 311

//H, 311

//I, 311

//Job, 311

//Logo, 311

//Nologo, 311

//S, 312

//T, 312

//U, 312

//X, 312

cscript.exe, command line options for

CSS classes, 294

CSS property, 293

CStr() function, 56

Currency data type, 45

CurrentDirectory property, 324

custom errors

generating, 143

when to generate, 146

custom events

importance of, 288

using, 304

CustomerID argument, 148

CVErr() conversion function, 68

D

data structure, 34

data type prefixes

bool-Boolean, 52

byt-Byte, 52

cur-Currency, 52

dbl-Double, 52

int-Integer, 52

lng-Long, 52

obj-Object, 52

sng-Single, 52

str-String, 52

var-Variant, 52

data types

importance of, 44

Integer, 8

overview of, 43

String, 8

data types listing

Boolean, 569

Byte, 569

Currency, 569

Date or Time, 569

Double, 569

Error, 569

Integer, 569

Long, 570

Object, 570

Single, 570

String, 570

Variant, 570

database design, 1

database table, 25, 72

database, 2

datBirthDate variable, 59

date and time functions

Cdate, 515

Date, 515

DateAdd, 516

DateDiff, 516

DatePart, 517

DateSerial, 518

DateValue, 519

Day, 519

FormatDateTime, 519

Hour, 519

IsDate, 520

Minute, 520

Month, 520

MonthName, 520

Now, 521

Second, 521

Time, 521

- Timer, 522
- TimeSerial, 522
- TimeValue, 522
- Weekday, 523
- WeekdayName, 523
- Year, 524
- date and time functions and statements, 514**
- date format constants**
 - VbGeneralDate, 576
 - VbLongDate, 576
 - VbLongTime, 576
 - VbShortDate, 576
 - VbShortTime, 576
- date literal, 53**
- Date() function, 5**
- DateCreated property, 176**
- DateLastAccessed property, 176**
- DateLastModified property, 176**
- datResult variable, 93**
- datToday variable, 93**
- DCOM-ready components, steps to make, 379**
- Debug menu, 166**
- debug messages, 152**
- debug messages, outputting, 152**
- debug mode, 151**
- DEBUG_MODE property, 152**
- debugger**
 - activating, 163
 - function of, 149
 - debugger with an error, activating, 158**
 - debugger with manual breakpoint, activating, 161**
 - debugger with Stop statement, activating, 161**
 - debugging client-side Web scripts with Microsoft's Script Debugger, 157**
 - debugging scripts, 491**
 - debugging tool, 152**
 - debugging VBScript code, options for, 150**
 - debugging without debugger, 150**
 - debugging WSH Scripts with Microsoft's Script Debugger, 154**
- debugging, 125, 148**
- declaration syntax, 473**
- default property, 184**
- default scripting language, 442**
- defensive programming, 148**
- Description property, 354**
- design time, 287**
- design-time compiler, 32, 33**
- destroying objects, steps for, 211**
- DetachEvent() method, 303**
- development environment, xxi**
- DHTML Behaviors, 38, 368**
- DHTML Window.External object, methods of**
 - BubbleEvent, 289
 - RasieEvent, 289
 - SetContextMenu, 289
- DHTML Window.External object, properties of**
 - Frozen, 289
 - SelectableContent, 289
 - Version, 289
- DHTML, 278**
- dicPhoneList, 181**
- Dictionary object**
 - methods, 598
 - properties, 597
- different programming models**
 - event-driven programs, 23
 - top-down programs, 23
- Dim, 91**
- dimension, 69**
- DisconnectObject() method**
 - Arg1, Arg2, Arg3, 319
 - obj, 319
 - object, 319
- DisplayCryptedValue() method, 298**
- DisplayEntry() method, 216**
- DisplayError() procedure, 137–138**
- DivideNumbers() function, 147**
- DLL files**
 - Asycfilt.dll, 36
 - Comcat.dll, 36
 - Msvbvm60.dll, 36
 - Oleaut32.dll, 36
 - Olepro32.dll, 36
 - Stdole2.tlb, 36
- DNS levels, 237**
- DNS, 236**
- Do and Loop statements, 14**
- Do line, 14**
- Do loop, 13, 117, 120**
- Do statement, 14**
- Do While loop, 443**
- Do While Not objStream.AtEndOfStream, 122**
- Document Object Model (DOM), 269**
- document object, 273**
- document property, 274**
- documenting code, 2**

DOM API

DOM API, 270
DOM Core, 270
DOM in action, 270
DOS batch file, 37
DoSomething procedure, 256
DoSomething subroutine, 256
Double subtype, 58
Drive object properties, 603
dynamic array variable, 72
dynamic array, 72
dynamic code, 127
dynamic HTML (DHTML), 250, 415
dynamic HTML object model, 289

E

Echo method, 153, 319
ECMAScript, 253
element. *See* array bounds and declaring arrays, 70
Else block, 106
Else clause, 11, 77, 90
Elseif block, 107
Empty keyword, 63
encoded scripts
do's and don'ts, 404
need to, 390
using, 491
End If statement, 105
End Property statement, 203
End Sub keyword, 83
enhancement 1—adding properties, 296
enhancement 2—adding methods, 298
enhancement 3—exposing component events, 300
enhancement 4—handling HTML element events, 301
EntryExists() method, 217
EnumNetworkDrives() method, 347
EnumPrinterConnection() method, 347
Environment property
object, 324
strType, 324
Environment variable, types of
Process, 325
System, 325
environment variable, values of
Process, 324
System, 324
User, 324
Volatile, 324
Erase statement, 76
Err object
description syntax, 586
error handling feature, 585
error handling methods, 588
HelpContext syntax, 586
HelpFile syntax, 587
Number syntax, 587
properties
Source syntax, 588
Err object description syntax
Err, 586
Stringexpression, 586
Err object description syntax subtype
Err Object, 586
String, 586
Err object HelpContext syntax
ContextID, 586
Err, 586
Err object HelpContext syntax subtype
Err Object, 586
Integer, 586
Err object HelpFile syntax
Err, 587
Filepath, 587
Err object HelpFile syntax subtype
Err Object, 587
String, 587
Err object methods
Clear, 588
Raise, 589
Err object Number syntax
Errornumber, 587
Filepath, 587
Err object Number syntax subtype
Err Object, 587
Integer, 587
Err object Source syntax
Filepath, 588
Stringexpression, 588
Err object Source syntax subtype
Err Object, 588
Integer, 588
Err object, methods of
Clear method, 134
Raise method, 134
Err object, properties of
Description, 135

FileSystemObject object collection

- HelpContext, 135
 - HelpFile, 135
 - Number, 135
 - Source, 135
 - Err.Number** property, 138
 - Err.Raise()** method, 129, 137, 143
 - Err.Raise**, using, 143
 - Error** event, 479
 - error handling and debugging, overview of, 125–26**
 - error handling in Internet Explorer**
 - element.onerror event, using of, 594
 - window.onerror event, using of, 594
 - error handling with Script Control, 488**
 - error handling, 125**
 - Error** object, 486
 - Error** object, properties of
 - Column, 487
 - Description, 487
 - HelpContext, 487
 - HelpFile, 487
 - Line, 487
 - Number, 487
 - Source, 487
 - Text, 487
 - Error** subtype, 67
 - error visibility and context, 132**
 - errors related to Option Explicit, 130**
 - errors, presenting and logging, 139**
 - errors, types of, 126**
 - Eval()** function, 127, 478
 - event handler methods, 210**
 - event handler that passes parameters, adding, 255**
 - event handler, adding, 254**
 - event handlers through scripting, attaching, 302**
 - event management, 286**
 - event.** *See* class events, 210
 - event-driven code, 23**
 - event-driven model, 23**
 - event-driven programming, 23**
 - EventOrder.htm, 259**
 - events dynamically, managing, 304**
 - events statically, managing, 304**
 - events, 377**
 - events, canceling, 257**
 - Exec()** method, 341
 - executable format, 31**
 - Execute()** function, 127
 - Execute()** method, 237, 240, 459
 - ExecuteGlobal()** function, 127
 - existing file, appending, 196**
 - Exists()** method, 183, 184, 186, 343
 - Exit Do** statement, 123
 - Exit For** statement, 114, 123
 - Exit Function** statement, 123
 - Exit Property** statement, 203
 - Exit** statement, 89
 - Exit Sub, 89, 589**
 - ExpandEnvironmentStrings** method
 - intType, 330
 - object, 330
 - strMessage, 330
 - strTarget, 330
 - explicit over implicit, favoring, 25**
 - explicit type coercion, 55**
 - extend HTML elements using HTML components, techniques to**
 - adding methods, 295
 - adding properties, 294
 - exposing component events, 295
 - handling HTML element events, 295
 - external property, 433**
 - external source files, including, 387**
- ## F
- file I/O, 35**
 - File** menu, 24
 - File** object
 - methods, 607
 - properties, 606
 - File Transfer Protocol (FTP), 436**
 - file, copying, 190**
 - File.Attributes** property, 192
 - FileExists()** function, 66
 - FileExists()** method, 191
 - FileHelper** class, 205, 212
 - FileSystemObject**
 - significance of, 186
 - understanding, 188
 - FileSystemObject (FSO) library, 186**
 - FileSystemObject** hierarchy, 173, 186
 - FileSystemObject** library, 141
 - FileSystemObject** object collection, 173

FileSystemObject object

FileSystemObject object

methods, 599
properties, 598, 599
subsidiary objects

FileSystemObject, 66

FileSystemObject.CreateTextFile() method, 195

FileSystemObject.GetFile() method, 191

FillPhoneList procedure, 221

FillPhoneList, 181

Fire() method, 300

FireChange() method, 297

FireEvent() method, 377

FirstIndex property, 242

floating-point, 2

flow control, 8

Flush() method, 454

Folder object

methods, 605
properties, 603

Folder.Files collection, 191

Folder.SubFolders.Add() method, 189

folders

copying, 191
creating, 189

For Each iteration method, 445

For Each . . . Next loop, 115

For Next loop, 443

For statement, 16

For . . . Next loop, 16

form validation, 261

Form, 449

frames without trust, 428

Frozen property

Description, 289
Remarks, 289
Syntax, 289

FSO object model, objects and collections of

Drives, 187
Files, 187
FileSystemObject, 187
Folders, 187
TextStream, 188

FSO property, 205

FullName property, 315, 355, 359

Function keyword, 84

Function syntax, 84

Function . . . End Function statement, 201

functions

array, 524
conversion, 546
date and time, 514
math, 508
miscellaneous, 552
unsupported array, 528
unsupported conversion, 552
unsupported date and time, 524

functions and statements

array, 524, 528
date and time, 514
string, 529
unsupported array, 528
unsupported date and time, 524
unsupported string, 544

G

gblnDebug variable, 151

Generate Type Library option, 380

generic variable, 59

GET attribute, 296

GET command, 436

GET property, 91

GET() method, 448

GetAge() function, 67

GetCustIDForOrder() function, 192

GetCustomerName() function, 148

GetFolder() method, 175, 179

GetLastError() method, 459

GetNumberFromUser() function, 221

GetObject() method

object, 320
strPathname, 320
strPrefix, 320
strProgID, 320

GetScriptPath() function, 170

GetUserName() function, 85

GetValueFromDatabase() function, 129, 137

global debug flag, using, 151

Global property, 227, 240

global.asa file, 151, 455

Globally Unique Identifier (GUID), 365

GlobalModule named constant, 488

graphical manipulation, 35

graphical user interface (GUI), 23

Greeting class, 209

Hypertext Transfer Protocol (HTTP)

GreetUser procedure, 85
GUI-based program, 24

H

handling errors, 134
Hello World scriptlet, 278
HELLOW.HTC file, 295
HELLOW.HTM file, 279
helpful hints, 428
homemade assertions, 154
host applications, 36
hosting application, 37
Hotkey properties
 object, 355
 strHotkey, 355
HRW method, 411
HTA
 APPLICATION attributes, 423
 APPLICATION element, 420
 APPLICATION element, properties of,
 423
HTA deployment models, 432
HTA.css file, creating, 418
HTAs and security, 428
HTAs, methods unavailable in HTAs
 AddChannel, 434
 AddDesktopComponent, 434
 AddFavorite, 434
 AutoCompleteSaveForm, 434
 AutoScan, 434
 ImportExportFavorites, 434
 IsSubscribed, 434
 NavigateAndFind, 434
 ShowBrowser, 434
HTC components, 292
HTC extension, 292
HTML and ASP, mixing, 443
HTML Application (HTA), 39
HTML application, significance of, 415
HTML applications, 415
HTML code, 249
HTML comment tags
 detecting, 246
 matching, 246
HTML components
 enhancement techniques, 305
 events, exposing, 305
 html element's events, handling, 305

 methods, adding, 305
 properties, adding, 305
HTML components (HTCs), 294
HTML controls
 input boxes, 263
 radio buttons, 263
 select controls, 263
HTML editors, 250
**HTML element about changed property value,
 notifying, 297**
HTML elements behavior, extending, 294
HTML elements, 292
HTML elements, testing for, 245
**HTML file into HTML application, turning,
 419**
HTML file, sample, 417
HTML files, 24, 278, 394
HTML pages, 38, 141
HTML section, 467
HTML select element, 266
HTML tag, 250
HTML Web pages, 24, 34
HTML Web pages, creating, 249
HTML, 33
HTML-embedded script code, 101
HTMLEncode() method, 460
HTTP 1.1, methods of
 CONNECT, 437
 DELETE, 437
 GET, 437
 HEAD, 437
 OPTIONS, 437
 POST, 437
 PUT, 437
 TRACE, 437
HTTP cookie, 281
HTTP headers, 440
HTTP protocol, 435
HTTP server, 435, 436
Hungarian naming convention, 26
**Hungarian notation variable prefixes,
 51**
Hungarian prefix
 control types, 570
 data types, 569
Hungarian prefixes, advantages of, 208
Hungarian type prefixes, 86
hybrid language, 36
hybrid model, 433
Hypertext Transfer Protocol (HTTP), 436

IconLocation property

I

- IconLocation property, 356**
- IDE, components of**
 - code project managers, 36
 - controls to integrate applications, 36
 - debugging tools, 36
 - form designer, 36
 - language editor, 36
 - wizards, 36
- IE5, 249, 261**
- IE6, 261**
- If block, 105**
- If clause, 11**
- If construct, 106**
- If Then, loop, 443**
- If ... Else ... EndIf construct, 9**
- If ... ElseIf ... End block, 107**
- If ... End If block, 107**
- If ... EndIf code block, 14**
- IgnoreCase property, 229**
- IIS Log, 459**
- IIS-hosted Web site, 162**
- implicit type coercion in action, 55, 56, 627**
- influence of JScript on remote scripting, 407**
- inline comments, 573**
- inner loop, 123**
- innerText property, 274**
- InprocServer32 key, 365**
- InputBox() function, 9, 14, 57, 59, 221**
- instantiating. See objects, creating, 174**
- InStr() function, 138, 223**
- Integer subtype, 50, 51, 58**
- Integrated Development Environment (IDE), 30, 469**
- Interactive property, 315**
- interdependency, examples of, 425**
- interdependent attributes, 425**
- internal classes, using, 385**
- InternalName parameter, 378**
- Internet connection, 40**
- Internet Explorer (IE), 249**
- Internet Explorer 5.0, 24**
- Internet Explorer browser, 133**
- Internet Information Server (IIS), 38**
- Internet Information Services (IIS), 127**
- Internet, 1, 34, 35**

- interpreted scripting language, 29, 32**
- interpreter, 31**
- intWindowStyle, 357**
- Is Nothing statement, 179**
- IsDate() function, 54, 55**
- IsEmpty() function, 55, 63**
- IsNull() function, 55, 65**
- IsNumeric() function, 54, 55**
- IsObject() function, 55, 66, 179**
- IsRootFolder property, 175**
- item from contents collection, removing, 446**
- Item property, 183, 184, 185, 342, 350, 352**
- iterating the contents collection, 445**

J

- JavaScript, 251, 252**
- JScript (.js) file, 309**
- JScript Encoded Script files, 391**
- JScript, 252, 307**

K

- Key argument, 185**

L

- language attribute, 251**
- Left() function, 65**
- legal variable names, 81**
- Len() function, 114**
- length argument, 17**
- Length property, 243, 342, 350**
- Let property, 91**
- leveraging your existing VB skills, 35**
- Lframe.htm, 271**
- Lightweight Directory Access Protocol (LDAP), 308**
- Line comment, 5**
- ListCount procedure, 217**
- ListEntry class**
 - FirstName, 215
 - LastName, 215
 - PhoneNumber, 215
- ListEntry.DisplayEntry method, 218**
- literal, 6**

literals

- boolean values, 99
- dates, 99
- numbers, 99
- text, 99

LiveScript, 37

IngAge variable, 59

IngDay variable, 130

IngFirstNumber, 85

IngIndex variable, 75

IngLoopCount loop counter variable, 118

IngSecondNumber, 85

IngUBound, 75

LoadOrder procedure, 149

LoadSettings, 26

LogEvent() method, 153, 330

logic errors, 126, 131

logical operators

- And, 505
- Eqv, 506
- Imp, 506
- Not, 505
- Or, 506
- Xor, 506

Long data type, 51

Long subtype, 58

Long, 48

loop constructs, 110

- Do... Loop loop, 110
- For Each... Next loop, 110
- For... Next loop, 110
- While... Wend loop, 110

Loop line, 15

Loop While boolLoopAgain, 121

Loop While statement, 14

looping code, 8

looping constructs, different

- Do... Loop While loop, 13
- For... Next loop, 13

looping logic, 105

looping statements

- Do, 105
- Else, 105
- For, 105
- If, 105
- Select Case, 105
- While, 105

looping, 13

loosely typed language, 44

M

machine language, 31

machine-understandable commands, 32

macro and scripting concepts, 470

main page, creating, 462

Main procedure, 149, 163

MakeGreeting() method, 209

MakeUniqueRegistryKey, 26

MapNetworkDrive() method, 347

- object, 347
- strLocalName, 347
- strPassword, 348
- strRemoteName, 348
- strUser, 348
- UpdateProfile, 348

MapPath() method, 460

markup language, 34

Match objects, 174, 240, 242

Match properties

- FirstIndex, 242
- Length, 242
- Value, 242

Matches collection, 240

matrix-based rows and column analogy, 69

Me keyword, 256

menuArguments property, 433

metacharacters, 619

METHOD attribute, 449

Method property, 262

methods, 200, 375

methods, defining, 208

methods. See object subtype, 65

Microsoft Internet Explorer browser, 38

Microsoft Office suite

- Microsoft Access, 36
- Microsoft Excel, 36
- Microsoft Outlook, 36
- Microsoft Word, 36

Microsoft Office, 253

Microsoft Script Control (MSC), 40

Microsoft Script Debugger, 150

- debugging ASP with, 161
- using, 164

Microsoft Script Encoder

- /?, 392
- /e defExtension, 392
- /f, 392

Microsoft Script Encoder (continued)

Microsoft Script Encoder (continued)

/l defLanguage, 392
/s, 392
/xl, 392
destination, 393
installation of, 391
source, 392
switches supported by, 392

Microsoft Script Encoder installation file, availability of, 391

Microsoft Script Encoder, 390

Microsoft Transaction Server (MTS), 38

Microsoft Visual Studio, 162

Microsoft Windows Script Control, 40

Microsoft's Visual Basic Scripting Edition, 29

Mid() function, 16, 114, 223

middle-tier business logic, 38

miscellaneous constants, 577

miscellaneous functions

CreateObject, 552
Eval, 554
Execute, 554
ExecuteGlobal, 555
Filter, 556
GetObject, 556
GetRef, 557
InputBox, 558
IsEmpty, 559
IsNull, 559
IsNumeric, 560
IsObject, 560
LoadPicture, 560
MsgBox, 561
RGB, 563
ScriptEngine, 563
ScriptEngineBuildVersion, 564
ScriptEngineMajorVersion, 564
ScriptEngineMinorVersion, 564
Set, 564
TypeName, 566
VarType, 566

objFSO variable, 212

modularization, 19

Module object, 479

Module object, methods of

AddCode, 481
Eval, 480
ExecuteStatement, 481
Run, 481

Module object, properties of

CodeObject, 480
Name, 480
Procedures, 480

Modules collection object, methods of

Add, 483
Item, 484

Modules collection, 483

MsgBox constants, button selection determining

VbAbort, 578
VbCancel, 578
VbIgnore, 578
VbNo, 578
VbOK, 578
VbRetry, 578
VbYes, 578

MsgBox constants, modality determining

VbAbortRetryIgnore, 577
VbApplicationModal, 577
VbCritical, 577
VbDefaultButton1, 577
VbDefaultButton2, 577
VbDefaultButton3, 577
VbDefaultButton4, 577
VbExclamation, 577
VbInformation, 577
VbOKCancel, 577
VbOKOnly, 577
VbQuestion, 577
VbRetryCancel, 577
VbSystemModal, 577
VbYesNo, 577
VbYesNoCancel, 577

MsgBox() function, 5, 76, 138

msscrrdbg.exe, 155

mstrName variable, 202

multiple behaviors, 303

MyInfo, 459

myScriptlet, 279

N

NAME attribute, 296

name clashing resolution and COMPONENT element, 303

Name property, 316

named block of code, 82

operators, different types of

named constants in place of literals, using, 101
named constants, 47, 99
named constants, advantages of, 101
Named property, 341
naming conventions
 public_, 280
 public_get_, 280
 public_put_, 280
native VBScript runtime errors, 127
NDS services, 308
nested frames, 431
NestedFrame.htm, creating, 431
Nesting, 12
Netscape Communicator, 253
Netscapes JavaScript, 37
network file shares, adding, 308
New() function, 134, 221
Next statement, 16, 114
non-alpha characters
 mathematical operators, 81
 numbers, 81
 punctuation marks, 81
 special characters, 81
non-class-based code, supporting, 214
non-command-line scripts, 155
non-VBScript runtime errors, 129
normal script code, 127
Not operator, 55
Not statement, 106
Nothing keyword, 179
NoTimeout named constant, 488
nSecondsToWait, 331
nType, 331
Null values, 63, 128
Null, 63
numerical input box values
 criteria for, 263
 validating, 263

O

objDict.Count property, 217
objDict.DisplayEntry, 221
objDict.Exists() method, 217
object (objDict), 174
object container, accessing
 External property, 287
 Window object, 287

object lifetime and destroying objects, 178
object model, 30, 472
object subtype, 65
object, 65
ObjectContext object
 SetAbort, 460
 SetComplete, 460
object-oriented capability, 199
objects and collections, 472
objects can have multiple references, 176
objects, 199
objects, classes, and components, 199
objects, creating, 174
objFolder object variable, 176
objList.AddEntry() method, 221
objNewEntry, 221
objRootFolder variable, 116
objStream.AtEndOfStream property, 119
OK button, 88, 133
OLE2VIEW tool, 380
On Error GoTo statement, 136, 589, 591
On Error Resume Next statement, 136, 589, 591
On Error statements, 136
On Error statements, using, 135
onClick event, 256
ondetach event, 303
one-dimensional array, 69
onEvent event, 255
onLoad event, 254
onpropertychange event, 297
OnReadWarning event, 300
onreadwarning event, 301
onscriptletevent, 288
onSubmit event, 254
OpenTextFile() method, 194
operating system, 25
operations in parentheses, 508
operator precedence
 &, 18
 =, <>, <, >, <=, >=, !s, 18
 Not, And, Or, Xor, Eqv, Imp, 18
 rules, 508
operators, different types of
 arithmetic operators, 18
 assignment (=) operator, 18
 bitwise operators, 18
 comparison operators, 18
 concatenation operators, 18
 logical operators, 18

Option Explicit statement

Option Explicit statement, 80
optional arguments, 89
OrderTotal variable, 45
outer loop, 123
OutputDateTime() method, 383
overwrite argument, 191, 195

P

package model issues, 433
package model, 432
packaging code in Scriptlet for reuse, 281
Page Counter, 459
Parameter objects
 methods, 642
 properties, 641
parameters from command line, changing
 ApplicationName, 424
 Border, 424
 BorderStyle, 424
 Caption, 424
 CommandLine, 424
 ContextMenu, 424
 Icon, 424
 ID, 424
 InnerBorder, 424
 MaximizeButton, 424
 MinimizeButton, 424
 Navigable, 424
 Scroll, 424
 ScrollFlat, 424
 Selection, 424
 ShowInTaskBar, 425
 SingleInstance, 425
 SysMenu, 425
 Version, 425
 WindowState, 425
Parameters object methods, 643
Parameters object properties, 643
parameters, 83
pass variables to methods, 304
passing arguments, 96
 ByRef, 96
 ByVal, 96
passing function parameters, 5
Path property, 316
Pattern property, 223, 229, 237
PDA, 3
PerlScript, 307
permanent storage devices, 2
Permission Checker, 459
Personal Web Server (PWS), 38
phone number input, validating, 244
PhoneEntry class, 180
PhoneList class, 214
PhoneList object (objList), 221
plain-text format, 401
plain-text HTML pages, 37
plain-text script, 32
plain-text VBScript code, 37
Popup method
 IntButton, 331
 nSecondsToWait, 331
 nType, 331
 object, 331
 strText, 331
 strTitle, 331
post method, 262
Post Office Protocol (POP3), 436
prefix, 280
Preserve keyword, 73
Private keyword, 83
Private property variables, 202
Private Sub Class_Initialize, 211
Procedure object, properties of
 HasReturnValue, 485
 Name, 485
 NumArgs, 485
procedure or function, exiting, 89
procedure syntax, 83
procedure-level scope, 92, 100
procedure-level variables, 92
procedures and functions, 82
procedures and functions, calling, 87
procedures, 19, 20, 22, 91
procedures, modules, classes, and componenets, modularizing code into, 26
processing files, options for, 194
production mode, 151
programming
 introduction to, 1
 overview of, 1–2
programming basics, 1
programming languages
 C, 1

relationship to event handler

C++, 31
Delphi, 1
VBScript, 31
Visual Basic, 31
PromptUserName() function, 24, 26
properties, 200, 374
defining, 202
implementing, 304
properties, methods, and events, exposing, 374
properties. See object subtype, 65
Property Get procedure, 203
Property Let procedure, 202
property read-only, making, 206
Property Set procedure, 204
Property Set procedure, differences in, 205
property write-only, making, 207
protocol basics
Connection, 437
Disconnection, 437
Request, 437
Response, 437
pseudo-constant, 213
public class-level variables, 207
Public Description Object, 280
Public keyword, 83
public properties without property procedures, 207
Public statement, 211
PUT attribute, 296
PUT command, 436

Q

QueryString, 447
Quit() method
intErrorCode, 321
object, 321

R

radio buttons, validating, 264
Raise() method, 143, 589
RaiseEvent() method
Description, 291
Parameters, 291
Remarks, 291
Syntax, 291

Read() method, 194
ReadAll() method, 194
ReadLine loop, 118, 194
ReadLine() method, 194
read-only attribute, 192
ReadyState property, 289
Recordset object methods, 650
Recordset object properties, 648
Recordset object, 644
ReDim statement, 72, 91
reference count, 178
reference. See objects, creating, 174
referencing other components, 381
RegDelete() method, 332
RegExp object, 174, 223, 228, 237
RegExp object, properties of
Global property, 228
IgnoreCase property, 228
Pattern property, 228
RegExp() methods, 237
RegExp, methods of
Execute method, 228
Replace method, 228
Test method, 228
registration information, 378
registry keys, 25
RegRead() method, 333
RegRead() method, root key names
HKEY_CLASSES_ROOT, 334
HKEY_CURRENT_CONFIG, 334
HKEY_CURRENT_USER, 334
HKEY_LOCAL_MACHINE, 334
HKEY_USERS, 334
RegRead() method, types of
REG_BINARY, 334
REG_DWORD, 334
REG_EXPAND_SZ, 334
REG_MULTI_SZ, 334
REG_SZ, 334
regular expressions
introduction to, 223
overview of, 223
regular expressions in action, 223
RegWrite() method
anyValue, 335
object, 335
strName, 335
strType, 335
relationship to event handler, 286

remote method, invoking

remote method, invoking, 410

remote script on Server, installing, 409

remote scripting

overview of, 407

working of, 408

remote scripting on client side, enabling, 410

remote scripting on server, enabling, 409

remote scripting technology, files

constituting

RS.ASP, 407

RS.HTM, 407

RSPROXY.CLASS, 407

remote scripting, 39

REMOTE_ADDR value, 447

remove comment tags, 405

Remove() method environments

Remove() method environments PROCESS, 351

Remove() method environments SYSTEM, 351

Remove() method environments USER, 351

Remove() method environments VOLATILE, 351

Remove() method, 186, 351

RemoveAll() method, 188

RemoveBehavior() method, 294

RemoveNetworkDrive() method

bForce, 348

bUpdateProfile, 348

object, 348

strName, 348

RemovePrinterConnection() method

bForce, 348

bUpdateProfile, 349

object, 348

strName, 348

Replace method, 225, 238

Request object properties and methods, 450

Request object, 152, 446

Request object's collections

ClientCertificate, 447

Cookies, 447

Form, 447

QueryString, 447

ServerVariables, 447

Response object, 152

Response object's methods

AddHeader, 453

AppendToLog, 453

BinaryWrite, 453

Clear, 453

End, 453

Flush, 453

Redirect, 453

Write, 452

Response object's properties

Buffer, 453

ContentType, 454

Expires, 454

ExpiresAbsolute, 454

IsClientConnected, 454

Status, 454

response, 440

Response.Cookies collection

CacheControl, 454

Charset, 454

responsibility-based design, 216

Rframe.htm, 271

root key name

HKEY_CLASSES_ROOT, 333

HKEY_CURRENT_CONFIG, 333

HKEY_CURRENT_USER, 333

HKEY_LOCAL_MACHINE, 333

HKEY_USERS, 333

RSExecute() function, 412

Run command dialog, 312

Run option, 166, 171

Run Test button, 161

Run() method

bWaitOnReturn, 337

intWindowStyle, 337

object, 337

strCommand, 337

runtime compilation

advantages of, 33

disadvantages of, 32

runtime engine, 44

runtime error, 53, 73, 127

runtime errors in VBScript, 581

runtime errors, different types of

non-VBScript runtime errors, 127

variable declaration runtime errors, 127

VBScript runtime errors, 127

runtime errors, managing, 132

runtime interpretation, 32

runtime library, 36

runtime objects, 173

runtime script engine, 33

scriptlet, raising an event from

S

sample VBScript class, building and using, 214

Save method, 358, 360

SayWholsThis function, 272

sc variable, 225

Scope, 455

script code, 38

Script Component files, 365

Script Component Runtime, 363, 364

script component type libraries, creating, 380

Script Component Wizard, 364, 367

Script Components for ASP, 382

Script Control Reference, 472

script control to VB application, adding, 471

Script Control, 126

Script Debugger, 150

script debugger, enabling, 158

script designs, general principles for, 96

Script Encoder, files processed by

ASP, 394

HTML, 394

Plain text, 394

Scriptlets, 394

script encoding

limitations of, 389

overview of, 389

script engine, 4, 8

script engines, latest version of

Internet Explorer 5, 416

script engines, 416

script file (.wsf), 309

script file execution, 312

script files, extensions of

.asp, 310

.bat, 310

.htm, 310

.html, 310

.js, 310

.vbs, 310

.wsf, 310

.wsh, 310

script files, types of

ASP page, 310

HTML file, 310

JScript file, 310

MS-DOS batch file, 310

VBScript file, 310

Windows Script Host file, 310

script obfuscation, methods of, 405

script, decoding, 405

ScriptControl object, 473

ScriptControl object, events of

Error, 477

Timeout, 478

ScriptControl object, methods of

AddCode, 476

AddObject, 476

Eval, 476

ExecuteStatement, 477

Reset, 477

Run, 477

ScriptControl object, properties of

AllowUI, 473

Error, 473

Language, 473

Modules, 474

Name, 474

Procedures, 474

SitehWnd, 474

State, 474

Timeout, 475

UseSafeSubset, 475

ScriptControl.State property, 488

ScriptControlState enumerated constant, 488

ScriptFullName property, 316

scripting engine, 32

scripting language, process of, 44

scripting languages as loosely typed, 43

scripting languages, different, 251

scripting platforms

PERL, 368

Python, 368

scripting runtime library object reference

Dictionary, 597

FileSystemObject, 597, 598

Request, 597

TextStream, 597

Scripting Runtime Objects, overview of, 173

scripting to application, adding, 469

scripting, 34

scripting.encoder object, 391

scriptlet file (.sct), 394

Scriptlet Model Extensions, 289

scriptlet, 278

scriptlet, events of

custom or nonstandard events, 286

standard DHTML events, 286

scriptlet, raising an event from, 288

scriptlets deprecated in IE5

- scriptlets deprecated in IE5, 292**
- scriptlets technology, 292**
- scriptlets—ancestors of behaviors, 278**
- ScriptletURL key, 365**
- script-level scope, 92**
- script-level variables, 92**
- ScriptName property, 316**
- scripts and procedures, design strategies for, 93**
- scripts with Windows Script HOST, running**
 - cscript.exe, 310
 - wscript.exe, 310
- scripts, encoding, 390**
- ScriptTimeout, 458**
- scrobj.dll component, 365**
- Search function, 154**
- SearchFolders, 26**
- SearchPhoneList procedure, 183**
- Select Case structure, 289**
- select controls and dates, validating, 266**
- Select . . . End Select block, 107**
- Select . . . End Select statement, 105**
- SelectableContent property**
 - Description, 290
 - Remarks, 290
 - Syntax, 290
- self-documenting code, 27**
- SendKeys() method, 338**
- SendKeys() method, characters used in**
 - Caret, 338
 - Percent sign, 338
 - Plus sign, 338
 - Tilde, 338
- separation of concerns, 216**
- Server object, 458**
- server side, 29, 38**
- Server.GetLastError method, 142–142**
- server-side ASP errors, 132, 141**
- server-side ASP pages, 161**
- server-side ASP, 35**
- server-side Web ASP, 101**
- server-side Web scripting, 38, 101**
- server-side Web scripting, overview of, 435**
- ServerVariables, 450**
- Session object, 152**
- Session object, properties of**
 - CodePage, 457
 - LCID, 457
 - SessionID, 457
 - Timeout, 458
- Session objects, 445**
- Set command, 174**
- Set property, 91**
- Set syntax, 204**
- SetContextMenu() method**
 - Description, 291
 - Parameters, 291
 - Syntax, 291
- SetDefaultPrinter() method**
 - object, 349
 - strPrinterName, 349
- setting up error trap, steps for, 138**
- simple frameset example, 270**
- Single quote character ('), 4**
- site, designing, 461**
- size property, 266**
- Sleep() method**
 - intTime, 321
 - object, 321
- somebehavior.htc file, 293**
- SomeVariable variable, 7**
- Source argument, 144**
- special folders**
 - AllUsersDesktop, 327
 - AllUsersPrograms, 327
 - AllUsersStartMenu, 327
 - AllUsersStartup, 327
 - Desktop, 327
 - Favorites, 327
 - Fonts, 327
 - MyDocuments, 327
 - NetHood, 327
 - PrintHood, 327
 - Programs, 327
 - Recent, 327
 - SendTo, 327
 - StartMenu, 327
 - Startup, 327
 - Templates, 327
- SpecialFolders property**
 - object, 327
 - objWshSpecialFolders, 327
- SpecialNovemberProcessing procedure, 130**
- stand-alone graphical applications, 40**
- stand-alone tool, 30**
- standard DHTML event, 288, 286**
- standard DHTML events**
 - onclick, 286

- ondblclick, 286
- onkeydown, 287
- onkeypress, 287
- onkeyup, 287
- onmousedown, 287
- onmousemove, 287
- onmouseup, 287
- Standard Mail Transfer Protocol (SMTP), 436**
- standard properties, overriding, 297**
- Status, 459**
- StdErr property, 316**
- StdIn property, 316**
- StdOut property, 317**
- StdOut, 153**
- Step Into, 149, 167**
- Step keyword, 112**
- Step Out, 149, 168**
- Step Over, 149, 167**
- stepping through code, 167**
- Stop statement, 155, 161**
- strFullPath variable, 114**
- string constants**
 - VbCr, 545, 578
 - VbCrLf, 545, 578
 - VbFormFeed, 546, 578
 - VbLf, 546, 578
 - vbNewLine, 546, 578
 - vbNullChar, 546, 578
 - vbNullString, 546, 578
 - vbTab, 546, 578
 - VbVerticalTab, 546, 578
- string constructs, 544**
- String data, 57**
- string functions and statements**
 - FormatCurrency, 529
 - FormatDateTime, 530
 - FormatNumber, 530
 - FormatPercent, 531
 - InStr, 532
 - InStrB, 534
 - InStrRev, 535
 - Join, 537
 - Lcase, 537
 - Left, 537
 - Len, 538
 - LenB, 538
 - Ltrim, 538
 - Mid, 539
 - MidB, 539
 - Replace, 540
 - Right, 541
 - Rtrim, 541
 - Space, 541
 - Split, 542
 - StrComp, 542
 - String, 543
 - StrReverse, 544
 - Trim, 544
 - Ucase, 544
- String subtype, 48, 52, 57**
- strItemRead variable, 183**
- strItemRead, 183**
- strMsg variable, 75, 76**
- strName value, 202**
- strongly typed language, 43**
- strPrefix argument, 318**
- strType method, options for**
 - REG_BINARY, 335
 - REG_DWORD, 335
 - REG_EXPAND_SZ, 335
 - REG_SZ, 335
- strType, data types of**
 - REG_BINARY, 336
 - REG_DWORD, 336
 - REG_EXPAND_SZ, 336
 - REG_SZ, 336
- strUserName argument, 84, 86**
- strWorkingDirectory, 358**
- Style object, 293**
- Sub keyword, 83, 84**
- Sub . . . End Sub statement, 201**
- subprocedure, 20**
- subscript, 71**
- substitute good variable names for bad ones, 405**
- subtypes, 47, 78**
 - Empty, 78
 - Null, 78
 - Object, 78
- subtypes, types of**
 - Empty, 61
 - Null, 61
- super-charged client-side scripting, overview of, 277**
- Synchronously, 408**
- syntax errors in VBScript, 583**

syntax errors

syntax errors, 33, 126
syntax errors, cause of, 127
syntax issues, 2
sysMenu property, 426
system configuration, 25
system design, 1

T

tagName property, 274
tags of ASP, 442
TargetPath property, 329, 356, 360
TCP/IP protocol, 436
technologies that implement behaviors
 binary behaviors, 292
 HTCs...HTML components, 292
Telnet, 437
temporary storage area, 2
temporary test code, inserting, 154
Test method, 238, 239
TEST_CONST, 213
testing for and coercing subtypes, 47
TestVBScriptFolder method, 192
text editor listing, 40
text file
 reading, 192
 writing, 195
TextStream object
 methods, 608
 properties, 607
TextStream.AtEndOfStream property, 118
TextStream.ReadLine() method, 118
TextStream.WriteLine() method, 195
Then keyword, 126
thePara variable, 274
theRow variable, 274
theTable variable, 274
theWindow variable, 274
three different ways to add Dictionary object, 184
Timeout event, 479, 490
Toggle Breakpoint option, 166
tombstone comments, 573
tools for VBScript, 40
tools of the trade, 249, 308
 ActiveX Scripting engine, 308
 text editor, 308
 WSH engine, 308
tools required for creating HTAs, 416
tools required for WSH development, 307
top-down and event driven models, differences between, 23
top-down programs, significance of, 23
top-down style code, 24
top-down style programs, writing, 23
top-down versus event-driven, 23
Topframe.htm, 272
TotalBytes property, 450
Transfer method, 460
Trim\$() function, 65
Trim() function, 65
Trim(Null) function, 65
tristate constants
 TristateFalse, 579
 TristateTrue, 579
 TristateUseDefault, 579
trouble with implicit type coercion, avoiding, 58
TryAgain variable, 14, 15
two-dimensional array, 69
type coercion, 47
type libraries, 380
Type statement, 77
TypeName() function, 57, 218

U

UBound() function, 75
UCase() function, 65
UDT variables, 77
universal data type, 44
Universal Naming Convention (UNC), 347
Universal Resource Indicator (URI), 245
Unix Shell scripting, 37
Unnamed property, 343
unsupported array functions and statements, 528
unsupported conversion functions
 Cvar, 552
 CVDate, 552
 Str, 552
 Val, 552
unsupported date and time functions and statements
 Date, 524
 Time, 524

unsupported operators, 508
unsupported string functions and statements
 Format, 545
 Mid (statement), 545
 StrConv, 545
**unsupported string functions, statements,
 and construct, 544**
Until statement, 120
URL, 163
URLEncode() method, 460
User Defined Types (UDTs), 77
user interface, 24
UserDomain property, 345
UserName property, 345
**users and change password, adding and
 removing, 308**
using VBScript, advantages of
 good platform coverage, 34
 implement VBScript in applications, 35

V

ValidInteger function, 263
value entry, parts of
 Data type, 334
 Name, 334
 Value, 334
Value property, 243
value, returning, 83
**values from methods, retrieving,
 304**
variable declaration and scope, 90
variable declaration, 45
variable lifetime, 90, 92, 178
variable naming convention, 569
variable scope, 90
variable, 43
variables and data types, 2
**variables and procedures, overview of,
 79**
variables, declaring
 Dim, 91
 Private, 91
 Public, 91
variables, naming, 81
Variant data type, 46, 47, 216
Variant subtypes, 46, 51
Variant value, 63
Variant variables, 47, 77, 204
**Variant, VBScript's only data type,
 46**
varInput variable, 59
varTest variable, 50
varTest(), 74
VarType constants
 vbArray, 579
 VbBoolean, 579
 vbByte, 579
 VbCurrency, 579
 VbDataObject, 579
 VbDate, 579
 vbDecimal, 579
 VbDouble, 579
 VbEmpty, 579
 VbError, 579
 VbInteger, 579
 VbLong, 579
 VbNull, 579
 VbObject, 579
 VbSingle, 579
 VbString, 579
 VbVariant, 579
**VarType() with arrays, using,
 77**
**VarType(varAny) expression,
 108**
VB/COM function, 51
VB/COM object, 48
VBA code, 36
VBA features not in VBScript
 #Const, 625
 Add, 625
 CVDate, 625
 Date, 625
 DoEvents, 625
 GoTo, 625
 Option Base, 625
 Type...End Type, 625
VBA IDE, 36
VBA, features of, 36
vbBinaryCompare, 185
vbDatabaseCompare, 185
vbNewLine, 76
vbObjectError constant, 144, 591
VBScript
 features of, 37
 limitations of, 135
 overview of, 29
 significance of, 37

VBScript (.vbs)

VBScript (.vbs), 309

VBScript array, 69

VBScript as real programming language, 37

VBScript as subset of VB, 30

VBScript class, events of

Class_Initialize, 210

Class_Terminate, 210

VBScript classes in script components, using, 385

VBScript classes, limitations of, 385

VBScript code, 250

VBScript compiler, 87

VBScript constants, built-in, 102

VBScript constants, Visual Basic supported

color, 575

comparison, 575

date format, 576

miscellaneous constants, 577

MsgBox, 577

string constants, 578

tristate, 578

VarType, 579

VbGreen, 575

VBScript context arguments

helpcontext, 144

helpfile, 144

VBScript data types, 43

VBScript Encoded Script files, 391

VBScript engine, 6, 10

VBScript Err object, 142

VBScript error codes, 581

VBScript error control, 135

VBScript error handling

differences with Visual Basic's error handling, 592

in Internet Explorer, 594

On Error statement scope, 592

VBScript errors

handling concept, 585, 592

runtime, 581

syntax, 583

VBScript features not in VBA

Class, 623

Eval, 623

Execute, 623

RegExp, 623

ScriptEngine, 623

ScriptEngineBuildVersion, 623

ScriptEngineMajorVersion, 623

ScriptEngineMinorVersion, 623

VBScript for remote scripting, using, 408

VBScript Function procedure, 203

VBScript functions, 499

VBScript functions, built-in

Len() function, 114

Mid() function, 114

Right() function, 114

VBScript hosts

Internet Explorer, 150

Internet Information Services/ASP, 150

Windows Script Host, 150

VBScript keywords, 499

VBScript Len() function, 16

VBScript program, 2

VBScript runtime engine, 129

VBScript runtime interpretation, 31

VBScript script engine, 3, 4

VBScript scripting engine, 31

VBScript source code, 31

VBScript to applications, adding, 40

VBScript to VB applications, adding, 469

VBScript variable, different scopes of

class-level scope, 90

procedure-level scope, 90

script-level scope, 90

VBScript variant subtypes

Array, 629

Boolean, 628

Byte, 628

Currency, 628

Date, 628

Decimal, 628

Double, 628

Empty, 628

Error, 628

Integer, 628

Long, 628

Null, 628

Object, 628

Single, 628

String, 628

Variant, 628

VBScript version 5, 199

VBScripting tools, features of, 250

vbTextCompare, 185

VerifyFile function, 168

Windows Script Component (WSH)

- version information, 30**
 - Version property**
 - Description, 290
 - Remarks, 290
 - Syntax, 290
 - View menu, 168**
 - Visual Basic classes, 199**
 - Visual Basic data types**
 - Boolean, 630
 - Byte, 629
 - Currency, 629
 - Date, 630
 - Decimal, 630
 - Double, 629
 - Integer, 629
 - Long, 629
 - Object, 630
 - String, 630
 - Variant, 630
 - Visual Basic for Applications (VBA), 35, 36, 253**
 - Visual Basic, advantages of, 30**
 - Visual Interdev debugger, 162**
 - Visual Interdev, 162, 380**
- ## W
- W3C's DOM, 269**
 - Web applications, 407**
 - Web browsers**
 - Web browsers Internet Explorer, 35**
 - Web browsers Netscape Navigator, 249**
 - Web browsers Opera, 249**
 - Web designer, 1**
 - Web model, 432**
 - Web pages, 26, 33, 39**
 - Web scripting**
 - CSS, 33
 - HTML, 33
 - JavaScript, 33
 - VBScript, 33
 - Web scripts, 26**
 - Web server, 40**
 - Web-Based Enterprise Management (WBEM), 308**
 - Web-friendly files, 132**
 - While statement, 118, 120**
 - While . . . Wend loop, 124**
 - While . . . Wend statement, 123**
 - white space, matching, 246**
 - window object property, 433**
 - window object, 270**
 - Window.Event property, 288**
 - window.parent.frames(0), 273**
 - window.parent.Lframe, 273**
 - window_onload event, 259**
 - Windows 9x/Me, 346**
 - Windows administration tool, 308**
 - Windows API, 36**
 - Windows Event Log, 153**
 - Windows Event Log. LogEvent, 153**
 - Windows Explorer, 155**
 - Windows file system, 66, 137, 173**
 - Windows GUI interface, 312**
 - Windows Management Instrumentation (WMI), 308**
 - Windows NT directory service, 308**
 - Windows operating system, variables of**
 - COMSPEC, 325
 - HOMEDRIVE, 325
 - HOMEPAATH, 325
 - NUMBER_OF_PROCESSORS, 325
 - OS, 325
 - PATH, 325
 - PATHEXT, 326
 - PROCESSOR_ARCHITECTURE, 325
 - PROCESSOR_IDENTIFIER, 325
 - PROCESSOR_LEVEL, 325
 - PROCESSOR_REVISION, 325
 - PROMPT, 326
 - SYSTEMDRIVE, 326
 - SYSTEMROOT, 326
 - TEMP, 326
 - TMP, 326
 - WINDIR, 326
 - Windows platforms, 307**
 - Windows programming, 23**
 - Windows registry, root keys for**
 - HKEY_CLASSES_ROOT, 336
 - HKEY_CURRENT_CONFIG, 336
 - HKEY_CURRENT_USER, 336
 - HKEY_LOCAL_MACHINE, 336
 - HKEY_USERS, 336
 - Windows Script**
 - Microsoft JScript, 29
 - Visual Basic Scripting Edition, 29
 - Windows Script Component (WSH), 38, 83**

Windows Script Components

Windows Script Components

overview of, 363
significance of, 363

Windows Script Engine 5.6, 30

Windows Script Host errors, 132

Windows Script Host Intrinsic Objects, 313

Windows Script Host objects

WScript, 609
WshArguments, 609
WshController, 609
WshEnvironment, 609
WshNamed, 609
WshNetwork, 609
WshRemote, 609
WshRemoteError, 609
WshScriptExex, 610
WshShell, 610
WshShortcut, 610
WshSpecialFolders, 610
WshUnnamed, 610
WshUrlShortcut, 610

Windows Script Host, 1, 9

Windows Script Interfaces (WSI), 469

Windows Script versions

1.0-Microsoft Internet Explorer 3.0, 30
2.0-Microsoft Internet Information Server
3.0, 30
3.0, 30
4.0-Microsoft Visual Studio 6.0, 30
5.0, 30
5.5-Microsoft Internet Explorer 5.5, 30
5.6-Microsoft Visual Studio .NET, 30

Windows Script, supporting tools for, 29

debuggers, 29
script encoders, 29

WindowState property, 357

With block, 183

With keyword, 175

With... End With construct, 175

WithEvents keyword, 490

word processor program, 23

WordBuilder variable, 17

WorkingDirectory property, 358

Write method, 195, 196

WriteBlankLines method, 196

WriteFile procedure, 148

Wrox code download page, xxiv

WScript object methods, 611

WScript object properties

Arguments, 610
FullName, 610
Interactive, 610
Name, 610
Path, 610

WScript object, 314

WScript properties

Arguments, 314
FullName, 314
Interactive, 315
Name, 315
Path, 315
ScriptFullName, 315
ScriptName, 315
StdErr, 315
StdIn, 315
StdOut, 315
Version, 315

WScript, methods of

ConnectObject, 318
CreateObject, 318
DisconnectObject, 318
Echo, 318
GetObject, 318
Quit, 318
Sleep, 318

WScript.Arguments property, 322

WScript.Arguments.Unnamed instance, 343

WScript.Environment instance, 349

wscript.exe, 153, 155

WSH Engine, types of

cscript.exe, 319
wscript.exe, 319

WSH files to launch scripts, using, 312

WSH for disk and network administration, using, 307

WSH object model, 307

WSH scripts, 38

WSH scripts, execution methods for, 307

WSH within Windows environment, execution of, 312

WSH, features of

ability to run scripts remotely, 309
ability to use multiple languages, 309
access to the current working directory, 309
argument handling, 309
enhanced access to external objects and
type libraries, 309

WshURLShortcut object

- mechanism for pausing script execution, 309
- new processes can be treated as objects, 309
- new improved security model, 309
- standard input/output and standard error report, 309
- stronger debugging capability, 309
- Support for drag-and-drop functionality, 309
- support for file inclusion, 309
- WshArguments object, 315, 322, 343**
- WshArguments object, accessing, 322**
- WshArguments() methods, 611**
- WshArguments, properties of, 322, 611**
- WshController object properties, 611**
- WshController() methods, 611**
- WshEnvironment object, accessing, 349**
- WshEnvironment() methods**
 - Count, 350
 - Remove, 350
- WshEnvironment, properties of**
 - Item, 349
 - Length, 349
 - natIndex, 350
 - Object, 350
- WshNamed methods**
 - Count, 342
 - Exists, 342
- WshNamed object, 322, 341**
 - accessing, 342
 - properties, 612
- WshNamed, properties of**
 - Item, 342
 - Length, 342
- WshNetwork methods, 613**
- WshNetwork object**
 - object, 319
 - strObject, 319
 - strPrefix, 319
- WshNetwork object properties, 613**
- WshNetwork object, accessing, 344**
- WshNetwork, Methods of**
 - AddPrinterConnection, 345
 - AddWindowsPrinterConnection, 345
 - EnumNetworkDrives, 346
 - EnumPrinterConnection, 346
 - MapNetworkDrive, 346
 - RemoveNetworkDrive, 346
- WshNetwork, properties of**
 - ComputerName, 344
 - UserDomain, 344
 - UserName, 344
- WshRemote properties, 613**
- WshRemote() Methods, 613**
- WshRemoteError() methods, 614**
- WshScriptExec properties, 614**
- WshScriptExec() methods, 614**
- WshShell Object, accessing, 324**
- WshShell() methods, 359, 615**
- WshShell, methods of**
 - AppActivate, 328
 - CreateShortcut, 328
 - Exec, 328
 - ExpandEnvironmentStrings, 328
 - LogEvent, 328
 - Popup, 328
 - RegDelete, 328
 - RegRead, 328
 - RegWrite, 328
 - Run, 328
 - SendKeys, 328
- WshShell, properties of**
 - CurrentDirectory, 324
 - Environment, 324
 - SpecialFolders, 324
- WshShortcut object, 329, 353**
- WshShortcut properties**
 - Arguments, 354
 - Description, 354
 - FullName, 354
 - Hotkey, 354
 - IconLocation, 354
 - TargetPath, 354
 - WindowStyle, 354
 - WorkingDirectory, 354
- WshShortcut() method, 358, 616**
- WshSpecialFolders methods, 617**
- WshSpecialFolders object**
 - methods, 353
 - properties, 352
- WshSpecialFolders properties, 617**
- WshUnnamed object, 322, 343**
- WshUnnamed object, accessing, 343**
- WshUnnamed properties, 617**
- WshUnnamed() methods, 344, 617**
- WshUnnamed, properties of**
 - Item, 344
 - Length, 344
- WshURLShortcut object, 329**

WshUrlShortcut properties

WshUrlShortcut properties

FullName, 359

TargetPath, 359

WshUrlShortcut() methods, 360, 618

WYSIWYG HTML editors, 250

WYSIWYG Web page design applications, 250

X

XML framework, 365

Xor() function, 296

Y

Yes button, 88

Z

zero-length string, 21

