

# Index

## • A •

- AAS triangle determination, 255
- acute angles. *See also* angles  
defined, 11  
illustrated, 12  
naming, 100  
reciprocals, 99
- acute triangles, 14
- adjacent angles, 10–11
- adjacent sides  
defined, 96  
over hypotenuse, 98–99  
lengths, 96–97  
opposite over, 99–100
- ambiguous case triangles  
confusion, 267  
defined, 255  
determining, 255–256  
illustrated, 256, 265  
law of cosines and, 265–268  
Slim/Jim problem, 267–268
- amplitude. *See also* period  
cosine function, 287  
daylight problem, 289  
determining, 324, 325, 331  
equation, 323  
sine function, 281, 283  
temperature average problem, 290
- angle of depression, 137
- angle of elevation  
in balloon height measurement, 144  
defined, 136, 258  
horizontal, 136  
illustrated, 136  
in rocket tracking, 146–147
- angle measures  
adding to, 285  
clockwise, 116–117  
counterclockwise, 116  
direction, 64  
as inputs, 131  
letters, 19–20  
negative, 64  
positive, 64  
in radians, 70  
reference angle, 118–121  
in degrees, 119–120  
in radians, 120–121  
rules, 19  
subtracting from, 285
- angle-sum identities. *See also* identities  
cosine of sums, 172  
defined, 171  
examples, 207–208  
function value sum, 172  
illustrated, 172, 188  
procedure, 207–208  
reciprocal functions, 171  
reference, 188  
sine, applying, 208  
sine of sums, 172  
tangent of sums, 173
- angles  
acute, 11, 12, 263  
adjacent, 10, 11  
base, 61  
common, 58  
complementary, 86  
coterminal, 65  
favorites, 74, 105–109  
formation, 11  
45-degree, 105, 108  
full-rotation multiples, 218  
graphing, 62–63  
half, 16  
illustrated, 58  
isosceles, 61  
naming, by letters, 12–13, 254  
naming, by size, 11–12  
negative, 116–117, 159  
90-degree, 105, 108  
obtuse, 11, 12, 263, 264  
positive, 116, 117  
reference, 117–121  
renaming, 66–67  
right, 11, 12  
60-degree, 105, 108  
solutions, 24  
standard position, 62–63  
straight, 11, 12  
sum of, 174  
supplementary, 11, 259  
terminal side, 133  
30-degree, 105, 108  
top, 61  
in triangles, 13–14  
vertex, 11  
vertical, 10, 11
- approximating answers, 82–83
- arc length  
defined, 78  
Ferris wheel example, 78–79  
formula, 78  
minute hand example, 78  
in moon distance measurement, 80  
in race car speed problem, 81
- arccos  $x$   
defined, 216  
domain, 220  
graphing, 316–317  
range, 220  
use example, 223
- arccot  $x$   
defined, 216  
domain, 220  
graphing, 317–318  
range, 220  
use example, 223  
workaround, 226–227
- arccsc  $x$   
defined, 216  
domain, 221  
graphing, 318–319  
range, 221
- Archimedes, 202

- arcsec  $x$   
 defined, 216  
 domain, 221  
 graphing, 318–319  
 range, 221
- arcsin  $x$   
 defined, 216  
 domain, 220  
 graphing, 316–317  
 range, 220
- arctan  $x$   
 defined, 216  
 domain, 220  
 graphing, 317–318  
 range, 220  
 use example, 224
- area  
 circle, 15, 16, 75  
 circle sector, 17–18, 76  
 triangle, 270–276, 345–348
- ASA triangles  
 area with, 275–276, 347  
 defined, 255  
 determination, 255  
 illustrated, 255  
 SAS area rule and, 276  
 sines of angles and, 276
- asymptotes. *See also* tangent graphs  
 assigning, 296–298  
 cosecant graph, 307  
 cotangent graph, 304  
 defined, 296  
 equation examples, 307  
 equations, 296  
 identifying, 307  
 illustrated, 297  
 inverse cosecant function, 318, 319  
 inverse cotangent function, 317  
 inverse secant function, 318, 319  
 inverse tangent function, 317  
 secant function, 312
- audience assumptions, this book, 2
- axes  
 coordinate, 30  
 defined, 29  
 origin, 30
- **B** •
- Babylonian mathematics, 114
- balloon height measurement  
 defined, 144  
 illustrated, 245  
 problem, 144–145  
 right triangles, 145
- base, triangle, 271–272, 346
- base angles, 61
- Bernoulli, Jacob, 302
- binomials  
 factoring, 233  
 squaring, 246–247
- biorhythms problem  
 cycles, plotting, 293  
 cycles, reading, 294  
 defined, 292  
 graphs, 293, 294
- birthday puzzle, 178
- body temperature problem, 291–292
- Boston, Massachusetts  
 temperatures, 349
- breaking up fractions  
 defined, 200  
 examples, 200–201  
 with multiple factors, 201  
 rules, 200
- buildings measurement, 137–139
- **C** •
- calculators. *See* graphing calculators; scientific calculators
- Cartesian coordinates, 29, 31
- centers. *See also* circles  
 defined, 14, 36  
 finding, 37–39  
 illustrated, 38  
 wandering, 46
- centroids. *See also* triangles  
 defined, 36  
 example, 42–43  
 finding, 41–43  
 illustrated, 41, 43  
 line intersection, 41  
 vertices, 41, 42
- Chicago, Illinois  
 temperatures, 350
- chords  
 defined, 16  
 half, 16  
 illustrated, 17
- circles  
 arc length, 78–79  
 area, 15, 75  
 center, 14, 36  
 center, finding, 37–39  
 centering, at origin, 45–46  
 chords, 16, 17  
 chunks, 75–77  
 circumference, 15  
 coordinates, 125–130  
 defined, 14  
 definition with numbers, 45–46  
 diameter, 15  
 fractions and, 45  
 points, number of, 113  
 radius, 14, 15  
 relating to, 70  
 sectors, 17–18  
 tangents, 16, 17  
 unit, 111–116, 127–128
- circular functions, 111–116
- circumference  
 defined, 15, 74  
 find example, 16  
 formula, 15  
 illustrated, 15
- cofunction identities  
 defined, 286  
 example, 287  
 illustrated, 286
- Columbus, Christopher, 60
- complementary angles. *See also* angles  
 cosines, 98  
 defined, 86  
 function values, 287  
 sines, 98
- complex fractions, 169, 184, 207
- conjugates  
 defined, 204  
 denominator, 184  
 multiplying by, 204–206  
 numerator, 184

- conventions, this book, 2
- coordinate axes  
 defined, 30  
 illustrated, 30  
 x-axis, 31  
 y-axis, 31
- coordinate plane  
 cosecant, 133  
 cosine, 131  
 defined, 31  
 quadrants, 31–33  
 secant, 133  
 sine, 131  
 slicing, 58
- coordinates  
 calculating, at origin,  
 128–130  
 calculating, in unit circle,  
 127–128  
 right triangle and, 126, 131  
 in trig function solutions,  
 125–130
- Copernicus, Nicolaus, 104
- cosecant function. *See also*  
 reciprocal functions; trig  
 functions  
 abbreviation, 19, 102  
 changing sine to, 170  
 defined, 19, 102  
 determining, 102  
 domain, 132–133, 307  
 exact value table row, 109  
 finding, 103, 125, 128  
 inverse, 221  
 numerical value, finding,  
 125  
 period, 310  
 Pythagorean identity, 165  
 ranges, 133  
 ratio, on coordinate plane,  
 133  
 reciprocal, 158  
 sign, finding, 125  
 steepness, 310  
 for 30-degree angle, 21  
 values, 21  
 varying, 310–311
- cosecant graphs. *See also*  
 graphs  
 asymptotes, 307  
 curve, 309  
 vertical asymptotes, 309  
 $y = 2\csc 2x$ , 311  
 $y = \csc(x + 2) + 2$ , 311  
 $y = \csc x$ , 308, 310
- cosine function. *See also* trig  
 functions  
 abbreviation, 19  
 adjacent over hypotenuse,  
 98–99  
 with algebra, 147  
 amplitude, 287  
 changing sine to, 168  
 of complementary  
 angles, 98  
 defined, 19, 98  
 of a difference, 177  
 domains, 131, 132  
 double-angle identities,  
 180–181  
 exact value table row, 107  
 finding, 128  
 half-angle identity, 183  
 inverse, 220  
 of negative angle, 160, 161  
 opposite-angle identities,  
 160  
 period, 287  
 Pythagorean identity,  
 163–164  
 ranges, 131, 132  
 ratio, 98, 99  
 ratio value, 131  
 reciprocal, 158  
 of sums, 172  
 for 30-degree angle, 21
- cosine graphs. *See also*  
 graphs  
 amplitude, changing, 287  
 appearance, 285  
 left/right shift, 287  
 period, changing, 287  
 properties for, 287–288  
 shifted, 287  
 sine graphs comparison,  
 286–287  
 in temperature average  
 problem, 290  
 up/down shift, 287  
 uses, 288  
 $y = 3\cos x$ , 288
- $y = \cos(x - 3)$ , 288  
 $y = \cos x$ , 286
- cotangent function. *See also*  
 reciprocal functions; trig  
 functions  
 abbreviation, 19, 103  
 changing sine to, 169  
 defined, 19, 103  
 domains, 133  
 exact value table row, 109  
 finding, 129  
 inverse, 220  
 problems, 104–105  
 Pythagorean identity, 165  
 ranges, 134  
 ratio, 103–104  
 ratio, determining, 129  
 ratio identity, 159  
 reciprocal, 158  
 for 30-degree angle, 21
- cotangent graphs. *See also*  
 graphs  
 asymptotes, 304  
 illustrated, 304  
 value repetition, 305  
 variations, 305
- coterminal angles. *See also*  
 angles  
 adding/subtracting  
 rotations, 66  
 defined, 65  
 negative, 65  
 rotations, 65, 66
- Curta calculating machine,  
 109
- D •
- daylight problem, 288–289
- deer population tracking, 332
- degrees. *See also* radians  
 bearings as, 59–60  
 changing, to radians, 71–72  
 changing radians to, 72–73  
 common use, 59  
 conversion, 70–73  
 decimals, 73  
 defined, 57  
 half-angle identity problem,  
 185

- degrees (*continued*)  
 illustrated, 58  
 minutes, 73  
 navigating with, 59–60  
 Norm's Workshop and, 60–62  
 reference angle measure, 119–120  
 seconds, 73
- denominators. *See also*  
 fractions; numerators  
 common, finding, 190, 193, 194, 196, 202–203  
 conjugate, 184  
 multiplying, by conjugate, 205  
 rationalizing, 173, 186  
 reciprocal identities on, 195  
 replacing, 199, 206  
 simplifying, 196
- Denver, Colorado  
 temperatures, 350
- determinants  
 defined, 347  
 evaluating, 347, 348  
 writing, 348
- diagonal distances. *See also*  
 distances  
 defined, 35  
 determining, 35–36  
 Pythagorean theorem and, 34–35
- diameter  
 defined, 15  
 illustrated, 15  
 length, finding, 38  
 radii, 38
- difference  
 calculating, 177–178  
 identities. *See* subtraction identities
- distances  
 across pond problem, 90  
 between buildings, 140–141  
 calculating, 33–36  
 diagonal, 34–36  
 estimating, 36  
 exact value, 36  
 horizontal, 33–34  
 to moon, 79–80  
 vertical, 33–34
- domain. *See also* range  
 cosecant, 132–133  
 cosine, 131, 132  
 cotangent, 133  
 defined, 49, 130  
 inverse cosecant, 221  
 inverse cosine, 220  
 inverse cotangent, 220  
 inverse functions, 219–221  
 inverse secant, 221  
 inverse sine, 220  
 inverse tangent, 220  
 restriction, 130, 133  
 secant, 132–133  
 sine, 131, 132  
 tangent, 133
- double-angle identities. *See also*  
 identities  
 applying, 210  
 cosine, 180–181  
 defined, 179  
 examples, 210–211  
 illustrated, 179, 189  
 procedure, 210–211  
 reference, 189  
 replacing with, 208  
 scrunching, 182  
 sine, 179  
 trig equations and, 243–244
- **E** •
- ellipses, 158  
 equations. *See* trig equations  
 equilateral triangles. *See also*  
 triangles  
 defined, 14  
 greatest possible area, 274  
 illustrated, 14  
 exponents, inverse function, 216
- **F** •
- factorials, 147  
 factoring  
 binomials, 233  
 clue, 197  
 examples, 197–198, 199  
 greatest common factor, 234–235
- by grouping, 234, 239–240  
 with high degrees, 237–239  
 numerators, 210  
 patterns, 197, 233–234  
 quadratics, 235–237  
 trinomials, 233–234
- Fairbanks, Alaska  
 temperatures, 350
- flipping over horizontal line, 322–323, 324–325
- flips, 99
- fractions  
 breaking up, 200–201, 207, 210  
 circles and, 45  
 complex, 169, 184, 207  
 denominator, 173, 186, 190, 195, 196  
 improper, 132  
 multiplying, 202, 203  
 numerator, 173, 184, 190, 196, 210  
 rationalizing, 173  
 reducing, 200, 207, 210  
 replacing, 210  
 simplifying, 190, 193, 200, 207, 209
- functions. *See* trig functions
- **G** •
- Galveston, Texas  
 temperatures, 350
- graphing calculators  
 connected mode, 298  
 in determinant evaluation, 347  
 dot mode, 298  
 graphs, 250, 251  
 intersect feature, 251  
 modes, 280  
 solver feature, 250  
 solving equations with, 249–251  
 tangent graphs and, 298  
 in temperature average problem, 291  
 use examples, 249–251  
 when to use, 249  
 window, setting, 249

## graphs

- ABCs of, 279–280
- add function, 329
- basic, 25–28
- biorhythms problem, 292–294
- body temperature, 291–292
- cosecant function, 307–311
- cosine function, 285–288
- cotangent function, 304–305
- daylight problem, 288–289
- deer population tracking, 332
- flipping over horizontal line, 322–323, 324–325
- with general form, 323–328
- graphing calculator, 250, 251
- inverse cosecant, 318–319
- inverse cosine, 316–317
- inverse cotangent, 317–318
- inverse functions, 315–319
- inverse secant, 318–319
- inverse sine, 316–317
- inverse tangent, 317–318
- object spring measurement, 332–333
- periodic, 25
- sales goal problem, 292, 293
- scales, 25
- secant, 312–315
- sine function, 280–285
- subtract function, 330
- tangent function, 295–304
- temperature averaging, 290–291
- tick marks, 25
- tide measurement, 330–331
- units, 25
- $x$ -axis, 25
- $y = \cos x$ , 26
- $y = \cot x$ , 27
- $y = \csc x$ , 28
- $y = \sec x$ , 28
- $y = \sin x$ , 26
- $y = \tan x$ , 27
- greatest common factor, 234–235
- grouping, factoring by
  - defined, 239
  - examples, 239–240

## • H •

- half-angle identities. *See also* identities
  - $\pm$ , 183
  - cosine, 183
  - defined, 182
  - degrees problem, 185
  - examples, 211–212
  - illustrated, 182, 189
  - procedure, 211–212
  - radicals problem, 185–186
  - reciprocal, 212
  - reference, 189
  - sine, 182
  - tangent, 183–184, 211
  - using, 184–186
- height, triangle, 271–272, 346
- Heron's Formula, 273–274, 346
- Hipparchus, 97
- Honolulu, Hawaii
  - temperatures, 350
- horizontal distance, 33–34
- Hypatia, 158
- hyperbolas, 158
- hypotenuse, 35. *See also* right triangles
  - adjacent over, 98–99
  - defined, 84, 96
  - illustrated, 85
  - length, 96–97
  - length, finding, 99
  - in missing sides solution, 89, 90
  - in object around corner problem, 151, 152, 153
  - opposite over, 97–98
  - value, solving for, 153

## • I •

- icons, this book, 4–5
- identities. *See also*
  - Pythagorean identities;
  - ratio identities;
  - reciprocal identities
- angle-sum, 171–175
- basic, 337–339
- cofunction, 286–287
- combining, 167–170
- defined, 24
- double-angle, 179–181
- factoring, 197–198
- half-angle, 182–186
- operations, 171–186
- opposite-angle, 159–160, 162, 338–339
- product-to-sum, 341–342
- proving, 187–212
- proving, need for, 187
- sides, both, 192–193
- sides, picking, 189–191
- squaring both sides, 206–207
- subtraction, 175–178
- sum-to-product, 342
- trig equations and, 241–244
- infinite series, 147
- intercepts, 284
- intersecting lines
  - adjacent angles, 10
  - illustrated, 11
  - supplementary angles, 11
- inverse functions. *See also* trig functions
  - alternate notation, 216
  - answer designation, 217
  - behavior, 215
  - cosecant, 216, 221, 318–319
  - cosine, 216, 220, 316–317
  - cotangent, 216, 220, 317–318
  - defined, 20, 50, 215
  - definitions, 52–53
  - determination, 50–51
  - domain, 219–221
  - domain/range summary, 221
  - examples, 50–51, 216
  - exponent interpretation, 216
  - finding, 51–53
  - function differences, 50
  - graphs, 315–319
  - inputs, 217
  - mixed problems, 228–229
  - notation, 216
  - outputs, 217, 219
  - principal value, 218
  - range, 219–221

inverse functions (*continued*)  
 relation differentiation, 217  
 rewriting equations as, 232, 233  
 rules, 218  
 scientific calculators and, 225–227  
 secant, 216, 221, 318–319  
 sine, 216, 220, 316–317  
 tangent, 216, 219, 220, 317–318  
 use examples, 223–224  
 uses, 215–216  
 working with, 223–224

inverse relations. *See also* relations  
 defined, 217  
 differentiation, 217  
 principal value, 218  
 rules, 218

irrational numbers, 36

isosceles triangles. *See also* triangles  
 defined, 14, 85  
 illustrated, 14  
 right, 92  
 use of, 61

## • K •

Kanizsa Triangle, 315

## • L •

law of cosines  
 ambiguous case and, 265–268  
 defined, 253  
 defining, 260–261  
 missing angle solution, 261–262  
 missing side solution, 261  
 sample triangle, 261  
 for SAS, 261–263  
 Slim/Jim problem, 267–268  
 for SSS, 263–265  
 uses, 260

law of sines  
 defined, 253, 256  
 following, 256–260

ratios, 256  
 switching to, 262  
 tree height measurement, 258–260  
 use example, 256–257

law of tangents  
 example, 269–270  
 uses, 268

legs, 84, 85

lemniscate of Bernoulli, 302

letters, naming angles by, 12–13, 254

lines  
 defined, 10  
 illustrated, 10  
 intersecting, 10–11  
 parallel, 44  
 perpendicular, 44

## • M •

Marchant adding machine, 109

measurements  
 balloon height, 144–145  
 building height, 137–139  
 distance between buildings, 140–141  
 object spring, 332–333  
 odd shape, 149–151  
 satellite camera, 148–149  
 slope, 142–143  
 tide, 330–331  
 tree height, 139–140, 258–260  
 triangular shape, 149–151

Miami, Florida temperatures, 351

midpoints. *See also* segments  
 defined, 36  
 in dividing segments, 39–41  
 finding, 37  
 illustrated, 37

minutes, 73

Mollweide's equations, 343

moon distance, 79–80, 97

multiple-angle functions. *See also* trig functions  
 defined, 227  
 examples, 227–228  
 trig equations and, 245–246

multiplication  
 angle variable, tangent function, 299  
 by conjugates, 204–206  
 diagonals, 348  
 fraction, 202, 203  
 reciprocal identities, 158  
 secant function, 313  
 sine function, 282  
 tangent function, 299

multiplying through. *See also* trig equations  
 defined, 248  
 example, 248–249  
 as last resort, 248

music of the spheres, 194

## • N •

naming angles. *See also* angles  
 illustrated, 13  
 by letters, 12–13, 254  
 by size, 11–12  
 by vertex, 13

Napier's Bones, 166

Napoleon theorems, 180

negative angle measures, 64, 116–117

negative angles  
 clockwise measurement, 116–117  
 cosine, 160, 161  
 sine, 160  
 tangent, 160

terminal side in third quadrant, 161, 162  
 in trig functions, 159

negative coterminal angles, 65

Norm's Workshop, 60–62

notation, inverse function  
 alternate, 216  
 defined, 216  
 exponential, 216  
 scientific calculator, 225–226

numerators. *See also* denominators; fractions  
 conjugate, 184  
 factoring, 210

- multiplying, by conjugate, 205
  - rationalizing, 173
  - replacing, 190, 191, 202
  - simplifying, 196
  - terms, rearranging, 206
- **O** •
- object around corner
  - defined, 151
  - hypotenuse in, 151, 152, 153
  - illustrated, 152
  - problem, 152–153
- object spring measurement, 332–333
- oblique triangles. *See also* triangles
  - defined, 253
  - determining, 258
  - missing measures, 258
- obtuse angles. *See also* angles
  - defined, 11
  - illustrated, 12
  - negative cosine and, 264
- obtuse triangles, 14
- opposite sides. *See also* identities
  - over adjacent, 99–100
  - defined, 96
  - over hypotenuse, 97–98
  - lengths, 96–97
- opposite-angle identities. *See also* identities
  - as basic identities, 338–339
  - cosine, 160
  - defined, 159, 338–339
  - illustrated, 160, 188
  - reference, 188
  - sine, 160
  - tangent, 160, 162
- ordered pairs, 31
- organization, this book, 3–4
- origin
  - centering circles at, 45–46
  - coordinates calculation at, 128–130
  - defined, 30
  - illustrated, 30
- **P** •
- parabolas, 53, 158
- parallel lines, 44
- partitioning, line segments, 39–41
- pentagonal stadium, 262–263
- period. *See also* amplitude
  - cosecant function, 310
  - cosine function, 287
  - daylight problem, 289
  - equation, 323
  - finding, 324, 325, 327, 331
  - sine function, 282, 283
  - tangent function, 296
  - temperature average problem, 290
- perpendicular lines, 44
- pi
  - decimal value, 184
  - defined, 15
  - introduction, 161
  - value, 161
- pizza slices, 77
- points
  - coordinates, 125–130
  - distances between, 33–36
  - graph illustration, 32
  - intercept, 284
  - placing, on unit circle, 112–113
  - plotting, 29–33
  - in quadrant designation, 32, 33
  - unit circle, 111–112
- pond distance problem, 90
- positive angles, 17, 116
- product-to-sum identities. *See also* identities
  - cosines of two angles, 342
  - defined, 341
  - mix-and-match, 342
  - two angles, 341
- protractors, 289
- proving identities
  - both sides, 192–193
  - examples, 190–191, 192–193
  - need, 187
  - with operations, 207–212
  - sides, picking, 189–191
- Ptolemy, 16, 136
- Pythagoras, 194
- Pythagorean identities, 171. *See also* identities
  - as basic identities, 338
  - combining, 167–170
  - condensed version, 163
  - for cosine solution, 229
  - cotangent/cosecant, 165
  - cotangent/cosecant, rearranging, 167
  - defined, 162, 338
  - finding, on unit circle, 163
  - illustrated, 164, 165, 188
  - list, 162
  - primary, 163–164
  - primary, rearranging, 166
  - rearranging, 165–167
  - reference, 188
  - sine/cosine, 163–164
  - substitutions, 206
  - for tangent solution, 229
  - tangent/secant, 164–165
  - tangent/secant, rearranging, 166–167
  - trig equations and, 242
- Pythagorean theorem. *See also* right triangles
  - in checking Pythagorean triples, 88
  - defined, 86
  - in diagonal distance determination, 34–35
  - formulation, 86
  - in missing lengths solution, 88–90, 100–101
  - in pond distance problem, 90
  - in right angle side length determination, 22
  - 30-60-90 right triangles and, 91
  - working backwards with, 87
- Pythagorean triples
  - checking, 88
  - common, 88
  - defined, 87
  - multiples, 87

## • Q •

quadrants  
 defined, 31  
 function values, 122–123  
 illustrated, 32  
 inverse trig functions and,  
 229  
 number designations,  
 31, 32, 33  
 quadratic equations  
 factoring, 235–237  
 reciprocal functions and,  
 237  
 working with, 235  
 quadratic formula, 241

## • R •

race car speed problem,  
 80–81  
 radar sweeps, 75–77  
 radians. *See also* degrees  
 advantages, 70  
 changing, to degrees, 72–73  
 changing degrees to, 71–72  
 circle circumference  
 and, 74  
 conversion, 70–73  
 defined, 69, 303  
 history, 303  
 illustrated, 70  
 as natural measure, 70  
 number in a circle, 69  
 reference angle measure in,  
 120–121  
 radical forms, simplifying, 22  
 radicals  
 defined, 21  
 half-angle identity problem,  
 185–186  
 radius  
 defined, 14, 38  
 determination, 129  
 find example, 16  
 illustrated, 15, 38  
 length, finding, 38  
 as positive number,  
 127, 131, 132

range. *See also* domain  
 cosecant, 133  
 cosine, 131, 132  
 cotangent, 134  
 defined, 49–50, 130  
 inverse cosecant, 221  
 inverse cosine, 220  
 inverse cotangent, 220  
 inverse functions, 219–221  
 inverse secant, 221  
 inverse sine, 220  
 inverse tangent, 220  
 secant, 133  
 sine, 131, 132  
 tangent, 134  
 ratio identities. *See also*  
 identities  
 as basic identities, 338  
 cotangent, 159  
 defined, 159, 338  
 in identity combinations,  
 167–170  
 illustrated, 159, 188  
 reference, 188  
 tangent, 159  
 trig equations and, 242–243  
 rationalization, 173  
 rays  
 defined, 10  
 endpoint, 30  
 illustrated, 10  
 lengths, 62  
 terminal, 62  
 reciprocal functions. *See also*  
 trig functions  
 angle-sum identities, 171  
 benefits, 102  
 cosecant, 102–103  
 cotangent, 103–105  
 defined, 102  
 domain, 131  
 exact value table, 109  
 illustrated, 158, 188  
 inverse, calculating,  
 225–226  
 quadratic equations and,  
 237  
 range, 131  
 secant, 103  
 subtraction identities, 175

reciprocal identities. *See also*  
 identities  
 as basic identities, 337  
 in changing expression, 171  
 defined, 157, 337  
 on denominator, 195  
 in identity combination,  
 167–170  
 identity definitions, 158  
 multiplying, 158  
 reference, 188  
 trig equations and, 242–243  
 uses, 159  
 reduction formula, 343  
 reference angles. *See also*  
 angles  
 defined, 117  
 determination, 118, 122  
 finding, 123, 125  
 function values, 117, 122  
 function values, finding, 124  
 measure, 118–119  
 in degrees, 119–120  
 in radians, 120–121  
 problems, 119–121  
 positions, 118  
 rules, 123  
 terminal side and, 118  
 uses, 117  
 reflections. *See also*  
 transformations  
 defined, 55, 299  
 illustrated, 56  
 left/right, 56  
 up/down, 56  
 relations  
 defined, 47  
 functions versus, 47–50  
 input, 47  
 inverse, 217–218  
 output, 47  
 right angles, 11–12  
 right triangles. *See also*  
 Pythagorean theorem;  
 triangles  
 adjacent side, 96  
 anatomy, 84–85  
 angles, 84  
 in balloon height  
 measurement, 145

- in building measurement, 138
  - coordinates and, 126, 131
  - defined, 14, 83
  - hypotenuse, 35, 84, 85, 96
  - illustrated, 14, 35, 85
  - isosceles, 85, 92
  - legs, 84, 85
  - missing sides, solving for, 88–90
  - opposite side, 96
  - right angle, 83
  - shapes, 84
  - special, 91–92
  - 30-60-90, 91–92
  - vertex, 84, 85
  - rocket tracking, 146–147
  - roots, perfect, 22
  - rounding, 22–23
  - Ruth-Aaron Pairs, 226
- S •
- sales goal problem, 292–293
  - San Diego, California
    - temperatures, 351
  - San Juan, Puerto Rico
    - temperatures, 351
  - SAS triangles
    - defined, 255
    - determining, 255
    - finding area with, 274–275, 347
    - illustrated, 255
    - law of cosines for, 261–263
  - satellite camera
    - measurements
      - defined, 148
    - Earth circumference
      - determination, 149
    - illustrated, 148
    - problem, 148–149
  - Sault Ste. Marie, Michigan
    - temperatures, 351
  - scalene triangles, 14
  - scientific calculators
    - inverse cotangent
      - workaround, 226–227
    - inverse function button, 225
  - inverse reciprocal function
    - calculation, 225–226
    - legend, 225
    - mode, changing, 224–225
    - notation, interpreting, 225–227
    - pitfalls, 224
    - 2nd functions, 225
  - scrunching, 182
  - secant function. *See also*
    - reciprocal functions; trig functions
      - abbreviation, 19, 103
      - changing sine to, 169–170
      - defined, 19, 103
      - domain, 132–133
      - exact value table row, 109
      - finding, 130
      - inverse, 221
      - multiplying, 313
      - Pythagorean identity, 164–165
      - ranges, 133
      - ratio, determining, 130
      - ratio, on coordinate plane, 133
      - reciprocal, 158
      - for 30-degree angle, 21
      - values, 21
  - secant graphs. *See also*
    - graphs
      - asymptotes determination, 312
      - cosecant graph versus, 312
      - shifted, 315
      - sketching, 312
      - using, 312–315
      - vertical asymptotes, 313
      - $y = \sec(x + 2\pi)$ , 314
  - seconds, 73
  - sectors
    - area, 17, 18, 76
    - defined, 17, 75
    - find example, 18
    - illustrated, 18
  - seed of life, 326
  - segments
    - defined, 10
    - illustrated, 10
    - midpoint, 36
    - partitioning, 39–41
  - sine curves. *See also* graphs; sine graphs
    - amplitude, 280, 281, 283
    - biorhythms problem, 293, 294
    - body temperature problem, 292
    - Boston, Massachusetts, 349
    - Chicago, Illinois, 350
    - daylight problem, 288–289
    - Denver, Colorado, 350
    - Fairbanks, Alaska, 350
    - Galveston, Texas, 350
    - Honolulu, Hawaii, 350
    - intercept, 284
    - left/right shift, 284–285
    - Miami, Florida, 351
    - period, 280, 282, 283
    - repetition, 280
    - sales goal problem, 293
    - San Diego, California, 351
    - San Juan, Puerto Rico, 351
    - Sault Ste. Marie, Michigan, 351
    - temperature average, 290–291
    - translations, 283–285
    - up/down shift, 284
    - uses, 288
  - sine function. *See also* trig functions
    - abbreviation, 19
    - adding to, 285
    - with algebra, 147
    - amplitude, 281, 283
    - calculation, 98
    - changing to, 194–195
    - changing, to cosecant, 170
    - changing, to cosine, 168
    - changing, to cotangent, 169
    - changing, to secant, 169–170
    - changing, to tangent, 168–169
    - of complementary angles, 98
    - defined, 19, 48
    - of a difference, 176
    - domain, 131, 132
    - double-angle identity, 179
    - equation, 282

- sine function (*continued*)
  - exact value table row, 107
  - finding, 128–129
  - half-angle identity, 182
  - input values, 97
  - inverse, 20, 220
  - multiplying, 282
  - of negative angle, 160
  - opposite over hypotenuse, 97–98
  - opposite-angle identities, 160
  - other function expressions, 168
  - output values, 50, 97
  - period, 282, 283
  - Pythagorean identity, 163–164
  - range, 131, 132
  - ratio, 98
  - ratio, determining, 129
  - ratio value, 131
  - reciprocal, 158
  - subtracting from, 285
  - of sums, 172
  - for 30-degree angle, 21
  - values, 122
  - values, finding, 101
- sine graphs. *See also* graphs
  - cosine graphs comparison, 286–287
  - equation, 282–283
  - illustrated, 280
  - shifted, 287
  - using, 308–310
  - $y = 3\sin x$ , 281
  - $y = 4\sin 2x$ , 283
  - $y = \sin 3x$ , 282
  - $y = \sin(x + 1)$ , 285
  - $y = \sin(x - 3)$ , 285
  - $y = \sin x$ , 281, 282, 285
  - $y = \sin x + 4$ , 284
  - $y = \sin x - 1$ , 284
- slope measurement, 142–143
- slopes
  - defined, 43
  - example, 43–44
  - formula, 43–44
  - illustrated, 45
  - negative, 44, 45
  - positive, 44, 45
  - steep, 44
- SohCahToa, 95, 101
- solutions
  - angle, 24
  - coordinates in, 125–130
  - missing angle, 261–262
  - missing side, 89, 90, 261
  - multiple-angle, 245–246
  - trig equation, 231, 232–233
- squaring
  - the corners, 85
  - identities, both sides, 206–207
- SSS triangles
  - defined, 255
  - determination, 255
  - illustrated, 255
  - law of cosines for, 263–265
  - sample, 264
- standard position
  - angles in, 62, 63
  - angles illustration, 126, 129
  - graphing angles in, 62–63
  - station pointers, 289
- steepness
  - cosecant function, 310
  - determining, 327
  - tangent function, 327
- straight angles, 11–12
- subtraction identities. *See also* identities
  - angle-sum identity
    - correspondence, 175
  - cosine of differences, 177
  - defined, 175
  - degrees example, 176
  - examples, 208–210
  - illustrated, 175, 188
  - procedures, 208–210
  - radians example, 176
  - reciprocal functions, 175
  - reference, 188
  - sine of differences, 176
  - tangent of differences, 176
- sum-to-product identities, 342
- superscripts, 20
- supplementary angles. *See also* angles
  - defined, 11
  - illustrated, 11
  - size, 259
- T •
  - tables (exact values)
    - cosine row, 107
    - defined, 106
    - first row, 107
    - illustrated, 106
    - reciprocal functions, 109
    - second row, 107
    - sine row, 107
    - tangent row, 108
    - undefined and, 109
  - tangent function. *See also* trig functions
    - abbreviation, 19, 99
    - adding to, 300–304
    - angle variable, multiplying, 299
    - changing sine to, 168–169
    - defined, 19, 99
    - difference identity, writing, 209
    - of differences, 176
    - domain, 131, 133
    - exact value table row, 108
    - finding, 128
    - half-angle identity, 183–184, 211
    - inverse, 219, 220
    - left/right shift, 303
    - multiplying, 299
    - of negative angle, 160
    - numerical value, finding, 124
    - opposite over adjacent, 99–100
    - opposite-angle identities, 160
    - period, 296
    - Pythagorean identity, 164–165
    - range, 131, 134
    - ratio, 99, 100, 295
    - ratio identity, 159
    - reciprocal, 158
    - sign, finding, 124
    - steepness, 327
    - of sums, 173
    - for 30-degree angle, 21
    - up/down shift, 301
    - value calculations, 108
    - values, finding, 99–100, 101

- tangent graphs. *See also* graphs  
asymptotes, 296–298  
curves, point of inflection, 300  
curves, raising, 300  
graphing calculators and, 298  
illustrated, 297, 298  
left/right shift, 303  
pattern repetition, 296, 298  
two multiples, 300  
two multiples of angle variable, 301  
up/down shift, 301  
 $y = \tan(x + 1)$ , 302, 303  
 $y = \tan(x - 1)$ , 302, 303  
tangents (circle), 16–17  
temperature average problem  
amplitude, 290  
defined, 290  
graphing calculator and, 291  
graphs, 290, 291  
period, 290  
30-60-90 right triangles. *See also* right triangles  
defined, 91  
illustrated, 92  
Pythagorean theorem and, 91  
sample problem, 91  
three-arm protractors, 289  
tide measurement, 330–331  
tone formula, 281  
top angles, 61  
transformations  
reflection, 55–56  
translation, 53–55  
translations. *See also* transformations  
defined, 53, 284  
illustrated, 54, 55  
left/right, 54–55, 284–285  
sine curve, 283–285  
up/down, 53–54, 284  
tree height measurement determination problem, 139–140  
with law of sines, 258–260
- triangle areas  
with ASA, 275–276, 347  
with base and height, 271–272, 346  
with determinants, 347–348  
equilateral, 274  
finding, 270–276  
finding, methods, 345–348  
greatest possible, 274  
Heron's Formula and, 273–274, 346  
with SAS, 274–275, 347  
with three sides, 272–274
- triangles  
AAS determination, 255  
acute, 14  
ambiguous case, 255–256, 265–268  
angles in, 13–14  
ASA, 255, 275–276, 347  
base, 271–272, 346  
centroid, 36, 41–43  
circumscribing, 42  
determining, 254–256  
dissection paradox, 222  
equilateral, 14, 274  
extending, for calculation, 259  
exterior angles, 259  
height, 271–272, 346  
isosceles, 14, 61, 85  
naming, by shape, 14  
oblique, 253, 258  
obtuse, 14  
parts, 19  
parts, describing, 253–256  
parts, standardizing, 254  
right, 14, 35, 83–92  
SAS, 255, 261–263  
scalene, 14  
semiperimeter, 273  
SSS, 255, 263–265  
uniquely determining, 255  
vertices, 41, 42, 345
- triangular shape  
measurement  
defined, 149  
formulas, 149–150  
illustrated, 149  
problem, 151
- trig equations  
amplitude, 323  
basic, 321–323  
defined, 231  
double-angle identities and, 243–244  
examples, 232–233  
factoring, 233–240  
fourth-degree, 237–238  
general form, 321–322  
identities and, 241–244  
interpreting, 323  
left/right shift, 323  
multiple-angle solutions, 245–246  
multiplying through, 248–249  
period, 323  
Pythagorean identities and, 242  
quadratic, 235–237  
ratio identities and, 242–243  
reciprocal identities and, 242–243  
requirements, 231  
rewrite as inverse, 232–233  
sine, 282–283  
solution generation, 232–233  
solutions, 231  
solving, 231–251  
solving, with graphing calculator, 249–251  
squaring both sides, 246–248  
tangent asymptotes, 296  
up/down shift, 323
- trig functions. *See also specific functions*  
abbreviations, 19  
adding, 328–330  
assigning, by quadrants, 123  
circular, 111–134  
defined, 19, 47, 48  
domain, 49, 130  
equations, writing, 141, 143, 145, 147, 148, 153  
identities, 24

trig functions (*continued*)

- input, 131
- input values, 49
- inverse, 20, 50–53
- multiple-angle, 227–228
- notation, 48–49
- output, 131
- periodic, 245
- range, 49–50, 130
- reciprocal, 101–105
- relations versus, 47–50
- for solving trig functions, 100–101
- subtracting, 328–329
- table, 353–356
- for 30-degree angle, 21
- transforming, 53–56
- translating, 53–55
- use determination, 141, 143, 144, 146, 148, 152–153
- uses, 135
- values, accessing, 121–122
- values, determining, 106–109
- values, solving for, 141, 143, 145, 147

## trigonometry

- defined, 9
- vocabulary, 18–23
- Triskaidekaphobia, 217

• *u* •

## unit circles

- coordinate calculations on, 127–128
- defined, 46, 111
- illustrated, 112
- intercepts, 112
- missing coordinates, finding, 114–116
- negative angles, 116–117
- as platforms, 116
- points, 111–112
- points, placing, 112–113
- positive angles, 116, 117
- Pythagorean identities on, 163
- x*-coordinate, finding, 115–116
- y*-coordinate, finding, 114–115

• *v* •

- Van Roomen, Adriaen, 130
- vertex
  - defined, 11
  - naming angles by, 13
  - right triangles, 84, 85
- vertical angles, 10–11
- vertical distance, 33–34
- vertices, 41, 42, 345, 348
- Viète, François, 130

• *x* •

- x*-coordinates, finding, 115, 128, 129, 130

• *y* •

- y*-coordinates, finding, 114–115, 128, 129, 130