

---

## Subject Index

---

### A

- AAIN (American Association of Industrial Nurses), 145
- AAOHN (American Association of Occupational Health Nurses), 145, 1025, 1026
- AAOHN's Code of Ethics, 147
- AAP (American Academy of Pediatrics), 813
- ABM (Anti-Ballistic Missile) Treaty, 283
- Abnormally dangerous (or ultrahazardous), 1055–1056
- ABPM (American Board of Preventive Medicine), 1026, 1027
- Absorption of toxic compound, 33–34
- Accommodation approach to climate change, 261
- ACGIH (American Conference of Governmental Industrial Hygienists), 963
- Acid Rain Program (EPA), 354–355
- ACOEM (American College of Occupational and Environmental Medicine), 145, 1025
- ACOEM's Code of Ethics, 147
- Active air delivery-absorber system, 80
- Acute exposures, 88
- Acute radiation syndrome, 693–695, 694*t*
- Additional risk, 945
- Administrative compensation programs, 1050–1052
- Administrative strategies (hazard control), 83
- Advocacy approach, 282–284
- Aerodynamic diameter, 341
- Aetna Technical Services, Inc., 1052
- African Americans: environmental racism against, 172, 177–184; multiple/cumulative effects of exposure on, 180–181; pedestrian fatality rates among, 423. *See also* Racial differences
- African countries: continuing high fertility rate in, 223; DALYs in developed countries compared to, 306; globalizing health difficulties in, 299; health risks of dried fish/meats sold in, 310–311; vulnerability to climate change by, 243–244. *See also* Developing countries
- Age structure (population), 9–10*fig*
- Agency for Toxic Substances and Disease Registry (2000), 311, 943
- Agenda 21 (Earth Summit, 1992), 231
- AGI (acute gastrointestinal infection), 485–486
- Agriculture: climate change, malnutrition, and productivity of, 260; GAPs (good agricultural practices) [FDA], 612; no-till, 567; occupational hazards of, 668, 670; waste produced by, 525
- Agriculture development programs: environmental health risk factors associated with, 302*t*–303*t*; pesticide hazards of, 300*b*–301*b*; Third World health impact of, 299–304; vector-borne disease increase due to, 301; water scarcity and, 460

- AIDS/HIV, 483, 523*b*, 1039
- Air pollutants (exposure assessment): asbestos, 639–640; biomass, fossil fuels, and indoor chemistry, 640; carbon dioxide, 640–641; ETS (environmental tobacco smoke), 639; microbial agents, 638; radon, 640; VOCs (volatile organic compounds), 638–639
- Air pollutants (sources/health effects): air toxics, 351; carbon monoxide, 347–348; inhalation route, 88, 816–817; lead (Pb), 348–351; mercury, 351–352; nitrogen oxides, 238, 240*t*, 344–345; PM (particulate matter), 308, 341–343, 342*fig*; sulfur dioxide, 343–344; tropospheric ozone, 346–347. *See also* Carbon dioxide; VOCs (volatile organic compounds)
- Air pollution: ambient, 334–335, 336*t*–338*t*, 399; Donora disaster (1948), 332, 333*b*; environmental health ethics controversy regarding, 161*b*; history of, 331–332; indoor, 309–311, 374–375, 379*t*; London fog disaster (1952), 332*fig*–333*b*, 332*fig*–333*fig*, 334*fig*; prevention and control of, 352–357; related to transportation, 425–432; sampling apparatus for evaluating, 81*fig*; SES (socioeconomic status) and susceptibility to exposure of, 179*b*–180*b*; sources and health effects of major outdoor, 340–352; studies on health and, 339–340; Third World and effects of, 308–312; types of ambient, 334–339; weather, health, and, 250–252. *See also* Pollution
- Air Pollution Control Act (1955), 970
- Air pollution prevention/control: additional approaches to, 356–357; recommended pathways for, 352–353; regulatory approaches to, 353–355; related to other environmental problems, 357; technological controls, 355–356
- Air Transportation Safety and Stabilization Act (2001), 1063
- Air-conditioning systems, 633–637
- Albert Lasker Public Service Award, 650, 652
- Albuquerque Environmental Health Department, 902–903, 918–919
- ALDF (American Lyme Disease Foundation), 556
- Allele, 129
- Ambient air pollution: classifying, 335, 339; described, 334–335; sources, health effects, and regulations on, 336*t*–338*t*
- Ambient Noise Strategy (London), 886*b*
- Ambient standards, 353–354
- American Cancer Society's Cancer Prevention Study (CPS) II, 339, 343
- American Heart Association, 434
- American Public Health Association (APHA), 904, 920, 921
- ANA (American Nurses Association) Code for Nurses, 147
- Analytical (or etiologic) studies, 48–49
- Anecdotal (or convenience) sampling, 79
- Animal testing, 42–44, 43*fig*
- Animal-facilitated therapy, 787
- Animals: decomposers, 12–13; food chain role of, 12; herbivores (plant feeders), 12, 14*fig*; heterotrophs (other feeders), 12; nature contact through, 785–787; omnivores (plants and animal feeders), 12; as reservoir for pathogens, 481–482; testing toxicity using, 42–44, 43*fig*
- Anthropogenic chemical contaminants, 464*t*, 466–467. *See also* Pesticides
- Anti-personnel landmine convention, 279*b*
- Anticipation of hazards, 73, 74–75
- Antimalarial campaign, 573*b*–574*b*
- Antipersonnel landmines, 279, 280*fig*
- AOEC (Association of Occupational and Environmental Clinics), 1025
- APEXPH (*Assessment Protocol for Excellence in Public Health*), 904
- APHA (American Public Health Association), 904, 920, 921
- Aquatic system engineering, 462*t*–463
- Arable land deterioration, 227
- Arctic Climate Impact Assessment, 242
- Arboviruses (climate change effects), 257–258
- Arsenic contamination, 463, 826–827
- Arsenic poisoning, 319*t*–320
- Arsenic standard (EPA), 964*b*–965*b*
- Asbestos exposure, xxxvii, 525, 639–640, 860*b*
- Asbestos litigation, 1045*b*–1047*b*
- ASHRAE (American Society of Heating, Refrigerating and Air-Conditioning Engineers), 633, 637, 640
- ASHRAE Standard 62, 640–641
- Asthma: fossil fuel combustion in home and, 642; home moisture and, 641; occupational, 643, 654–655; transportation-related air pollution and, 429
- Atmosphere changes, 238–239*fig*, 241–242
- ATSDR (Agency for Toxic Substances and Disease Registry), xxxiv, 824, 827
- Attentional fatigue, 784
- Attributable risk, 945
- Automobiles. *See* Motor vehicles
- Autotrophic ecosystem, 13
- Autotrophic systems, 13
- Autotrophs, 11–12
- Avian flu outbreak (2004), 766
- Awareness of environmental problems, 282

## B

- Backcasting, 854
- BACT (best available control technology), 354, 971

## Subject Index

1083

- Bacterial foodborne illness, 586–591
- Bacterial waterborne diseases, 487–489*fig*
- Bad Bug Bood* (FDA), 586
- Bangladesh: arsenic poisoning in, 320*b*; diseases following cyclone (1991) in, 756; sea-level rise in, 249*fig*
- Barcelona asthma clusters (1980s), 57
- Basel Convention (1989), 541
- BCME (bis-chloromethyl ether), xxxvii
- Bean v. Southwestern Waste Management*, 172
- Bedbugs, 548–549
- Behavior settings, 112–113*fig*
- Benchmark dose, 947*b*
- Bethel New Life, Inc., 187, 189
- Bhopal disaster (1984), 665*b*, 762
- Bhutan urbanization, 395*b*
- Bias: defining, 51; information, 52; recall, 50, 52; selection, 51–52
- Bicycling, 419*fig*, 424
- Bills of Mortality (U.K.), xxxiv–xxxv
- Bioavailable substances, 470
- Biodiversity, 229–230
- Bioethics, 147, 148*b*
- Biofilm (or slime), 481, 504
- Biogeochemical (or nutrient) cycles, 16
- Biological agents, 278–279
- Biological monitoring, 82
- Biological system, 24
- Biomagnification, 598
- Biomarkers, 90, 91*b*–92*b*
- Biomass fuels, 373–375
- Biomonitoring, 876–877
- Biophilia, xxxviii, 782–783
- Bioterrorism: disaster preparedness in case of, 764–766; food safety and threat of, 619–620; preparedness/emergency response to, 771–774. *See also* Terrorism
- Biotransformation process, 34–39
- Birds: as pests, 558–559; as reservoir for pathogens, 481–482
- Bis-chloromethyl ether, xxxvii
- Black Death, xxxiii
- Blacksburg Electronic Community, 119
- BLS (Bureau of Labor Statistics), 666
- BMI (body mass index), 434
- Body burden testing, 876–877
- Breast feeding, 815*b*–816*b*
- BRIs (building-related illnesses), 628–629*t*
- Brundtland Commission, 150, 192, 888–889
- BSE (bovine spongiform encephalopathy) [UK outbreak], 490, 618–619
- Buffering operations (GIS), 930, 931*fig*
- Built environments: applying pollution prevention/cleaner production approach to, 883; diagnostic strategies/prevention for, 644–645; disorders associated with, 628–632; environmental design and control, 632–633; heating, ventilating, and air-conditioning systems of, 633–637, 634*fig*, 644; investigating complaints about, 626*b*–628; specific types of, 641–643. *See also* Housing; Indoor environments
- Business sector voluntary actions, 981
- BWC (Biologic and Toxin Weapons Convention), 283–284
- C**
- C. perfringens*, 587–588
- CAA Amendments (1990), 335, 970
- CAA (Clean Air Act) [1970], 348*b*, 899, 970–971, 980
- California AIDS fund, 1051
- California Air Resources Board, 429
- California Interfaith Partnership for Children's health and the environment, 197, 215*b*–216*b*, 805–46
- California landslides (1998), 248*fig*
- California's Proposition 65, 1052–1053
- Cancer: basal cell carcinoma of skin, 700*fig*; cell phones and, 705*b*; estimated risks from exposure to ionizing radiation, 697*t*; occupational, 655–656; transportation-related air pollution and lung, 430. *See also* Carcinogens
- Cancerphobia, 1032, 1038–1039
- Candidate gene approach, 134
- Cap and Trade credits, 982–983
- CAPE (Canadian Association of Physicians for the Environment), 149
- Caracas business district, 401*fig*
- Carbon cycle, 16–18, 17*fig*
- Carbon dioxide: as ambient air pollution source, 335; ASHRAE Standard 62 for, 640–641; biomarkers used to measure exposure of, 91*b*–92*b*; examining changes in levels of, 5; fertilization effect of, 260; greenhouse effect and level of, 17–18, 230–231, 238–239*fig*, 240*t*; Kyoto Protocol (1997) regarding, 230–231; ventilation and levels of indoor, 628, 632. *See also* Air pollutants (sources/health effects)
- Carbon monoxide, 347–348
- Carboxyhemoglobin (COHb), 347–348
- Carcinogens: described, 30; testing for toxicity, 42–44, 43*fig*; toxicokinetic process of chemical, 35*b*. *See also* Toxicity
- Cardiovascular disease, 658–659
- Carnivores (flesh feeders), 12
- Carpal tunnel syndrome, 655
- Carrying capacity, xxxix, 9, 226*b*
- Cars. *See* Motor vehicles
- Case-control studies, 50
- CAST (Council for Agricultural Science and Technology), 582
- Catalytic converter, 356
- Categorical dose-response model, 953*fig*
- Catholic Hospital Association, 197, 215
- Catskill/Delaware watershed, 20
- Causality: as legal issue, 1041–1044; of phthalate plasticizers in toys, 872*b*–873*b*; prevention and, 871–872. *See also* Prevention

- CBO (Congressional Budget Office), 1059
- CBPR (community-based participatory research), 189, 190*b*
- CCA (chromated copper arsenic), 826–827
- CCL (Contaminant Candidate List) [EPA], 500
- CCP (critical control point), 608, 609
- CCR (Center for Claims Resolution), 1046*b*–1047*b*
- CDC (Centers for Disease Control and Prevention): cancer clusters investigated by, 56; clinicians working for, 1027; ED (endocrine disrupter) surveys conducted by, 831; elevated blood lead levels definition by, 350*b*; food safety regulated by, 582, 602, 613–614, 619; on growing physical inactivity, 433; on increased car use, 722; on public health approach to injury prevention, 716; public health preparedness role by, 776; toxicologists working at, 25
- CDC's Emerging Infections Program, 582
- CDC's National Pharmaceutical Stockpile (NPS) program, 773
- CDC's Public Health Practice Program Office (PHPPO), 903
- Cell phones, 704*fig*, 705*b*
- Census sample, 78
- Center for Health, Environment, and Justice, 898
- CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) [Superfund], 975*b*, 978, 1058–1059
- CETA (Comprehensive Education and Training Act), 908
- CF (constant flow) systems, 635
- CFC-12 level, 240*t*
- CFOI (Census of Fatal Occupational Injury), 664
- Chemical food contamination: ciguatoxin, 599; food allergens, 598–599; mercury, 599–600*b*; overview of, 597–598; scombrototoxin, 599. *See also* PCBs (polychlorinated biphenyls); Pesticides
- Chemical hazards anticipation, 74
- Chemical water contamination: anthropogenic, 464*t*, 466–467; classes of chemical contaminants, 464*t*; deposition, storage, and bioconcentration of, 468–471; health effects of, 471*t*–472; naturally occurring, 465–466; transformations due to, 467–468
- Chemical weapons, 276–278*b*
- Chemical Weapons Convention (CWC) [1997], 277
- Chernobyl accident (1986), 275*b*, 362, 377, 692, 762
- Child labor, 667*fig*, 668, 670, 672*b*
- Childhood obesity, 827–829
- Children: changing patterns of disease in, 806–807; environmentally related disease burden on, 291, 291*t*–292*t*, 294*fig*; exposure to diseases in homes/schools, 641–642; increasing physical inactivity of, 433; lead poisoning of Third World, 312; nature contact role in development of, 785; parent's religious values used in development of, 207–214; pedestrian injuries/fatalities among, 423–424; pesticide exposure of, 564, 569–570; policy consequences of property rights for health of, 213–214; protected from harm, 209–210; religious traditions facilitating environmental health of, 214; Safe Routes to School program for, 442*b*; 7 discount rate required by OMB on value of, 213; studies on genetic effects of radiation on, 690–691; transportation air pollution threatening health of, 429; unique susceptibility of, 810*b*–811*b*; valuing future generations through, 210–213. *See also* Pediatric environmental disease; Playgrounds; Women
- Children's Health Fund, 421
- Chimney-Sweepers Act (1788) [England], 649
- China: changing definitions of urban in, 390, 391*b*; employment patterns in, 653; growing energy demand in, 370*b*; ship breaking practice of, 542
- Chlorine gas exposure, 29*b*–30*b*
- Chloroform: carcinogenic effects on male rats, 943–944*t*; described, 941; exposure assessment of, 944–945; hazard identification of, 942–943; risk management of, 946–949; three dose-response models fit to dose-response data on, 952*fig*
- Cholera mortality maps (London, 1854–55), xxxv–xxxvi, 926–927
- Choropleth maps, 932–933
- Chronic exposures, 88
- CI (confidence interval), 53
- Ciguatoxin, 599
- Cities: environmental health issues in, xxxiii, 387–413; building healthy, 407–409; Caracas business district, 401*fig*; characteristics of, 389–390; environmental health significance of, 395–402*fig*; environmental impact on health by, 402–407; Manila substandard housing, 402*fig*; megacities, 387–388; nature contact in the inner, 789*b*, 790*fig*; physical environments of, 398–402*fig*, 399*b*, 401*fig*; population factors of, 396–397; services and resources of, 397; social environments of, 397–398; urban sprawl of, 392*b*–395*b*. *See also* Communities; Urbanization
- Civil Rights Act (1964), 935
- Civil rights movement, 170
- Class action lawsuits, 1047
- Clean Air Act (1970): command-and-control regulations of the, 980; NAAQS requirement of, 348*b*; overview of the, 970–971; state authority under, 899
- Clean Air Act Amendments (1990), 335, 970

## Subject Index

1085

- Clean Water Act (CWA), 971
- Cleaner production: based on circular vision of the economy, 880*fig*; described, 879; examples of, 880*b*–881*b*; extending application of, 882–883; goals of, 881–882
- Clear Air Act (CAA), 970–971
- Climate change: changes in atmosphere affecting, 238–239*fig*, 241–242; current state of, 230–231; effects on vector-borne diseases by, 255*b*–256*b*; environmental health ethics controversy regarding, 161*b*; ethical and political considerations of, 262–263; factors affecting, 238; food productivity, malnutrition, and, 260; projected changes in global temperature, 243*fig*; projected sea-level rise and, 242–243; public health approach to, 261; regions particularly vulnerable to, 243–244; sea-level and, 242–243, 246–249; variations of surface temperature across two time frames, 241*fig*; vector-borne diseases and, 255–260; water scarcity due to, 461–462; water-borne diseases and, 253–254. *See also* Global warming; Weather
- Clinical Ecologists, xxxix, 1027
- Clinical trials (randomized clinical trials), 48–49
- Clinical practice: environmental medicine and practice venues for, 1026–1028; environmental and occupational aspects of, xxxix, 1013–1025*b*
- Cluster investigation, 56–57
- CMAQ (Congestion Mitigation and Air Quality), 441
- Coal, 369, 371
- Coal mining: pollution of, 369; worker's compensation for occupational diseases of, 1049–1050
- Coalition on the Environment and Jewish Life, 215
- Cockroaches, 550–551
- Cohort studies, 49–50
- Collaborative problem-solving, 186–192
- Columbia Center for Children's Environmental Health, 180
- Command-and-control regulations, 980–981
- Committee on Atherosclerosis, Hypertension, and Obesity in the Young, 434
- Common law tort system: causation issue of, 1041–1044; expert testimony in, 1042*b*–1043*b*; no-fault proposed alternative to, 1048–1050, 1060–1061, 1063–1064; procedural innovations of, 1047; resistance to changing, 1061–1063; theories of recovery, 1036–1041. *See also* Lawsuits
- Communication: of information between hospital/disaster site, 770–771; prevention strategies of dissemination, education, and, 887–888. *See also* Dissemination; Message mapping; Risk communication
- Communities: Albuquerque Environmental Health Department's work with, 902–903, 918–919; Allegheny County's work with, 909–911; consumer pressure from within, 983; environmental justice, 185; Iowa Department of Health's work with, 915–918; Island County Health Department's work with, 905–906, 911–915; PACE-EH process involving, 904–906, 905*t*; solid waste and right-to-know by, 526*b*; valuing future generations, 210–213. *See also* Cities; Religious communities
- Community health: environmental justice as part of, 177–192; WHO's definition as positive, 187
- Compensation funds, 1050–1052
- Competitive inhibition, 37
- Concentration: continuum of dose, exposure, and, 84*b*–86*b*, 88; described, 85
- Confidentiality issues, 162*b*
- Confounder variables: defining, 49; SES (socioeconomic status) as, 51
- Confounding, 52
- Confucian tradition, 211
- Conjugation, 36
- Connectivity, 417
- Construction debris, 524
- Construction occupational injuries, 670
- Consumer advisories (food safety), 615–616
- Consumer Confidence Reports, 501
- Consumer pressure, 983
- Contaminated sites: restoration of, 883; Superfund assessment of, 956
- Contextual analysis: levels of, 100, 101*t*; principle 1: interdependencies influencing environment-health relationship, 101–102; principle 2: synergistic effect on health by different environments, 102; principle 3: health is result of interaction among environmental features, 102–103
- Convenience (or anecdotal) sampling, 79
- Convention on Biological Diversity (Rio Convention), 230
- Convention to Combat Desertification, 227
- Conventional weapons, 271–272*b*
- Core Public Health Functions Steering Committee (1994), 902
- Core Writing Team, 241, 243
- Corn borer, 547*fig*
- Correlational (or ecological) studies, 48
- Cost-benefit analysis, 948
- Council on Education for Public Health, 921
- Council on Linkages Between Academia and Public Health Practice, 921–922
- CPS (Cancer Prevention Study) II [ACS], 339, 343
- Creative class, 113–114
- Crisis management. *See* Disaster management
- Cross-contamination, 606–607*b*

- Cross-sectional (or prevalence) studies, 50–51
- Crowding, 108
- Cryptosporidiosis, 253
- CSPC (Consumer Product Safety Commission), 873*b*
- CTBT (Comprehensive Nuclear-Test-Ban Treaty), 282
- Cubic smoothing spline, 953*fig*
- Cultural conflict issues, 161*b*
- Cumulative impacts: EPA's framework for, 180–181; EPA's framework for risk assessment of, 180–181, 189; vulnerability in context of, 181–182, 183*fig*, 184
- CVDs (cardiovascular diseases), 307–308
- CWA (Clean Water Act), 971
- CWC (Chemical Weapons Convention) [1997], 277, 283
- D**
- DALYs (disability-adjusted life years): comparing Third World and Second World, 291, 304, 306; indoor pollution resulting in, 310; injuries leading to, 322*t*, 404; lead poisoning and, 312; waterborne diseases resulting in, 482
- Data analysis: cost-benefit of risk management, 948; determining permissible levels of exposure, 66–68; EIA/HIA system of, 886–887*b*; environmental psychology, 100, 101*t*–103; HACCP system of, 607–609*b*, 610–613, 856*b*; interval risk, 954; issues of epidemiology, 52–54; options analysis, 721*t*–722; pooled analysis, 66–67; probabilistic risk analysis, 954–955; risk benefit analysis, 947–948; risk management decision analysis, 948; uncertainty analysis, 953–955
- Daubert v. Merrill Dow*, 1043*b*
- Day-care exposure, 823–825
- DBPs (disinfection by-products), 468, 497
- DDE, 59
- DDT, 59, 545, 561, 572, 573*b*–574*b*, 982
- De minimus* risk, 947
- Decision making: energy, 367*fig*, 378–383; environmental health indicators used in, 885–886; precautionary principle flow of, 870*b*–871*b*; risk management, 948
- “Declaration of the Environmental Leaders of the Eight on Children’s Environmental Health” (1997), 149
- Decomposers, 12–13
- Deep well injection, 534–536
- Deer Island System (Boston), 472, 475*fig*, 476
- DEET, 549–550, 819–820
- Defensible space, 110
- Deforestation report (Earth Summit, 1992), 229
- DeKalb County (Georgia) park mapping, 934
- Deontology, 148*b*
- Denver urban sprawl, 394*fig*
- Dermal contact: exposure assessment of, 92–93; as exposure route, 88
- Dermatologic conditions, 662
- Descriptive studies, 47
- Desertification report (Earth Summit, 1992), 227–228
- Detroit News*, 935
- Developed countries: DALYS in Africa compared to, 306; dropping rate in fertility levels among women in, 222; endocrine disruptors in drinking water of, 321; expected to sign Kyoto Protocol, 262; indoor environments regulated in, 626; injuries in, 717–739; mitigating role in energy consumption by technology, 226; per capita energy use in, 363–365*b*, 364*t*; road traffic deaths in, 725–726; YLDs (2002) in, 204*fig*. *See also* United Kingdom; United States
- Developing countries: access to safe drinking water in, 316*t*–320; agriculture development health impact in, 299–304; air pollution health impact on, 308–312; Bangladesh, 249*fig*, 320*b*, 756; changing disease burden in, 290–294; described, 288; disease burden in, 290–294; environment and nutrition in the, 304–308; globalization impact on health in, 295–299; hazards of, 289–290; health impact of urbanization of, 313–316; increasing energy consumption/more pollution by, 226; India, 542, 665*b*–667*fig*, 762; injuries in, 717–739; injuries related to environmental risk factors in, 321–323, 322*t*; Manila standard housing, 402*fig*; nuclear power as energy source in, 376–377; pesticide hazards in, 300*b*–301*b*; risk overlap in, 290; road traffic deaths in, 725–726; vehicular mortality in, 322–323; YLDs (2002) in, 204*fig*. *See also* African countries
- DHHS (U.S. Department of Health and Human Services), 433, 772–773, 774, 776, 777, 903, 920
- DHS (Department of Homeland Security), 774
- Dichotomous variables, 53
- Digital divide, 119
- Direct exposure assessment methods, 90–92
- Direct reading instruments, 79
- Disaster health care needs: disposition of dead bodies, 775–776; earthquakes, 760–762; epidemics, 775; floods, 752–753; industrial disasters, 762–764, 763*fig*; terrorism, 764–766; tornadoes, 757–758; tropical cyclones (hurricanes and typhoons), 753–757; volcanic eruptions, 758–759
- Disaster management: austerity issue of, 767; health care needs as part of, 751–766; information systems for, 750–751; on-site medical care, 770; past problems in natural, 748–750; risk

- communication role in, 770–771, 990; terrorism preparedness/emergency response, 771–774; triage and rationing, 767–770
- Disaster preparedness: environmental conditions/health challenges of, 745–747; future of public health, 776–777; practical issues in disaster response, 766–774; public health approach to, 747–751. *See also* Public health
- Disasters: health care needs in specific, 751–766; public concerns associated with, 775–776; selected natural (1970–2004), 746*t*; short-term effects of major natural, 749*t*; three components of defining, 748
- Diseases: BRIs (building-related illnesses) or SBS (sick building syndrome), 628–629, 630*t*–632; categories of environmental and occupational, 1012*t*; changing pattern in children, 806–807; confounding relationship between exposure and, 52; CVDs (cardiovascular diseases), 307–308; dose-response assessment of exposure and, 943; drinking water pathogens and, 473*t*; epidemiological study of exposures relating to, 46–70; geographic information/mapping, 932–933; HIV/AIDS, 483, 523*b*, 738–739*t*, 1039; home moisture connection to, 641–642; legal claims of increased risk of, 1039–1040; occupational risk of infectious, 662–663; rodent-borne, 255*b*–256*b*; spread through transportation, 416*b*; Third World and changing burden of disease, 290–294; urban environment and transmission of infectious, 406–407; vector-borne, 255–260, 301, 416*b*, 483–484*t*, 766. *See also* Environmental health; Pediatric environmental disease; Waterborne diseases
- Disproportionate impacts: described, 177; proximity to pollution sources, 177–178; susceptible and sensitive populations, 179; unique exposure pathways, 178–179
- Dissemination: of information between hospital/disaster site, 770–771; as prevention strategy, 887–888; risk communication and, 833*b*–834*b*. *See also* Communication; Risk communication
- Distribution (toxic compounds), 34
- DMATs (disaster medical assistance teams), 774
- DNA: identifying sequence variations in, 132; ionizing radiation damage to, 689–691; MW/RFER damage to, 704; UVR absorption in, 701
- Documenting environmental problems, 281
- DoD (Department of Defense), 773, 774
- Donora air pollution disaster (1948), 332, 333*b*
- Dose: continuum of concentration to exposure to, 84*b*, 86*b*, 88; defining, 85*b*; measuring, 85*b*–86*b*
- Dose-response: assessment of, 943; modeling used to determine, 949–953*fig*, 956–957
- Dot maps, 932
- DOT (U.S. Department of Transportation), 421, 422, 438
- Doubling time, 7
- DPSEEA (driving forces, pressures, state, exposures, effect, actions) model, *xlvi*–*xlix*
- Dracunculiasis Eradication Program (WHO), 485*b*
- Dracunculiasis (guinea worm disease), 483, 484*t*, 485*b*
- Drinking water: contamination of, 463–482; endocrine disruptors in, 321; EPA's arsenic standard for, 964*b*–965*b*; estimated population exposure to arsenic in, 319*t*; improper disposal of waste materials and, 539–541; MCL (maximum contaminant limit) for, 319*t*, 320, 499, 500, 972; provision of in early cities, *xxxiv*; regulatory framework for monitoring quality of, 498–502; safe, 316*t*–320, 490–498, 505–506*fig*, 972. *See also* Freshwater; Water
- Drowning prevention/countermeasures, 733*t*
- DU (depleted uranium), 276
- DUMBELS, 565
- Duplicate diet study, 92
- Dust spot efficiency, 633–634

## E

- E. coli*: food poisoning due to, 582, 583, 588–589*b*, 612; water sources and outbreaks of, 476–477*b*, 587
- The Earth Charter, 149*b*
- Earth Summit (1992), 226–227
- Earthquakes, 760–762
- EBS (environmental and behavior studies), 97. *See also* Environmental psychology
- Ecological footprint concept, 21–22
- Ecological medicine: clinical practice of, 1013–1025*b*, 1026–1028; ethical considerations of, 152*b*
- Ecological (or correlational) studies: epidemiological, 48; as hypothesis-generating studies, 48
- Ecologists, 3–4
- Ecology: common theme of definitions of, 3; core study focus of, 3; ecosystem, 10–19*fig*; examining concept of, 4–6; links with environmental health, *xxxviii*–*xxxix*; population, 6–10*fig*; services/functions performed by, 20*t*–21
- Economics: burden of pediatric environmental disease, 807–808; as energy decision making issue, 381; “home finance” meaning of, 3
- Ecopsychology, 796
- Ecosystem coupling, 13
- Ecosystem ecology: basic components of, 11*fig*; coupling heterotrophic and autotrophic, 13; defining concept of, 4–6;

- described, 10–11; energy flow through, 11–13; energy flow through populations and individuals, 14*fig*–15
- Ecosystem services: described, 20; values of various, 20*t*–21
- Ectotherms, 14
- EDs (endocrine disruptors), 31*b*, 321, 831
- Educational approaches, 887–888, 983–984
- EEA (European Environment Agency), 859*b*
- Effect modification, 52
- The Effects of the Principal Arts, Trades and Professions* (Thackrah), 650
- EGP (Environmental Genome Project), 133–136
- EHAC (National Environmental Health Science and Protection Accreditation Council), 920
- EHAT (environmental health assessment team), 905–906
- EIA/HIA (environmental impact assessment and health impact assessment), 886–887*b*
- EIS (environmental impact statement), 441
- El Niño: impact on sea levels by, 233, 254; vector-borne disease outbreaks and, 257, 258*b*–259*b*
- El Niño Southern Oscillation (ENSO), 254, 258*b*–259*b*
- Electricity generation: coal as source of, 369, 371; U.S. emissions and costs of, 380*t*–381. *See also* Energy sources
- ELF (extremely low frequency) EMFs (electromagnetic fields), 705–707
- ELSIs (ethical, legal, and social implications), 131*b*
- Emergent properties (plant community), 5
- Emerging Infections Program (CDC), 582
- Emigration, in population ecology), 10
- Emissions standards, 354, 431*t*
- Emotional distress lawsuits, 1039
- Employees. *See* Occupational health; Workplace
- The End of Nature* (McKibben), 21
- Endocrine disruptors (EDs), xxxvii, 31*b*, 321, 831
- Endotherms, 14
- Energy: developing countries demand of, 363–365*b*, 364*t*; health risks associated with sources of, 365–378; human activities requiring, 362; patterns of human use of, 363–364, 366*t*; per capita use by sector/region (1999), 364*t*
- Energy decision making: economic issues of, 381; energy ladder issues of, 367*fig*, 379–381; externalities issues of, 378–379; health impact assessment factor of, 381–383
- Energy flow: humans, fossil fuels, and, 15; *P/R* ratio calculating, 13; properties in ecosystems, 15; *R/A* (respiration to assimilation) ratio calculating, 14–15; through ecosystems, 11–13; through populations and individuals, 14*fig*–15
- Energy ladder, 367*fig*, 379–381
- Energy policies: applying pollution prevention/cleaner production approach to, 882–883; as public health policy, 382*b*
- Energy sources: biomass, 373–375; coal, 369–371; decision making issues regarding, 378–383; health risks associated with, 365–378; hydroelectric, 375–376; natural oil, 372–373; new renewable, 377–378; nuclear fission, 161*b*–162*b*, 376–377; petroleum, 371–372; by region, 366*t*. *See also* Electricity generation; Fossil fuels
- ENSO (El Niño Southern Oscillation), 254, 258*b*–259*b*
- Envelope integrity, 635–636
- Environment: animate and inanimate factors of, 3; defining, 129; health care service context of, 1010–1011; impact of population growth on, 221–224*b*, 225–226*b*; impacts of war on the, 271–281; indoor and built, 625–645; links between health and, 782–785; religious traditions regarding, 199–203; Third World nutrition and the, 304–308; urban physical, 398–402*fig*, 399*b*, 402*fig*
- Environment-host-vector triangle, 720
- Environmental Defense Fund (now Environmental Defense), 430, 858*b*, 859*b*, 982, 984
- Environmental distress syndrome, 232–233
- Environmental epidemiology: described, 54–55, 99; investigation of clusters in, 56–57; recreational water quality studies example of, 62*b*–66*b*
- Environmental ethics: climate change and, 262–263; controversies in, 161*b*–163; ecological medicine, 152*b*; general principles of, 150–160; global health concept of, 148; promoting awareness of, 149; sustainability concept of, 148, 150*b*–151. *See also* Ethics
- Environmental ethics principles: interconnections affecting health, 153–154; realistic understanding, 159–160; respect for all life principle of, 154–156; respectful participation, 157–158
- Environmental exposure. *See* Exposure
- Environmental hazards: anticipation of, 74–75; vulnerability, health disparities and, 183*fig*
- Environmental health: challenges to perceptions of, 1028–1029; chimney sweeps case (1775) of, 128; clinical role in occupational and, 1013–1025*b*; core competencies for working toward, 921*t*; defined, xxx–xxxii, xxx*b*–xxx*i**b*; EIA/HIA (environmental impact analysis and health impact analysis) of, 886–887*b*; ELSIs (ethical, legal, and social implications) and, 131*b*; emerging issues in,

- xl–xliv; ethics in, 143–163, 1025–1026; goal setting for, 883–885; history of, xxxii–xl; indicators of, 885–886; linking genes and environmental exposures, 136–138, 137*fig*; new generation of research on, 133–136; -omics technologies, 138–140; religious approaches to, 197–216; steps toward the greening of, 795–797; Sweden’s goals for, 884*b*–885*b*. *See also* Diseases; Gene-environment interactions; Health
- Environmental health policy: alternatives to regulation, 979–984; considerations of, xl, 962–964; constitutional basis of, 965–967; described, 961; emergence of U.S. Public Health Service (PHS), 967–968; key federal environmental health statutes, 970–975; moving from science to, 977–979. *See also* Public policies; Regulatory approaches
- Environmental health policymaking: cost issues considerations of, 979; determining scientific interpretation, 977; global regulatory developments and, 979; moving from science to policy, 977–979; risk assessment role in, 976–977; role of science in, 976
- Environmental health practice: careers in, 919–922; core competencies for, 921*t*; field work examples of, 906–919; history of regulations and services, 896–898; increasing citizen involvement in, 898–899; organization and delivery of services and, 899–900; PACE-EH process of, 904*t*–906; standards for, 901–906; ten essential services of, 902*t*. *See also* Public health; Public policies; Regulatory approaches
- Environmental health practice cases: Gerry Barron’s work, 909–911; Iowa Department of Health, 915–918; Island County Health Department (Washington), 905–906, 911–915; Philadelphia Department of Health, 906–907; Randall Hirschborn’s work, 907–909; Stephanie Moraga-McHaley’s work, 918–919
- Environmental impact statements, 899
- Environmental justice: case study on practice of, 911; CBPR (community-based participatory research) on, 189, 190*b*; collaborative and integrated problem solving used in, 186–192; community-based participatory research on, 190*b*–192; disproportionate impacts concept and, 177–184; EPA Office of Environmental Justice role in, 184*b*–185*b*; using GIS operations to investigate, 935; legal, public policy, and research implications of, 184–186; nondiscriminatory policies supported by, 978–979; ReGenesis Revitalization Project case of, 187*b*–189*b*; religious principles regarding, 206–207
- Environmental justice communities, 185
- Environmental justice issues: examples of community-based, 175*t*–176*t*; meaning and implications of, 185
- Environmental justice movement: community-driven process of, 174–177; core concepts of, 171; origins of, xli, 170, 171–172
- Environmental psychology: assumptions of, 96; importance of “context” and “settings” in, 97; on neighborhood changes and influence on health, 103–105; on neighborhood features, 105–119; overview of, 97–98. *See also* EBS (environmental and behavior studies)
- Environmental psychology analysis: levels of, 100, 101*t*; three principles of contextual, 101–103
- Environmental psychology cases: The Trio of Tripping Pedestrian Revisited, 98*b*; A Trio of Tripping Pedestrians, 96*b*–97*b*
- Environmental racism: described, 172; disproportionate impacts concept and, 177–184
- Environmental response machinery, 130
- Environmentally responsive genes, 135–136, 137*fig*
- EOH (environmental and occupational health), 1026
- EPA (Environmental Protection Agency): on air pollutants from transportation-related sources, 426, 427*fig*; arsenic standard of, 964*b*–965; CCL (Contaminant Candidate List) of, 500; on chemical toxicity testing issues, 858*b*–859*b*; community involvement tools developed by, 904; conservative default assumptions used by, 956; cumulative risk assessment framework by, 180–181, 189; CWA requirements of, 971; environmental health functions of, 899; environmental health policies of, 962; environmental justice report by, 178; environmental justice role by, 184*b*–185; epidemiological studies published by, 47; establishment and development of, 897, 968–969; FIFRA requirements of, 974; food safety regulated by, 614; industrial disaster recommendations by, 764; injection wells regulated by, 535; level of exposure permitted by, 67; litigation by, 981–982; NAAQS created by, 335; noise standards by, 439; Office of Environmental Justice established by, 173; pesticide regulation under, 567–570; pesticide use/poisonings estimated by, 559, 565; pests as defined and categorized by, 545–546; RCRA requirements of, 525, 541, 974–975; SDWA requirements of, 972; 7discount rate

- required by OMB on value of children, 213; surface water/groundwater as defined by, 456–457; SWTR (Surface Water Treatment Rule) promulgated by, 493; Total Coliform Rule of, 500–501; toxicologists working at, 25; water standards established by, 319*t*, 320, 499–502; water-ingestion for adults recommended by, 945; WPS (Worker Protection Standard) of, 570
- EPA's Acid Rain Program, 354–355
- EPA's Integrated Risk Information System, 943
- EPA's Toxic Release Inventory (TRI), 355, 859*b*, 963, 981, 989
- EPCRA (Emergency Planning and Community Right-to-Know Act) [1986], 526*b*
- Epidemics (disaster), 775
- Epidemiological studies: correlational (or ecological), 48; descriptive, 47; etiologic (or analytic), 48–49; observational, 49–51
- Epidemiological triangle, 720
- Epidemiology: analysis issue in, 52–54; bias issue in, 51–52; described, 46; determining permissible exposure levels/risk assessment, 66–68; environmental health risk assessment use of, 957*b*; environmental and occupational, 54–66; future directions in, 68–69; Hill's hypothesis criteria used in, 46–47, 66; Popperian causality framework used in, 46
- Equitable relief, 1038
- Ethics: consensus statements on, 149*b*; controversies in environmental health, 161–163; defining, 143–145; ecological medicine, 152*b*–160*b*; environmental health, 145–146; environmental/occupational medicine and nursing, 1025–1026; general principles of, 150; global equity principles of, 156–157; selected theories on, 148*b*–149*b*; sustainability and, 150*b*–151*b*; thinking objectively about, 144–145; typical elements of professional codes of, 146*b*–148*b*. *See also* Environmental ethics; Moral/morality
- Ethnic churning, 181
- Etiologic (or analytical) studies, 48–49
- ETS (environmental tobacco smoke), 631, 634, 639
- European Centre for Health Policy, 382
- European Charter on Environment and Health, *xxxib*–*xxxib*
- European Commission, 379
- European Commission's 2003 Environment and Health Action Strategy, 888
- Evaluation of hazards: air pollution sampling apparatus for, 81*fig*; described, 73, 78; instruments used for, 79–81, 82; population sampling for, 78–79
- Evangelical Environmental Network, 215
- The Evolution and Significance of the Public Health Campaign* (Winslow), 896
- Excretion, 37–38
- Executive Order 128–98, 173, 184, 185
- Executive Order on Children's Environmental Health and Safety (1997), 812–813
- Expert testimony, 1042*b*–1043*b*
- Exploring the Dangerous Trades* (Hamilton), 650
- Exponential growth model, 6–8, 7*fig*
- Exposure: acute, chronic, sub-chronic, 88; asbestos, 525, 639–640, 860*b*, 1045*b*–1047*b*; concentration to exposure to dose continuum, 84*b*–86*b*, 88; confounding relationship between disease and, 52; defining, 85; dose-response assessment of disease and, 943; environmental and occupational epidemiology study of, 54–69; environmental pediatrics and routes/settings of, 814–829; epidemiological study of disease related to, 46–70; future directions of research studies on, 68–69; during gene-environment interactions, 129–130*fig*; geographical information about, 930, 932; lead, 60, 312*b*–313*b*, 675*b*–677*b*; legal remedies for environmental/toxic, 1034–1035; linking genes and environmental, 136–138, 137*fig*; misclassification (or mismeasurement) of, 63; pesticide use patterns and human, 562–564; reasonable maximal, 956; research on air pollution, 339–340; settings of pediatric, 821–829; transportation-related air pollution, 425–432
- Exposure assessment: described, 84–86, 944–945; determining exposure profile, 86, 88; determining permissible levels of exposure, 66–68; differences between industrial hygiene and, 72–73, 84; EPA's framework for cumulative, 180–181; evaluation of hazards, 73, 78–81*fig*, 82; improving pediatric environmental, 830–831; indoor environment pollutants, 637–641; for ingestion and skin absorption, 92–93; methods used for, 88–93; quantifying hazardous exposure task of, 72. *See also* Industrial hygiene; Occupational hazards; Risk assessment
- Exposure assessment methods: carbon monoxide exposure assessment, 91*b*–92*b*; direct, 90–92; indirect, 58, 59*fig*, 88–89; inputting or modeling exposure, 88–90; JEM (job-exposure matrix), 58, 59*fig*, 89; measuring biomarkers, 90–91; measuring environmental exposures, 90; measuring personal exposures, 90
- Exposure lawsuits: challenges associated with, 1034–1035; understating remedies available for, 1035

- Exposure measurements:  
 concentration, 84*b*–86*b*;  
 example of, 87*fig*; overview of,  
 57–60, 90
- Exposure pathways: described, 88;  
 disproportionate impact of  
 unique, 178–179
- Exposure profile, 86, 88
- Exposure routes: ingestion, 88,  
 92–93, 817–819; inhalation, 88,  
 816–817
- Exposure scenarios, 89
- Exposure-response analyses, 67
- Exposure-response curve, 67
- F**
- Factory Act (1833), 650
- Failure-to-warn claims, 1037
- Falls: injuries from, 656*b*–658*b*;  
 prevention/countermeasures  
 for, 732*t*
- False positives, 867, 869–870
- FAO (Food and Agriculture Organi-  
 zation) [UN], 228
- Fast-food consumption: settings of,  
 112–113*fig*; Third World health  
 and increasing, 315–316
- FBI (Federal Bureau of Investiga-  
 tion), 772
- FCCC (United Nations Framework  
 Convention on Climate  
 Change), 262
- FDA Food Code, 586–587, 613*fig*
- FDA (Food and Drug Administra-  
 tion): environmental health  
 functions of, 899; food safety  
 regulations by, 611–613, 616;  
 foodborne illness estimates by,  
 582; labeling requirements of,  
 1037; mercury advisory by, 352;  
 recommendations for avoiding  
 mercury in fish, 600*b*; toxicolo-  
 gists working at, 25
- FDCA (Food, Drug, and Cosmetic  
 Act) [1938], 973
- FDCA (Food, Drug, and Cosmetic  
 Act) Amendments, 973
- Federal Aviation Administration,  
 439
- Federal Highway Administration,  
 437, 439, 442
- Federal Insecticide, Fungicide, and  
 Rodenticide Act (FIFRA), 567,  
 568–569, 614, 973*b*–974
- Federal Meat Inspection Act  
 [1906], 972*b*–973
- Federal Tort Claims Act, 1053
- Federal Water Pollution Control Act  
 (1948), 971
- FELA (Federal Employers Liability  
 Act), 1050
- FEMA (Federal Emergency  
 Management Agency), 772, 774
- Feminist ethics, 148*b*
- Fertility: legal issues of lead expo-  
 sure and, 675, 677; occupa-  
 tional exposure and, 675*b*–677*b*
- Fertility rates: African continuing  
 high, 223; dropping rate in  
 developed countries, 222;  
 replacement-level, 221
- FFDCA (Federal Food, Drug, and  
 Cosmetic Act), 567–570
- FIFRA (Federal Insecticide, Fungi-  
 cide, and Rodenticide Act), 567,  
 568–569, 614, 973*b*–974
- The Fight Bac! Campaign,  
 614–615*fig*
- First National People of Color En-  
 vironmental Leadership Sum-  
 mit (1991), 173
- First World, 288–289
- Fisheries, 228–229
- Fixing energy, 11
- Fleas, 552
- Flood health care needs, 752–753
- Florida Birth-Related Neurological  
 Injury Compensation Act, 1061
- FMIA (Federal Meat Inspection  
 Act) [1906], 972*b*–973
- Food: climate change, malnutrition,  
 and productivity of, 260;  
 organic/natural and, 601*b*–602*b*,  
 869–870; safe food as healthy,  
 617*b*–618*b*; transportation sys-  
 tems for distribution of, 420
- Food allergens, 598–599
- Food chain, 12
- Food contamination sources: bacte-  
 ria, 586–591; bioterrorism as,  
 619–620, 764–766; chemical,  
 597–601; cross-contamination  
 and, 606–607*b*; dead bodies  
 from disasters, 776; NRC report  
 on pesticides as, 810; overview  
 of, 584*fig*–586; parasites, 594;  
 pesticides, 601, 817–819; viral,  
 592–594*b*
- Food diary, 92–93
- Food and Drugs Act (1906), 973
- Food environment, 828
- Food irradiation, 616–617
- Food Quality Protection Act  
 (1996), 974
- Food safety: careers in, 620–621;  
 case study on proximate/root  
 cause prevention, 856*b*; de-  
 scribed, 581; emerging threats  
 to, 618–620; HACCP (Hazard  
 Analysis Critical Control Point)  
 system for, 607–609*b*, 610–613,  
 856*b*; healthy food environment  
 and, 617*b*–618*b*; pros and cons  
 of natural/organic foods,  
 601*b*–602*b*; recent initiatives in,  
 614–618*b*; regulatory agencies  
 on, 610–614. *See also* Foodborne  
 illness
- Food web, 12
- Foodborne illness: investigating out-  
 breaks of, 594*b*–597*b*; magni-  
 tude of, 581–583; preventing  
 outbreaks of, 602–607*b*. *See also*  
 Food safety
- FoodNet (Foodborne Disease Active  
 Surveillance Network), 582
- Forest destruction, 229
- Fossil fuels: assessment of indoor ex-  
 posure, 640; environmental  
 health ethics controversy regard-  
 ing, 161*b*; growing demand in  
 China of, 370*b*; home combus-  
 tion of, 642; human reliance on  
 energy from, 15; military con-  
 sumption of, 281; reducing envi-  
 ronmental impacts of, 373; types  
 and uses of, 368*t*–369, 371–373.  
*See also* Energy sources
- Fossil water, 459
- FQPA (Food Quality Protection  
 Act) [1996], 568, 602, 614, 812
- Framingham Heart Study, 835
- Freshwater: contamination of,  
 463–482; contamination of  
 Third World, 318–320, 319*g*;

decreasing availability of, 228; estimates of U.S., 459–460; improper disposal of waste materials and, 539–541; terminology related to, 454–457; waterborne diseases and ecosystem of, 253–254. *See also* Drinking water; Oceans; Water

Friendship-environmental relationship, 109

Frogs (*Rana* genus), 6

Fungal waterborne diseases, 489–490

*Future of Public Health* (IOM), 901

## G

GAPs (good agricultural practices) [FDA], 612

Gauley Bridge disaster (Hawk's Nest incident), 650, 652

Gender differences: in health impacts of physical inactivity, 433–435; mortality by development level, risk factor, and, 292*t*–293*t*; Third World indoor air pollution exposure, 310. *See also* Women

Gene chip technology, 504–505

Gene-environment interactions: described, 128–129; genetic variation and, 132–133; linking genes and environmental exposures, 136–138; research being conducted on, 133–136; susceptibility, risk, and exposure during, 129–130*fig*. *See also* Environmental health

Genes: environmentally responsive, 135–136, 137*fig*; linking environmental exposures and, 136–138, 137*fig*

Genesee County (Michigan) mapping, 935–936*fig*

Genetic susceptibility: described, 129–130*fig*; environmentally responsive genes and, 135–136, 137*fig*; to lead toxicity, 132*b*–133*b*

Genetic variation, 132–133

Genetically modified organisms, 161*b*

Genetics: ELSIs (ethical, legal, and social implications), 131*b*; genomics included in definition of, 129

Genomics: described, 129; EGP (Environmental Genome Project) research on, 133–136; environmental health ethics controversy regarding, 162*b*; HGP (Human Genome Project) research on, 131–132

Georeferenced data, 927–928

Ghirardelli Square (San Francisco), 114*fig*

GIS (geographic information systems): applications of, 934–936*fig*; basic operations of, 928–929*fig*, 930, 931*fig*; data quality/cartography included in, 933–934; described, xlii, 178, 927; georeferenced data used in, 927–928; limitations of, 937; mapping diseases, 932–933; public health facilitated by, 902–903

Global warming: accepted as real trend, 69; climate change compared to, 239; current state of, 230–231; described, 18; environmental health ethics controversy regarding, 161*b*; projected ozone increase associated with, 252*fig*. *See also* Climate change

Globalization: xliii; impact on health in developing countries, 295–299; risk transition to overnutrition and, 307–308

GMPs (good manufacturing practices) [FDA], 612

Goodness-of-link tests, 951

Government policies. *See* Public policies; Regulatory approaches

Green buildings, 261

Green chemistry, 881

Green exercise, 793*b*–794*b*

Green revolution, 300

Greenhouse effect: carbon dioxide levels and, 17–18, 230–231, 238–239*fig*, 240*t*; climate change and, 230–231; main gases involved in, 240*t*; positive radiative forcing resulting in, 238–239*fig*

Groundwater: definition of, 456–457; Ogallala Aquifer source of, 457–458*fig*, 459

Gulf War I, 271, 272*b*, 276, 278

Gulf War II, 276

Gulf War syndrome (GWS), 278*b*

GWUDI (groundwater under the direct influence of surface water), 457

## H

H2E (Hospitals for a Healthy Environment), 149

Haber-Bosch process, 18

HACCP (Hazard Analysis Critical Control Point), 607–609*b*, 610–613, 856*b*

Haddon matrix, 422, 721*t*

HAN (Health Alert Network), 776

Hand washing, 604–605*fig*

*Handbook of Pediatric Environmental Health* (AAP), 813

Haplotypes, 133

HapMap Project, 133

Harm prevention value, 209–210

Harvard Medical School, 650

Harvard School of Public Health, 428, 628, 650

Harvard University's Center for Health and the Global Environment, 232

Hazard identification, 942–943

Hazardous wastes: CERCLA's definition of, 1059; definition of, 525; early recognition of, xxxviii; EPCRA giving community right-to-know about, 526*b*; evaluation of, 73, 78–81*fig*, 82; generated in the U.S., 526; international trafficking in, 541*b*–542*b*; landfilling disposal of, 527; mechanistic approach to assessing, 832; military operations producing, 280–281; prevention case studies on specific environmental, 859*b*–863

Hazards Communication Act, 678–679

HCFC-22 level, 240*t*

HCWH (Health Care Without Harm), 149

## Subject Index

1093

- Health care facilities, 643
- Health care services: clinical role in environmental/occupational health, 1013–1025*b*; environment in context of, 1010–1011; ethical issues in environmental/occupational, 1025–1026; practice venues of, 1026–1928. *See also* Public health
- Health Care Without Harm, 215
- Health Cities program (WHO), 408–409
- Health disparities, environmental hazards, vulnerability relationship, 183*fig*
- The Health Disparities Research Program (NIEHS), 186
- Health hazards anticipation, 74
- Healthy People 2010*, 903–904
- Healthy worker effect, 51
- Hearing loss, 660–662
- Heat stress, 244–246*fig*
- “Heat stroke” deaths, 245*t*–246
- Hebrew Bible, 207, 211
- Hepatitis A virus, 592
- Hepatotoxins, 30
- Herbivores (plant feeders), 12, 14*fig*
- Heterotrophic ecosystem, 13
- Heterotrophs (other feeders), 12
- HGP (Human Genome Project), 131–132
- HIA (health impact assessment), 381–383
- HICs (high-income countries): injuries in, 717, 718; road traffic deaths in, 725–726. *See also* Developed countries
- Highway-railroad crossings, 737*b*–738*b*
- Hiroshima (1945), 273
- HIV/AIDS: lawsuits over exposure to, 1039; public’s anxiety over medical waste due to, 523*b*; waterborne diseases contributing to deaths by, 483
- Home injury prevention, 738–739*t*
- Homelessness, 400
- Homicide rates, 404
- Hormetic effects, 951–952
- Horticultural therapy, 788
- Host-vector-environment triangle, 720
- Hot tub lung, 480*b*
- Housing: fossil fuel combustion in, 642; moisture and disease link in, 641–642; pediatric exposure in, 821–823; programs to improve, 408; shortages of, 400. *See also* Built environments
- HOV (high occupancy vehicle) lanes, 443
- HPS (hantavirus pulmonary syndrome), 558
- HPV (high production volume) chemicals, 805
- HRSA (Health Resources and Services Administration), 776, 900
- Hubbard Brook experiment (New Hampshire), 19
- Hubbert peak, 369
- The Human Genome Project, 131–132
- Humus, 12
- Hurricane Isabel (2003), 755*fig*
- Hurricane Ivan (2004), 754*fig*
- Hurricane Mitch (1999), 247
- Hurricanes (typhoons), 753–757
- HVAC (heating, ventilating, and air-conditioning) systems, 633–637, 634*fig*, 644
- Hydrodynamics, 462
- Hydroelectric power, 375–376
- Hydrologic cycle: described, 454–455*fig*; pesticide movement in the, 469*fig*
- Hydrolysis, 36
- Hypotheses: ecological studies as generating, 48; Hill’s criteria for plausibility of, 46–47, 66; Popperian philosophy on, 46
- I**
- IAEA (International Atomic Energy Agency), 283
- IAFP (International Association for Food Protection), 595*b*–597*b*
- IARC (International Agency for Research on Cancer), 47
- ICOH (International Commission on Occupational Health), 1025
- ICPD (International Conference on Population and Development) [UN], 231
- IEA (International Energy Agency), 363–364, 370*b*
- Ignorance, 863
- ILO (International Labour Organization), 652, 653, 665
- Imageability (environment memorability), 111
- Immigration, in population ecology, 10
- Incineration, 533–534, 535*fig*
- Incivilities (physical and social), 110
- Increased risk of disease claims, 1039–1040
- Indels (DNA insertions and deletions), 132
- Indeterminacy, 862
- India: Bhopal disaster (1984) in, 665*b*, 762; child worker in, 667*fig*; occupational health in, 665*b*–666*b*; ship breaking practice of, 542
- Indicator approach, 477–478*t*, 479
- Indira Gandhi Children’s Hospital, 280*fig*
- Indirect exposure assessment methods: described, 88–89; JEM (job-exposure matrix) used for, 58, 59*fig*, 89
- Indoor air pollution, 309–311, 374–375, 379*t*
- Indoor chemistry, 640
- Indoor environments: applying pollution prevention/cleaner production approach to, 883; determinants of people’s symptoms and air quality of, 631*t*; diagnostic strategies/prevention for, 644–645; exposure assessment of specific pollutants of, 637–641; historical changes in use/purpose of, 625–626; investigating building complaints about, 626*b*–628; regulated in developed countries, 626. *See also* Built environments
- Indoor neighborhood settings, 106–108
- Industrial disasters, 762–764, 763*fig*
- Industrial hygiene: anticipation of occupational hazards, 73, 74–77; control of occupational hazards, 82–83; described, 73;

- differences between exposure assessment and, 72–73, 84; evaluation of occupational hazards, 73, 78–82; quantifying hazardous exposure task of, 72; recognition of occupational hazards, 73, 77. *See also* Exposure assessment
- Industrial hygiene evaluations: electronic manufacturing facility, 75*b*–76*b*; leaking underground storage tanks at old gas station, 76*b*–77
- Industrial Poisons in the United States* (Hamilton), 650
- Infectious diseases: HIV/AIDS, 483, 523*b*, 1039; occupational risk of, 662–663; spread through transportation, 416*b*; urban environment and transmission of, 406–407. *See also* Diseases; Vector-borne diseases
- Information bias, 52
- Informed consent controversy, 162*b*
- Infrared radiation, 702–703
- Ingestion: case study on pesticides in food/water, 817–819; exposure assessment for, 92–93; as exposure route, 88
- Inhalation exposure, 88, 816–817. *See also* Air pollution
- Injuries: defining, 715, 716; global DALYs (2002) due to, 322*t*, 404, 717–718*t*; ionizing radiation, 689; pedestrian, 422–424; radiation, 685*t*, 689–696, 694*t*; related to environmental risk factors, 321–323; related to transportation, 421–425*t*; types of, 717; urban environments and, 404–406. *See also* Motor vehicle crashes; Occupational injuries/illnesses
- Injury control: described, 715; options analysis in, 721*t*–722; public health approach to, 716–727; in special settings, 733–739*t*; three E's of, 723–726
- Injury prevention: of burns, 728, 730*t*; of drowning, 733*t*; of falls, 732*t*; of home injuries, 738–739*t*; of intentional injuries (violence), 727–728, 729*fig*, 730*t*; of playground injuries, 734–735*fig*; of poisoning, 731*t*
- Injury pyramid, 718–719*fig*
- Insect pests, 548
- Insect repellants: organophosphate, 40*b*–42*b*, 58–60; overview of, 549*b*–550*b*. *See also* Pesticides
- Institute of Transportation Engineers, 442
- Integrated Risk Information System (EPA), 943
- Intergovernmental Panel on Climate Change, xlv, 242, 243
- Intergovernmental Panel on Forests, 229
- International Campaign to Ban Landmines, 279
- International Federation of Red Cross and Red Crescent Societies, 246
- International HapMap Project, 133
- Internet: stimulation overload from, 117–118; virtual communities of, 106*t*, 115–119
- Interval risk analysis, 954
- Invasive species, 8–9
- IOM (Institute of Medicine), 47, 275, 285, 641, 864, 901
- Ionizing radiation: acute radiation syndrome, 693–695, 694*t*; average amounts received annually by U.S. residents, 688*t*; carcinogenic effects of, 695–696; described, 686–688; estimated risks of fatal cancers from exposure to, 697*t*, 700*fig*; genetic effects of, 689; quantities and dose units of, 687*t*; risk assessment of, 696–698; somatic effects of, 691–695; types and mechanisms of injury, 689
- Iowa Department of Health, 915–918
- IPCC (UN Intergovernmental Panel on Climate Change), xlv, 242, 243
- IPM (integrated pest management), 548, 570–576
- Iroquois Nation traditions, 211
- Island County Health Department (Washington), 905–906, 911–915
- Isolation of hazard, 82
- ISTEA (Intermodal Surface Transportation Efficiency Act), 440
- ## J
- James Bay poisonings (Quebec), 462*t*, 468
- JARC (Job Access Reverse Commute), 421
- JEM (job-exposure matrix), 58, 59*fig*, 89
- Johannesburg Summit (2002), xliii–xlv
- Johnson Controls, UAW v.*, 675, 677
- Joint Commission on Accreditation of Healthcare Organizations, 643
- Jones Act (Merchant Marine Act of 1920), 1050
- ## K
- K-species, 8
- Karasek job strain model, 660, 661*fig*
- Killer bees, 416*b*
- Kin-Buc landfill (New Jersey), 537–538*fig*
- Koran, 207
- Kosovo war refugee camp (1999), 748*fig*
- Kuwait Oil Fires, 271–272*b*
- Kyoto Protocol (1997), 230–231, 262
- ## L
- Land-use planning, 883
- Landfills: health concerns related to, 536–541; solid waste disposal in, 527, 530–532*fig*, 533
- Landmarks: described, 111; Space Needle (Seattle), 111, 112*fig*
- Landscapes, 789, 791–793
- Lasker Public Service Award, 650, 652
- Late Lessons from Early Warnings* (EEA), 859–860
- Latency legal issue, 1044–1046*b*
- Latino pedestrian fatality rates, 423
- Lawsuits: asbestos, 1045*b*–1047*b*;

- challenges associated with exposure, 1034–1035; class action, 1047; emotional distress, 1039; no-fault proposed alternative to, 1060–1061, 1063–1064; personal injury, 1036–1047; as prevention approach, 981–982; property damage, 1053–1059. *See also* Common law tort system; Legal remedies
- Layering operations (GIS), 928–929*fig*
- LD<sub>50</sub> (or lethal dose for 50 percent), 26, 42–44, 43*fig*
- Lead (Pb), xxxvii, 348–51; and job discrimination, 677*b*; epidemiologic study of, 60; genetic susceptibility to toxicity, 132*b*–133*b*; health effects of, 312*b*–313*b*, 675–677*b*; in gasoline, 348*b*–350*b*; in lead arsenate pesticide (1900s), 546*fig*; routes of exposure, 675*b*; SES and, 60; Third World and, 311–312; toxicity in children, 821–23; workplace exposure, 675*b*–677*b*
- League of Nations Health Committee, 650
- A Leg to Stand On* (Sacks), 788
- Legal remedies: for environmental and toxic exposures, 1034–1035; implications and discussion of, 1059–1964; personal injury statutory, 1048–1053; statutory property damage, 1057–1059; understanding, 1035. *See also* Lawsuits
- Legibility of image, 111
- Legionella* outbreaks, 488, 503–504
- Legionnaires' disease, 55, 56
- Lesotho Highlands Water Project (South Africa), 382–383
- LET (linear energy transfer), 689
- Leviticus, xxxii–xxxiii, 896
- Liberty Mutual 2002 Workplace Safety Index, 666
- Lice, 552–553
- LICs (low-income countries): drownings in, 733; injuries in, 717, 719, 732, 739; road traffic deaths in, 725–726. *See also* Developing countries
- Life domains, 101
- Life expectancy gap, 289
- Lifeguard lung, 480*b*
- Lifestyles, 3
- Linearized multistage model, 943
- Listeria Monocytogenes*, 590–591*b*
- Litigation. *See* Legal remedies
- Liverpool Sanitary Act (1846), xxxv
- Logistic model, 7–8
- Logit dose-response model, 952*fig*–953
- London fog disaster (1952), 332*b*–333*b*, 332*fig*, 334*fig*
- Love Canal (New York), 978
- Low-dose extrapolation, 946*b*
- Lung cancer, 430
- Lyme disease, 556
- ## M
- Maastricht Treaty (1994), 864
- MACT (maximum achievable control technology), 354
- Mad cow disease (BSE), 490, 618–619
- Madrid neuropathy outbreak (1981), 55
- Malaria, 257, 483, 484*t*, 573*b*–574*b*
- Malibu wildfire (1996), 763*fig*
- Malignancies/radioactive fallout relationship, 274*b*–275*b*
- Malnutrition, 260
- Manhattan Project (1942), 276
- Manila substandard housing, 402*fig*
- Mapping. *See* GIS (geographic information systems)
- Market mechanisms, 982–983
- Material accounting, 879–880
- Maximally exposed individual, 956
- Maximum likelihood estimation, 944
- MCL (maximum contaminant limit), 319*t*, 320, 499, 500, 972
- MCLGs (Maximum Contaminant Level Goals), 499, 972
- MCS (multiple chemical sensitivity), 663
- Media. *See* Message mapping
- Medical monitoring claims, 1049–1050
- Medical waste container, 524*fig*
- Medical wastes, 523–524*fig*
- Megacities, 387–388
- Mental health: animal-facilitated therapy and, 787; noise pollution associated with, 438–439; occupational stress impact on, 660; SAD (seasonal affective disorder), 702; Third World urbanization and rising problems with, 315; transportation relationship to, 436–437. *See also* Nature contact; Stress
- Merchant Marine Act (1920), 1050
- Mercury, 351–352, 468, 599–600*b*
- Merrill Dow, Daubert v.*, 1043*b*
- Message mapping: analyzing stakeholder concerns, 1003–1004*b*; communication goals of, 998–999; guidelines for using, 1007; identifying stakeholders, 999–1000; key message development, 1004–1006; planning message delivery, 1006; questions commonly asked by journalists during crisis, 1001*b*–1003; sample risk communication message map, 1005*t*; supporting information for, 1006; systematic message testing, 1006; template for risk communication, 998*t*. *See also* Communication
- Messaging online, 118
- Meta-analyses, 66, 67
- Metabolomics, 140
- Metapopulation (population of populations), 10
- Methane level, 238, 240*t*
- METS (metabolic equivalents), 432*t*
- Metta Sutta*, 211
- Mi-shebeyrach l'cholim* (Jewish prayer for the sick), 201–202
- Mice, 558
- Microbiological water contaminants: deposition, storage, and bioconcentration, 481–482; environmental pathogens as, 479–480*b*; idealized wastewater treatment system, 475*fig*; indicator approach to, 477–478*t*, 479; pathogens, infectious doses, and diseases due to, 473*t*; sanitation options, 474*fig*; sources of, 472,

- 476; transformations due to, 480–481
- Microwave radiation, 703–705, 704*fig*
- MICs (middle-income countries): drownings in, 733; injuries in, 717, 719, 732, 739. *See also* Developed countries
- Militarism, 270–271
- Millennium Ecosystem Assessment, 259
- Milwaukee *E. coli* outbreak (1993), 476, 502
- Minamata Bay contamination (Japan, 1950s)
- Mine Ban Treaty, 279*b*, 284
- Mines Act (1842), 650
- Mining industry: occupational hazards of, 668, 669*fig*; waste generated from, 525, 539*fig*–540; worker's compensation for occupational diseases of, 1049–1050
- Minority groups: environmental hazards, vulnerability and health disparities of, 183*fig*; environmental racism against, 172, 177–184; Executive Order 12898 directive to identify, 173, 184, 185. *See also* Racial differences
- Misclassification (or nondifferential error), 52
- Mode shares: of commuting to work in the U.S., 418*fig*; defining, 417; percentage of trips by bicycling/walking, 419*fig*; of trips in urban areas by country, 418*t*
- Model uncertainty, as obstacle to prevention, 862
- Mold exposure, xxxii–xxxiii, 825–826
- “Mold in Schools” (EPA), 826
- Monte Carlo simulation, 955
- Moral/morality, 143. *See also* Ethics
- Morbidity. *See* DALYs (disability-adjusted life years)
- De Morbis Artificum Diatriba* (Ramazzini), 649
- Mortality: declining U.S. HIV-related, 406; gun-related deaths in the U.S., 271; London fog disaster (1952), 332*fig*–333*b*, 334*fig*; pedestrian injuries and, 422–424; transportation-related air pollution and, 429–430; vehicular, 322–323, 422; war morbidity and, 270; WHO estimates on air pollution, 334
- Mosquito-borne diseases, 256–258, 416*b*
- Mosquitoes, 553–554
- Motor vehicle crashes: Haddon matrix applied to, 721*t*; pedestrian injuries and mortalities due to, 422–424; prevention of, 735–738*b*; Princess Diana's death in, 722*b*–723*b*; Third World mortality from, 322–323; three E's of injury control applied to, 723–726; U.S. injuries and mortality due to, 422. *See also* Injuries
- Motor vehicles: carbon monoxide produced from, 347–348; HOV (high occupancy vehicle) lanes for, 443; leaded gasoline used in, 348*b*–351; nitrogen oxide produced from, 344–345; road rage and, 437; TDM (transportation demand management) for, 443*t*–444*t*; VMT (vehicle miles traveled), 417, 422, 431, 722. *See also* Transportation
- MRI (magnetic resonance imaging) systems, 705, 706
- MSDSs (material safety data sheets), 679
- MTO (Moving to Opportunity for Fair Housing), 408, 409
- Multiple chemical sensitivity, 1012
- Multistage dose-response model, 949–952*fig*
- Municipal solid waste, 520–522*fig*, 521*fig*, 528*fig*
- Musculoskeletal disorders (MSDs), 655
- Mutagens (or toxicants, carcinogens), 30
- MW/RFR (microwave and radiofrequency radiation), 703–705, 704*fig*
- N**
- NAAG (National Agriculture Assessment Group), 260
- NAAQS (National Ambient Air Quality Standards), 335, 343, 348*b*–349*b*, 353, 970–971
- NACCHO (National Association of County and City Health Officials), 904
- Nagasaki (1945), 273, 274*fig*
- National Academy of Sciences (NAS), 424, 601, 858, 964*b*
- National Academy of Social Insurance, 1061
- National Association of Evangelicals, 197
- National Center for Environmental Health (NCEH), xxx*ii**b*, 902, 920
- National Childhood Vaccine Injury Act, 1051, 1061
- National Children's Study, 835–836
- National Conference of Catholic Bishops (1981), 201, 202, 214
- National Council of Catholic Women, 197
- National Council of Churches of Christ, 215
- National Electronic Injury Surveillance System, 664
- National Health Interview Survey, 664
- National Health and Nutrition Examination Survey III, 434
- National Institute on Deafness and Other Communication Disorders, 438
- National Institute for Occupational Safety and Health's Registry of Toxic Effects of Chemical Substances, 943
- National Law Journal*, 174
- National Lead Company, 860*b*
- National Religious Partnership for the Environment, 215
- National Research Council (NRC), 343, 689, 690, 691, 699, 809, 941, 988
- National Toxicology Program (NTP), 574*b*
- NATO (North Atlantic Treaty Organization), 277, 279

## Subject Index

1097

- Natural gas, 372–373  
 Natural history, 3  
 Natural Resources Defense Council, 429, 898, 984  
 The Natural Step Framework, 873*b*–875*b*  
 Natural/organic foods, 601*b*–602*b*, 869–870  
 Nature contact: domains of, 785–795; health benefits of, 782–785; historical interest in, xxxvi; steps toward increasing, 795–797. *See also* Mental health; Populations  
 Nature contact domains: animals, 785–787; landscapes, 789, 791–793; plants, 787–789*b*; wilderness experiences, 793–795  
*Nature* (journal), 131  
 Nature (neighborhood), 114–115, 116*t*, 117*fig*  
 NAWQA (National Water Assessment Program), 467  
 NCEH (National Center for Environmental Health), 902, 920  
 NCRLC (National Catholic Rural Life Conference), 819  
 NCRP (National Council on Radiation Protection and Measurements), 686, 692, 696, 699, 707  
 NDMS (National Disaster Medical System), 773–774  
 Negligence, 1036  
 NEHA (National Environmental Health Association) Code of Ethics, 146–147  
 Neighborhood features: described, 105–106; indoor settings, 106–108; neighborhoods as wholes, 111–115; outdoor settings, 108–110; presence of nature, 114–115, 116*t*, 117*fig*; virtual, 106*t*, 115–119  
 Neighborhoods: childhood obesity and design of, 827–829; concepts of, 103–104; features of, 105–119; health and changing, 103–105; incivilities and stigmatization of, 110; new definition of, 105; traditional definitions of, 104. *See also* Society  
 Nephrotoxins, 30  
 NESHAP (National Emissions Standards for Hazardous Air Pollutants), 354  
 Neuropathy outbreak (Madrid, 1981), 55  
 Neurotoxic disorders, 659–660  
 New Kanawha Power Company, 172  
 New pediatric morbidity, 807  
 New York Academy of Medicine, 188  
 New York City: homicides in, 404; overdose risk in, 405; urban sprawl of, 392*fig*; water source protection by, 490–493; water supply system of, 492*fig*  
 NHANES II (National Health and Nutrition Examination Survey) [1976–1980], 349*b*  
 NHANES III (National Health and Nutrition Examination Survey) [1982–1984], 350*b*  
 NHANES IV (National Health and Nutrition Examination Survey) [1988–1994], 350*b*  
 NHTSA (National Highway Traffic Safety Administration), 422  
 NIEHS (National Institute of Environmental Health Sciences), 186  
 NIH (National Institutes of Health), EGP project launched by, 134–136  
 NIMBY (not in my backyard), 200  
 NIOSH (National Institute for Occupational Safety and Health), 656, 658, 660, 668, 670  
 Nitrogen cycle, 18–20*fig*  
 Nitrogen oxides: children's sensitivity to, 817; greenhouse effect and level of, 238, 240*t*; sources and health effects of, 344–345  
 NMRT-WMD (National Medical Response Team—Weapons of Mass Destruction), 774  
 No-fault programs: conditions prompting creation of, 1063–1064; overview of, 1048–1050; proposals for, 1060–1061  
 NOAEL (no-observable-adverse-effect-level), 947*b*  
 No-till agriculture, 567  
 Noise pollution: EIA/HIA (environmental impact analysis and health impact analysis) of, 886*b*–887*b*; health effects of, 438–439; hearing loss from, 660–662; stress due to high level of, 107; transportation related to, 437–439  
 Nondifferential error (or misclassification), 52  
 Nonparametric regression, 952–953  
 Noroviruses, 592–594*b*  
 North Carolina Agricultural Extension Service, 556  
 NPDWR (National Primary Drinking Water Regulations), 499  
 NPS (National Pharmaceutical Stockpile) program [CDC], 773  
 NPT (Non-Proliferation Treaty), 282–283  
 NRC (National Research Council), 343, 689, 690, 691, 699, 809, 941, 988  
 NRC Committee on Pesticides in the Diets of Infants and Children (1993), 8323  
 NRC's *Risk Assessment in the Federal Government*, 941–942  
 NTP (National Toxicology Program), 47  
 Nuclear power: Chernobyl accident (1986), 275*b*, 362, 377, 762; developing countries interest in, 376–377; environmental health ethics controversy regarding, 161*b*–162*b*  
 Nuclear weapons: environmental contamination from dismantling/disposal of, 275–276; malignancies associated with radioactive fallout, 274*b*–276; Nagasaki (1945) after detonation of, 274*fig*; proliferation of, 272–273. *See also* War  
 Nutrient cycles: concept of, 15–16; generalized, 16*fig*  
 Nutrition: environmental impact on Third World, 304–308; fast-food consumption, 112–113*fig*, 315–316; risk transition to overnutrition, 307–308. *See also* Undernutrition

## O

Obesity: childhood, 827–829; environmental health ethics controversy regarding, 162*b*; physical inactivity and, 434–435

Observational studies, 48, 49–51

Observational study design: case-control, 50; cohort, 49–50; cross-sectional or prevalence, 50–51; three principle types of, 49–50

Occupational cancer, 655–656

Occupational Disease Commission (Illinois), 650

Occupational epidemiology: described, 55–56; investigation of clusters in, 56–57; silica-exposed worker study example, 59*fig*, 60–62*t*; of workplace injuries/illnesses, 656*b*–658*b*, 657*fig*, 663–670, 733–734

Occupational hazards: anticipation of, 73, 74–77; control of, 82–83; evaluation of, 73, 78–82; exposure magnitude, frequency, and duration of exposure to, 86–92; exposure to pesticides, 564; injuries and illnesses as, 656*b*–670; recognition of, 73, 77; regulatory approach to, 677–679. *See also* Exposure assessment

Occupational health: challenges to perceptions of, 1028–1029; clinical role in environmental and, 1013–1025*b*; epidemiology of, 55–57, 59*fig*, 60–62*t*; ethical issues in, 1025–1026; history of, xxxiv, 649–652; issues of, 648–649; Karasek job strain model, 660, 661*fig*; regulatory approach to, 677–679. *See also* Workplace

Occupational injuries/illnesses: categories of environmental and, 1012*t*; epidemiology of, 656*b*–658*b*, 657*fig*, 663–670, 733–734; lead exposure and reproductive health, 675*b*–677*b*; prevention of, 673–679; types of, 656*b*–658*b*, 657*fig*; workers'

compensation coverage of, 1048–1050. *See also* Injuries

Occupational lung diseases, 654–655

Oceans: climate change and rising sea-level, 242–243, 247–250; deterioration of, 228–229; El Niño impact on, 233, 254; hydrologic cycle and, 454–455*fig*, 469*fig*; red tides, 254; waterborne diseases and changes in marine ecosystems, 254. *See also* Freshwater; Water

Odwalla apple juice contamination, 598*b*

Office materials, 636

Ogallala Aquifer, 457–458*fig*, 459

*Oikos* (house or home), 3

Oklahoma City bombings, 1064

Older workers, 673

OMB (Office of Management and Budget), 213

-Omics technologies, xlii, 138–140

Omnivores (plants and animal feeders), 12

“On Air, Water, and Places” (Hippocrates), 331

OPCW (Organization for the Prohibition of Chemical Weapons), 277

OPIDN (organophosphate-induced delayed neuropathy), 565

Options analysis, 721*t*–722

Organ system toxicity classification, 31–32

Organic/natural foods, 601*b*–602*b*, 869–870

Organophosphate insecticides, 40*b*–42*b*, 58–60

OSHA (Occupational Safety and Health Administration), 67, 438, 645, 658, 677, 678–679, 963, 982, 1052

Ottawa Convention, 279*b*

Ouagadougou Water Supply Project, 382

*Our Common Future* (1987), xliii

Outdoor neighborhood settings, 108–110

Overall life situation, 101

Overnutrition, 307–308

Ownership limits, 213–214

Oxidation, 36

Ozone: climate change affecting levels of, 250–251; projected increase in, 252*fig*; tropospheric, 346–347

Ozone alert day, 357

Ozone season, 251–252

Ozone shield, 232

## P

P450 genes, 36

PACE-EH (Protocol for Assessing Community Excellence in Environmental Health), 904*t*–906

Pan American Health Organization, 488

Parameter uncertainty, 862

Parasites (foodborne illness), 594–597*b*

Parent compound, 90

Participant selection bias, 51–52

Passive air delivery-absorber system, 80–81*fig*, 82

PCBs (polychlorinated biphenyls), 60, 351, 470–471, 537, 538, 540, 600–601, 660, 820–821, 859, 1058–1059. *See also* Chemical food contamination

PDD (Presidential Decision Directive) 39, 62, 772–73

PDP (Pesticide Data Program), 602*b*

Pedestrian injuries/mortalities, 422–424

Pediatric environmental disease: assessment/communication about, 829–834*b*; case studies in, 813–829; economic burden of, 807–808; historical perspective of, 808–813; National Children's Study (2000) on, 835–836; new pediatric morbidity and, 807; unique susceptibility of children to, 810*b*–811*b*. *See also* Children; Diseases

Pediatric environmental disease exposure: dilemma of breast feeding and, 815*b*–816*b*; routes of, 814–821; settings of, 821–829

Pediatric environmental health specialty units, 813

## Subject Index

1099

- PERC (tetrachlorethylene), 823, 824, 825, 1059
- Perfluoromethane level, 240t
- Personal exposure measurements, 90
- Personal hygiene, 604–605*fig*
- Personal injury lawsuits: asbestos, 1045*b*–1047*b*; causation issue and, 1041–1044; common law theories of recovery, 1036–1041; latency issue of, 1044–1045; statutory remedies for, 1048–1053
- Personal protective equipment (PPE): described, 82–83*fig*; Ghanaian workers without adequate, 565*fig*; during industrial disasters, 763–764
- Pest control: early history of, 544–545; IPM (integrated pest management) approach to, 548, 570–576; regulation approach to, 567–570; sanitation and solid waste management as, 572
- Pesticide Data Program (PDP), 602*b*
- Pesticides: applying pollution prevention/cleaner production approach to, 882–883; classifications by chemical structure, 561–562; classifications by target, 559*b*–560*b*; developing countries and chemical hazards of, 300*b*–301*b*; early history of, 544–545, 546*fig*; environmental health ethics controversy regarding, 162*b*; food/water contaminated by, 601, 817–819; general use and restricted use of, 562*b*–564*b*, 569; hydrologic cycle and movement of, 469*fig*; modern equipment for applying, 547*fig*; NCR report on infants/children's diet contaminated by, 810; patterns of human exposure and use of, 562–564; regulation of, 567–570; tolerance levels of, 974; toxicity of, 564–567; water supplies infiltrated by, 318. *See also* Anthropogenic chemical contaminants; Insect repellants
- Pesticides in the Diets of Infants and Children* (NRC), 601, 809
- Pests: bedbugs, 548–549; cockroaches, 550–551; corn borer, 547*fig*; defining, 545; EPA's seven categories of, 545–546; fleas, 552; insect, 548; lice, 552–553; mosquitoes, 553–554; termites, 554–555; ticks, 555–556; vertebrate, 556–559
- Petroleum, 371–372
- PFASs (personal fall arrest systems), 658
- Pharmacogenetics, 138
- Phase I reactions, 36
- Phase II reaction, 36
- Phenotypes, 132
- Philadelphia Department of Health, 906–907
- Philadelphia pneumonia outbreak (1976), 55, 56
- Photochemical smog, 346
- PHPPO (Public Health Practice Program Office), 903
- PHS. *See* U.S. Public Health Service (PHS)
- Phthalate plasticizers, 872*b*–873*b*
- Physical inactivity: gender differences in health impact of, 433–435; transportation relationship to, 432*t*–436
- Physical incivilities, 110
- Phytosociology, 4–5
- Plant community: defined, 4; phytosociological study of, 4–5
- Plants: autotrophs, 11–12; decomposers feeding on decomposed, 12–14; food chain role of, 12; heterotrophs (other feeders) feeding on, 12; nature contact through, 787–789*b*; phytosociological study of, 4–5
- Playgrounds: case study on arsenic exposure from, 826–827; injuries on, 734–735*fig*; as source of toxic emissions, 814*fig*. *See also* Children
- Pleural registries, 1047
- Plutonium, 276
- PM (particulate matter): diseases associated with, 308; distribution of, 342*fig*; sources and health effects of, 341–343
- Point source, 463
- Poisoning: arsenic, 319*t*–320; food, 581–583, 594*b*–597*b*, 602–607*b*; prevention of, 731*t*. *See also* Toxicity
- Politically induced uncertainty, 862
- Pollution: coal mining, 369; developing countries contribution to, 226; disproportionate impact of proximity to sources of, 177–178; indoor and built environment, 625–645; noise, 107, 437–439, 660–662, 886*b*–887*b*; prevention activities related to, 877–879*b*, 882–883. *See also* Air pollution; Water contamination; Water pollution
- Pollution Prevention Act (1990), 854, 877
- Polygenic disease, 129
- Polymorphism, 132
- Pooled analysis, 66–67
- Poor Laws (Great Britain), xxxv
- POPs (persistent organic pollutants), 470, 882
- Population Action International, 459
- Population age structure, 9–10*fig*
- Population ecology: carrying capacity application to, 9; energy flow through populations/individuals, 14*fig*–15; exponential growth model of, 6–7*fig*; on k-species and r-species impact, 8–9; logistic model of, 7–8; on population pressure on resources and environment, 221–234
- Population growth: exponential growth model on, 6–7*fig*; impact on resource use and the environment, 221–234; logistic model on, 7–8; in megacities, 387–388; metapopulation concept of, 10; population age structure and predicting, 9–10*fig*; poverty and, 231–232; replacement rate ( $R_0$ ) measuring, 9; replacement-level fertility and, 221; in wealthy vs. less wealthy countries, 388*fig*
- Population momentum, 9

- Population sampling, 78–79
- Population-environment scorecard:  
on arable land, 227; on biodiversity, 229–230; on climate change, 230–231; on forests, 229; on freshwater, 228; on oceans, 228–229; organizations contributing data for, 226–227; on population and poverty, 231–232
- Populations: carrying capacity and, 9, 226*b*; city, 396–397; ecological system services provided to, 20–21; energy sources used by, 15; exposure pathway from source to, 88; less wealthy countries' urban vs. rural, 389*fig*; measuring impact of, 223*b*–224*b*; prevention and susceptible, 861; special working, 670–673; susceptible and sensitive, 179; urbanization and, 224–225; water scarcity and, 459–460. *See also* Nature contact
- Positive radiative forcing, 238–239*fig*
- Postmarketing surveillance, 877
- Potency, 949
- Poverty: energy ladder related to, 367*fig*, 379–381; Population-environment scorecard on, 231–232; rapid population growth and increased, 227. *See also* SES (socioeconomic status)
- PPE. *See* Personal protective equipment (PPE)
- P/R* ratio, 13
- Pre-preliminary exposure assessment, 74
- Precautionary principle: critiques of the, 867–870; decision-making process flow, 870*b*–871*b*; definitions of the, 865; described, 833, 863–864; goals of actions based on, 875–876; implementing the, 865–866; risk management use of, 948–949; roots of the, 864–865
- Preemptive war, 270
- Prevalence (or cross-sectional studies), 50–51
- Prevention: decision-making process flow of precautions and, 870*b*–871*b*; environmental and health impact analyses (EIA/HIA) and, 886–887; environmental health indicators used in decision-making, 885–886; environmental health intervention model of, 851*fig*; information dissemination and education as part of, 887–888; of complex environmental health risk, 857–863; precautionary environmental health research agenda as part of, 888; precautionary principle applied to, 833, 850–873; primary health-promoting measures and, 877–883; secondary interventions, 876–877; sustainable development attained through, 888–890; tools for applying preventive/precautionary approach to, 873–888. *See also* Causality; Public health interventions
- Prevention case studies: food safety, 856*b*; lack of knowledge of chemical toxicity, 858*b*–859*b*; natural step/systems thinking for environmental health/sustainability, 873*b*–875*b*; on phthalate plasticizers in toys, 872*b*–873*b*; on specific environmental hazards, 859*b*–863; TURA (Massachusetts Toxics Use Reduction Act) [9189], 878*b*–879*b*; uncertainty as obstacle of, 861–868
- Prevention goals: establishing precautionary actions and, 875–876; natural step/systems thinking for sustainability, 873*b*–875*b*; setting environmental health, xlv–xlix, 883–885*b*; sustainable development, 888–890
- Prevention of harm, 209–210
- Prevention levels: applied to environmental risk, 852–855, 853*b*; primary, 82, 261, 527–528, 852, 853*b*; primordial, 853–854; root cause (or distal primary), 855–856*b*; secondary, 852, 853*b*; tertiary, 852, 853*b*
- Preventive war, 270
- PRIA (Pesticide Registration Improvement Act) [2003], 569
- Price-Anderson Act, 1051
- Primary prevention: climate change, 261; described, 852, 853*b*; occupational hazard, 82; pollution prevention/cleaner production concepts of, 877–883; root cause (or distal primary), 855–856*b*; of waste, 527–528
- Primordial prevention, 853–854
- Prions, 490
- Private nuisance claims, 1054
- Probabilistic risk analysis, 954–955
- Probit model, 950–951*fig*, 952*fig*
- Procedures to Investigate Foodborne Illness* (IAFP), 597*b*
- Product life cycle: cleaner production of, 879–883; illustration, 879*fig*
- Product/process: cleaner production of, 879–883; personal injury remedies for liability of, 1036–1047; substitution of, 82, 674, 853, 854
- Property damage: statutory remedies for, 1057–1059; tort actions regarding, 1053–1056; valuing, 1056–1057
- Property rights, 213–214
- Proposition 65 (California), 1052–1053
- Protected group identification, 173, 184, 185
- Protective devices: controlling safety hazards using, 82–83*fig*; personal protective equipment (PPE), 82–83*fig*, 565*fig*, 763–764
- Protozoal waterborne diseases, 489
- Proximate primary prevention, 855–856*b*
- Proximity, 417
- PRPs (potentially responsible parties), 975
- PSR (Physicians for Social Responsibility), 149
- Psychological disorders. *See* Mental health
- PTBT (Partial Test Ban Treaty), 282

## Subject Index

1101

- PTCs (pollution trading credits), 982–983
- PTSD (post-traumatic stress disorder), 247, 1028
- Public education approaches, 887–888, 983–984
- Public health: challenges of growing energy demand in China and, 370*b*; DDT in antimalarial campaign trade-off for, 573*b*–574*b*; defining, 850; dissemination and education as tools of, 887–888; energy generation/use as threat to, 362; health impact assessments on transportation for, 441; IOM *Future of Public Health* report on, 901. *See also* Disaster preparedness; Environmental health practice; Health care services; U.S. Public Health Service (PHS)
- Public Health Act (1848), xxxv
- Public Health Foundation, 922
- Public health interventions: applied to microbial contamination of food, 856; climate change and, 261; controlling air pollutants through, 356–357; disaster preparedness through, 747–751, 776–777; injury control through, 716–727; nature contact facilitated by, 796–797; prevention model using, 850–856; secondary prevention strategies for, 876–877. *See also* Prevention; Regulatory approaches
- Public nuisance claims, 1054–1055
- Public policies: alternatives to regulation, 979–984; cleaner production supported by, 881–882; climate change and considerations of, 262–263; consequences for children's health of property, 213–214; drivers of energy policy, 382*b*; environmental justice implications for, 184–186; Executive Order 12898, 173, 184, 185; key federal environmental health statutes, 970–975; preemptive and preventive war, 270–271. *See also* Environmental health policy; Environmental health practice; Regulatory approaches
- PulseNet, 614
- Q**
- QSARs (quantitative structure activity relationships), 44
- Quarantine, 416*b*
- R**
- R-species, 8–9
- R/A (respiration to assimilation) ratio, 14–15
- Racial differences: disproportionate impacts concept and, 177–184; environmental justice and, 172–173; health and social segregation related to, 398; pedestrian fatality rates and, 423. *See also* African Americans; Minority groups
- Radiation: cancer and cell phone, 705*b*; Chernobyl accident (1986), 275*b*, 362, 377, 692; effects on developing embryo, 696; ELF (extremely low frequency) EMFs (electromagnetic), 705–707; historical background, 683–686; infrared, 702–703; injuries from, 685*t*; ionizing, 686–699; microwave, 703–704; two forms of, 683, 684*fig*; ultrasound, 707–708; UVRs (ultraviolet radiation), 699–702; visible light, 702
- Radioactive fallout, 274*b*–276
- Radiological weapons, 276
- Radon, 640
- Ramazzini Institute, 652
- Rana pipiens* (leopard frog), 6
- Rana sylvatica* (wood frogs), 6
- Random error, 53–54
- Randomized clinical trials, 48–49
- Rats, xxxiii, 556–557
- RCRA (Resource Conservation and Recovery Act) [EPA], 525, 541, 974*b*–975, 1058
- De Re Metallica* (Agricola), 649
- REACH program, 882
- Reasonable amaximal exposure, 956
- RECA (Radiation Exposure Compensation Act) Amendments (2000), 1051–1052
- Recall bias, 50, 52
- RECLAIM (Regional Clean Air Incentives Market), 354, 355
- Recognition of hazards, 73, 77
- Recreational water standards, 501–502
- Recycling solid waste, 528*fig*, 529*b*–530*b*
- Red Book* (NRC), 941–942, 945, 946
- Red tides, 254
- Reduction (biotransformation), 36
- Refugees: created by war, 270; Kosovo war refugee camp (1999), 748*fig*
- ReGenesis Revitalization Project (South Carolina), 187*b*
- Registry of Toxic Effects of Chemical Substances, 943
- Regulatory approaches: to air pollution prevention/control, 353–355; alternatives to, 979–984; command-and-control, 980–981; to energy decision making, 379; environmental impact statements requirements, 899; history of environmental laws passed in the U.S., 897; to occupational safety, 677–679; to pesticides, 567–570; to transportation issues, 440–441; to ventilation systems, 632–633; to water quality monitoring, 498–502. *See also* Environmental health policy; Environmental health practice; Public health interventions; Public policies
- Relative risk, 945
- Religious communities: environmental health perspective of, 199–201; guiding principles of environmental health followed by, 203–207; increase of environmental health activities by, 197–198*fig*; parents' societal obligations to child development facilitated by, 207–214; successful

- partnerships between environmental health and, 214–216*b*.  
*See also* Communities
- Religious environmental principles:  
 on demands of justice, 206–207; on God loving all people, 203–205; on sacred nature of human development, 205–206
- Remedies, 1032. *See also* Legal remedies
- Repetitive strain injuries, 655
- Replacement rate (R[U]o[u]), 9
- Report of the Royal Sanitary Commission (1871) [England], 896
- Report of the Walkerton Commission of Inquiry (O'Connor), 476
- Reproduction disorders, 659
- Reproductive health. *See* Fertility
- Research: on air pollution and health, 339–340; CBPR (community-based participatory research), 189, 190*b*; environmental health ethics controversy regarding, 162*b*; environmental justice implications for, 184–186; nature contact, 795–796; preventive and precautionary environmental health agenda used in, 888; vulnerability impact on agenda for, 186. *See also* Science
- Resource Conservation and Recovery Act (RCRA), 525, 541, 974*b*–975, 1058
- Resource wars, 461*t*
- Resources: ecological footprint concept and, 21–22; impact of population growth on, 221–224*b*; population-environment scorecard on, 226–232; urban services and, 397. *See also* Water
- Right-to-know standard, 678–679, 887–888
- Rio Convention, xliii, 230
- Rio Declaration, xliii, 149*b*, 865
- Rio Plus Five Conference (1997), 227
- Risk: calculating relative, additional, and attributable, 945; *de minimus*, 947; defining, 990; during gene-environment interactions, 129–130*fig*; outrage and perception of, 990–992*b*; precautionary principle as creating new, 869; prevention and complexity of environmental health, 857–863; uncertainty in environmental, 861–868. *See also* Vulnerability
- Risk assessment: criticism of, 955–958; defining, 940; dose-response, 943; dose-response modeling, 949–953*fig*; environmental health policymaking role in, 976–977; EPA's framework for cumulative, 180–181, 189; evaluation of hazards and, 73, 78–81*fig*, 82; extrapolation from, 946*b*; pediatric environment disease and, 829–833; precautionary principle applied to, 833; safety assessment vs., 947*b*; science element of, 941*b*; terminology and framework used in, 941–946, 942*fig*; toxicology and epidemiology in environmental health, 957*b*; uncertainty analysis of, 953–955; World Trade Center terrorism pediatric exposure, 833*b*–834*b*. *See also* Exposure assessment
- Risk Assessment in the Federal Government* (NCR), 941–942
- Risk Assessment and Risk Management (1997), 181
- Risk benefit analysis, 947–948
- Risk characterization, 945
- Risk communication: crisis management and, 990; defining, 988–989; goals of, 989; high stress and, 993–994; importance of, 833; message mapping tool for, 998*t*–1007, 1005*t*; perception of risk and, 990–992*b*; principles of effective, 994–997; risk management and role of, 770–771, 989–990; trust and, 994; World Trade Center exposures and, 833*b*–834*b*. *See also* Communication
- Risk management: cost-benefit analysis, 948; *de minimus* risk concept of, 947; decision analysis or alternatives analysis, 948; precautionary principle used in, 948–949; red book recommendations on, 946; risk benefit analysis as part of, 947–948; risk communication role in, 989–990
- Risk outrage factors, 991*b*–992*b*
- Risk outrage theory, 990–992*b*
- Risk overlap, 290
- Risk transition, 289–290, 857
- Road rage, 437
- Road traffic injury, 735. *See also* Motor vehicle crashes
- Roadway design improvements, 441–442
- Rodent-borne diseases, 255*b*–256*b*
- Routes of exposure, 88
- S**
- SAD (seasonal affective disorder), 702
- SADM (special atomic demolition munitions), 273
- Safe drinking water: distribution of, 489; EPA's arsenic standard for, 964*b*–965*b*; idealized scheme for, 506*fig*; MCL (maximum contaminant limit) for, 319*t*, 320, 499, 500, 972; point-of-use treatment or bottled water, 498; regulatory framework for monitoring quality of, 498–502; source protection of, 490–493; Third World access to, 316*t*–320; water treatment for, 472, 475*fig*, 476, 494–497, 505–506*fig*
- Safe Drinking Water Act (1974), 499–500, 501, 971*b*–972, 980
- Safe Drinking Water Act Amendments (1996), 964*b*
- Safe Routes to School program, 442*b*
- Safety assessment, 947*b*. *See also* Risk assessment
- Safety belt law, 724–725
- Safety engineering anticipation, 74
- Safety hazards anticipation, 74
- Salmonella*, 591, 612, 619
- Sample collection instruments, 79

## Subject Index

1103

- Sampling: active and passive, 80–82; exposure evaluation and population, 78–79
- Sanitary Conditions of the Labouring Populations* (1842), xxxv
- Sanitary landfills, 530–532*fig*, 533
- SARS outbreak (2003), 766, 1007
- SBS (sick building syndrome), 628–629, 630*t*–632, 663
- Scales, spatial, in environmental health, xlv–xlv
- Schools: case study on mold in, 825–826; toxicity in buildings, 642–643
- Science: environmental health policymaking role of, 976; interpretation of, 977; moving to policy from, 977–979; precautionary approach as being against norms of, 867–868; prevention and limitations of, 858; research use of appropriate, 868; risk assessment use of, 941*b*. *See also* Research
- Science* (journal), 131, 792
- Scombrototoxin, 599
- Screening, 876
- SDWA (Safe Drinking Water Act) [1974], 499–500, 501, 971*b*–972, 980
- Sea-levels: climate change and rising, 242–243, 246–249, 247–250; effects on vector- and rodent-borne diseases, 256*b*
- Second World: described, 288; globalization impact on health in, 295–299; risk overlap in, 290. *See also* Developing countries
- Secondary prevention: described, 852, 853*b*; health tracking/public health surveillance as, 876–877; postmarketing surveillance and, 877; screening as, 876
- SEHN (Science and Environmental Health Network), 149
- Selection bias, 51–52
- Sense of place: impact on mental/physical well-being, 99; neighborhoods as wholes and, 111–115
- September 11, 2001, 102, 399, 619, 765, 833*b*–834*b*, 1007, 1064. *See also* Terrorism
- September 11th Victim Compensation Fund, 1052, 1063, 1064
- SES (socioeconomic status): as confounder variable, 51; energy ladder and, 367*fig*, 379–381; Executive Order 12898 directive to identify low-income, 173, 184, 185; lead exposure and, 60; susceptibility to air pollution exposure and, 179*b*–180*b*; workers with low, 671–672. *See also* Poverty
- Settings: behavior, 112–113*fig*; defining, 100–101; environmental psychology study of context and, 97; indoor neighborhood, 106–108; outdoor neighborhood, 108–110; third places, 113–114*fig*, 115*fig*
- Ship breaking practice, 542
- Sick building syndrome (SBS), 628–629, 630*t*–632, 663
- Sierra Club, 984
- Silent Spring* (Carson), xxxvi–xxxvii, 545, 567
- Silica-exposed worker study, 59*fig*, 60–62*t*
- SIP (state implementation plan), 353
- Six Cities study, 343
- Skin absorption exposure assessment, 92–93
- SLEV (Saint Louis encephalitis virus), 257
- SLUDGE (mnemonic for organophosphate toxicity), 565
- Smallpox Emergency Personnel Protection Act, 1051
- Smokescreen uncertainty, 862
- SNPs (single nucleotide polymorphisms), 132, 133, 135
- Social capital: in context of cities, 398; environmental justice collaborative problem solving and, 190–191; positive social climate as form of, 109
- Social contacts: nature contact as facilitating, 785; outdoor neighborhood settings impact on, 108–110
- Social environments (cities), 397–398
- Social incivilities, 110
- Society: mobility as defining modern, 414–415; obligation of parent's to child development in, 207–214. *See also* Neighborhoods
- Solid waste: community right-to-know regarding, 526*b*; described, 520; municipal, 520–522*fig*, 521*fig*; pest control by management of, 572; recycling, 528*fig*, 529*b*–530*b*; special waste, 522–526*b*
- Solid Waste Disposal Act (1965), 974
- Somalia's water supply, 460
- Source water, 457
- South Coast Air Quality Management District, 430
- Southwestern Waste Management, Bean v.*, 172
- Sovereign immunity, 1053
- Space design, 636
- Space Needle (Seattle), 111, 112*fig*
- Spatial queries (GIS), 930
- Spatial scales, xlv–xlv
- Special waste: agricultural, 525; asbestos, 525; construction debris, 524; hazardous waste, 525–526; medical, 523–524*fig*; mining waste, 525, 539*fig*–540
- Special working populations: children, 667*fig*, 668, 670, 672*b*; older workers, 673; socially/economically disadvantaged workers, 671–672; women workers, 670–671
- Species toxicological specificity differences, 33
- Spore-forming bacteria, 587–588
- Sprawl Index, 393*b*, 395*b*
- Stakeholders: concerns of, 1000–1002, 1003–1004*b*; identification of, 999–1000
- Standard of care, 1036
- Staphylococcus aureus*, 591
- Starvation (ethical controversy), 162*b*
- “Statement on the Precautionary Principle” (1998), 833

- Statistical significance, 54
- Stewardship vs. dominion tradition, 199
- Stimulation overload, 117–118
- Stimuli: described, 100, 101–102; environmental stressors as, 106–107
- Stockholm Convention on Persistent Organic Pollutants (2001), 573*b*
- Stockholm International Peace Research Institute, 269
- STPP (Surface Transportation Policy Project), 423
- Stress: Karasek job strain model on, 660, 661*fig*; nature contact reducing, 784, 786–787; occupational psychological disorders and, 660; psychological, 107; PTSD (post-traumatic stress disorder), 247, 1028; risk communication and high, 993–994; September 11, 2001 studies on chronic, 102. *See also* Mental health
- Stressors: airplane coming in for landing over LA school, 107*fig*; environmental, 106–108
- Strict liability claim, 1055
- Sub-Saharan Africa. *See* African countries
- Subchronic exposures, 88
- Subclinical toxicity, 809
- Substitution: of occupational hazard, 82; as prevention strategy, 674, 853, 854
- Sulfur dioxide, 343–344
- Sulfur hexafluoride levels, 240*t*
- Summa Theologica* (Thomas Aquinas), 199
- Superfund Act (1980), 975*b*, 978, 1058–1059
- Superfund Amendments and Reauthorization Act (1986), 975
- Superfund site assessment (EPA), 956
- Surface water, 456–457
- Surpraoorganisms, 5
- Surveillance: of environmental problems, 281; health tracking and public health, 876–877; as part of disaster response, 750–751; postmarketing, 877
- Surveillance cycle, 750
- Survey of Occupational Injuries and Illnesses* (Bureau of Labor Statistics), 663
- Susceptibility: xli; children and their unique, 810*b*–811*b*; genetic, 129–130*fig*, 135–136, 137*fig*; prevention and subpopulation, 861; SES and air pollution exposure, 179*b*–180*b*. *See also* Vulnerability
- Sustainability: xliii–xliv; environmental ethics regarding, 148, 150*b*–151; natural step/systems thinking for, 873*b*–875*b*; as prevention goal, 888–890
- Sustainable consumption, 889
- Sustainable production, 889
- Sweden's environmental quality goals, 884*b*–885*b*
- Swine Flu Act, 1051
- SWS (Safe Water System), 318
- SWTR (Surface Water Treatment Rule) [EPA], 493
- Symptom-defined disorders, 663
- System (or epistemic) uncertainly, 862
- Systems biology, described, 137
- Systems thinking, 873*b*–875*b*

## T

- Talmud, 202, 207, 210, 213
- Tanzania, urbanization in, 395*b*
- TDM (transportation demand management), 443*t*–444*t*
- TEA-21, 441
- Technology: air pollution controls using, 355–356; BACT (best available control technology), 354, 971; evolution of waste-management, 536; gene chip, 504–505; MACT (maximum achievable control technology), 354; mitigating role in energy consumption by, 226
- TEL (tetraethyl lead), 348
- Temperature: effects on vector- and rodent-borne diseases, 255*b*; extremes of weather, 244–246*fig*; foodborne illness and improper, 587–588, 603*fig*–604, 606; mortalities from European heat wave (2003), 245*t*; ozone season and, 251–252; projected changes in global, 243*fig*; urban heat island profile, 246*fig*; variations across two time frames of surface, 241*fig*
- Termites, 554–555
- Terrorism: disaster preparedness in case of, 764–766; food safety and threat of, 619–620; Oklahoma City bombings, 1064; preparedness/emergency response to, 771–774. *See also* Bioterrorism; September 11, 2001
- Tertiary prevention, 852, 853*b*
- Thermal stress, 244–246*fig*
- Third places, 113–114*fig*, 115*fig*
- Third World. *See* Developing countries
- Three Mile Island, 362
- Ticks, 555–556
- Tier 2 standards, 431
- Tiered toxicity testing, 43*fig*
- Title VI (Civil Rights Act of 1964), 935
- Tokyo radiation accident (1999), 692
- Tokyo subway Sarin attack (1995), 767
- Tolerance: defining, 974; distribution models on, 950–953*fig*
- Torah, 201, 207
- Tornadoes, 757–758
- Tort Claims Acts, 1053
- Total Coliform Rule (EPA), 500–501
- Toxic compounds: biotransformation pathways of chlorophyrifos, 41*fig*; classifications of, 28*t*–32; determining relative toxicity of, 26; exposure to, 33–39; interactions leading to toxicity of, 39–42; LD<sub>50</sub> (or lethal dose for 50 percent) of, 26; testing for toxicity, 42–44, 43*fig*; toxicokinetics (from environment to body) of, 39; toxicological specificity of, 33
- Toxic Wastes and Race in the United States* (UCC, 1987), 172, 184

## Subject Index

1105

- Toxicants (or mutagens), 30. *See also* Carcinogens
- Toxicity: asbestos, 525, 639–640; breast feeding dilemma over, 815*b*–816*b*; food contamination, 586–607*b*; HPV (high production volume) chemicals, 805; lead, 132*b*–133*b*, 311–312, 348*b*–351, 675*b*–677*b*; pesticide, 564–567; prevention and lack of knowledge issue, 858*b*–859*b*; subclinical, 809; unique susceptibility of children to, 810*b*–811*b*. *See also* Carcinogens (or toxicants, mutagens); Poisoning
- Toxicity classification examples: chemical carcinogenesis, 35*b*; endocrine disruptors, 31*b*; organophosphate insecticides, 40*b*–42*b*; rail crash releasing chlorine gas, 29*b*–30
- Toxicity classifications: chemical class, 29; listed examples of, 28*t*; source of exposure class, 29–30*b*; target organ class, 30–32*b*
- Toxicity testing: enhancing pediatric environmental, 831–832; EPA's Toxic Release Inventory (TRI), 355, 859*b*; lack of knowledge and chemical, 858*b*–859*b*; tiered, 43*fig*
- Toxicogenomics, 138–139
- Toxicokinetic process: absorption, 33–34; of chemical carcinogenesis, 35*b*; distribution, 34; excretion, 37–38; improving pediatric models for, 832; metabolism conversion, 34–35; toxicokinetics (from environment to body), 39
- Toxicological profiles, 943
- Toxicological specificity, 33
- Toxicologist, types of, 24–25
- Toxicology: described, 24; environmental health risk assessment use of, 957*b*; environmental public health context of, 27–28; interdisciplinary nature of, 25*fig*
- Traffic accidents. *See* Motor vehicle crashes
- TRAIN (Public Health Foundation), 922
- Transportation: air quality and, 425–432; benefits of, 419–421; disease spread through, 416*b*; evolution of, 414–416*b*; improving roadway design, 441–442; injuries related to, 421–425*t*; integrated solutions to health problems related to, 439–444*t*; mental well-being and, 436–437; noise pollution related to, 437–439; physical inactivity and, 432*t*–436; TDM (transportation demand management) of, 443*t*–444*t*; terminology and trends of, 417–419*fig*; urban sprawl and changes in, 392*fig*–395*b*. *See also* Motor vehicles
- Trauma Score, 768
- Treaty on the Non-Proliferation of Nuclear Weapons, 282–283
- Trespass, 1055
- TRI (Toxic Release Inventory) [EPA], 355, 859*b*, 963, 981, 989
- Triage process: adjuncts to, 769–770; disaster management using, 767–769; mechanics of, 769
- Trio of Tripping Pedestrians case, 96*b*–97*b*, 98*b*
- Tropical cyclones (hurricanes and typhoons), 753–757
- Tropospheric ozone, 346–347
- Trust-risk communication relationship, 994
- TSDFs (treatment, storage, and disposal facilities), 172
- TSP (total suspended particles), 341, 343
- TURA (Massachusetts Toxics Use Reduction Act) [9189], 878*b*–879*b*
- 12-hour push packages, 773
- Typhoons (hurricanes), 753–757
- U**
- UAW v. Johnson Controls*, 675, 677
- UCC (United Church of Christ Commission for Racial Justice study) (1987), 172
- U.K. Clean Air Act (1956), 333*b*
- Ultrahazardous (or abnormally dangerous), 1055–1056
- Ultrasound, 707–708
- UN Agreement on Straddling Fish Stocks and Highly Migratory Fish Stocks, 228
- UN Committee on Economic, Cultural and Social Rights, 316
- UN Department of Economic and Social Affairs, Population Division, 222, 224, 225, 313
- UN Division for Sustainable Development, 229
- UN Framework Convention on Climate Change (1997), 230–231
- UN Population Fund, 224
- UN Scientific Committee on the Effects of Atomic Radiation, 377
- UNAIDS studies, on AIDS pandemic, 222, 223
- UNCED (United Nations Conference on Environment and Development) [1992], 226–227
- Uncertainty analysis of risk, 953–955
- Uncertainty, as obstacle to prevention, 861–863
- Undernutrition: environmental health ethics controversy regarding, 162*b*; mortality and DALYs, 292*t*–293*t*. *See also* Nutrition
- Understanding Risk* (National Academy of Sciences), 181
- UNDP (United Nations Development Programme), 226
- UNEP (United Nations Environment Programme), 242, 295, 299
- UNESCO (United Nations Educational, Cultural and Scientific Organization), 459
- UNFAO (United Nations Food and Agriculture Organization), 228
- UNFCCC (United Nations Framework Convention on Climate Change), 262
- UNICEF (United Nations Children's Fund), 320, 465
- UNICPD (United Nations International Conference on Population and Development), 231

- Union Carbide, 172
- Union Carbide disaster (India, 1984), 665*b*, 762
- UNIPCC (United Nations Intergovernmental Panel on Climate Change), 242
- United Kingdom: Ambient Noise Strategy (London) in, 886*b*; BSE (bovine spongiform encephalopathy) outbreak in, 490, 618–619; cholera mortality maps (1855) in, 926–927; EAI/HIA of noise pollution by, 886*b*–887*b*; fatality rates by travel mode (1992), 425*t*; first use of mechanical ventilation indoors in, 632; London fog disaster (1952), 332*fig*–333*b*, 332*fig*–333*fig*, 334*fig*; Report of the Royal Sanitary Commission (1871) of, 896. *See also* Developed countries
- United Nations Conference on Environment and Development (Rio Declaration), 149*b*, 865
- United Nations Stockholm Convention on Persistent Organic Pollutants (2004), 882
- United States: air lead concentrations (1977–1996) in the, 349*fig*; deep well injection regulated/classified in, 535; estimates of freshwater in, 459–460; gun-related deaths in the, 271; history of environmental laws passed in the, 897–898; key federal environmental health statutes of the, 970–975; Kyoto Protocol objections by, 262; leaded gasoline and blood lead levels in the, 348*b*–351; mode share of commuting to work in the, 418*fig*; municipal solid waste produced in the, 521*fig*, 522*fig*, 528*fig*; NMRT-WMD (National Medical Response Team—Weapons of Mass Destruction) dispersed in, 774; nuclear weapons produced by, 273; number of municipal sanitary landfills in, 531; ventilation regulation in, 632–633. *See also* Developed countries
- UNSCEAR (United Nations Scientific Committee on the Effects of Atomic Radiation), 686, 690, 691, 692, 693, 696, 699
- Upstream thinking in environmental health, xlv–xlix
- Urban: Census Bureau definition of, 390*b*–391*b*; changing definitions in China, 390, 391*b*; environmental health issues in cities, xxxiii, 387–413; multiple meanings of, 390
- Urban heat island profile, 246*fig*
- Urban sprawl: characteristics of, 828; Denver area, 394*fig*; New York Metropolitan Area, 392*fig*; overview of, 392*b*–393*b*, 395*b*
- Urbanization: dramatic growth of, 387–389; health impact of Third World, 313–316; infectious diseases transmission and, 406–407; measuring, 395*b*; multiple meanings of, 390; population impact on, 224–225. *See also* Cities
- U.S. Catholic Bishops Conference, 215
- U.S. Census Bureau, 390*b*–391*b*, 934
- U.S. Civil Rights Act (1964), 935
- U.S. Clean Air Act (1963), 333*b*
- U.S. Department of Defense (DOD), 773
- U.S. Department of Health and Human Services (DHHS), 433, 772–773, 774, 776–777, 903, 920
- U.S. Department of Homeland Security (DHS), 774
- U.S. Department of Transportation (DOT), 421, 422, 438
- U.S. Emergency Planning and Community Right to Know Act (1986), 887–888
- U.S. General Accounting Office, 439
- U.S. Occupational Safety and Health Administration (OSHA), 67, 438, 645, 658, 677, 678–679
- U.S. Public Health Service (PHS), 967–968. *See also* Public health
- USDA (U.S. Department of Agriculture), 420, 602*b*, 610–611, 616, 619
- USGS (U.S. Geological Survey), 459, 466, 467, 482, 935
- Utero exposure, 820–821
- Utilitarianism, 148*b*
- UVRs (ultraviolet radiations), 699–702
- V**
- V. cholerae*, 488, 489*fig*, 504
- Variables: confounder, 49, 51; dichotomous, 53
- VAV (variable air volume) systems, 635
- VDTs (video display terminals), 705, 706
- Vector-borne diseases: agricultural development programs and increase of, 301; climate change impact on, 255–259; importance of prompt diagnosis of, 766; land-use change, microclimate, and, 259; mosquito-borne diseases, 256–258, 416*b*; related to water, 483–484*t*; some effects of weather/climate on, 255*b*–256*b*. *See also* Infectious diseases
- Vector-host-environment triangle, 720
- Vegetarianism, 161*b*
- Ventilation: as control strategy, 82; regulations governing, 632–633
- Ventilation for Acceptable Indoor Air Quality, 633
- Vertebrate pests, 556–559
- Vietnam War, 271, 276–277
- “View Through a Window May Influence Recovery from Surgery” (*Science*), 792
- Vinyl chloride, xxxvii
- Violence: countermeasures for, 730; intentional injuries from, 727–728; typology of, 729*fig*. *See also* War
- Viral waterborne diseases, 486–487
- Viroids, 490
- Virtual neighborhoods, 106*t*, 115–119

## Subject Index

1107

- Visible light, 702
- Vital statistics, xxxiv–xxxv
- VMI (vendor managed inventory), 773
- VMT (vehicle miles traveled), 417, 422, 431, 722
- VOCs (volatile organic compounds), 250–251, 335, 345, 426, 537, 631, 636, 638–639.  
*See also* Air pollutants (sources/health effects)
- Volcanic eruptions, 758–759  
*Vorsorgeprinzip*, 864
- VTPI (Victoria Transport Policy Institute), 425, 442
- Vulnerability: climate change and regions with, 243–244; definition of, 181–182; direct bearing on research agenda, 186; environmental hazards, health disparities and, 183*fig*; global risk shaped by environmental, 192; social, 181–182, 184. *See also* Risk; Susceptibility
- W**
- Walk-through facility, 77
- Walkerton *E. coli* outbreak (2000), 476, 477*b*
- Walking School Buses project, 442*b*
- War: definition of, 269; direct/indirect impacts on human health by, 269–270; environmental health ethics controversy regarding, 162*b*; impacts on the environment, 271–281; impacts on health by preparation for, 270–271; possible solutions to environmental problems of, 281–284. *See also* Nuclear weapons; Violence
- Waste: health concerns related to, 536–541; international trafficking in hazardous, 541*b*; management strategies for solid, 527; primary prevention of, 527–530; solid, 520–562*b*; treatment and disposal of, 530–536. *See also* Water treatment
- Waste tires, 529*fig*–530*b*
- Water: fossil, 459; groundwater and surface, 456–457; hydrologic cycle of, 454–455*fig*, 469*fig*; interconnections between health and, 456*fig*; regulatory framework for monitoring quality of, 498–502; scarcity of, 457–463. *See also* Drinking water; Freshwater; Oceans; Resources
- Water contamination: bioterrorism as source of, 619–620, 764–766; chemical, 463–472; improper disposal of waste materials and, 539–541; microbiological, 472–482; pesticide, 601, 817–819; risk characterization for, 502–503; Third World, 318–320, 319*t*
- Water pollution: environmental health ethics controversy regarding, 161*b*; Third World drinking supply contaminated by, 318–320, 319*t*
- Water Quality Act (1987), 971
- Water quality monitoring: Consumer Confidence Reports, 501; EPA recreational water standards, 501–502; gene chip technology used in, 504–505; SDWA (Safe Drinking Water Act), 499–500, 501; Total Coliform Rule (EPA), 500–501
- Water scarcity: agriculture and, 460; climate change and, 461–462; human impacts on aquatic systems resulting in, 462*t*–463; Ogallala Aquifer, 457–458*fig*, 459; political implications of, 460–461*t*; population and, 459–460; as serious health threat, 457
- Water stress, 459
- Water treatment: Boston's Deer Island system of, 472, 475*fig*, 476; disinfection approaches to, 496*t*; disinfection by-product toxicity (DBPs), 468, 497; disinfection resistance to, 494, 496; multi-barrier approach to, 495*fig*; steps taken in, 494; wastewater reuse approach to, 505–506*fig*. *See also* Waste
- Waterborne diseases: AGI (acute gastrointestinal infection), 485–486; bacterial, 487–489*fig*; climate change associated with, 253–254; freshwater ecosystems and, 253–254; fungal, 489–490; *Legionella* outbreaks, 488, 503–504; marine ecosystems and, 254; protozoal, 489; *K. cholerae*, 488, 489*fig*, 504; vector-borne, 483–484*t*; viral, 486–487; viroids and prions, 490; WHO on global burden of, 482–483. *See also* Diseases
- Weather: air pollution, health, and, 250–252; effects on rodent-borne diseases, 255*b*–256*b*; effects on vector-borne diseases by, 255*b*–256*b*; health and extremes of, 244–250. *See also* Climate change
- Western Inscription* (Chang T'sai), 200
- Wet desert, 4
- “What Would Jesus Drive?” campaign, 197, 198*fig*, 215
- Whittier College GIS environmental justice project, 178
- WHO (World Health Organization): air pollution mortality estimates by, 334; arsenic levels recommendations of, 964*b*; on climate change and malaria, 257; on community health as positive concept, 187; definition of health, xxxi; on disease burden in Third World, 290, 291; ecosystem and meningitis epidemic reported on by, 233; emerging infectious diseases report by, 259; on food irradiation, 616; health as defined by, 202; injury as defined by, 716; on life expectancy gap, 289; malaria mortality/morbidity figures by, 483; MCL (maximum contaminant limit) set by, 319*t*, 320; mercury guidelines of, 468; on obesity health risk, 827; on Third World vehicular mortality, 322–323; water standards published by, 503
- Wholesome Meat Act (1967), 972

WHO's Dracunculiasis Eradication Program, 485*b*  
 WHO's Global Burden of Disease Initiative, 334  
 WHO's Healthy Cities program, 408–409  
 WHO's *World Health Report 2002*, 482, 857  
 Wilderness experiences, 793–795  
 Wilderness rapture, 793  
 Wildfire disaster (Malibu, 1996), 763*fig*  
 Wildfowl pathogen reservoir, 481–482  
 WMO (World Meteorological Organization), 242  
 WNV (West Nile virus), 257–258, 554, 766  
 Women: breast feeding dilemma and, 815*b*–816*b*; lead-exposure and reproductive health of, 675*b*–677*b*; radiation exposure of pregnant, 696; as workforce members, 670–671.

*See also* Children; Gender differences  
 Women of Reform Judaism, 197  
 Woods Hole Oceanographic Institution, 466  
 Workers' compensation, 1048–1050  
 Workplace: epidemiology of injuries/illnesses in the, 656*b*–658*b*, 657*fig*, 663–670, 733–734*t*; health and safety problems in, 653–663; Karasek job strain model on, 660, 661*fig*; prevention of injuries and illnesses in, 673–679; special working populations of, 670–673; varieties of environments of, 652–653. *See also* Occupational health  
 World Bank, 226  
 World Commission on Environment and Development (Brundtland Commission), xliii, 150, 192, 888–889  
*The World Health Report for 1996*, 483

World Health Report (WHO), 482  
 Worst case sampling, 79  
 WPS (Worker Protection Standard) [EPA], 570  
 WRI (World Resources Institute), 227, 228  
 WTC (World Trade Center) tragedy (2001), 102, 399, 619, 765, 833*b*–834*b*, 1007, 1064

**X**

X-rays, 683–684, 685*t*, 687  
 Xenobiotic, 33

**Y**

YLD (years lived with disability), 291, 294*fig*  
 Yusho disease, 820

**Z**

ZIPERS (Zuckerman Inventory of Personal Reactions), 791







