

# Index

## A

- “ ” value, 29
- “.“ value, 29
- <access> element, 55
- accessing configuration sections in
  - <system.applicationHost> section group, 108–113
    - add application pool, 108–109
    - add binding, 110–111
    - add virtual directory, 112–113
    - add Web application, 111–112
    - add Web site, 109–110
- accessing specified attribute of specified configuration section, 103, 104–105
  - Program.cs file, 105
- AcquireRequestState event, 316
- action attribute, 42
- Actions pane, 63
- activity event types, 542
- Add Application Pool, 63
- Add child elements, 117
- “Add collection item” link, 180, 185, 240, 242
- ADD command, 81
- Add Connection String task form, 487
- Add Managed Handler task form, 306, 421
- Add Managed Module link, 324, 421
- Add Managed Module task form, 325
  - checkbox, 325
  - GUI elements, 325
- Add method
  - BindingCollection class, 98
  - ConfigurationElementCollectionBase<T> class, 87
  - ScheduleCollection class, 93
- Add Provider task form, 402
- Add Roles Wizard, 14
  - confirm installation selections in, 18
  - installation results, 19
  - launching, 15
  - preliminary instruction, 15
  - select role services in, 17
  - select server roles in, 16
- “Add URL rewriter rule” link, 364, 366
- Add Web Site, 66–67
- Add XML elements, 407, 410, 415, 443
- AddAt method, 87
- AddBugReport method, 611
- AddCollectionItem method, 278–279
  - of MyCollectionPage, 243–244
- addElement attribute, 121
- adding/removing element from specified collection element of specified configuration section, 103, 106–108
  - add new element, 106–107
  - remove element, 107–108
- AddItem method, 239–240, 363–364
- AddProviderForm task form, 402, 421, 490, 491
  - parts, 402, 432
- AddUrlRewriterRule method, 367–368, 386
- administration.config file, 103, 104, 269, 280, 283, 285, 381, 389
  - MyConfigSectionModuleProvider module provider registration with, 285–286
  - RssModuleProvider module provider and, 535–536
- ADO.NET, 299
  - classes, 398
  - SQL Server-specific classes, 398
- Advanced Settings dialog, 65
- Allow value, 31
- allowDefinition attribute, 128
- AllowsAdd, 88
- AllowsClear, 88
- AllowsRemove, 88
- <anonymousAuthentication> element, 56
- APP object, 79
- APPCMD tool. See appcmd.exe tool
- appcmd.exe tool (APPCMD tool), 76–81
  - IIS Manager v., 77
  - location, 77
  - object model, 77–79
  - syntax, 79–80
  - XML elements/attributes and, 76–81
- Application class, 98–99
  - GetWebConfiguration method, 99
- application domains, 593
- <application> elements, 98, 99, 100
- Application Level, 27



## application pools

### application pools, 63–64

adding, in <system.applicationHost>, 108–109  
editing, 65

### ApplicationCollection class, 99–100

### <applicationDefaults> element, 45

### ApplicationDomain class, 85, 587, 593–594

members, 594

### ApplicationDomainCollection class, 85, 587, 594–595

members, 595

### applicationHost.config file, 64, 571

editing, 61  
RssHandler registered by, 304  
structure, 36–60  
UrlRewriterModule HTTP module and, 322–323  
XML elements/attributes in, 77–79

### application-level configuration file, 133–134

### ApplicationPool class, 88–89, 595

members, 595  
methods, 89  
properties, 89

### ApplicationPoolCollection class, 94–95

members, 95

### ApplicationPoolCollection container, 103

### ApplicationPoolCpu class, 93–94

### <applicationPoolDefaults> element, 42

### ApplicationPoolPeriodicRestart class, 91–92

### ApplicationPoolProcessModel class, 89–90

### ApplicationPoolRecycling class, 90–91

### <applicationPools>, 37–42

element, 88  
section, 37–38

### ApplicationPools collection property, 103

### applications, 43

root, 43

### ApplyChanges method, 193, 213–214, 510–511

### APPPool object, 79

### AppPoolName, 591

### ArrayList, 218, 219, 237, 239, 242, 277, 278, 299, 308, 309, 361, 362, 363

### Articles table, 292

### ArticlesDB database, 488

### Articles.xml file, 571–572

### ASP.NET, 1. See also integrated architecture, IIS7/ASP.NET

configuration settings, 68–70  
pages, 51  
provider-based services, 400  
and WCF integration  
in IIS7 environment, 605–649

### ASPNET\_schema.xml, 65

### assembly, public key token of, 282, 286, 304

### AssemblyDownloadService, 169

### AssemblyQualifiedName method, 282, 389

### AssociatedModule property, 165

### <attribute> elements, 120

in <collection> element, 121, 122

### attribute-based programming, WCF Service Model, 609

### attributes. See specific attributes

### AuthenticateRequest event, 316

### <authentication>, 55–58

### authentication modules

managed, 57–58  
native, 55–57

### <authorization>, 58–60

### AuthorizeRequest event, 316

## B

### back button, 222

### back-end Web server, 184

communication scenarios  
MyCollectionItemTaskForm, 184–186  
MyCollectionPage, 184–186  
MyConfigSectionPage, 184–186  
UrlRewriterPage module page, 348–349  
UrlRewriterRuleTaskForm task form, 349–351

### BaseForm class, 168

GetService method of, 168

### BaseForm constructor, 168

### <basicAuthentication>

configuration section, 119, 120  
element, 57

### BeginRequest event, 316

### Binding class, 96–97

properties, 97

### <binding> element, 96, 97

### BindingCollection class, 97–98

methods, 98

### bindingInformation attribute, 96

### bindings. See also communication protocols

adding, in <system.applicationHost>, 110–111  
WCF endpoint, 608–609, 638–646  
developing, 610

### Boolean Property, 182

### breadcrumbs bar, 222

### bug report manager system, 606–607

implementation, 606–607  
WCF and, 607–649


### bug reports, 606

in memory, 606, 638

### BugReport class, 612–614, 630

implementation, 612–613

### BugReportCollection class, 612



**BugReportManager class, 607**  
**BugReportManagerService, 611**  
 in ProIIS7AspNetIntegProgCh12, 611  
**BugReportManagerServiceClient.cs file, 628**  
 content of, 628–630  
**BugReportManagerServiceClientImperative, 634**  
 in ProIIS7AspNetIntegProgCh12, 634  
**BugReportManagerServiceClientSvcUtil, 627**  
 in ProIIS7AspNetIntegProgCh12, 627  
**BugReportManagerServiceClientSvcUtil2**  
 client application, 645  
 Default.aspx page of, 645  
 in ProIIS7AspNetIntegProgCh12, 642  
**BugReportManagerServiceClientWebRef, 625**  
 in ProIIS7AspNetIntegProgCh12, 625  
**BugReportManagerServiceContractClient class, 630**  
**BugReportManagerServiceHost, 617**  
 in ProIIS7AspNetIntegProgCh12, 617  
 Web application, 646  
 Default2.aspx file and, 646–647  
 Web site, 636  
 Default.aspx file of, 636–638  
**BugReportManagerServiceImpl class, 615–617**  
 implementation, 615–616  
**BugReports class, 634–635, 645–646**  
**build provider, 618**  
**Button1\_Click event handler, 425**  
 implementation, 431–432

## C

**callback methods for TextChanged event, of textbox controls, 507**  
**CanApplyChanges property, 193, 202, 507**  
**CancelChanges method, 193, 215–216, 511–512**  
**CancelEventArgs class, 204**  
**CanNavigateBack property, 157**  
**CanNavigateForward property, 157**  
**CanRefresh property, 194, 518**  
 of ModulePage class, 224  
 of MyCollectionPage, 257  
 of MyConfigSectionPage, 224  
**Category string property, 158**  
**CausesNavigation property, 162**  
**“Change identifier” link, 181, 182, 185, 240, 242, 243**  
**Channel class, 449**  
 RssHandler HTTP handler, 295  
**<channel> element, 292**  
**Channel layer, 605**  
**channelDescription, 296**  
**channelLink, 296**

**channelTitle, 296**  
**checkbox, Add Managed Module task form, 325**  
**CheckBox control, 184, 199**  
**classes. See managed classes, IIS7/ASP.NET integrated imperative management API; specific classes**  
**classic ASP pages, 50–51**  
**Clear child elements, 118**  
**Clear method, 87**  
**ClearChannelSettings method, 510**  
**clearElement attribute, 121**  
**ClearSettings method, 211**  
**ClientIPAddr property, 593**  
**client-side managed code, 175–269**  
 class diagram, 176  
 RSS provider-based service and, 493–526  
 UrlRewriterModule and, 346–381  
**clonePropertyBag collection, 215**  
**CLR. See Common Language Runtime**  
**Collection element**  
 <fileExtensions>, 122  
 <hiddenSegments>, 122  
 steps for defining, 122–123  
**<collection> element, 121–124**  
 <attribute> elements in, 121, 122  
 attributes, 121  
**collection XML elements, 117**  
 child elements, 117–118  
 examples, 118, 119  
**ComboBox control, 184, 199**  
**commandText, 297**  
 SqlRssProvider, 474  
**commandType, 297**  
 SqlRssProvider, 474  
**CommitChanges method, 103**  
**Common Language Runtime (CLR), 37, 38**  
**communication protocols, 14, 35, 36, 96, 608, 610, 620, 638**  
**<compilation> section, of root web.config file, 25, 26**  
**compiler type-checking support, 135, 208, 336, 340, 362, 390**  
**ConditionalAttribute metadata attribute, 550**  
**<configSections> section, 32–34**  
**configSource attribute, 31, 32**  
**configuration collections, 26**  
**configuration elements, 26**  
**configuration files, 116**  
**configuration properties, 26**  
**configuration sections, 26, 116**  
 rules, 25



## configuration-based programming

---

**configuration-based programming, WCF Service Model, 609**

**ConfigurationElement class, 86**

members, 86

**ConfigurationElementCollectionBase<T> class, 86–88**

methods, 87

properties, 88

**ConfigurationModuleProvider class, 282**

**ConfigurationPath property, 156**

**ConfigurationReadOnlyDelegationState static field, 535**

**ConfigurationReadWriteDelegationState static field, 535**

**ConfigurationSection class, 101–102**

properties, 102

**ConfigurationSectionName property, 282, 389**

**Configure RSS provider link, 489**

**ConfigureProvider method, 436, 437, 438**

adding/removing/renaming/updating providers of service, 438–440

setting default provider of service, 438, 440–442

steps to set default provider, 442–444

**ConfigureRoleProvider method, 439**

**ConfigureRssProvider method, 516**

**Connection class, 155–156**

service container, 154

service provider, 153

**Connection object, 156**

**connection strings, 297, 473–474**

**Connection Strings item, 486**

**ConnectionManager, 152**

**Connections pane, 62**

**ConnectionStringAttributeName property, 409**

**connectionStringName, 297**

**ConnectionStringRequired property, 409**

**ConnectionStringsPage module list page, 486, 487, 488**

**console application. See also <myConfigSection> configuration section**

IIS7/ASP.NET integrated imperative extensibility model and, 141–142

<myConfigSection> and, 128–134

**constructors. See specific constructors**

**containing XML elements, 117**

examples, 118, 119

**Content View, 63**

**control adapters, 394**

**Count property, 88, 590, 592, 595**

**<cpu> element, 42, 89**

attributes, 42

imperative representation of, 93, 94

**CreateElement, 87**

**CreateHeader method, 170, 221**

implementation, 223

**CreateMainArea method, 170, 221**

**CreateMenuBar method, 170, 221**

**CreateNavItem method, 232, 233**

**CreateStatusBar method, 170, 221**

**Critical event type, 541, 542**

**CurrentItem property, 157**

**CurrentModule property, 593**

**custom module service proxy, implementation of, 502–503**

**custom provider base class, 448–449**

**custom provider collection, 449–450**

**custom provider configuration settings class, implementation of, 493–498**

**custom provider feature, implementation of, 498–500**

**custom section PropertyBag wrapper class, implementation of, 500–502**

## D

**DataContractAttribute metadata attribute, 614**

**DataContractSerializer, 613**

**DataMemberAttribute metadata attribute, 614**

**Default Document feature, 72, 73, 75**

**Default Web Site**

Home page, RSS item in, 488, 489

node, 69, 73, 76, 227, 404

**Default2.aspx file, 646**

BugReportManagerServiceHost Web application and, 646–647

**Default.aspx**

file, 626

of BugReportManagerServiceHost Web site, 636–638

page, 598

of BugReportManagerServiceClientSvcUtil2 client

application, 645

**<defaultDocument> section, 45–46**

configuration section, 118

**defaultValue attribute, 120**

**Define Trace Conditions, 574, 575**

**delegation, 73–76**

**DelegationState class, 534–535**

**“Delete collection item” link, 181, 240, 242**

**DELETE command, 81**

**DELETE database operation, 79, 81**

**“Delete URL rewriter rule” link, 347, 348, 364, 366**

**DeleteCollectionItem method, 279**

of MyCollectionPage, 244–246

**DeleteUriRewriterRule method, 368–369, 387**

**Deny value, 31**



**Description**

property, 165  
string property, 158

**deserialization, WCF and, 613**

**DictionaryEntry objects, 189, 190**

**<digestAuthentication> element, 57**

**<directoryBrowse> section, 46**

**DisableRss method, 515–516, 528–529**

**disallowOverlappingRotation attribute, 41**

**disallowRotationOnConfigChange attribute, 41**

**DisplayName property, 553**

**Dispose method, 267, 301, 315, 320**

**DOM**

data model, 484  
random-access XML API, 302

**DownloadandDisplayProviders method, 419**

**DoWorkEventArgs event data class, 204**

**DoWorkEventHandler, 204, 235, 265, 359, 378, 441**

**E**

**Edit Provider task form, 402, 403**

**Edit Web Site Failed Request Tracing Settings dialog, 572, 573**

**<element> element, 121. See also specific elements**

**Enabled property, 159**

**EnableRss method, 515, 528–529**

**encoding protocol, 609**

**endpoints, WCF, 608, 610, 638**

adding/updating/removing/configuring, 611  
addresses, 609  
bindings, 608–609, 610, 638–646  
contracts, 609

**EndRequest event, 317**

**Error event, 317**

**Error event type, 541, 542**

**event data class, 204**

**event handler delegates, 204**

**event handlers, MyConfigSectionPage, 200–201. See also specific event handlers**

**event types. See also specific event types**

activity, 542  
severity, 542

**events. See specific events**

**EventTypeFilter filter, 538, 563**

instantiation and attachment, 563–570  
declarative, 563–565  
imperative, 566–570

**Execute method, 167, 168**

**F****Failed Request Tracing**

link button, 572  
module, 537, 538, 572  
Rules page, 573, 574  
Rules Wizard, 574

**Feature Delegation page, 75**

**feature modules**

IIS7, 2–7  
IIS-ApplicationDevelopment, 4  
IIS-CommonHttpFeatures, 3  
IIS-FTPPublishingService, 7  
IIS-HealthAndDiagnostics, 4  
IIS-Performance, 5  
IIS-Security, 5  
IIS-WebServerManagementTools, 6–7  
WAS-WindowsActivationService, 7

**FeatureName property, 407**

**features, 14**

**Features View, 63**

**<fileExtensions> Collection element, 122**

**flags attribute, 55**

**forward button, 222**

**functional areas, 2**

**G**

**GAC. See Global Assembly Cache**

**gacutil.exe tool, 284**

**GenerateRss static method, 299–302**

of RssHelper class, 300

**GetAdministrationConfiguration method, 103**

**GetApplicationHostConfiguration method, 103**

**GetAttributeValue, 86**

**GetBugReports method, 611, 635**

versions of, 635

**GetChannelValues method, 511**

**GetCollection, 86**

**GetCollectionItems method, 235, 277–278**

**GetDataReader, 299**

**GetEnumerator, 87, 590, 592, 595**

**GetGroups method, 255–256**

Overridden, 256

**GetHandler method, 333**

arguments, 334

**GetModuleDefinition method, 282, 388**

RssModuleProvider module provider and, 533

**GetMyConfigSectionSection method, 274**

**GetPropertyValue method, 164**

**GetProviders method, 523–524, 529–530**



## GetSection method

---

**GetSection method**, 96, 104, 106, 130, 142, 272, 310, 345, 384, 385, 392

**GetService method**, 267

of BaseForm class, 168

of WebMgrShellApplication class, 168

**GetSettings method**, 203–205, 275, 508, 530

implementation, 203–205

**GetTaskItems method**, 216, 217, 365–366

implementation, 216–220

**GetUrlRewriterSection method**, 384–385

**GetUrlRewriterSettings method**, 359–360, 385–386

**GetValues method**, 214–215

**GetWebApplication**, 96

**GetWebConfiguration method**, 99

Application class, 99

ServerManager class, 103

**GetWorkerProcess**, 590

**Global Assembly Cache (GAC)**, 269, 283, 284, 286, 293, 303, 306, 308, 311, 320, 325, 331, 334, 340, 421

**<globalModules> section**, 46–48

**Group method**, of ModuleListPage, 255

**Groupings property**, of ModuleListPage, 253, 254

**GroupTaskItem**

class, 162–163

task item, 174

## H

**handler factories**. See **managed handler factories**

**Handler Mappings module page**, 305–306

**handlers**, 48. See also **managed handlers**

**<handlers> section**, 48–50

<add> elements, 50

attributes, 50

**HasChanges property**, 194, 201–202, 507

**help button**, 222

**<hiddenSegments> Collection element**, 122

**HierarchyPanel**, 171

**History collection property**, 157

**home button**, 222

**HttpApplication objects**, 316

firing of ordered events, 316–317

pool, 316

**HttpContext object**, 291

**HTTPS protocol**, 184

**HybridDictionary class**, 190, 191

## I

**IBugReportManagerServiceContract service contract**, 612, 630

methods, 611

**IConnectionManager interface**, 152

**identityType attribute**, 40

**IDictionary interface**, 189, 190, 208, 276, 413, 414, 434

**IDisposable interface**, 301

**idleTimeout attribute**, 40

**IEnumerable object**, 174

**IExtensibilityManager**, 411

**IHttpHandler interface**, 290

members, 291

**IHttpHandlerFactory interface**, 333

members, 333–334

**IHttpModule interface**, 315

methods, 315

## IIS-

ApplicationDevelopment, 4

feature modules, 4

ASP, 4

update dependencies, 12

ASPNET, 4

update dependencies, 12

BasicAuthentication, 5

CGI, 4

ClientCertificateMappingAuthentication, 5

CommonHttpFeatures, 3

feature modules, 3

CustomLogging, 4

DefaultDocument, 3

DigestAuthentication, 5

DirectoryBrowsing, 3

FTPManagement, 7

FTPPublishingService, 7

feature modules, 7

FTPServer, 7

HealthAndDiagnostics, 4

feature modules, 4

HttpCompressionDynamic, 5

HttpCompressionStatic, 5

HttpErrors, 3

HttpLogging, 4

HttpRedirect, 3

HttpTracing, 4

IISCertificateMappingAuthentication, 5

IPSecurity, 5

ISAPIExtensions, 4

ISAPIFilter, 4

LegacyScripts, 7


update dependencies, 12

LegacySnapIn, 7

LoggingLibraries, 4

ManagementConsole, 6

update dependencies, 12



## integrated imperative management API

- ManagementScriptingTools, 6
  - update dependencies, 12
- ManagementService, 6
  - update dependencies, 12
- Metabase, 7
- NetFxExtensibility, 4
  - update dependencies, 12
- ODBCLogging, 4
- Performance feature modules, 5
- RequestFiltering, 5
- RequestMonitor, 4
- Security feature modules, 5
- ServerSideIncludes, 4
- StaticContent, 3
- URLAuthorization, 5
- WebServer, 3
  - update dependencies, 12
  - updates, 3–5
- WebServerManagementTools, 6
  - feature modules, 6–7
- WebServerRole, 2
  - updates, 2
- WindowsAuthentication, 5
- WMICompatibility, 7
- IIS7. See Internet Information Services 7.0**
- IIS7 Manager. See Internet Information Services Manager**
- IIS7 runtime objects, up-to-date runtime data for, 567–598**
- IIS7/ASP.NET integrated architecture. See integrated architecture, IIS7/ASP.NET**
- IIS\_schema.xml, 65**
- IisTraceListener, 538**
  - instantiation and attachment, 539, 557–562
  - SourceFilter filter and, 569
- Image property, 159, 162**
- IManagementHost interface, 152**
- IManagementUIService interface, 152**
- IModuleChildPage interface, 230–231, 232**
- imperative programming, WCF Service Model, 609**
- ImperativeManagement directory, 340, 341**
- INavigationService interface, 152, 156–157**
- IndexOf, 87, 590, 592, 595**
- Information event type, 541, 542**
- Inherit value, 31**
- Init method, 315, 320**
- Initialize method, 267**
  - of Module base class, 269, 381
  - of ProviderConfigurationConsolidatedPage module page, 444
  - of RolesModule module, 411–412
- RssService class, 464, 465
- SqlRssProvider, 471–473
- XmlRssProvider, 480–482
- InitializeComponent method**
  - MyCollectionItemTaskForm and, 262–264
  - MyConfigSectionPage's user interface and, 196–200
  - RssPage module page, 504–507
  - RssSettingsForm task form, 522–523
  - UrlRewriterRuleTaskForm and, 376–378
- InitializeListPage method, 233, 234**
  - UrlRewriterPage module and, 358–359
- InitializeUI method, 210, 212, 510**
- INSERT database operation, 79, 81**
- InstantiateProviders method, 458–459**
- integrated administration, IIS7/ASP.NET, 11**
- integrated architecture, IIS7/ASP.NET, 1–21**
  - extensibility models, 116
  - main components, 115
- integrated configuration system, IIS7/ASP.NET, 10–11, 23–60**
  - APPCMD, 76–81
  - characteristics/benefits, 23–24, 28
  - distributed, 26–28
  - extending RSS provider-based service, 450–453
  - extensibility model, 115–134
  - hierarchical, 24–28, 68, 73–74
  - IIS Manager, 62–76
  - IIS Manager and hierarchical, 68–73
  - management options, 61–62
  - programmatic interaction with, 103–113
  - steps for extending, 124–125, 337–338
- integrated declarative schema extension markup language, IIS7/ASP.NET, 116–117, 337, 338**
  - XML constructs
    - <rss>configuration section and, 451–453
    - XML elements/attributes, 117–124
- integrated graphical management system, IIS7/ASP.NET, 11, 62–76, 145–174. See also Internet Information Services Manager**
  - extending
    - RSS provider-based service and, 485–493
  - extensibility model, 115, 116, 145, 146, 175–287
- integrated imperative management API, IIS7/ASP.NET, 11**
  - extending
    - RSS provider-based service and, 454–462
  - extensibility model, 115, 116, 134–140
    - console application for, 141–142
  - managed classes, 86–103
  - types, 84
    - IIS7 troubleshooting, 85, 587
    - XML constructs, 84–85, 587



## integrated providers model

---

### **integrated providers model, IIS7/ASP.NET, 397–444**

- in action, 400–405
- extending, 445–536. *See also* RSS provider-based service
- recipe, 445–447

### **integrated request processing pipeline, IIS7/ASP.NET, 8–10**

- advantage of, 393
- extensibility model, 116, 289–396
  - through configurable managed components, 336–337
  - through managed code, 289–290
- modular architecture, 115
- plugging into
  - custom managed handler factories, 336
  - custom managed handlers, 302–315
  - custom managed modules, 322–332
  - RssHandler HTTP handler, 302–315
  - UrlRewriterModule HTTP module, 322–332

### **integrated tracing and diagnostics, IIS7/ASP.NET, 537–604. *See also* tracing**

- components, 537–540

### **integration of ASP.NET and WCF services, in IIS7 environment, 605–649**

### **IntelliSense support for strongly-typed properties, Visual Studio, 135, 208, 336, 340, 362, 390**

### **Internet Information Services 7.0 (IIS7), 1**

- architecture
  - extensible, 8
  - modular, 1–2, 11, 115
- ASP.NET and WCF integration in, 605–649
- configuration settings
  - application-specific, 73
  - IIS Manager and, 70–73
  - web.config file with, 73
- feature modules, 2–7
- ISAPI mode, 38, 39, 48
- setup options, 11–12
  - command-line, 20
  - Server Manager tool, 14–19
  - unattended, 20–21
  - upgrade, 21
  - Windows Features dialog, 13–14
- troubleshooting integrated imperative management types, 85, 587

### **Internet Information Services (IIS7) Manager, 62–76, 145–174**

- APPCMD tool v., 77
- ASP.NET configuration settings, 68–70
  - machine level, 68–69
  - site level, 69–70
- capabilities, 145
- IIS7 configuration settings, 70–73

### **IIS7/ASP.NET hierarchical configuration and, 68–73**

- launching
  - command-line, 62
  - GUI-based, 62
- module pages, 146–148
- object model, 152
  - classes in, 152–166
- page navigation, 149
- RssHandler HTTP handler registration
  - at IIS7 Web-server level, 304–309
  - RssHandlerCh8 application and, 312–313
- tasks, 149–151
- UrlRewriterModule HTTP module registration
  - at IIS7 Web-server level, 323–327
  - UrlRewriterModuleCh8 application and, 323–327
- user interface extension
  - procedures/tasks, 176
- Visual Studio and automatic running of, 285
- XML elements/attributes and, 62–76

### **Invoke method, 188**

### **InvokeMethod method, 164–165**

### **IPropertyEditingService interface, 152**

### **IProviderConfigurationService interface, 405, 436–444**

### **IRSCA\_AppDomain, 587**

### **IRSCA\_AppPool, 587**

### **IRSCA\_RequestData, 587**

### **IRSCA\_RequestReader, 587**

### **IRSCA\_VirtualSite, 588**

### **IRSCA\_W3SVC, 588**

### **IRSCA\_WAS, 588**

### **IRSCA\_WorkerProcess, 588**

### **ISAPI mode, IIS7, 38, 39, 48**

### **IsapiFilterModule, 48**

### **IsapiModule, 48**

### **IsAssignableFrom method, 232**

### **IsEnabled property, 165**

### **IServiceContainer interface, 153–154**

### **IServiceProvider interface, 152–153**

### **isExternalTraceSource attribute, 578**

- <rss> configuration section and, 578
- RSS\_Schema.xml file and, 578–579
- RssSection class and, 578–580
- RssService class and, 578

### **isExternalTraceSource property, 585**

- RssSectionInfo class and, 585–586

### **IsHeading property, 159, 163**

### **IsNew property, 158**


### **IsReusable property, 291**

- RssHandler HTTP handler, 296

### **Item class**

- RssHandler HTTP handler, 295–296
- SqlRssProvider, 469–470

### **Item indexer, 590**





## MembershipProviderConfigurationFeature subclass

**Item** property, 88, 592, 595  
**itemDescription** field, 475  
**itemDescriptionField**, 296  
**itemDescriptionXPath**, 481  
**itemLink** field, 475  
**itemLinkField**, 296  
**itemLinkFormatString**, 297  
**itemLinkFormatString** field, 475  
**itemLinkXPath**, 481  
**Items** property, 163  
**itemTitle** field, 475  
**itemTitleField**, 296  
**itemTitleXPath**, 481  
**itemXPath**, 481

## K

**KeyValuePair** objects, 166, 173

## L

**Label** control, 199  
**LargeImage** property, 165  
**Level** property, of **SourceSwitch**, 554  
**limit** attribute, 42  
**LIST** command, 80  
**ListViewItem** class, 239  
**loading** specified configuration file, 103, 104  
**LoadRss** method, 298–299  
   RssService class, 465–466  
   SqlRssProvider, 475  
   XmlRssProvider, 482–483  
**LoadSettings** method, 412, 435  
**localInfo** private field, 207  
**<location>** tags, 28–31  
   characteristics, 30  
**logEventOnRecycle** attribute, 41  
**LogRequest** event, 317, 600–604  
**LongDescription** property, 165

## M

**Machine Level 1**, 27  
**Machine Level 2**, 27  
**machine-level** configuration file, 128–131  
**managed authentication** modules, 57–58  
**managed classes**, IIS7/ASP.NET integrated imperative  
   management API, 86–103. *See also specific classes*  
   category, 84  
   IIS7 troubleshooting, 85  
   integrated configuration system, 84  
   diagram, 83–85

### managed code

client-side, 175–269  
   class diagram, 176  
   RSS provider-based service and, 493–526  
   UrlRewriterModule and, 346–381  
 extending integrated pipeline through, 289–290  
 object-oriented, 83  
 server-side, 175, 269–286  
   deployment, 283–286  
   RSS provider-based service and, 526–536  
   steps to write, 269  
   UrlRewriterModule and, 381–390

### managed handler factories, 333–336

configurability of, 336  
 custom  
   developing, 334–335  
   plugging into integrated request processing pipeline,  
     336  
 definition, 290

### managed handlers, 290–315

configurability of, 336  
 custom, 291–302  
   plugging into integrated request processing pipeline,  
     302–315  
 definition, 289–290  
 server-side logic that retrieves, 308–309

### managed modules, 315–333

configurability of, 336  
 custom, 318–332  
   developing, 318–321  
 definition, 290  
 important points, 318–319  
 server-side logic that retrieves HTTP, 326–327

### Managed pipeline mode drop-down list, 63

### ManagedEngine

### managedPipelineMode

### ManagementConfigurationPath

### ManagementFrame

constructor, 170, 221  
 methods, 221  
 OnCommandBarRefresh method of, 223–224

### ManagementGroupBox, 199

controls, 199, 200  
 hierarchy, 199

### ManagementPanel, 264

control, 377  
 hierarchy, 264

### ManagementScope


### ManagementUIService, 152, 169

### MapRequestHandler

### maxProcesses

### MemberName

**MembershipProviderConfigurationFeature** subclass,  
 406, 407





## MessageTaskItem

### MessageTaskItem

class, 159–161  
 definition, 161  
 properties, 161  
 task item, 174

### MessageTaskItemType enumeration, 161

### MessageType property, 161

### MethodName property, 161, 162

**methods.** See *specific methods*

### MethodTaskItem

class, 161–162  
 definition, 161–162  
 properties, 162  
 task item, 174

### MethodTaskItemUsages enumeration, 162

property, 162

### Microsoft.Web.Administration namespace, 83, 84

Microsoft.Web.Administration.dll assembly, 104, 105,  
 107, 108, 141, 177, 340, 344

modeling software, 609

ModifiedKeys property, PropertyBag class, 190, 191,  
 276

### Module class, 153, 267–268

Initialize method of, 269, 381  
 methods, 267

### module dialog pages, 147

### module list pages, 147

### module pages, 146–148, 177

custom, 148  
 implementation of, 503–518  
 for <myConfigSection> configuration section, 179

### module properties pages, 147–148

### module service, 270

custom, 270

### ModuleDefinition object, 533

### ModuleDialogPage class, 147, 193

overridable members, 193–194  
 Refresh method of, 225–226

### ModuleListPage, 147

Group method of, 255  
 Groupings property of, 253, 254  
 ModulePage class and, 233  
 MyCollectionPage and, 233

### ModuleListPageGrouping class, 253–254

### ModulePage class, 177, 194

CanRefresh property of, 224  
 class hierarchy, 177–178  
 MyCollectionPage and, 233  
 Refresh method of, 225  
 UriRewriterPage and, 358

### ModulePageInfo class, 165–166

### ModulePropertiesPage, 147–148

### ModuleProvider class, 281, 282

### Modules module list page, 324

### <modules> section, 52–55

<add> elements, 52  
 attributes, 52  
 contents, 53–54

### ModuleService class, 270

ModuleServiceMethodAttribute metadata attribute,  
 273, 381, 383

### ModuleServiceProxy, 186–189

### MyApplication project, Visual Studio and, 422

### MyApplicationPool node, 64

### MyClass1 class, 422–423

read/write properties, 423

### MyClass1Property1 property, 423, 427

### MyClass1Property2 property, 423, 427

### MyClass1Property3 property, 423, 427, 428, 430

### MyClass1Property4 property, 423, 427, 430

### MyClass1Property5 property, 423, 427, 428, 429

### MyClass1Property6 property, 423, 424, 427, 429

### MyClass2 class, 424

### MyCollection class, 136–138, 177

myCollectionIntAttr attribute, 179, 184, 185

### MyCollectionIntProperty, 209

### MyCollectionItem class, 136, 177

myCollectionItemBoolAttr attribute, 179

myCollectionItemIdentifier attribute, 179

### MyCollectionItemInfo class, 238

### MyCollectionItemListViewItem class, 239

### MyCollectionItemTaskForm


in action, 179–183  
 communications with back-end Web server, 184–186  
 constructors, 262  
 implementation, 258–267  
 InitializeComponent method and, 262–264

### MyCollectionPage, 179

in action, 179–183  
 AddCollectionItem method of, 243–244  
 adding support for new task items, 240–247  
 CanRefresh property of, 257  
 communications with back-end Web server, 184–186  
 declaration of members, 229–230  
 DeleteCollectionItem method of, 244–246  
 implementation, 229–257  
 ModuleListPage class and, 233  
 OnActivated method and, 235  
 overrides Tasks property, 243  
 UpdateCollectionItem method of, 246–247

### MyConfigSection class, 139–140, 177

Visual Studio and, 176





## NavigationData object

### **<myConfigSection> configuration section, 125, 178–179**

console application, 128–134  
 application-level configuration file, 133–134  
 machine-level configuration file, 128–131  
 site-level configuration file, 131–133

content, 126–127

module pages for, 179

MyCollection class, 136–138, 177

MyCollectionItem class, 136, 177

MyConfigSection class, 139–140, 177

MyConfigSectionEnum type, 140, 177

MyNonCollection class, 138, 177

MY\_schema.xml in, 125

content, 126–127

portions, 125

registration, 128

representative implementation, 125

strongly-typed objects and, 134–135

in <system.webServer> group, 125, 128

### **MyConfigSection module page, 179–180**

group boxes, 180

### **myConfigSectionBoolAttr attribute, 179, 184, 185**

### **MyConfigSectionBoolProperty, 209**

### **MyConfigSectionEnum type, 140, 177**

### **myConfigSectionEnumAttr attribute, 179, 184, 185**

### **MyConfigSectionEnumObject class, 211–212**

### **MyConfigSectionEnumProperty, 209**

### **MyConfigSectionInfo class, 207–210**

benefits, 208

implementation, 207–208

discussion, 209–210

### **MyConfigSectionModule, 268–269**

### **MyConfigSectionModuleProvider custom module provider, 281–282**

register with administration.config file, 285–286

### **MyConfigSectionModuleService Server-Side class, 188, 189, 270–273**

### **MyConfigSectionModuleServiceProxy class, 186, 187**

### **MyConfigSectionPage, 179**

in action, 179–183

adding support for new task items, 216–221

ApplyChanges method, 213–214

CanApplyChanges property, 202

CanRefresh property of, 224

communications with back-end Web server, 184–186

constructor, 196

declarations of members, 194–196

event handlers, 200–201

GetSettings method, 203–205

HasChanges property, 201–202

implementation, 193–229

InitializeComponent method, 196–200

OnActivated method, 202–203

overrides Tasks property, 220–221

user interface, 198–199

group boxes, 199–200

InitializeComponent method and, 196–200

“View collections items” link

adding, 216–221

### **MyEnum enumeration, 423**

### **MyForm Windows Form, 427**

Button1\_Click event handler, 431–432

observations about, 427–428

### **MyForm.cs file, 422**

content of, 425–426

### **MyForm.Designer.cs file, content of, 424–425**

### **myListener, 558**

### **MyModule HTTP module, 600–604**

example of XML file supported by, 600

### **MyNamespace, 176, 422**

### **MyNamespace.Server.MyConfigSectionModuleProvider, 286**

### **MyNonCollection class, 138, 177**

### **myNonCollectionTimeSpanAttr attribute, 179, 184, 185**

### **MyNonCollectionTimeSpanProperty, 209**

### **myNonCollectionTimeSpanPropertyTextBox control, 200**

### **myobj object, 427**

### **MY\_schema.xml, 125**

### **MySqlConnectionString, 487, 488**

### **MySqlRssProvider, 492**

ProviderConfigurationConsolidatedPage module page with, 492

### **myTraceSource, 545, 559**

### **MyXmlRssProvider, 491**

ProviderConfigurationConsolidatedPage module page with, 492

## N

### **name attribute**

<attribute> element, 120

<handlers> section, 50

<modules> section, 52

<section> element, 128

### **Name textbox, 325**

### **native authentication modules, 55–57**

### **Navigate method, 157, 232**


### **NavigateBack method, 157**

### **NavigateForward method, 157**

### **navigation items, 156, 232**

### **navigation service, 149, 156, 232**

### **NavigationData object, 156**





## NavigationEventArgs class

**NavigationEventArgs class, 157, 158**

**NavigationEventHandler, 157**

**NavigationItem class, 156**

**NavigationService class, 152**

implementation, 231

**.NET Framework, and release cycle of Visual Studio, 28**

**.NET reflection, 421, 428, 430**

**.NET Roles page, 405, 410**

**Net.Tcp Listener Adapter, 639**

**Net.Tcp Port Sharing Service, 639**

protocol listener, 640

**NewItem property, 158**

**non-ASP.NET URLs, UrlRewriterModule and rewriting, 393**

postback problems, 393–395

**non-collection XML elements, 118**

examples, 118, 119

## O

**object-oriented**

APIs, 8, 46

managed code, 83

programming, 135, 208, 336, 340, 362, 390

**objects. See specific objects**

**ObjectState enumeration type, 596**

**ObjectStateFormatter class, 209**

**OldItem property, 158**

**OnAccept method, 265, 441**

RssSettingsForm task and, 524

UrlRewriterRuleTaskForm and, 378

**OnActivated method, 194, 202–203**

MyCollectionPage and, 235

of ProviderConfigurationConsolidatedPage, 418

RssPage module page overrides, 508

UrlRewriterPage and, 359

**OnCommandBarRefresh method, of ManagementFrame, 223–224**

**OnFeatureComboBoxSelectedIndexChanged event handler, 418**

portion of implementation, 418–419

**OnGroup method, 256**

Overridden, 256

**OnListViewAfterLabelEdit method, 248–251**

**OnListViewBeforeLabelEdit method, 247–248**

**OnListViewDoubleClick method, 251**

UrlRewriterPage and, 370–371

**OnListViewKeyUp method, 252**

UrlRewriterPage and, 371

**OnListViewSelectedIndexChanged method, 252**

UrlRewriterPage and, 370

**OnmyCollectionIntPropertyTextBoxTextChanged method, 200, 202**

**OnmyCollectionItemBoolPropertyCheckBoxChanged method, 264**

**OnmyCollectionItemIdentifierTextBoxTextChanged method, 264**

**OnmyConfigSectionBoolAttrCheckBoxCheckedChanged event handler, 200, 201**

**OnmyConfigSectionEnumPropertyComboBoxSelectedIndexChanged event handler, 200, 201**

**OnmyNonCollectionTimeSpanPropertyTextBoxTextChanged method, 200, 202**

**OnNavigationPerformed event handler, 170, 172–174**

**OnOkButtonClick method, 433**

implementation, 433–435

**OnRefresh method, 193, 226, 227, 228, 229, 518**

**OnValueChanged method**

of SourceSwitch class, 553

of Switch base class, 553

**OnWorkerCompleted method, 266–267, 378, 380, 441**

UrlRewriterRuleTaskForm and, 380

**OnWorkerDoWork method, 265–266, 441**

UrlRewriterRuleTaskForm and, 378–379

**OnWorkerGetCollectionItems method, 235–236**

**OnWorkerGetCollectionItemsCompleted method, 236–238, 239**

**OnWorkerGetSettings method, 205, 508–509**

**OnWorkerGetSettingsCompleted method, 205–207, 210, 509–510**

**OnWorkerGetUrlRewriterSettings method, 360**

**OnWorkerGetUrlRewriterSettingsCompleted method, 360–362, 363**

**OperationContractAttribute metadata attribute, 611**

**Overridden GetGroups method, 256**

**Overridden OnGroup method, 256**

**overrideMode, 30**

Allow value, 31

Deny value, 31

Inherit value, 31

property, 102

**overrideModeDefault, 128**

## P

**Page module page, 156**

**page navigation, 149–150**


**PageContainerPanel, 171**

**PageHandlerFactory, 10, 51, 290, 333, 334, 335**

**PageHeader class, 221–222**

**PageTaskList class, 217–218**

implementation, 240–241





## ReadOnlyDescription property


- RssPage module page, 512–515
- UrlRewriterPage module page, 364–366
- PageType object, 156, 165**
- ParentPage property, 230, 231**
- password attribute, 40**
- path attribute, 50**
- <periodicRestart> element, 42, 91, 92, 93**
- PhysicalPath, 594**
- pingingEnabled attribute, 40**
- pingInterval attribute, 41**
- pingResponseTime attribute, 41**
- PipelineState**
  - enumeration type, 593
  - property, 593
- pkgmgr.exe command-line tool, 20**
  - options, 20
- PostAcquireRequestState event, 317**
- PostAuthenticateRequest event, 316**
- PostAuthorizeRequest event, 316**
- PostLogRequest event, 317**
- PostMapRequestHandler event, 316**
- PostReleaseRequestState event, 317**
- PostRequestHandlerExecute event, 317**
- PostResolveRequestCache event, 316**
- PostUpdateRequestCache event, 317**
- preCondition attribute**
  - <handlers> section, 50
  - <modules> section, 52
- PreRequestHandlerExecute event, 317**
- PreSendRequestContent event, 317**
- PreSendRequestHeaders event, 317**
- ProcessGuid, 591**
- ProcessID, 591, 593**
- <processModel> element, 39–40, 89, 90**
  - attributes, 40–41
  - imperative representation of, 89, 90
- ProcessRequest method, 291**
  - RssHandler's implementation of, 297–298
- ProfileProviderConfigurationFeature subclass, 406, 407**
- Program.cs file, 105**
- ProlIS7AspNetIntegProgCh12, 606**
  - BugReportManagerService in, 611
  - BugReportManagerServiceClientImperative in, 634
  - BugReportManagerServiceClientSvcUtil in, 627
  - BugReportManagerServiceClientSvcUtil2 in, 642
  - BugReportManagerServiceClientWebRef in, 625
  - BugReportManagerServiceHost in, 617
- properties. See specific properties**
- PropertyBag class, 189–193**
  - constructors, 189–190
  - CreatePropertyBagFromState method, 192–193
  - GetState method, 192
- indexer property, 190–191
- ModifiedKeys property, 190, 191, 276
- PropertyEditingService, 152, 169**
- PropertyGrid control, 421, 422, 427**
  - edit property in, 431–432
- protocol attribute, 96**
- protocol listener adapters, 35, 638**
- protocol listeners, 34, 638**
- provider configuration service, 436. See also IProviderConfigurationService interface**
- provider pattern, 400**
- provider-based services, 397. See also integrated providers model, IIS7/ASP.NET; RSS provider-based service; workflow**
  - ASPNET, 400
  - configurations, 438–442
  - custom, 407–410
    - configuration settings, 410
    - need for, 398
- ProviderBaseType property, 407**
- ProviderCollectionPropertyName property, 407, 408**
- ProviderConfigurationConsolidatedPage module page, 401, 404, 410, 489, 490**
  - Initialize method of, 444
  - MySQLRssProvider in, 492
  - MyXmlRssProvider in, 492
  - OnActivated method, 418
- ProviderConfigurationModule class, 436–437**
- ProviderConfigurationService property, 440, 517**
- ProviderConfigurationSettingNames array, 408, 434**
- ProviderConfigurationSettings class, 405, 412–415**
  - implementation, 412
- ProviderFeature abstract base class, 405**
  - internal implementation, 406
  - properties, 407–410
  - subclasses, 406
  - virtual properties, 409
- ProviderHelper helper class, 457–460**
- providers, 400. See also workflow**
- ProviderSettings class, 454–455**
- ProviderSettingsCollection class, 455–457**
- proxies, 184–186**
- public key token, of assembly, 282, 286, 304**
- PublicKeyToken attribute, 304**

## Q

queueLength attribute, 39

## R

**ReadOnly property, 194, 209, 210, 237, 518**  
**ReadOnlyDescription property, 237**





## Really Simple Syndication

**Really Simple Syndication.** See **RSS**

### Recipes

- accessing configuration sections in
  - <system.applicationHost> section group, 108–113
- add application pool, 108–109
- add binding, 110–111
- add virtual directory, 112–113
- add Web application, 111–112
- add Web site, 109–110
- accessing specified attribute of specified configuration section, 103, 104–105
  - Program.cs file, 105
- adding/removing element from specified collection
  - element of specified configuration section, 103, 106–108
  - add new element, 106–107
  - remove element, 107–108
- for extension of integrated providers model, 445–447
- loading specified configuration file, 103, 104

### Recycle method, 89

**<recycling> element, 41–42, 89, 92, 93**

- attributes, 41
- imperative representation of, 90, 91

### refresh button, 222

**Refresh method, 227, 228, 257**

- of ModuleDialogPage class, 225–226
- of ModulePage class, 225

**RegisterExtension method, 412**

**related activity identifier, 548**

**ReleaseHandler method, 334**

**ReleaseRequestState event, 317**

**Remove child elements, 117–118**

### Remove method

- BindingCollection class, 98
- ConfigurationElementCollectionBase<T> class, 87

### RemoveAt method

- BindingCollection class, 98
- ConfigurationElementCollectionBase<T> class, 87

**removeElement attribute, 121**

**Repeater control, 292**

**Request class, 85, 587, 592–593**

- properties, 593

**RequestCollection class, 85, 587, 591–592**

- methods/properties, 592

**<requestFiltering> configuration section, 121–122**

**RequestLoggingModuleService class, 586–587**

**resetInterval attribute, 42**

**ResolveRequestCache event, 316**

**Resume event type, 541, 542**

**RetrieveData method, 483–484**

**rewriting non-ASP.NET URLs, UriRewriterModule and, 393**

- postback problems, 393–395

**role management service, 397**

**role services, 14**

**roles, 14. See also Add Roles Wizard**

**Roles provider-based service, 409**

- RolesProviderConfigurationFeature information on, 410

**RolesModule module, 410**

- Initialize method of, 411–412

**RolesProviderConfigurationFeature subclass, 406, 407, 411**

- information on Roles provider-based service, 410
- registration, 412

**RolesProviderConfigurationSettings class, 412**

- implementation, 413–414

**root application, 43**

**root web.config file, 69, 73**

- <compilation> section, 25, 26
- IIS7 configuration settings in, 73

**Rscalinterop internal class, 588–589**

**RSS (Really Simple Syndication), 291**

- 2.0 format, 291–292
- document, 291–292

**<rss> configuration section, 454**

- isExternalTraceSource and, 578
- registration, 453
- traceSource and, 578
- XML constructs of integrated declarative schema
  - extension markup language and, 451–453

**<rss> document element, 292**


**RSS item, in Default Web Site Home page, 488, 489**

**Rss project, 447, 570, 572**

**RSS provider-based service, 445**

- client-side managed code and, 493–526
  - implementation steps, 493
- custom providers, 467–485
  - SqlRssProvider, 467–477
  - XmlRssProvider, 477–485
- default provider for, 492–493
- extending integrated configuration system, 450–453
- extending integrated graphical management system, 485–493
  - workflow, 485
- extending integrated imperative management system, 454–462
- implementation, 448–466
- preliminary setup, 447
- server-side managed code and, 526–536
  - implementation steps, 526

**RssEnabled property, 518**



## SelectedProviderPropertyName property

### **RssHandler HTTP handler, 291, 292, 293**

- applicationHost.config file and registering, 304
- channel class, 295
- compilation options, 303
  - add reference, 303
- constructor, 296–297
  - private fields initialized by, 296–297
- definition, 398–400
- implementation, 293–294
- IsReusable property, 296
- item class, 295–296
- new version
  - RssService and, 466
- plugging into integrated request processing pipeline, 302–315
- ProcessRequest method implemented by, 297–298
- registration, IIS7 Web server-level, 303–304
  - declarative approach, 304
  - graphical approach/IIS7 Manager, 304–309
  - imperative approach, 304, 309–310
  - undo, 311
- registration levels, 302–303
- registration, RssHandlerCh8 application, 311–314
  - declarative approach, 311–312
  - graphical approach/IIS7 Manager, 312–313
  - imperative approach, 313–314
- shortcomings, 398
- using, 314–315

### **RssHandlerCh8 application, RssHandler HTTP handler registration with, 311–314**

- RssHandlerConsoleApplication project, 309, 310**
- RssHandlerProj, Visual Studio and, 293, 306, 311**
- RssHelper class, 299, 300**

- GenerateRss method of, 300, 400
- SqlRssProvider, 470–471

### **RssModule module, 524–526**

- RssModuleProvider module provider, 531–536**
- GetModuleDefinition method overridden by, 533
- registration, 535–536

### **RssModuleService class, 526–531**

- implementation, 527–528

### **RssModuleServiceProxy class, 502–503**

### **RssPage module page, 503–518, 582–585**

- declaration of members, 503–504
- InitializeComponent method, 504–507
- OnActivated method overridden by, 508
- PageTaskList class, 512–515
- Tasks property overridden by, 517

### **RssProvider base class, 448**

### **RssProviderCollection class, 449–450**

- RssProviderConfigurationFeature class, 498–500**
- tasks, 500

### **RssProviderConfigurationSettings class, 493–498**

### **RSS-related fields, 475**

### **RSS\_Schema.xml file, 451–452**

- content, 451
- isExternalTraceSource and, 578–579
- traceSource and, 578–579

### **RssSection class, 460–462**

- isExternalTraceSource and, 579–580
- traceSource and, 579–580

### **RssSectionInfo class, 500–502**

- IsExternalTraceSource property and, 585–586
- programming benefits, 500–501
- TraceSource property and, 585–586

### **RssService class, 400, 580–582**

- implementation, 462–466
- Initialize method, 464, 465
- isExternalTraceSource attribute and, 578
- LoadRss method, 465–466
- RssHandler HTTP handler and, 466
- TraceEvent method and, 548–550
- traceSource attribute and, 578
- TraceSource class and, 543–545

### **RssSettingsForm task form, 518–524**

- constructor, 522
- implementation, 519–522
- InitializeComponent method, 522–523
- OnAccept method and, 524

### **RssWebSite node, 573**

### **Runtime Status and Control API (RSCA), 587–589**

### **RunWorkerCompletedEventArgs event data class, 205**

- RunWorkerCompletedEventHandler, 205, 235, 265, 359, 378, 441**

## S

### **<schedule> element, 42, 93**

### **ScheduleCollection class, 93**

- Add method, 93

### **scriptProcessor attribute, 50**

### **<section> element, 128**

- section groups, 25. See also specific section groups**
- rules, 25

### **SectionName property, 408**

### **sections. See specific sections**

### **<sectionSchema> element, 119–120, 339**

### **security protocol, 609**

### **<security> section, 55**

- elements, 55–60

### **SELECT database operation, 79, 80**

### **Select Trace Providers, 575**

### **SelectedProvider property, 408**


### **SelectedProviderPropertyName property, 408–409**



## serialization

---

- serialization, WCF and, 613**
- Server Manager tool, 14–19**
  - launching, 14
- ServerManager class, 102–103, 589–590**
  - collection properties, 103
  - methods, 103
- server-side managed code, 175, 269–286**
  - deployment, 283–286
  - RSS provider-based service and, 526–536
  - steps to write, 269
  - UrlRewriterModule and, 381–390
- service containers, 153–154**
- Service Model layer, 605, 609**
- service providers, 152, 153**
- ServiceContainer class, 154, 167**
- ServiceContractAttribute metadata attribute, 611**
- ServiceMetadataBehavior service behavior, 622**
  - WCF service and, 622–625
- services, 152. See also specific services**
  - interfaces, 152
- ServiceType property, 282, 389**
- Session State**
  - icon, 68
  - Mode Settings, 69
  - page, 227
- SET command, 81**
- Set Default Provider link button, 405**
- “Set Default Provider...” link button, 440**
- Set default provider task form, 493**
- Set Feature Delegation, 75**
- SetAttributeValue, 86**
- SetDefaultProvider method, 516–517**
- SetItemGroup method, 257**
- SetPropertyValue method, 164**
- Settings property, 409**
- SetUIReadOnly method, 210**
- severity event types, 542**
- <sharedListeners> section, 558, 559**
- ShellMainForm class, 169–170**
- ShouldTrace method, of SourceSwitch, 554**
- shutdownTimeLimit attribute, 40**
- Site class, 95–96, 596**
  - members, 596
  - methods, 96
- Site Level, 27**
- SITE object, 79**
- SiteCollection container, 103**
- <siteDefaults> element, 45**
- SiteId property, 593**
- site-level configuration file, 131–133**
  - “SiteName,” 29
  - “SiteName/AppName,” 29–30
- sites, 43**
- <sites>, 43–45**
  - element, 95
- Sites collection property, 103**
- Sites node (Web Sites node), 62, 66–68**
- SmallImage property, 165**
- smpAffinitized attribute, 42**
- smpProcessorAffinityMask attribute, 42**
- SourceFilter filter, 538, 568–570**
  - constructor, 569
  - IisTraceListener and, 569
  - implementation, 568
- SourceLevels enumeration, 542–543**
  - members, 542–543
- <sources> section, 551**
- SourceSwitch class, 538, 551**
  - under the hood, 553–557
  - Level property, 554
  - OnValueChanged method of, 553
  - properties, 553
  - ShouldTrace method of, 554
- SQL Server-specific classes, ADO.NET, 398**
- SqlDataReader, 298, 299**
- SqlRssProvider, 466–477, 491**
  - class, 467–469
  - commandText, 474
  - commandType, 474
  - database, 477
  - implementation, 467–477
  - Initialize method, 471–473
  - Item class, 469–470
  - LoadRss method, 475
  - member fields, 480
  - private fields, 475
  - registration, 475–477
  - RssHelper class, 470–471
- sslFlags attribute, 55**
- Start event type, 541, 542**
- Start method**
  - ApplicationPool class, 89
  - Site class, 96
- StartAsyncTask method, 204, 205, 206, 235, 265, 359, 378, 441**
- startupTimeLimit attribute, 40**
- State property, 591**
- <staticContent> configuration section, 119, 121**
  - schema, 124
- stop button, 222**
- Stop event type, 541, 542**
- Stop method**
  - ApplicationPool class, 89
  - Site class, 96





## TraceListener base class

**strongly-named assemblies, 269, 283, 293, 303, 311, 320, 322, 334, 340, 421**

### strongly-typed

- objects, 134–135
  - benefits, 135
  - <myConfigSection> and, 134–135
- properties, IntelliSense support for, 135, 208, 336, 340, 362, 390

**SupportsScope property, 282, 389**

**Suspend event type, 541, 542**

**svcutil.exe tool, 627**

- WCF client and, 625, 627–632
- web.config file and, 630–631

**Switch base class, 538, 553**

- OnValueChanged method of, 553

**switches, 538, 550**

- as configurable components, 551
- instantiation and attachment, 539, 550–557
  - declarative, 550–554
  - imperative, 554–557
- local, 551
- shared, 539, 551

**<switches> element, 551**

**SwitchSetting property, 553**

**<system.applicationHost> section group, 108**

- accessing configuration sections in, 108–113
  - adding application pool, 108–109
  - adding binding, 110–111
  - adding virtual directory, 112–113
  - adding Web application, 111–112
  - adding Web site, 109–110
- child elements, 36–45

**<system.diagnostics> section, 551, 558**

**System.ServiceModel.Activation.HttpHandler HTTP handler, 618**

**System.ServiceModel.Activation.ServiceBuildProvider build provider, 618, 619**

**<system.web> element, 25**

**System.Web.Security.RoleProvider, 410**

**<system.webServer> section group, 45, 340**

- <myConfigSection> configuration section in, 125, 128
- sections, 45–60

**System.Windows.Forms.GroupBox control, 199**

## T

**task forms, 150. See also specific task forms**

**task items. See specific task items**

**task panels, 147, 149**

**TaskItem class, 158–159**

- properties, 158–159
- subclasses, 159–163

**TaskList class, 163–165, 216–217**

- definition, 163
- GetTaskItems method, 216, 217
  - implementation, 216–220
- methods, 164–165

**TaskListCollection class, 166**

**tasks, 149–151**

**Tasks property, 193**

- MyCollectionPage overrides, 243
- MyConfigSectionPage overrides, 220–221
- RssPage module page overrides, 517
- UrlRewriterPage overrides, 366–367

**TCP transport protocol, 639**

- incoming requests over, 640

**Text string property, 159**

**TextBox control, 184, 185**

**textbox controls, callback methods for TextChanged event of, 507**

**TextChanged event of textbox controls, callback methods for, 507**

**TextTaskItem**

- class, 159
- task item, 174

**TimeElapsed property, 593**

**TimeInModule property, 593**

**Title property, 165**

**“TRACE” conditional compilation symbol, 539, 550**

- defining, 550

**trace events, 537**

- adding, 539, 546–550

**trace filters, 538, 562**

- instantiation and attachment, 540, 562–570

**trace listeners, 538**

- instantiation and attachment, 539, 557–562
  - declarative, 558–560
  - imperative, 560–562
- local, 558
- shared, 539, 558

**Trace Output file, 576–578**

**trace sources, 538**

- instantiation, 540–545

**TraceData method, 546–547**

**TraceEvent method, 546**

- overloads, 546

**TraceEventCache object, 558**

**TraceEventType enumeration, 541–542**


- members, 541–542

**TraceFilter base class, 562–563**

**TraceInformation method, 547–548**

**TraceListener base class, 557**

- tracing methods of, 557–558





## traceSource attribute

### traceSource attribute, 578

- <rss> configuration section and, 578
- RSS\_Schema.xml file and, 578–579
- RssSection class and, 579–580
- RssService class and, 578

### TraceSource class, 538

- constructors, 540
- RssService class and, 543–545

### TraceSource property, 585

- RssSectionInfo class and, 585–586

### TraceTransfer method, 548

### tracing, 537–570

- components, 537–540
- configurable, 578–587
- tasks, 538–540
  - from within code, 538–550
  - from configuration file, 539–540, 550–570

### Transfer event type, 541, 542

### transport protocols, 110, 111, 608

- TCP, 639

### type attribute

- <attribute> element, 120
- <handlers> section, 50
- <modules> section, 52

### Type combo box, 325, 326

### type-checking support, compiler, 135, 208, 336, 340, 362, 390

## U

### unattended setup option, 20–21

### unattend.xml file, 20, 21

### Unload member, 594

### “Update collection item” link, 181, 240, 242

### UPDATE database operation, 79, 81

### update dependencies, 12

- IIS-ASP, 12
- IIS-ASPNET, 12
- IIS-LegacyScripts, 12
- IIS-ManagementConsole, 12
- IIS-ManagementScriptingTools, 12
- IIS-ManagementService, 12
- IIS-NetFxExtensibility, 12
- IIS-WebServer, 12

### “Update URL rewriter rule” link, 347, 348, 364, 366

### UpdateChannelSettings method, 530–531

### UpdateCollectionItem method, 279–280

- of MyCollectionPage, 246–247

### UpdateCollectionItemIdentifier method, 185, 243

### UpdateRequestCache event, 317

### UpdateSettings method, 275–276

### “UpdateSettings” string value, 188

### UpdateTasks method, 173, 174

### UpdateUI method, 170

### UpdateUIState method, 201

### UpdateUrlRewriterRule method, 369–370, 387

### upgrading, IIS7 setup and, 21

### up-to-date runtime data, for IIS7 runtime objects, 597–598

### Url property, 593

### <urlRewriter> configuration section, 338

- registering, 339–340

### UrlRewriter.browser file, content of, 395

### UrlRewriterConsoleApplication, 344

### UrlRewriterControlAdapter, 394

### UrlRewriterHandlerFactory HTTP handler factory, 334–335

- problems with, 337

### UrlRewriterHandlerFactoryProj, Visual Studio and, 334

### UrlRewriterHtmlTextWriter class, 394–395


### UrlRewriterModule HTTP module, 318–321

- applicationHost.config file and registering, 322–323
- compilation options, 322
- implementation, 320–321
- plugging into integrated request processing pipeline, 322–332
  - problems with, 337
- registration, IIS7 Web-server level
  - declarative option, 322, 323
  - graphical option/IIS7 Manager, 322, 323–327
  - imperative option, 322, 327–328
  - undo, 329
- registration levels, 322
- registration, URLRewriterModuleCh8 application, 329–332
  - declarative option, 329
  - graphical/IIS7 Manager option, 329–331
  - imperative option, 331–332
- role of, 318, 319
- using, 332–333

### UrlRewriterModule managed module

- configurability, 391–393
  - problems, 390–391
- configuration support for, 338–339, 390
- graphical management support for, 346–390
  - client-side managed code, 346–381
  - server-side managed code, 381–390
- imperative management classes, testing of, 344–345
- imperative management support for, 340–345, 390
- rewriting non-ASPNET URLs, 393
  - postback problems, 393–395

### UrlRewriterModuleCh8 application, UrlRewriterModule HTTP module registration with, 329–332





**UrlRewriterModuleConsoleApplication** project, **327–328**

**UrlRewriterModuleProvider** custom module provider, **387–389**  
 registration, 379–380

**UrlRewriterModuleService** server-side class, **351, 382–383**

**UrlRewriterModuleServiceProxy** class, **350–351**

**UrlRewriterPage** class, **350–358**  
 ModulePage class and, 358

**UrlRewriterPage** module page, **346, 347, 351**  
 communications with back-end server, 348–349  
 InitializeListPage method and, 358–359  
 OnActivated method and, 359  
 OnListViewDoubleClick method and, 370–371  
 OnListViewKeyUp method and, 371  
 OnListViewSelectedIndexChanged method and, 370  
 overrides Tasks property, 366–367  
 PageTaskList class, 364–366  
 registration, 380–381

**UrlRewriterProj**, **Visual Studio** and, **320, 322, 325, 329**

**UrlRewriterProj2**, **340**  
 ImperativeManagement directory, 340, 341  
 setup, 340  
 Visual Studio and, 340, 344

**UrlRewriterRule** class, **341–342**

**UrlRewriterRuleInfo** class, **362**

**UrlRewriterRuleListViewItem** class, **363**

**UrlRewriterRules** class, **342–343**  
 tasks of, 343

**<urlRewriterRules>** Collection element, **339**

**UrlRewriterRuleTaskForm** task form, **347, 348**  
 communications with back-end server, 349–351  
 constructors, 375–376  
 implementation, 371–375  
 InitializeComponent method and, 376–378  
 OnAccept method and, 378  
 OnWorkerCompleted method and, 380  
 OnWorkerDoWork method and, 378–379

**URLREWRITER\_schema.xml** file, content of, **339**

**UrlRewriterSection** class, **343–344**

**user membership service**, **397**

**user profile service**, **397**

**UserData** property, **161, 162**

**userName** attribute, **40**

## V

**Validate** method, **433**

**ValidateUserInputs** method, **213**

**Value** property, **553**

**VDIR** object, **79**

**verb** attribute, **50**

**Verb** property, **593**

**Verbose** event type, **541, 542**

**VerticalLayoutPanel**, **171**

**View Application Pools** link, **149**

**“View collections items”** link, **180, 185, 216, 219, 225**  
 adding to MyConfigSectionPage, 216–221

**ViewCollectionItems** method, **219–220**

**virtual directory**, **44, 45**  
 adding, in <system.applicationHost>, 112–113

**Virtual Directory Level**, **27**

**VirtualDirectory** class, **100–101**

**<virtualDirectory>** elements, **44, 100, 101**

**VirtualDirectoryCollection** class, **101**

**<virtualDirectoryDefaults>** element, **45**

**VirtualPath**, **594**

**Visual Studio**  
 configuration, 283  
 console applications added in, 105, 106, 107, 108, 134, 141  
 C#, 128, 131  
 IIS7 Manager and, 285  
 IntelliSense support for strongly-typed properties, 135, 208, 336, 340, 362, 390  
 MyApplication project and, 422  
 MyConfigSection added in, 176  
 .NET Framework and release cycle of, 28  
 private key, 283  
 Rss HandlerProj and, 293, 306, 311  
 UrlRewriterHandlerFactoryProj and, 334  
 UrlRewriterProj and, 320, 322, 325, 329  
 UrlRewriterProj2 and, 340, 344  
 Web application creation, 134

## W

**Warning** event type, **541, 542**

**WAS**. *See* **Windows Process Activation Service**

**WAS-WindowsActivationService**, **7**

**WCF**. *See* **Windows Communications Foundation**


**WCF Visual Studio Extensions**, **606**

**Web applications**, **146**  
 adding, in <system.applicationHost>, 111–112  
 BugReportManagerServiceHost, 646  
 Default2.aspx file and, 646–647

**Web garden**, **42**

**Web sites**  
 adding, in <system.applicationHost>, 109–110  
 BugReportManagerServiceHost, 636  
 Default.aspx file of, 636–638

**Web sites node**. *See* **Sites node**





## web.config file

---

### **web.config file, 570–571, 601**

svcutil.exe and, 630–631

### **WebMgrShellApplication class, 153, 167**

GetService method of, 168

### **WebServiceHandlerFactory handler factory, 334**

### **Win32ManagementHost, 152**

### **Windows Communications Foundation (WCF), 52, 605**

behaviors, 611

bug report manager system and, 607–649

client, 625

adding Web reference in, 625–627

developing, 625–635

svcutil.exe tool and, 625, 627–632

endpoints, 608, 610, 638

addresses, 609

bindings, 608–609, 610, 638–646

contracts, 609

integration of ASP.NET and

in IIS7 environment, 605–649

taking advantage of, 636–638

layered framework, 605, 609

required software, 605–606

serialization/deserialization in, 613

service behaviors, 622

service contract, 611

developing, 611–614

implementing, 614–617

Service Model, 605, 609–610

attribute-based programming, 609

configuration-based programming, 609

imperative programming, 609

services, 608

administrative tasks, 619–625

advantages, 636–638

developing, 610–611

hosting, 617–619

imperative tasks, 610–619

ServiceMetadataBehavior and, 622–625

### **Windows Features dialog, 13–14**

### **Windows Process Activation Service (WAS), 16, 34–35**

### **<windowsAuthentication enabled> element, 57**

### **wizard forms, 150–151**

### **WorkerProcess class, 85, 587, 590–591, 594**

properties, 591

### **WorkerProcessCollection class, 85, 103, 587, 590**

members, 590

### **WorkerProcesses collection property, 103**

### **WorkerProcessState enumeration, 591**

### **workflow**

for adding new provider to provider-based service, 402, 416, 420–435

for displaying ProviderConfigurationConsolidatedPage module list page, 401, 415, 416–418

for extending integrated graphical management system, 485

for updating provider of provider-based service, 416, 435–436

for viewing providers of provider-based service, 416, 418–419

### **workspace pane, 63**

### **World Wide Web. See WWW**

### **WriteAttribute method, 301, 395**

### **WWW (World Wide Web) Publishing Service, 35–36**

## X

### **XML elements/attributes. See also specific XML elements and attributes**

APPCMD tool and, 76–81

applicationHost.config file with, 77–79

IIS Manager and, 62–76

IIS7/ASP.NET integrated declarative schema extension markup language, 117–124

categories, 117–118

### **XML nodes, 481**

### **XmlDataDocument, 483, 484**

### **XmlDocument, 483, 484**

### **XmlReader class, 301, 484**

### **XmlRssProvider, 448, 477–485, 491**

implementation, 478–480

Initialize method, 480–482

LoadRss method, 482–483

member fields, 480

registration, 484–485

sample XML document, 481

### **XmlWriter class, 301, 484**

### **XmlWriterSettings object, 300**

### **XPath engine, 483**

### **XPath expressions, 481–482**

### **XPathDocument, 483, 484**

### **XPathNavigator**

random-access XML API, 302

XPath engine, 483

### **XPathNodeIterator, 482**

