

Index

Symbols

<>, 171–172
 </>, 171–172
 @, 177
 ~/, 114
 <%# %>, 119
 <%\$ %>, 10

A

<a>
 : hover, 473
 href, 237
Absolute, 435
AbsoluteVariation, 405
accelerator, 474
 CSS, 478
Accept-Encoding
 ASPxCallback, 47
 Fiddler, 5–6
AccessDataSource
 ASPxPivotGrid, 394, 439
 ASPxScheduler, 288–295
AccessDataSource.Inserting, 294
ACCESSKEY, <input>, 478
AccessKey, 478
accesskey, 478
AcquireRequestState, 585
:active, 473
ActiveTabTemplate, 278, 279
ActiveViewType, 308–314
 SchedulerViewType.WorkWeek, 309
ActiveX
 Ajax, 4
 ASPxNavBar, 184
 filter, 476
 IE8, 184

Add, 613
<Add>, 53
Add a Dictionary, 462
Add Condition, 19
Add New Item, 373
Add Table Adapter, 552
AddHoliday, 310
AddImage, 321
AddRange, 299
ADO.NET, 9
 CodeRush, 129
 imperative programming, 36
 SQL, 36
 XML, 175–176
 XPO, 58
.aff, 459
AfterConstruction, 369, 377
Ajax
 ActiveX, 4
 ASP.NET, 509–510
 ASPxCallbackPanel, 450
 ASPxGridView, 3, 4–6,
 32, 607
 ASPxHtmlEditor, 448–451
 ASPxNewsControl, 163
 ASPxTreeList, 188
 callbacks, 4, 30, 188–202
 JavaScript, 4
 postbacks, 87
 UpdatePanel, 450
 Web controls, 49
 XMLHttpRequest, 4
**Allow service to interact with
 desktop, 48**
**AllowIFrames, ASPxHtmlEditor,
 443–444**
**AllowScripts, ASPxHtmlEditor,
 442–443**

american.xlg, 459, 460

And

- condition groups, 20
- FilterRow, 15
- FilterRowMenu, 15
- XpoDataSource, 15

animation, 202

AppearAfter, ASPxMenu, 242

AppearAfterTextBox, 254

AppendMode, ASPxTreeList, 112

Application_End, 586

Application_Error, 53, 586, 589

ApplicationManager, 583

Application_Start, 586

- GetDataStoreSchema, 378
- Global.asax, 371-372

AppointmentId

- AppointmentInserting, 306
- ASPxScheduler, 292-295

AppointmentInserting, 306

Appointments, ASPxScheduler, 286-287

appSettings, web.config, 22

<appSettings>

- <configuration>, 52
- DXCallbackErrorRedirectUrl, 52-53

App_Themes, 484-485

- Auto Format, 489

ArchiveKeyword, 384

- DataArchiver, 385
- UnitOfWork, 388

ArcScaleComponent

- DataBinding, 354
- needles, 347-349
- OnDataBinding, 341-342, 349-350

ArcScaleNeedleComponent

- ScaleID, 348
- Shader, 349

Area, PivotGridField, 404

AreaIndex, 404

Array, index, 315

Array.ForEach

- foreach, 65, 116-118
- Lambda expressions, 117-118

ArrayList, ASPxGridView, 55-58

.ashx, 104

- IHttpHandler, 161

ASP.NET

- Ajax, 509-510
- .ASPX, 22-23
- asynchronous computing, 509-529
- DataItemTemplate, 102-103
- expressions, 10
- HTML, 578
- lifecycle events, 577-591
- modal dialogs, 219-233
- PhotoControl, 103
- PhotoControl.ascx, 101
- reports, 555
- Web server controls, 467
- XtraReports, 555

ASPX

- ASPxGridView, 485-486
- ASPxMenu, 245-249
- ASPxNewsControl, 164-167
- ASPxPopupControl, 231-233
- ASPxSiteMapControl, 218-219
- ASPxTreeList, 140-142
- Auto Format, 485-488
- declarative programming, 140-142
- filter, 481
- FLV, 529
- images, 321
- <link>, 481
- ObjectDataSource, 303
- @OutputCache, 605-606
- PivotGridCustomTotals, 427-428
- <table>, 321
- UserControl, 319-321

.ASPX

- ASP.NET, 22-23
- DeletePerson, 44
- SQL, 36

ASPxBinaryImage

- ASPxGridView, 105-108
- Value, 106

ASPxButton

- ASPxPopupMenu, 273
- Cancel, 222-224
- Client-Side Events Editor, 221

- OK button, 221–222
- <table>, 252–256
- ASPxCallback, 5, 510**
 - Accept-Encoding, 47
 - asynchronous computing, 511–514
 - Export, 322
- ASPxCallbackPanel, 510**
 - Ajax, 450
 - ASPxGaugeControl, 333–337
 - ASPxLabel, 226–227
 - asynchronous computing, 514–519
 - images, 514
 - PerformCallback, 225–226
 - showModalDialog, 219–227
 - ValueChanged, 354
- ASPxCheckBox, 416**
- ASPxClientButton, 499**
- ASPxClientEdit, 231**
- ASPxClientHtmlEditor.Execute Command, 447**
- ASPxClientTreeList.SortBy, 135**
- ASPxCloudControl**
 - ASPxTextBox, 210–211
 - configuring, 208–212
 - properties, 211
 - social networking, 203–212
- ASPxComboBox, 354**
- ASPxDataDeletingEventArgs, Values, 47**
- ASPxDataDeletingEventArgs.Keys, 47**
- ASPxDataView, 152–155**
 - ASPxNewsControl, 152, 157
 - Eval, 154–155
 - QueryBuilder, 154
- ASPxDateNavigator**
 - ASPxScheduler, 310–311
 - multiple months, 311–314
 - Properties.Properties, 311–314
 - WorkWeek, 310
- ASPxDateScheduler, 310**
- ASPxFilterControl, 16, 21, 428–430**
- ASPxGaugeControl, 325–357**
 - ASPxCallbackPanel, 333–337
 - binding, 341–357
 - Callback, 337–338, 339
 - Clean White, 326, 328–332
 - Data Source Configuration Wizard, 341
 - Label, 345–347
 - needles, 347–349
 - OnDataBinding, 349
 - Page_Load, 337–338, 339
 - Preset Manager, 326
 - XML, 333
- ASPxGridView**
 - advanced computing, 35–108
 - Ajax, 3, 4–6, 32, 607
 - ArrayList, 55–58
 - ASPX, 485–486
 - ASPxBinaryImage, 105–108
 - ASPxPopupControl, 439
 - ASPxPopupMenu, 88–89
 - ASPxSummaryItem, 25–32
 - Auto Format, 33
 - binding, 6–12
 - changes, 35–47
 - ClientInstanceName, 189
 - ClientSideEvents, 87–95
 - ContextMenu, 89–90
 - cp, 95
 - CSS, 33
 - CustomCallback, 250, 438–439
 - CustomColumnSort, 70
 - CustomSummaryCalculate, 29
 - data groups, 23–25
 - DataBind, 56
 - DataSourceID, 71, 493
 - declarative programming, 36
 - Default.aspx, 606
 - <div>, 9
 - editing, 6–12
 - EnableCallbackCompression, 5, 47
 - EnableCallbacks, 47
 - exporting, 71–78
 - filtering, 12–23
 - GridViewDataTextColumn, 100
 - horizontal scrolling, 96–99
 - images, 105–108
 - JavaScript, 32
 - LINQ, 32
 - List, 58–66

ASPxGridView (Continued)

- Master Detail, 78–80
- nesting, 3
- PageIndex, 96
- programming, 3–33
- RowDeleting, 46–47
- SelectionChanged, 30
- Settings.ShowFilterRow, 12–13
- skins, 494–495
- sorting, 23–25
- SqlDataSource, 611
- summary values, 25–32
- VIEWSTATE, 4–5
- ASPxGridView1.Perform**
 - Callback(), 30**
- ASPxGridViewClientJSPProperties**
 - EventArgs, 95**
- ASPxGridViewExporter,**
71–78
 - Click, 73
 - CSV, 71
 - custom exporters, 75–78
 - OutOfMemoryException, 71
 - PDF, 71
 - RenderBrick, 73–74
 - RTF, 71
 - XLS, 71
 - XtraPrinting, 71
- ASPxGridViewExporter.WriteCsv, 71**
- ASPxGridViewExportRendering**
 - EventAr, BrickStyle, 73**
- ASPxGridView.FilterExpression, 21**
- ASPxGridView.Settings**
 - filter row, 14
 - header filter, 16
- ASPxGridView.Settings.Cookies**
 - .Enabled, 85–87**
- ASPxGridView.Settings**
 - .ShowFilterBar**
 - Auto, 21
 - Hidden, 21
 - Visible, 16, 21
- ASPxGridView.Settings**
 - .ShowFilterMenu, 14**
- ASPxGridView.Settings**
 - .ShowFooter=true, 25**

- ASPxGridView.Settings**
 - .ShowGroupedColumns, 24–25**
- ASPxGridView.Settings**
 - .ShowGroupPanel, 23**
- ASPxGridView.Settings**
 - .ShowHeaderFilterButton, 16**
- ASPxGridView.Settings**
 - .VerticalScro, Virtual, 192–193**
- ASPxGridView.TotalSummary**
 - ASPxSummaryItem, 26
 - Editor Form, 25–26
- ASPxHeadline, 157**
- ASPxHtmlEditor, 441–464**
 - Ajax, 448–451
 - AllowIFrames, 443–444
 - AllowScripts, 442–443
 - CSS, 451–458
 - form elements, 444
 - iframes, 443–444
 - scripts, 442–443
 - spell checking, 458–463
 - toolbars, 445–451
 - views, 444
- ASPxHtmlEditor.SettingsHtml**
Editor, 444
- ASPxHtmlEditor**
 - .SettingsSpellChecker**
 - .Dictionaries, 459**
- ASPxHttpHandlerModule**
 - ASPxTreeList, 135
 - callbacks, 47–55
 - postbacks, 49
 - web.config, 51–52
- ASPxImage, 118**
 - ASPxPageControl, 283
 - background-image, 278–279
 - DataCell, 122
- ASPxLabel, 118–119, 177**
 - ASPxCallbackPanel, 226–227
 - DataCell, 122
 - GetValue, 187
 - <table>, 321
 - Text, 144
- ASPxListBox, 534**
- ASPxMenu**
 - AppearAfter, 242

- ASPX, 245–249
- Auto Format, 240
- AutoSeparators, 240–241
- code-behind, 244–245
- DisappearAfter, 242
- EnableAnimation, 243
- GutterWidth, 251
- images, 265
- ItemTemplate, 244
- ItemTextTemplate, 244
- MenuItem Editor, 236–237
- MenuItems, 243
- menus, 235–269
- RootItemTemplate, 244
- RootItemTextTemplate, 244
- SubMenuTemplate, 244
- toolbars, 268–269
- View, 314–315
- XML, 242
- XmlDataSource, 241–242, 259
- ASPxMenuOrientation**
 - Horizontal, 240
 - Vertical, 240
- ASPxMenu.ToolTipField, 241**
- ASPxNavBar, 169–203**
 - ActiveX, 184
 - Auto Format, 178
 - binding, 177–178
 - ClientSideEvents, 179
 - configuring, 178–179
 - Drives, 180, 185–187
 - Favorites, 180
 - Folders, 180
 - groups, 181–182
 - ItemTextTemplate, 184–185
 - JSProperties, 183–184
 - nesting, 182–188
 - Text, 181
 - web.config, 203
- ASPxNavBar.EnableAnimation, 202**
- ASPxNavBar.EnableClientSideAPI, 188**
- ASPxNewsControl**
 - Ajax, 163
 - ASPX, 164–167
 - ASPxDataview, 152, 157
 - ASPxHeadline, 157
 - books, 157–161
 - images, 161–167
 - ItemDataBound, 163
 - SqlDataSource, 167
- ASPXObjectContainer, 519–529**
- ASPxPageControl, 277–283, 533**
 - ASPxImage, 283
 - ASPxTabControl, 280
 - <div>, 283
 - TabPage, 283
- ASPxPageControl.EnableCallback, 280**
- ASPxPivotGrid, 391–439**
 - AccessDataSource, 394, 439
 - axis values, 415–418
 - calculating values, 423–428
 - code-behind, 414–415
 - ColumnArea, 393, 394–399
 - Configure Data Source Wizard, 393
 - CustomSummary, 400–403
 - CustomTotals, 426–427
 - DataArea, 393, 394–399
 - Drill Down, 436–439
 - exporting, 406–409
 - Fields Area, 392–399
 - FilterArea, 393–399
 - filtering, 428–430
 - hierarchies, 418–423
 - multiple fields, 399–400
 - OLAP, 409–411
 - Query Builder, 393
 - relational data, 392–406
 - RowArea, 393, 394–399
 - RunningTotals, 423–425
 - sorting, 430–436
 - SummaryDisplayType, 405–406
 - SummaryType, 400, 423
 - WebChartControl, 411–415
- ASPxPivotGrid.Prefilter.Criteria, 430**
- ASPxPivotGrid.Prefilter.CriteriaString, 430**
- ASPxPivotGrid.SortMode, 431**

ASPxPopupControl

- ASPX, 231–233
- ASPxGridView, 439
- login, 227–233

ASPxPopupMenu, 270–272

- ASPxButton, 273
- ASPxGridView, 88–89
- ClientSideEvents, 273–277
- ContextMenu, 89
- implementing behavior, 89–94
- ItemClick, 91–92
- MenuItem, 89
- objectType, 90
- SortBy, 91

ASPxPopupMenuPopupAction, 88

ASPxProgressBar, 185–187

ASPxRoundPanel, 178–179, 181, 249

- code-behind, 218
- ContentPadding, 268–269
- DayView, 316
- HeaderText, 181, 321

ASPxScheduler, 285–325

- AccessDataSource, 288–295
- AppointmentId, 292–295
- Appointments, 286–287
- ASPxDateNavigator, 310–311
- BeforeExecuteCallback
 - Command, 324
- binding, 295–308
- BindingList<T>, 299
- caching, 299
- ClientInstanceName, 314, 315
- context menu, 294
- CRUD, 290
- embedded, 315
- exporting, 322–325
- GroupType, 315–316
- holidays, 309–310
- @IDENTITY, 292
- inserts, 292–295
- Lambda expressions, 299
- List Bound Mode, 306–308
- navigation, 286–287
- Parallel.ForEach, 299
- programming, 304–305
- RaiseCallback, 323

- @Register, 322
- Resources, 286–287
- StartDate, 287
- Storage, 286
- <table>, 316
- templates, 316–322
- UserControl, 316–321
- view types, 308–314
- XPO, 295

ASPxScheduler.AppointmentRow Inserted, 294

ASPxScheduler

- .AppointmentRowInserting, 294

ASPxScheduler.Appointments Inserted, 294

ASPxSchedulerDataInserted

- EventArgs.KeyFieldValue, 294

ASPxSchedulerStorage, 286

- FillResources, 305

ASPxSiteMapControl, 212–219

- ASPX, 218–219
- <div>, 170
- .sitemap, 212–214
- <table>, 170

ASPxSiteMapDataSource, 237–240

ASPxSiteMapDataSource

- .StartFromCurrentNode, 217

ASPxSpellChecker, 459

- embedded, 464

ASPxSpinEdit, 436

- GetText(), 250

ASPxSummaryItem, 31–32

- ASPxGridView, 25–32, 28
- ASPxGridView.TotalSummary, 26
- LINQ, 27–29
- Page_Load, 28, 30, 32
- SummaryItemType.Custom, 27

ASPxSummaryItem.DisplayFormat, 32

ASPxTabControl, 280

ASPxTextBox, 144

- ASPxCloudControl, 210–211
- code-behind, 210–211
- Edit Bindings, 146
- RequiredFieldValidator, 228–230
- <table>, 252–256
- ValidationSettings, 228–230

- Web server controls, 467
- ASPxTimer, 498–499**
 - asynchronous computing, 510–519
 - ClientInstanceName, 510
 - ClientSideEvents, 510
 - Enabled, 510
 - Interval, 510
 - slideshowEngine, 516
- ASPxTitleIndex, XpoDataSource, 369–373, 375**
- ASPxTreeList, 109–152**
 - Ajax, 188
 - AppendMode, 112
 - ASPX, 140–142
 - ASPxHttpHandlerModule, 135
 - Cancel, 144–146
 - CancelEdit, 149
 - ClientInstanceName, 189
 - CRUD, 137
 - custom edit templates, 146–149
 - custom form templates, 142–149
 - DataBind, 110
 - DeleteNode, 149
 - Edit Template, 146
 - EditForm, 144
 - Enable Editing, 146
 - exporting, 150–152
 - folder.gif, 114
 - modifying, 136–150
 - multiple tables, 137–142
 - Page_Load, 113–114
 - paging, 135
 - programming, 149–150
 - SettingsEditing.Mode, 136, 147
 - sorting, 130
 - SqlDataSource, 139
 - StartEdit, 149
 - StartEditNewNode, 149
 - Templates, 118–120
 - unbound columns, 111–112
 - unbound mode, 110–120
 - UPDATE, 146
 - Update, 144–146
 - UpdateEdit, 149
 - virtual mode, 120–124
- ASPxTreeList.AppendNode, 110**
- ASPxTreeList.AutoGenerateColumns, 112**
- ASPxTreeListDataCell, 118**
- ASPxTreeListExporter, 150–152**
- ASPxTreeList.FindEditFormTemplate, 150**
- ASPxTreeList.FocusedNodeChanged, 190–191**
- ASPxTreeList.ParentFieldName, 135**
- ASPxTreeListReplacement, 149**
- ASPxTreeList.SettingsBehavior.Sort, 135**
- ASPxTreeList.SettingsPager.Mode, 135**
- ASPxTreeListTemplateReplacement, 145–146**
 - EditForm, 147
 - ReplacementType, 147
 - UpdateButton, 147
- AssemblyName, 383**
- asynchronous computing**
 - ASP.NET, 509–529
 - ASPxCallback, 511–514
 - ASPxCallbackPanel, 514–519
 - ASPxTimer, 510–519
 - callbacks, 511
- at-rule styles, CSS, 472**
- AuthenticateRequest, 584**
- AuthorizeRequest, 584**
- Auto, ASPxGridView.Settings.ShowFilterBar, 21**
- Auto Format**
 - App_Themes, 489
 - ASPX, 485–488
 - ASPxGridView, 33
 - ASPxMenu, 240
 - ASPxNavBar, 178
- AutomaticTotals, 426**
- AutoPostBack, 202**
 - ASPxCheckBox, 416
- AutoSeparators**
 - ASPxMenu, 240–241
 - MenuItems, 252
- Average, 27**
 - SummaryType, 26, 400
- Avg, Summary.Func, 554**

axis values

ASPxPivotGrid, 415–418
groups, 416–417

B

****, 444

BackColor, 470, 476

background-color, 476

background-image, 264, 265

ASPxImage, 278–279

bar chart, 537–538

colored, 546–547

BarDrawOptions, 549

Base.Oid, 383

BasicImage, 477

beautiful code, 129–130

BeforeExecuteCallbackCommand, 323

ASPxScheduler, 324

BeforePerformDataSelect, 79

BeforePrint, 552

PrintEventArgs.Cancel, 561

Visible, 560

BeginGroup, 252

BeginRequest, 584

BeginUpdate, 305

behavior, 474

CSS, 475–476, 479–481

DHTML, 479

BinaryOperator, UnitOfWork, 388

BinaryWrite, 163

binding

ASPxGaugeControl, 341–357

ASPxGridView, 6–12

ASPxNavBar, 177–178

ASPxScheduler, 295–308

ASPxSiteMapDataSource, 237–240

SqlDataSource, 124–135

XML, 177–178

BindingList<T>

ASPxScheduler, 299

List<T>, 299

_blank, 237

BottomMargin, 552

Bound, 403–404

bound fields, 403

BrickStyle, 73

BrowsableAttribute(true), 16

.browser, 600

<browser>, MyPageAdapter, 600–601

BuildSiteMap, 217

buttonMoveNext, 517

"buttons", <div>, 515

C

C#, MSIDXs, 211–212

Cache.Insert, 611

CacheItemUpdateCallback, 612–613

Cache.NoSlidingExpiration, 612

CacheProfile, 606

Cache.Remove, 612

CacheReportDocument, 567

caching, 601–613

Add, 613

application data, 608–613

ASPxScheduler, 299

connectionStrings, 611

expiration policy, 611–612

ID, 164

images, 163–167

ItemDataBound, 164

multiple page versions, 607–608

parts of page, 608

removal notification, 612–613

reports, 567–568

Calculate, 29

calendar. See **ASPxScheduler**

Calendar, 18

Callback

ASPxGaugeControl, 337–338, 339

EventArgs, 511

StyleChangedHandler, 338–339, 341

callback(s). See **also ASPxCallback**

Ajax, 4, 30, 188–202

ASPxComboBox, 354

ASPxHttpHandlerModule, 47–55

asynchronous computing, 511

charts, 535

ClientSideEvents, 323

compression, 47

JavaScript, 31

- Page_Load, 451
- postbacks, 509
- real-time updates, 544
- CallbackComplete, 511, 512**
- CallbackError, 511, 512**
- CallbackEventArgsBase, 340**
- CallbackPanel, 339**
- CallbackParameterParser, 337, 338, 340–341**
 - OnStyleChanged, 341
- Cancel, ASPxButton, 222–224**
- Cancel, ASPxTreeList, 144–146**
- CancelEdit, ASPxTreeList, 149**
- Caption, 143–144**
 - PivotGridField, 404
- cascading style sheets (CSS), 202–203, 469–481**
 - accelerator, 478
 - ASPxGridView, 33
 - ASPxHtmlEditor, 451–458
 - at-rule styles, 472
 - behavior, 475–476, 479–481
 - class-based styles, 470–471
 - debugging, 505
 - element-based styles, 469–470
 - ID-based styles, 471–472
 - IE8, 473
 - !important, 476
 - menus, 259–268
 - style information, 468
 - Visual Studio, 263
 - zoom, 479
- CategoryName.PivotGridField, 416–417**
- @charset, 472**
- charts, 531–550**
 - callbacks, 535
 - ClientInstanceName, 534
 - creating, 533–540
 - EnableClientSideAPI, 534
 - ID, 534
 - LoadData, 536
 - multicolored, 546
 - real-time, 543–544
 - 3-D, 541
 - Visual Studio, 537
 - XML, 545
- CheckedChanged, 416–417**
- Child, 472**
- Choose Data Source Wizard, 131**
- class, 470**
- class-based styles, CSS, 470–471**
- Clean White, ASPxGaugeControl, 326, 328–332**
- Clear, 18**
- Click**
 - ASPxGridViewExporter, 73
 - PerformCallback, 513
- ClientInstanceName, 88**
 - ASPxClientButton, 499
 - ASPxGridView, 189
 - ASPxScheduler, 314, 315
 - ASPxTimer, 510
 - ASPxTreeList, 189
 - charts, 534
 - ClientSideEvents, 250
 - getElementById, 250
 - JavaScript, 188–189, 498
- Client-Side Events, ValueChanged, 534**
- Client-Side Events Editor, 30**
 - ASPxButton, 221
 - programming, 87–95
- ClientSideEvents, 30**
 - ASPxGridView, 87–95
 - ASPxNavBar, 179
 - ASPxPopupMenu, 273–277
 - ASPxTimer, 510
 - callbacks, 323
 - ClientInstanceName, 250
 - CustomCallback, 189–202
 - Init, 510
 - ItemClick, 191
 - JavaScript, 88, 498
 - pop-ups, 230–233
 - Tick, 510
- ClientVisible, 498**
- code-behind, ASPxTextBox, 210–211**
- code-behind, 578**
 - ASPxMenu, 244–245
 - ASPxPivotGrid, 414–415
 - ASPxRoundPanel, 218

- CodeRush, 58, 295–296**
 - ADO.NET, 129
- ColorPoint, 504**
- ColorPoint.prototype, 504**
- Column, editing, 11–12**
- ColumnArea, ASPxPivotGrid, 393, 394–399**
- ColumnASPxGridView, Custom Sort, 70**
- columnHeaderMenu, 88**
- Columns Editor Form, 70, 135**
- <Columns></Columns>, 493**
- Command and Parameter Editor, 45**
- command line, JavaScript, 95**
- CommandName, CustomToolBar Button, 447**
- compression**
 - callbacks, 47
 - IIS, 5
- Computer Management, 206**
- condition groups**
 - And, 20
 - filtering, 20–21
 - Or, 20
- conditional report bands, 560–561**
- <configuration>, 593**
 - <appSettings>, 52
 - web.config, 22
- Configure Data Source Wizard**
 - ASPxPivotGrid, 393
 - DELETE, 84
 - INSERT, 84
 - ORDER BY, 160
 - Tasks, 10
 - UPDATE, 84
- Configure the Select Statement, 132**
- ConnectionString, SqlDataSource, 77**
- connectionStrings**
 - caching, 611
 - web.config, 611
- ConstantLine, 547**
- ContactID, 140**
- Container.GetValue, 119**
- Container.Items, 321**
- Container.TabPage.Text, 279**
- Container.Tab.Text, 279**
- ContentPadding, ASPxRoundPanel, 268–269**
- ContentTemplate, 187–188**
- context menu**
 - ASPxScheduler, 294
 - Google Chrome, 94
 - IE8, 93
- context_Error, EventHandler, 55**
- ContextMenu**
 - ASPxGridView, 89–90
 - ASPxPopupMenu, 89
 - SortBy, 92
- CookieID, 86**
- cookies, 85–87**
 - Fiddler, 86–87
 - SessionID, 592
- Count, 27**
 - Summary.Func, 554
 - SummaryType, 400
- counter, 502**
- cp, ASPxGridView, 95**
- Create, Read, Update, and Delete (CRUD), 40**
 - ASPxScheduler, 290
 - ASPxTreeList, 137
 - EditForm, 147–149
 - ObjectDataSource, 300–301
- Create Filter, 19–20**
- CREATE TABLE, 157, 159**
- CreateDrillDownDataSource, 436**
- CreateNodes**
 - Directory, 114
 - Refactor! Pro, 114–116
- CreateUnboundSiteMapProvider, 217**
- Criteria, XpoDataSources, 376–377**
- CriteriaCollection, XpoDataSources, 376–377**
- <CriteriaParameters>, 377**
- cross-content updates, 188**
- crosstab reports, 406–409**
- CRUD. See Create, Read, Update, and Delete**
- CSS. See cascading style sheets**
- CssClass, 470**
- CSV**
 - ASPxGridViewExporter, 72

XtraReports, 555

Custom

- ASPxPivotGrid.SortMode, 431
- SummaryType, 27, 400

custom exporters,

- ASPxGridViewExporter, 75–78**

custom summaries, 27–29

CustomCallback

- ASPxGridView, 250, 438–439
- ClientSideEvents, 189–202
- dependent controls, 188–202
- TreeList.PerformCallback, 192–193

CustomCallback TreeList

- .PerformCallback, 192–193**

CustomColumnSort, ASPxGridView, 70

CustomColumnSortEventArgs

- .Handled, 70**

CustomCsvExporter, 77–78

CustomDraw, 545

CustomDrawSeriesPoint, 545

CustomFieldSort, 432–434

- StripAlphaCharacters, 435

CustomGroupInterval, 416–417

CustomHttpHandler, 54–55

CustomJSProperties, 95–96

CustomSort, ColumnASPxGridView, 70

CustomSummary, ASPxPivotGrid, 400–403

CustomSummaryCalculate, 27

- ASPxGridView, 29
- CustomSummaryProcess
 - .Calculate, 30**
 - e.totalValue, 32**
 - Finalize, 28**
 - Start, 28**

CustomSummaryEventArgs, 29

CustomSummaryEventArgs.Total, 29

CustomSummaryProcess.Calculate, 30

CustomToolBarButton, 446

- CommandName, 447

CustomTotals, ASPxPivotGrid, 426–427

CustomUnboundColumnData, 67

CustomUnboundFieldData, 405

D

Data

- for, 434
- SortOrder, 11

data series, 533

Data Source Configuration Wizard, 6–9

- ASPxGaugeControl, 341

data warehousing, 409

DataArchiver, 383

- ArchiveKeyword, 385
- UnitOfWork, 386–388

DataArchiver.Archive.Archive, SetSqlServerDatabase, 388

DataArea, ASPxPivotGrid, 393–399

DataBind, 354

- ASPxGridView, 56
- ASPxTreeList, 110

DataBinding, ArcScaleComponent, 354

DataCell, 118

- ASPxImage, 122
- ASPxLabel, 122

DataItemTemplate, 100, 106

- ASP.NET, 102–103

DataObjectTypeName, ObjectData Source, 302

DataRowView, item, 29

DataSource

- GridView, 597
- IBindingListReport, 557–559
- SQLDataAdapter, 555–556
- XML, 559–560

DataSourceID

- ASPxGridView, 71, 493
- <div>, 9
- SqlDataSource, 8

DataTable, GetData, 176

datetime, Calendar, 18

DAvg, Summary.Func, 554

Day, 308–314

DayView

- ASPxRoundPanel, 316–317
- templates, 316–322
- UserControl, 322
- VerticalAppointmentTemplate, 316–317

- dbo, FROM, 106**
 - DCount, Summary.Func, 554**
 - Debug.Assert, 48**
 - debugger, 94**
 - debugging**
 - CSS, 505
 - HTML, 505
 - JavaScript, 31, 94–95, 505
 - Visual Studio.NET, 94
 - declarative programming**
 - ASPX, 140–142
 - ASPxGridView, 36
 - SQL, 140–142
 - SqlDataSource, 36
 - StoredProcedure, 41–46
 - write procedures, 36–41
 - Default.aspx, 101, 569**
 - ASPxGridView, 606
 - XpoDataSource, 606
 - DefaultSession, 369**
 - deflate, 5**
 - delegates, 578**
 - DELETE, Configure Data Source Wizard, 84**
 - DeleteCommand, 36**
 - SqlDataSource, 44
 - DeleteCommandType, 44**
 - DeleteNode, ASPxTreeList, 149**
 - <DeleteParameters>, 36**
 - DeletePerson, 41**
 - .ASPX, 44
 - DeleteQuery, 45**
 - dependent controls, CustomCallback, 188–202**
 - Detail, 552**
 - DetailBand, 553**
 - DetailReport, 552**
 - DetailRow, Edit Template, 78**
 - DHTML. See Dynamic HTML**
 - Diagram, XYDiagram, 547**
 - Dictionary**
 - Map, 124
 - Session, 124
 - Dictionary<string, object>, 95**
 - Directory, CreateNodes, 114**
 - Directory.GetDirectories, 114**
 - DisappearAfter, ASPxMenu, 242**
 - DisplayFormat, 26**
 - DisplayText, 431**
 - div, 469**
 - <div>**
 - ASPxGridView, 9
 - ASPxPageControl, 283
 - ASPxSiteMapControl, 170
 - "buttons", 515
 - DataSourceID, 9
 - embedded, 515
 - horizontal scrolling, 96–98
 - pop-ups, 219
 - site maps, 212
 - style information, 466
 - .TabbedMenu, 264
 - !DOCTYPE, 478**
 - <!DOCTYPE>, 260**
 - document type definitions (DTD), 172, 260**
 - accesskey, 478
 - DotNetNuke, 468**
 - DownloadString, 597**
 - Drill Down, ASPxPivotGrid, 436–439**
 - drill-through reports, 563–566**
 - Drives**
 - ASPxNavBar, 180, 185–187
 - Page_Init, 187
 - DStdDev, Summary.Func, 554**
 - DStdDevP, Summary.Func, 554**
 - Dsum, Summary.Func, 554**
 - DTD. See document type definitions**
 - Dump, IEnumerable, 64**
 - Duration, @OutputCache, 606**
 - DVar, Summary.Func, 554**
 - DVarP, Summary.Func, 554**
 - DXCallbackErrorRedirectUrl, 52–53**
 - DXImageTransform, 265**
 - Dynamic HTML (DHTML), 475**
 - behavior, 479
 - dynamic predicates, Filter Bar, 16–21**
- ## E
- e, 535**
 - Edit Bindings, ASPxTextBox, 146**
 - Edit Template**
 - ASPxTreeList, 146

- DetailRow, 78
- EditForm, 143
- EditForm, 136**
 - ASPxTreeList, 144
 - ASPxTreeList.FindEditForm
 - TemplateControl, 150
 - ASPxTreeListTemplate
 - Replacement, 147
 - CRUD, 147–149
 - Edit Template, 143
 - embedded, 136
- EditFormAndDisplayNode, 136**
 - embedded, 136
- EditFormAndDisplayRow, 40**
- Editor Form**
 - ASPxGridView.TotalSummmmary, 25–26
 - Columns, 70
- e.Handled = true, 554**
- element-based styles, CSS, 469–470**
- else, FileInfo, 122**
- embed, 520**
- embedded forms/styles**
 - ASPxScheduler, 315
 - ASPxSpellChecker, 464
 - <div>, 515
 - EditForm, 136
 - EditFormAndDisplayNode, 136
 - Visual Studio, 475
- embedSWF, 522–523**
- Enable Deleting, 36**
- Enable Editing, 36**
 - ASPxTreeList, 146
- Enable Filtering, Tasks, 12–13**
- Enable Inserting, 36**
- EnableAnimation, ASPxMenu, 243**
- EnableCallbackCompression, ASPxGridView, 5, 47**
- EnableCallbacks**
 - animation, 202
 - ASPxGridView, 47
 - UpdatePanel, 5
- EnableClientSideAPI, 188, 497–498**
 - charts, 534
- Enabled**
 - ASPxTimer, 510
 - MenuItems, 237
- EnableHotTrack, MenuItems, 243**
- EndRequest, 585**
- EndUpdate, 305**
- End-User Report Designer, 572–575**
- english.aff, 459, 461–462**
- EnglishAlphabet.txt, 459, 460**
- <enter a value>, 19**
 - Equals, 18
- enum**
 - PivotGroupInterval, 416
 - strings, 255
- EnvDTE, 363**
- Environment, 184**
- Equals, <enter a value>, 18**
- e.Result, 554**
- ErrorMessage.aspx, 52–55**
- e=>this.Add(e), 299**
- e.totalValue, CustomSummary Calculate, 32**
- Eval, ASPxDataView, 154–155**
- EvenLogInstaller, 589**
- EventArgs**
 - Callback, 511
 - PivotCustomGroupInterval
 - EventArgs, 416
- EventArgs e, 349**
- EventHandler**
 - context_Error, 55
 - OnDataBinding, 349
- EventLog, 53, 588–590**
 - Visual Studio, 590
- ExecuteCore, 324**
- expiration policy, caching, 611–612**
- Export, ASPxCallback, 322**
- ExportAppointmentCallback Command, 323**
- EXPORTAPT, 323**
- exporting**
 - ASPxGridView, 71–78
 - ASPxPivotGrid, 406–409
 - ASPxScheduler, 322–325
 - ASPxTreeList, 150–152
- expression, 474**

eXtensible Markup Language (XML). See

also LINQ for XML

- ADO.NET, 175–176
- ASPxGaugeControl, 333
- ASPxMenu, 242
- ASPxSiteMapDataSource, 237–240
- binding, 177–178
- charts, 545
- DataSource, 559–560
- LINQ, 174–177
- LINQ for XML, 353–354
- navigation, 170–179
- site maps, 212–219
- siteMapNode, 242
- skins, 492
- tabbed menus, 257–258
- XDocument, 385

eXtensible Stylesheet Language

Transformations (XSLT), 172

extension methods, .NET, 352

eXtra Persistent Objects (XPO), 55, 361–362

- ADO.NET, 58
- ASPxScheduler, 295
- Persistent Classes, 381
- Persistent Objects, 373–378

F

Favorites

- ASPxNavBar, 180
- JSPproperties, 182

Fiddler

- Accept-Encoding, 5–6
- cookies, 86–87
- HTTP, 47
- IIS, 582

Field, 434

fieldCategoryNameCaption, 416

FieldName, 73

- hierachies, 422–423

Fields Area, ASPxPivotGrid, 392–399

Fields Editor Form, 394–395

FILE_ICON, 115

FileInfo

- else, 122

- GetIcon, 115

- if, 117

- where, 114

FileStream, 71

- iCalendarExporter, 322, 324

FileSystem, MSIDX, 207

FillResources, ASPxScheduler Storage, 305

FillStyle, 549

FillStyle.Options, 549

filter, 474

- ActiveX, 476

- ASPX, 481

- JavaScript, 477

Filter Bar

- Create Filter, 19–20

- dynamic predicates, 16–21

- Header Filter Button, 18

- web.config, 22

Filter Builder

- drag and drop, 21

- Or, 20

filter rows, 12–15

- menu, 14–15

- TextBox, 12

- wildcards, 14

FilterArea, ASPxPivotGrid, 393–399

filtering, 12–23

- ASPxGridView, 12–23

- ASPxPivotGrid, 428–430

- condition groups, 20–21

- Header Filter Button, 16

- Or, 19–20

- programming, 21–22

- web.config, 22–23

- XPath, 177

FilterRow, 15

FilterRowMenu, 15

FilterString, 568

Finalize, 29

- CustomSummaryCalculate, 28

- CustomSummaryEventArgs

- .Total, 29

FindByName, 445

:first-letter, 472

:first-line, 472

Flash, ObjectProperties,
 520–521, 529
Flash Video (FLV), 529
 ASPX, 529
 ObjectUrl, 529
FlashVars, 529
FLV. See Flash Video
folder.gif, ASPxTreeList, 114
FOLDER_ICON, 115
Folders, ASPxNavBar, 180
@font-face, 472
footer, 472
footers, summary values, 25
for, Data, 434
ForceClearOnRestore, 339
foreach, Array.ForEach, 65,
 116–118
form elements, ASPxHtmlEditor, 444
FormatString, 369
 ASPxPivotGrid, 404
FREETEXT, 207
FROM, dbo, 106
from, LINQ, 29
from DataRowView item in en, 29
from item in g, 176

G

GanttDiagram, 538
Gauge, 410
gauges. See ASPxGaugeControl
GDI+, 249
GetCallbackResult, 451
getCounter, 502
GetData, DataTable, 176
GetDataStoreSchema
 Application_Start, 378
 typeof, 374, 378
GetDriveLabel, 187
getElementById, 250
GetEventIndex, 299
GetFiles, 114
GetHeaderText, 321
GetIcon, 115
GetInventory(), 567
GetLastError, try...catch, 55

GetListSourceColumnValue, 435
GetMenuCollection, JavaScript, 254
GetMessage, InnerException, 55
GetNextPoint, 544
GetText(), ASPxSpinEdit, 250
GetValue
 ASPxLabel, 187
 TreeNode, 113
Girdview.DataBind, 597
Global.asax, 586
 Application_Start, 371–372
 @OutputCache, 604–605
Global.asaxApplication_Error, 53
Google Chrome, 94
Gradient, 549
GradientFillOptionsBase, 549
graphs, 531–550
Grid.PerformCallback, 191
GridView. See also ASPxGridView
 DataSource, 597
GridViewDataTextColumn, ASPxGrid
 View, 100
GridViewRowType, 73
Group, Summary.Running, 554
group item, 29
GroupFooter, 552
GroupHeader, 552
 XRTTable, 554
GroupHeaderBand.GroupUnion, 554
GroupHeaderBand.RepeatEvery
 Page, 554
GroupInterval, PivotGridField, 416
GroupName, MenuItems, 237
groups, 23–25
 ASPxNavBar, 181–182
 axis values, 416–417
 condition, 20–21
GroupType, ASPxScheduler, 315–316
GUID, 124
GutterWidth, ASPxMenu, 251

H

h1, 469
Handled, 434
Handler, 100

- Handler.ashx, , 100**
 - handler.ashx, 162**
 - <head>, 468**
 - meta tags, 473
 - Header Filter Button**
 - Filter Bar, 18
 - filtering, 16
 - HeaderStyleBackColor, .skin, 491**
 - HeaderText**
 - ASPxRoundPanel, 181, 321
 - runtime visual effects, 545
 - Hidden, ASPxGridView.Settings**
 - .ShowFilterBar, 21
 - HideContentOnCallback, 515**
 - HideOverlapped, 541**
 - hierarchies**
 - ASPxPivotGrid, 418–423
 - FieldName, 422–423
 - PivotGridField, 418
 - SELECT, 419
 - sorting, 135
 - holidays, ASPxScheduler, 309–310**
 - Horizontal, ASPxMenuOrientation, 240**
 - horizontal scrolling**
 - ASPxGridView, 96–99
 - <div>, 96–98
 - HorizontalPosition, 241**
 - HostingEnvironment, 583**
 - hotkeys, 478**
 - :hover, 473**
 - href, 237**
 - HTML. See also Dynamic HTML**
 - ASP.NET, 578
 - debugging, 505
 - LayoutAppointmentImages, 321
 - RaiseCallbackEvent, 451
 - reports, 553
 - style information, 466
 - templates, 118
 - Web controls, 280
 - XtraReports, 555
 - zoom, 480
 - <html>**
 - pop-ups, 219
 - site maps, 212
 - HtmlEditorToolbar, 445**
 - HtmlEditorToolbarButtonBase, 446**
 - HtmlImage, 100**
 - HtmlTableCell, 321**
 - HtmlTableRow, 321**
 - HTTP**
 - Fiddler, 47
 - IHttpModule, 49
 - HttpApplication, 53, 584**
 - PhotoControl, 100
 - HttpApplication.Error, 53**
 - HttpApplication.Filter, 585**
 - HttpContext, 584**
 - Response, 163
 - <httpModules>, 53**
 - HttpRequest, 584**
 - HttpRequest.QueryString, 162**
 - HttpResponse, 584**
 - IHttpHandler, 161
- I**
- IBindingListReport, DataSource, 557–559**
 - iCalendarExporter, 322–325**
 - FileStream, 322, 324
 - iCalendarImporter, 322–325**
 - ID**
 - caching, 164
 - charts, 534
 - HttpRequest.QueryString, 162
 - images, 164
 - Page, 404
 - PivotGridField, 404
 - XpoDataSource, 377–378
 - id, load, 524**
 - IDataStore, 372**
 - ID-based styles**
 - CSS, 471–472
 - img, 481
 - @@IDENTITY, ASPxScheduler, 292**
 - IDTExtensibility2, 363**
 - IE8. See Internet Explorer 8**
 - IEnumerable**
 - Dump, 64
 - SqlDataSource.Select, 29

- IEnumerable<T>**, 352, 385
- if**, **FileInfo**, 117
- iframes**, **ASPxHtmlEditor**, 443–444
- IGaugeContainer**. **IGaugeContainer**, 339
- IHttpAsyncHandler**
 - .BeginProcessRequest**, 585
- IHttpHandler**
 - .ashx**, 161
 - Handler**, 100
 - HttpResponse**, 161
 - ImageUrlField**, 161
 - ProcessRequest**, 100
- IHttpHandler.ProcessRequest**, 162
- IHttpModule**
 - HTTP**, 49
 - <httpModules>**, 53
- IIS**
 - compression**, 5
 - Fiddler**, 582
 - upgrading**, 581–583
 - Visual Studio**, 580
- ImageID**, 161–162
- images**
 - ASPX**, 321
 - ASPxCallbackPanel**, 514
 - ASPxGridView**, 105–108
 - ASPxMenu**, 265
 - ASPxNewsControl**, 161–167
 - caching**, 163–167
 - ID**, 164
 - ItemDataBound**, 164
 - queries**, 162–163
 - skins**, 484
 - storing**, 99–105
- ImageUrl**, 119, 241, 279
- Image.Url**, 237
- ImageUrlField**, 161
 - IHttpHandler**, 161
- img**, **ID-based styles**, 481
- **, 477
 - Handler.ashx**, 100
 - Src**, 161
 - src**, 161
- imperative programming**, **ADO.NET**, 36
- @import**, 466, 472
- !important**, 474
 - CSS**, 476
- index**, **Array**, 315
- Init**
 - ClientSideEvents**, 510
 - HttpApplication.Error**, 53
 - timer**, 499–500
- init**, 502
- InitComplete**, 590
- InitializeSystem**, 543
- Inline**, **SettingsEditing.Mode**, 136
- inline styles**, 466–467
 - Visual Studio**, 475
- InnerException**, 55
- InProc**, 593
- input**, 478
- <input>**, 478
- INSERT**, **Configure Data Source Wizard**, 84
- Insert**, **recursion**, 130
- InsertCommand**, 36
- InsertPerson**, 42–43
- inserts**, **ASPxScheduler**, 292–295
- Installer**, 588–589
- instrumenting code**, 589
- interface definition**, 450
- Internet Explorer 8 (IE8)**
 - ActiveX**, 184
 - context menu**, 93
 - CSS**, 473
 - Visual Studio**, 505
- Interval**, **ASPxTimer**, 510
- introduction**, 470, 476
- InventoryItem**, 557
- Is greater than**, 15
- IsCallback**, **Page_Load**, 50
- IsDeleted**, 369
- IsDetailGrid**, 79
- item**, **DataRowView**, 29
- ItemBackgroundHover.gif**, **<table>**, 265
- ItemBeginText**, 211
- ItemClick**
 - ASPxPopupMenu**, 91–92
 - ClientSideEvents**, 191

ItemDataBound

- ASPxNewsControl, 163
- caching, 164
- images, 164

ItemEndText, 211

ItemTemplate, ASPxMenu, 244

ItemTextTemplate

- ASPxMenu, 244
- ASPxNavBar, 184–185

J

JavaScript, 87, 497–505

- Ajax, 4
- ASPxGridView, 32
- callbacks, 31
- ClientInstanceName, 188–189, 498
- client-side functionality, 497–498
- ClientSideEvents, 88, 498
- command line, 95
- debugging, 31, 94–95, 505
- filter, 477
- GetMenuCollection, 254
- JSPProperties, 179
- numbers, 254
- pop-ups, 219, 272–273
- showModalDialog, 219–227
- strings, 254
- typeof, 500
- var, 500

JavaScript Object Notation (JSON), 221

JSON. See JavaScript Object Notation

JSPProperties

- ASPxNavBar, 183–184
- Favorites, 182
- JavaScript, 179

K

Key, 431

key performance indicators (KPI), 409

KeyFieldName, 493

Keys, 47

KPI. See key performance indicators

KPIGraphic, 410

L

Label, ASPxGaugeControl, 345–347

Label, SideBySideSeriesLabel, 547

Label Report, 566–567

Lambda expressions, 65

- Array.ForEach, 117–118
- ASPxScheduler, 299
- extension methods, 352

Language Integrated Query (LINQ). See also

LINQ for XML

- extension methods, 352
- object dumpers, 64–65
- PLINQ, 65
- var infos, 114
- WebClient, 597–598
- XML, 174–177

lastInsertedAppointmentId, 294

LayoutAppointmentImages, HTML, 321

LDAP. See Lightweight Directory Access Protocol

LegManifestID, 32

length, 504

let, properties, 65

Levenstein distance, 459

Lightweight Directory Access Protocol (LDAP), 174

line chart, “on demand” charts, 538–539

:link, 473

<link>, 468

- ASPX, 481

LinkButton, ASPxTreeList

- Replacement, 149

LINQ. See Language Integrated Query

LINQ

- from, 29
- ASPxGridView, 32
- ASPxSummaryItem, 27–29
- CustomSummaryEventArgs.Total, 29
- result, 29

LINQ for XML, 172, 384

- Tweet class, 384–385
- XML, 353–354
- XPath, 177

List, 129

ASPxGridView, 58–66
List Bound Mode, ASPxScheduler,
306–308
List<Data>, Page_Load, 434
ListSourceRowIndex, 435
List<T>, BindingList<T>, 299
Load, 590
load, id, 524
LoadComplete, 590
LoadData, charts, 536
Loading, Page_Load, 49
Location, 606
login
 ASPxPopupControl, 227–233
 required fields, 229–230
LogRequest, 581, 585

M

mail merge report, 567
Manage and Apply Styles, Visual Studio,
482–484
Map, Dictionary, 124
MapRequestEventHandler, 585
MapRequestHandler, 581
Master Detail
 ASPxGridView, 78–80
 report, 561–563
MasterSourceID, ASPxDateScheduler,
310
MatchCollection, 340–341
Max, 27
 SummaryType, 400
@media, 472
Median, Summary.Func, 554
Medium Trust, 541
MenuItem, ASPxPopupMenu, 89
MenuItem Editor
 ASPxMenu, 236–237
 Text, 237
MenuItems
 ASPxMenu, 243
 AutoSeparators, 252
 Enabled, 237
 EnableHotTrack, 243
 GroupName, 237

 Page_Load, 243
 Selected, 237
 templates, 244
 ToolTip, 241–242
 Visible, 237
menus
 ASPxMenu, 235–269
 CSS, 259–268
 tabbed, 257–268
meta tags, <head>, 473
MHT, XtraReports, 555
Microsoft indexing Service (MSIDX),
204–206
 C#, 211–212
 FileSystem, 207
 queries, 207–208
 SELECT, 207
 SQL Server, 207
Min, 27
 Summary.Func, 554
 SummaryType, 400
mining, 409
modal dialogs
 ASP.NET, 219–233
 showModalDialogs, 224–225
modifying, ASPxTreeList,
136–150
module pattern, 502
Month, 308–314
MonthView, templates, 316–322
MotionBlur, 477
moveNext, 518
movePrev, 517
movePrior, 518
MSIDX. See Microsoft indexing Service
MSSqlConnectionProvider
 .GetConnectionString, 381
multicolored chart, 546
 Page_Load, 547–548
multimedia, 519–529
multiple rows, 30
MyApp, 589
MyInstaller, 589
MyPageAdapter, <browser>,
600–601
MyTheme, 495–497

N**Name, 347****NavigateUrl, 237****navigation**

ASPxScheduler, 286–287

XML, 170–179

navigation bar, 169–203**needles**

ArcScaleComponent, 347–349

ASPxGaugeControl, 347–349

<Needles>, 347**nesting**

ASPxGridView, 3

ASPxNavBar, 182–188

ContentTemplate, 187–188

UserControls, 78

.NET, extension methods, 352**new, 500****new{ }, 29****<New Data Source>, 6****news, 155–167****NodeObject, VirtualModeCreate
Children, 122****None, 431**

Summary.Running, 554

NoSlidingExpiration, 611**NoStore, 606****NumberChanged, 436****NumberOfTotal, 554****numbers**

JavaScript, 254

strings, 254

O**Object, 503****object dumpers**

LINQ, 64–65

Reflection, 63–64

TextWriter, 65

Object Management Group (OMG), 476**Object Relational Mapping, 363–369****object sender, 349****ObjectDataSource, 300–304**

ASPX, 303

CRUD, 300–301

DataObjectName, 302

ObjectDataSource.InsertMethod, 301**ObjectProperties, Flash,
520–521, 529****objects, ASPxComboBox, 354****objectType, ASPxPopupMenu, 90****ObjectUrl**

FLV, 529

src, 520

OID, 383**OK button, ASPxButton, 221–222****OLAP. See online analytical processing****OMG. See Object Management Group****“on demand” charts, 533–540**

bar chart, 537–538

line chart, 538–539

pie chart, 539–540

OnDataBindingArcScaleComponent, 341–342,
349–350

ASPxGaugeControl, 349

EventHandler, 349

OnItemDataBound, 211**online analytical processing****(OLAP), 392**

ASPxPivotGrid, 409–411

onmouseover, 479**OnStyleChanged,**

CallbackParameterParser, 341

onYouTubePlayerReady, 523**OpenGL, 541****OPENQUERY, 207****OptionsCustomization**

.AllowSort, 430

OptionsCustomization.

AllowSortBySummary, 430

Or

Add Condition, 19

condition groups, 20

Filter Builder, 20

filtering, 19–20

WHERE, 20

**ORDER BY, Configure Data Source
Wizard, 160****OrderedDictionary, 47**

Outlook, 324–325

OutOfMemoryException,
ASPxGridViewExporter, 71

@OutputCache, 602–607

ASPX, 605–606
 Duration, 606
 Global.asax, 604–605
 Persistent Classes, 602–603

P

p, 469

<p>, 467, 469

Page

ID, 404
 Summary.Running, 554

@Page

@Register, 322
 ViewState, 591

@page, 466, 472**PageAdapter**

SessionPageStatePersister, 600
 ViewState, 596–601

PageFooter, 552**PageHandlerFactory, 585****PageHeader, 552****PageIndex, ASPxGridView, 96****PageInfo, 554****Page_Init**

Drives, 187
 XpoDataSource, 373
 XpoDataSource.Session, 372–373

page-level events, 590–591**Page_Load**

ASPxGaugeControl, 337–338, 339
 ASPxSummaryItem, 28, 30, 32
 ASPxTreeList, 113–114
 callbacks, 451
 GetHeaderText, 321
 IsCallback, 50
 List<Data>, 434
 Loading, 49
 MenuItems, 243
 multicolored chart, 547–548
 site maps, 217
 WebChartControl, 415

Page_Load.PreInit, 590

Page_PreInit, 491

PagerSettings.SEOFriendly, 152

pages, web.config, 490

page-specific styles, 467–468

Page.Theme, 491

paging, ASPxTreeList, 135

Parallel.ForEach, 118

ASPxScheduler, 299

parameterized stored procedure report,
568–571

_parent, 237

PDF

ASPxGridViewExporter, 71
 XtraReports, 555

Percentage, Summary.Func, 554

PercentVariation, 405

PerformCallback

ASPxCallbackPanel, 225–226
 Click, 513

Persistent Classes

Add New Item, 373
 @OutputCache, 602–603
 SQL Server, 374–375
 XPO, 381

Persistent Objects, 363–369

XPO, 373–378

PersistentAttribute,
369, 377

PersistentBase, 369

PhotoControl

ASP.NET, 103
 HttpApplication, 100

PhotoControl.ascx, 103

ASP.NET, 101

pie chart, 539–540**PivotCustomGroupInterval**

EventArgs, 416

PivotGridAsXtraChartSource, 416

PivotGridCustomTotals, 427–428

PivotGridField, 403–404

GroupInterval, 416
 hierarchies, 418
 TotalsVisibility, 425–426

PivotGridField.AllowAreas, 405

PivotGroupInterval, 416

- PivotSortMode, 434**
- PivotSortOrder, 435**
- play, 517**
- playerEngine, 523–529**
 - return, 524
 - setState, 524
- playerEngine.js, 522**
- PLINQ, 65**
- Point, 503–504**
- PopupControlContent**
 - Control, 227
- pop-ups, 219–233, 269–277. See also**
 - ASPxPopupControl**
 - ClientSideEvents, 230–233
 - <div>, 219
 - <html>, 219
 - JavaScript, 219, 272–273
 - <table>, 219
- PostAcquireRequestState, 585**
- PostAuthenticateRequest, 584**
- PostAuthorizeRequest, 584**
- postbacks**
 - Ajax, 87
 - ASPxHttpHandlerModule, 49
 - callbacks, 509
- PostLogRequest, 581, 585**
- PostMapHandler, 585**
- PostReleaseRequestState, 585**
- PostRequestHandlerExecute, 585**
- PostResolveCache, 585**
- PostUpdateRequestCache, 585**
- precedence, style information, 469**
- PreInit, 590**
- PreLoad, 590**
- PreRender, 590**
- PreSendHeaders, 585**
- PreSendRequestContext, 585**
- Preset Manager, ASPxGaugeControl, 326**
- PreviewRowCount, 553**
- PrintEventArgs.Cancel, 561**
- ProcessPropertyChanged, 339**
- ProcessRequest, 162, 585**
 - IHttpHandler, 100
- product headlines, 155–167**
- Properties, 95**
- properties, let, 65**

- Properties.Properties,**
 - ASPxDateNavigator, 311–314
- PropertyInfo, 65**
- {property:value}, 471**
- prototypal inheritance, 500, 503–504**
- pull methodology, 541**
- push methodology, 541**

Q

queries

- images, 162–163
- MSIDXs, 207–208
- Query Builder, 134–135
- Twitter, 384

Query Builder, 45–46

- ASPxDataview, 154
- ASPxPivotGrid, 393
- queries, 134–135
- SQL, 154
- Visual Studio, 133

QueryString, 46

R

- RaiseCallback, ASPxScheduler, 323**

- RaiseCallbackEvent, 450**

- HTML, 451

- range variables, 65**

- real-time updates, 541–544**

- callbacks, 544

- RecordNumber, Summary.Func, 554**

- recursion, Insert, 130**

- ref, SetPropertyValue, 381**

- Refactor! Pro, 114–116**

- Reflection, object dumpers, 63–64**

- Regex.Replace, 435**

- @Register**

- ASPxScheduler, 322

- @Page, 322

- RegisterClientScriptBlock, 451**

- regulation expressions, 230**

- relational data, ASPxPivotGrid, 392–406**

- ReleaseRequestState, 585**

- Render, 590**

- RenderBrick, ASPxGridViewExporter,**
73–74

- ReplacementType**,
 - ASPxTreeListTemplate**
 - Replacement**, 147
 - Report, Summary.Running**, 554
 - report(s)**, 551–575
 - ASP.NET, 555
 - caching, 567–568
 - crosstab, 406–409
 - drill-through, 563–566
 - mail merge, 567
 - Master Detail, 561–563
 - multiple, 572
 - parameterized stored procedure, 568–571
 - tabular, 551–555
 - ReportFooter**, 552
 - ReportHeader**, 552
 - ReportUnit**, 552
 - ReportViewer**, 555
 - RequestNotification**, 584
 - required fields, login**, 229–230
 - RequiredFieldValidator**, 219–220
 - ASPxTextBox, 228–230
 - showModalDialog, 228
 - ResolveRequestCache**, 584
 - Resource**, 316
 - Resources**
 - ASPxScheduler, 286–287
 - data source mapping, 292
 - ResourcesPerPage**, 316
 - Response, HttpContext**, 163
 - RestoreLayoutFromXml**, 339
 - RestoreReportDocumentFromCache**, 567
 - Result**, 435
 - result, LINQ**, 29
 - return**, 517
 - playerEngine, 524
 - RIA. See Rich Internet Application**
 - Rich Internet Application (RIA)**, 509
 - RightMouseClick**,
 - ASPxPopupMenuPopupAction**, 88
 - RoadSigns**, 410
 - ROOT(ContactType)**, 560
 - rootFileInfo**, 115
 - .rootItem**, 264
 - .rootItemHover**, 264
 - .rootItemHoverSelected**, 264
 - RootItemSubMenuOffset**, 257
 - RootItemTemplate**, 259
 - ASPxMenu, 244
 - RootItemTextTemplate**, 257
 - ASPxMenu, 244
 - RootOnly**, 240
 - RowArea, ASPxPivotGrid**, 393, 394–399
 - RowDeleting, ASPxGridView**, 46–47
 - RTF**
 - ASPxGridViewExporter, 71
 - XtraReports, 555
 - RunInstaller(true)**, 588
 - RunningSum, Summary.Func**, 554
 - RunningTotals, ASPxPivotGrid**, 423–425
 - runtime visual effects**, 545–550
 - HeaderText, 545
- ## S
- s**, 535
 - SafeRead**, 62
 - SayIt**, 273–274
 - ScaleID**, 347
 - ArcScaleNeedleComponent, 348
 - ScedulerCallbackCommand**, 324
 - scheduled events. See ASPxScheduler**
 - SchedulerResourcenavigator**, 316
 - SchedulerViewType**, 308–314
 - SchedulerViewType.WorkWeek**, 309
 - schema names, SQL**, 131
 - Scope()**, 207
 - <script>**, 87
 - scripts. See also JavaScript**
 - ASPxHtmlEditor, 442–443
 - _search**, 237
 - search engine optimization (SEO)**, 152
- ## SELECT
- ContactID, 140
 - FilterString, 568
 - hierarchies, 419
 - MSIDXS, 207
 - OPENQUERY, 207
 - SQLDataReader, 75–77
 - WHERE, 80

- select, XElement, 176**
- SELECT * FROM, SQL, 130**
- SelectCommand, 36, 555**
 - SqlDataSource, 77
- Selected, MenuItems, 237**
- SelectedIndexChanged, 339**
- SelectionChanged, ASPxGridView, 30**
- _self, 237**
- self-referencing tables, 125**
- SEO. See search engine optimization**
- SEOFriendlyMode.CrawlerOnly, 152**
- SeparatorBackgroundImage, 241**
- SeparatorColor, 241**
- SeparatorHeight, 241**
- SeparatorPaddings, 241**
- SeparatorWidth, 241**
- SerializableAttribute, 296**
- Series, 538**
- series.Label,**
 - SideBySideBarSeriesLabel, 549
- SeriesPoint, 545**
- ServerDefined, 410**
- Server.MapPath, 73**
- ServerMode, XpoDataSource, 15, 24, 32, 378–380**
- Session**
 - Dictionary, 124
 - UpdatePanelContents, 518
- Session_End, 586**
- SessionID, 592–596**
 - cookies, 592
- Session["OrderID"], 79**
- SessionPageStatePersister,**
 - PageAdapter, 600
- Session_Start, 586**
- <sessionState>, 593**
- SetActiveViewType, 315**
- SetDrawOptions, 549**
- SetFocusOnError, 219**
- SetNodeValue, 122**
- SetPropertyValue, 369**
 - ref, 381
- SetSqlServerDatabase, 383–384**
 - DataArchiver.Archive
 - .Archive, 388
- setState, 524**
 - playerEngine, 524
- setTimer, 518**
- SettingsCookies.Enabled, 85–87**
- SettingsDetail**
 - IsDetailGrid, 79
 - ShowDetailRow, 79
- SettingsEditing.Mode, 40**
 - ASPxTreeList, 136, 147
 - Inline, 136
- Settings.ExpandAllNodes, 152**
- Settings.ExpandAllPages, 152**
- SettingsLoadingPanel, 488**
- SettingsPager, 488**
- Settings.ShowFilterRow,**
 - ASPxGridView, 12–13
- Settings.ShowHorizontal**
 - Scrollbar, 96
- SettingsSpellChecker, 459**
- SetValue, TreeListNode, 113**
- Shader, 347**
 - ArcScaleNeedleComponent, 349
- Shapes, 410**
- Shared, 606**
- ShowAllNodes, 135**
- ShowDetailRow, 79**
- ShowFilterBar, 22–23**
- ShowLoadingPanel, 515**
- showModalDialog**
 - ASPxCallbackPanel, 219–227
 - JavaScript, 219–227
 - RequiredFieldValidator, 228
- showModalDialogs, 224–225**
- ShowPager, 135**
- ShowSubMenuShadow, 240**
- SideBySideBarSeriesLabel, 549**
- SideBySideSeriesLabel, 547**
- SimpleDiagram, 538**
- singletons, 501–503**
- site maps**
 - <div>, 212
 - <html>, 212
 - Page_Load, 217
 - programming, 216–219
 - UnboundSiteMapProvider, 216–217

- XML, 212–219
- .sitemap, ASPxSiteMapControl, 212–214**
- siteMapNode, 212–213**
 - XML, 242
- SizeAttribute, 369**
- .skin, HeaderStyleBackColor, 491**
- skins, 468, 484–497**
 - ASPxGridView, 494–495
 - creating, 492–495
 - images, 484
 - Visual Studio, 492–493
 - XML, 492
- slideshowEngine, 516–518**
 - ASPxTimer, 516
- social networking, ASPxCloudControl, 203–212**
- SortBy**
 - ASPxPopupMenu, 91
 - ContextMenu, 92
- sorting, 23–25**
 - ASPxGridView, 23–25
 - ASPxPivotGrid, 430–436
 - ASPxTreeList, 130
 - custom, 69–71
 - hierarchies, 135
- SortMode, 70**
 - PivotSortMode, 434
- SortOrder**
 - Data, 11
 - PivotSortOrder, 435
- spell checking, ASPxHtmlEditor, 458–463**
- SQL**
 - ADO.NET, 36
 - .ASPX, 36
 - Choose Data Source Wizard, 131
 - declarative programming, 140–142
 - Query Builder, 154
 - schema names, 131
 - SELECT * FROM, 130
 - UPDATE, 137
- SQL Server**
 - MSIDXS, 207
 - Persistent Classes, 374–375
 - XtraReports, 560
- SQL Server Profiler, 15**
- SQL Server Session, 594–596**
- SqlCachDependencyAdmin, 609–610**
- SqlCacheDependency, 609**
- SqlCacheDependencyAdmin**
 - .EnableNotifications, 609
- SQLDataAdapter, 569**
 - DataSource, 555–556
- SQLDataReader, SELECT, 75–77**
- SqlDataSource, 7–8**
 - ASPxGridView, 611
 - ASPxNewsControl, 167
 - ASPxTreeList, 139
 - binding, 124–135
 - ConnectionString, 77
 - DataSourceID, 8
 - declarative programming, 36
 - DeleteCommand, 44
 - DeleteCommandType, 44
 - SelectCommand, 77
- SqlDataSource.Select, IEnumerable, 29**
- SqlDependency, 606**
- Src**
 - , 161
 - UserControl, 322
- src**
 - , 161
 - ObjectUrl, 520
- Start, 29**
 - CustomSummaryCalculate, 28
- StartDate, ASPxScheduler, 287**
- StartEdit, ASPxTreeList, 149**
- StartEditNewNode, ASPxTreeList, 149**
- StaticFileModule, 585**
- StdDev**
 - Summary.Func, 554
 - SummaryType, 400
- StdDevP, Summary.Func, 554**
- StdDevp, SummaryType, 400**
- stop, 517**
- Storage, ASPxScheduler, 286**
- StoreColumnsVisiblePosition, 86**
- StoreColumnsWidth, 86**

StoredProcedure

declarative programming, 41–46

DeleteCommandType, 44

StoreFiltering, 86

StoreGroupingAndSorting, 86

StorePaging, 86

string.Format, DisplayFormat, 26

strings

enum, 255

JavaScript, 254

numbers, 254

StripAlphaCharacters,

CustomFieldSort, 435

, 444

<style>, style information, 466

style information, 466–484

CSS, 468

<div>, 466

HTML, 466

inline styles, 466–467

page-specific styles, 467–468

precedence, 469

<style>, 466

Visual Studio, 466, 482–484

StyleChangedHandler, 337

Callback, 338–339, 341

StyleSheetThem, 491

SubMenuStyle, 257

SubMenuTemplate, ASPxMenu, 244

SubReports, 552

SubStatusCode, 584

Sum, 27

Summary.Func, 554

SummaryType, 400, 425

summary values

ASPxGridView, 25–32

calculating, 25–27

custom calculations, 27–29

footers, 25

SummaryDisplayType, ASPxPivotGrid, 405–406

Summary.Func, XRLabel, 554

SummaryItemType.Custom,

ASPxSummaryItem, 27

SummaryProcess,

CustomSummaryEventArgs, 29

SummaryReset, 554

SummaryRowChanged, 554

Summary.Running, 554

SummaryType

ASPxPivotGrid, 400, 423

Average, 26

Custom, 27

PivotGridField, 404

Sum, 425

SummaryVariation, 405

SWFObject, 521

s=>writer.WriteLine(s), 65

System.IO.Stream, 71

System.Text.RegularExpressions, 340

System.Text.RegularExpressions.Regex, 432

<system.web>, 593

System.Xml.Linq.XDocument, 384

System.Xml.XPath, 341

T

tabbed menus, 257–268

XML, 257–258

tabbed views, 277–283

.TabbedMenu, <div>, 264

table, 469

<table>

ASPX, 321

ASPxButton, 252–256

ASPxLabel, 321

ASPxScheduler, 316

ASPxSiteMapControl, 170

ASPxTextBox, 252–256

ItemBackgroundHover.gif, 265

pop-ups, 219

<TabPage><ContentCollection>, 281–283

TabPages, ASPxPageControl, 283

TabTemplate, 278

tabular reports, 551–555

tag soup, 467

tagsonomy, 203

Target, 237

Target=_blank, 211

Tasks

- Configure Data Source, 10
- Enable Filtering, 12–13

td, 469**TDD. See test-driven development****templates**

- ASPxScheduler, 316–322
- HTML, 118
- MenuItems, 244
- Web controls, 118

Templates, ASPxTreeList, 118–120**test-driven development (TDD), 62–65****Text**

- ASPxLabel, 144
- ASPxNavBar, 181
- MenuItem Editor, 237
- XtraReports, 555

TextBox

- filter rows, 12
- Web server controls, 467

TextWriter, 77

- object dumpers, 65

themes, 202–203, 484–497

- custom, 495–497
- predefined, 484–488

Thermometer, 410**this, 500****ThreadSafeDataLayer, 372****3-D, charts, 541****Tick**

- ClientSideEvents, 510
- timer, 499–500

tick, 502–503**tickMoveNext, 517****Timeline, 308–314****TimelineView, templates, 316–322****timer, 499–500****timerEngine, 499****timerEngineObject, 501–502****timerOn, 518****TimeSpan, 611****ToolBarBase, 445****toolbars**

- ASPxHtmlEditor, 445–451
- ASPxMenu, 268–269

ToolTip, 237**MenuItems, 241–242****_top, 237****TopMargin, 552****TopValueCount, 435–436****TopValueShowOthers, 436****TopValueType, 435****TotalCellFormat-FormatString, 404****TotalFreeSpace, 187****TotalSize, 187****TotalSummary, 26****TotalsVisibility, PivotGridField, 425–426****TrafficLights, 410****tree views. See ASPxTreeList****TreeNode, 112–113****TreeNodeNodes, 110**

- programming, 112–118

TreeList.PerformCallback, Custom Callback, 192–193**TreeList.PerformCallback Custom Callback, 192–193****TreeListVirtualModeCreateChild EventArgs.Children, 122****trend analysis, 405****try...catch, GetLastError, 55****try...finally, 305****TryParse, 337**

- CallbackEventArgsBase, 340

- ProcessPropertyChanged, 339

- System.Text.RegularExpressions, 340

T-SQL, UPDATE, 137–139**Tweet class**

- LINQ for XML, 384–385

- XPObjecT, 381–383

Twitter, queries, 384**TypeName, 383****typeof**

- GetDataStoreSchema, 374, 378

- JavaScript, 500

U**.udl, 381****unbound columns, 66–69**

- ASPxTreeList, 111–112

unbound fields, CustomUnboundFieldData, 405

unbound mode, ASPxTreeList, 110–120

UnboundFieldName, PivotGridField, 404

UnboundSiteMapProvider, 216–217

UnboundType, 403–404

undefined, 500

UnitOfWork

- ArchiveKeyword, 388
- BinaryOperator, 388
- DataArchiver, 386–388

UnitOfWork.CommitChanges

- .CommitChanges, 388

Unload.PreInit, 590

UPDATE

- ASPxTreeList, 146
- Configure Data Source, 84
- SQL, 137
- T-SQL, 137–139

Update, ASPxTreeList, 144–146

UpdateBoldItalic, 444

UpdateButton, ASPxTreeListTemplateReplacement, 147

UpdateCommand, 36

UpdateDeprecatedElements, 444

UpdateEdit, ASPxTreeList, 149

UpdateGrid, 191

UpdatePanel, 4

- Ajax, 450
- EnableCallbacks, 5

UpdatePanelContents, Session, 518

UpdatePerson, 43–44

UpdateRequestCache, 585

UseFixedTableLayout, 97

UserControl

- ASPX, 319–321
- ASPxScheduler, 316–321
- DayView, 322
- Src, 322

UserControls, nesting, 78

V

ValidationGroup, 229

ValidationSettings, ASPxTextBox, 228–230

ValidationSettings

- .RegularExpression
- .ValidationExpression, 229–230

ValidationSettings.ValidationGroup, 229

Value, 431

- ASPxBinaryImage, 106

ValueChanged

- ASPxCallbackPanel, 354
- Client-Side Events, 534

Values, ASPxDataDeletingEventArgs, 47

Var, Summary.Func, 554

var, JavaScript, 500

var infos, LINQ, 114

var result, 29

var returnValue = new Object(), 222

Var.Varp, 400

VaryByContentEncoding, 606

VaryByControl, 606

VaryByHeader, 606

VaryByParam, 606

Version, 86

Vertical, ASPxMenuOrientation, 240

VerticalAppointmentTemplate, DayView, 316–317

VerticalAppointmentTemplateItems, Container.Items, 321

VerticlePosition, 241

View, ASPxMenu, 314–315

view(s)

- ASPxHtmlEditor, 444
- ASPxScheduler, 308–314

Viewer, 555

VIEWSTATE, ASPxGridView, 4–5

ViewState, 591–592

- @Page, 591
- PageAdapter, 596–601

ViewTypeLine, 415

Virtual, ASPxGridView.Settings

- .VerticalScrollBarStyle, 192–193

virtual mode, ASPxTreeList, 120–124**VirtualModeCreateChildren, 120–122**

- NodeObject, 122

VirtualModeCreating, 120–122**Visible**

- ASPxGridView.Settings
 - .ShowFilterBar, 16, 21
- BeforePrint, 560
- MenuItems, 237

Visual Gauge Control Designer, 327, 357**Visual Studio**

- charts, 537
- CSS, 263
- embedded styles, 475
- EventLog, 590
- IE8, 505
- IIS, 580
- inline styles, 475
- Manage and Apply Styles, 482–484
- Query Builder, 133
- skins, 492–493
- style information, 466, 482–484
- Web controls, 25
- XtraReports, 552

Visual Studio.NET, debugging, 94**W****W3C. See World Wide Web consortium****Web controls, 179**

- Ajax, 49
- HTML, 280
- templates, 118
- Visual Studio, 25

Web forms, life cycle, 4**Web server controls**

- ASP.NET, 467
- ASPxTextBox, 467
- TextBox, 467

WebChartControl

- ASPxPivotGrid, 411–415
- Page_Load, 415

WebClient

- DownloadString, 597
- LINQ, 597–598

web.config

- appSettings, 22
- ASPxHttpHandlerModule, 51–52
- ASPxNavBar, 203
- <configuration>, 22
- connectionStrings, 611
- Filter Bar, 22
- filtering, 22–23
- pages, 490

WebForm_DoCallback, 451**Week, 308–314****WeekView, templates, 316–322****WHERE, 78**

- Or, 20
- SELECT, 80

where, FileInfo, 114**wildcards, filter rows, 14****Workdays, 309****WorkdaysCollection, 309****WorkWeek, 308–314**

- ASPxDateNavigator, 310

WorkWeekView, 316–322**World Wide Web consortium (W3C), 259****Write, System.IO.Stream, 71****write procedures**

- declarative programming, 36–41
- programming, 46–47

WriteCsv, 73**wscript.exe, 95****X****XAttribute, 175, 176****XDocument, 176**

- XML, 385

XElement, 175

- select, 176

XLS

- ASPxGridViewExporter, 71
- XtraReports, 555

XML. See eXtensible Markup Language**XML Schema Definition (XSD), 174**

- XMLDataPath, 559–560**
- XmlDataSource, 177, 178–179**
 - ASPxMenu, 241–242, 259
- XMLHttpRequest, Ajax, 4**
- XPath, 172**
 - filtering, 177
 - LINQ for XML, 177
- XPLiteObject, 369, 381**
- XPO. See eXtra Persistent Objects**
- XPObject, 381**
 - Tweet class, 381–383
- XPObjectType, 383**
- XpoDataSource, 362–378**
 - And, 15
 - ASPxTitleIndex, 369–373, 375
 - Criteria, 376–377
 - CriteriaCollection, 376–377
 - Default.aspx, 606
 - ID, 377–378
 - Page_Init, 373
 - ServerMode, 15, 24, 32, 378–380
- XpoDataSource.Session, Page_Init, 372–373**
- XpoDefault.GetConnectionProvider, IDataStore, 372**
- XpoDefault.Session, 372**
- XQuery, 172**
- XRBarcode, 552**
- XRChart, 552**
- XRCheckBox, 552**
- XRCrossbandBox, 552**
- XRCrossBandLine, 552**
- XRLabel, 552**
 - Summary.Func, 554
- XRLabel.SummaryGetResult, 554**
- XRLine, 552**
- XRPageBreak, 552**
- XRPageInfo, 552**
- XRPanel, 552**
- XR PivotGrid, 552**
- XRRichText, 552**
- XRShape, 552**
- XRSubReport, 552, 561**
- XRTTable, 552**
 - GroupHeader, 554
- XRZipCode, 552**
- XSD. See XML Schema Definition**
- XSLT. See eXtensible Stylesheet Language Transformations**
- XtraCharts, 531–550. See also charts**
- XtraPrinting, ASPxGridView Exporter, 71**
- XtraReportBase.Bands, 552**
- XtraReports, 551–575**
 - ASP.NET, 555
 - CSV, 555
 - HTML, 555
 - MHT, 555
 - PDF, 555
 - RTF, 555
 - SQL Server, 560
 - Text, 555
 - Visual Studio, 552
 - XLS, 555
- XYDiagram, 538**
 - Diagram, 547

Y

YouTube, 520–529

Z

zoom, 474

- CSS, 479
- HTML, 480