
Index

- 2AFC, *see* two alternative forced choice
5-point scale, 66, 71, 72, 74, 81, 82, 83, 129,
162, 317, 326, 328, 334, 335
5.1, *see* multichannel sound systems
6.1, *see* multichannel sound systems
7.1, *see* multichannel sound systems
9-point hedonic scale, 67, 74, 161
10-point scale, 72, 126, 154, 162, 314
10.2, *see* multichannel sound systems
- A-weighting, 271, 271, 378
absolute audio quality, 4
absolute category rating, 12, 74, 317, 325,
327, 346–348
ABX test, 317, 318
acceptance test, 66
 definition, 67
 just-about-right version, 67
 just-right version, 67
ACR, *see* absolute category rating
additive model
 definition, 150, 199
Adonis, 46
AES standard
 AES20, 243, 342
affective measurements, 3, 41
alignment, *see* calibration
amplifier, 263
analysis of variance
 application, 127, 131, 191–223, 327,
 330, 334
 check of assumptions, 216
 definition, 190
anechoic chamber, 246
- ANOVA, *see* analysis of variance
ANSI standard
 ANSI S3.1, 232, 244, 246, 342
 ANSI S3.2, 342
appropriateness test, 66
 definition, 67
Archimedes project, 18
argumentum ad hominem
 definition, 26
artificial ear, 294
assessor, *see* subject
ASTM standard
 STP 758, 122
attribute, *see* response attribute
attributes
 spatial sound quality
 headphones, 366
 loudspeakers, 363
 speech quality, 360
audiometric booth, 244
 maximum permissible ambient
 noise levels, 244
audiometry, 107, 115, 118, 244–246,
248
auditory event, 41
auditory model, 274
automatic loudspeaker shuffler, 249, 251
axioms, *see* hypothesis
- B-weighting, 271, 271, 278, 378
BAQ, *see* basic audio quality
basic audio quality, 42, 66, 112, 130, 134,
311, 332, 335
 definition, 370

- bass management, 256, 289
- between-groups variance, 192–196
- bias effect, 86, 87
 - centering bias, 90
 - contraction bias, 87, 91
 - cross modality bias, 96
 - dumping bias, 93
 - expectation bias, 93
 - frequency bias, 91
 - halo bias, 92
 - logarithmic response bias, 90
 - perceptual oversensitivity, 92
 - range equalising bias, 90
 - response range, 87
 - sequential contraction bias, 87
 - stimulus range, 87
 - stimulus spacing bias, 91
 - transfer bias, 92
 - unfamiliar unit of magnitude, 89
 - visual bias, 92
- binomial distribution, 186
- Bonferroni correction, 197, 197
- box plot, 173, 174, 176
 - definition, 172
- Bradley–Terry–Luce model, 80
- BTL model, *see* Bradley–Terry–Luce model
- C-weighting, 271, 271, 278, 378
- calibration
 - absolute, 266, 289
 - head related transfer functions, 281
 - headphone, 291–300
 - intensity metric, 269–272, 280
 - inter-channel, 266, 289
 - inter-stimulus, 266
 - inter-system, 266, 289
 - loudness model, 272–276
 - binaural, 276, 277, 281, 282, 289
 - hearing impaired, 273
 - Moore, 273, 275
 - real-time, 273
 - selection, 280
 - steady state, 273, 275, 280
 - Stevens, 273
 - temporal, 276, 280
 - Zwicker, 273, 276
 - loudspeaker, 287–291
 - separate bass loudspeaker, 289
 - metric selection, 276–282
 - peak normalisation, 266, 270
 - reference reproduction level, 285–287
- categorical data
 - definition, 161
- CCR, *see* comparison category rating
- chi-squared distribution, 187
- classification of data type, 161
- code of conduct, 306
- cognitive factors
 - definition, 41
- comparison category rating, 74, 312, 317, 329, 331, 347, 348
- conclusion by analogy
 - definition, 26
- confidence interval, 169, 170, 180–184, 320, 334
- constant stimuli
 - definition, 77
- context effects, 87
 - definition, 85
- continuous evaluation of time-varying speech quality, 353
- controlled variables
 - definition, 145
- conversation-opinion test, 347
- conversational quality, 5, 348
- counterbalancing, 85
- covariance matrix, 210
 - compound symmetry, 211
 - diagonal, 210
 - sphericity, 211
- critical region, 157
- D-weighting, 271, 271, 274, 378
- DA, *see* descriptive analysis
- DAC, *see* digital-to-analogue converter
- DCR, *see* degradation category rating
- deductive argument, 22, 34
 - definition, 21
- deductive principle, *see* deductive argument
- deductive systems
 - background, 19
- degradation category rating, 74, 83, 317, 327, 329, 348
- dependent variable, xiv, 34, 40, 301
- descriptive analysis, 45, 53, 93, 107, 112, 122, 123, 130, 134, 135, 163, 305
- descriptive level, 163
- descriptive test, 130
- difference threshold, 76
 - definition, 76
- digital-to-analogue converter, 263
- direct elicitation, 58
 - consensus vocabulary, 44
 - definition, 43

- individual vocabulary, 44
- verbal descriptors, 44
- direct scaling, 68
 - categorical scale, 74, 161, 326
 - interval scale, 70, 71, 126, 161, 162, 168
 - continuous, 72
 - nominal scale, 69, 70
 - ordinal scale, 69, 70
 - partition scaling, 72
 - category scaling, 72
 - equisection, 72
 - ratio scale, 70, 71
 - ratio scaling, 72
 - magnitude estimation, 73
 - magnitude production, 73
 - ratio estimation, 72
 - ratio production, 72
 - unidimensionality, 80
- discourse analysis, 5
- discrimination test, 130
- distribution
 - binomial, 185
 - chi-squared, 185
 - hypergeometric, 185
- disturbing variables
 - definition, 146
- DOE, *see* design of experiments
- DRP, *see* eardrum reference point
- ear reference point, 292, 293, 294, 295, 379
- eardrum reference point, 282, 293, 294, 295, 379
- earthing, 241, 264
- EBU recommendation
 - Tech 3276, 238, 242, 253, 259, 342
 - Tech 3276: Supplement 1, 242, 253, 255, 260, 343
 - Tech 3286, 344
 - Tech 3286: Supplement 1, 344
- EEP, *see* entrance to ear canal
- egocentric system
 - definition, 60
- end-point effect
 - definition, 85
- entrance to ear canal, 292, 293
- equal loudness contours, 268, 271, 271
- ERP, *see* ear reference point
- ethics, 306, 319, 320
- expected mean square, 213
- experimental design, 146, 303
 - allocation of stimuli design, 146
 - ANOVA model, 153
 - balanced Latin square, 153
 - between-subjects design, 152
 - confounding, 148
 - design plots, 151
 - incomplete block design, 154
 - latin square, 150
 - mixed design, 152
 - treatment design, 146
 - fractional factorial, 146
 - full factorial, 146
 - within-subjects design, 152
 - Youden square, 151
- experimental planning, 301
- experimental set-up
 - documentation, 36
- explanatory variable
 - definition, 145
- extraordinary event
 - definition, 176
- F distribution
 - definition, 193
- F-ratio, 131, 133–135
- F-test, 127, 194–196, 202, 204, 212, 213
- factor analysis, 162
- FEC, *see* free air equivalent coupling
- Fencher's law
 - definition, 76
- filter model, 3, 41, 42, 107, 112
- fixed variable, 206
 - fixed model, 206
- flash profile, 53, 57
 - phase one, 57
 - phase three and four, 57
 - phase two, 57
- Flavour Profile, 45
- fractional factorial design, 302
- free air equivalent coupling, 292, 293
- free-choice profiling, 53
- Friedman test, 187
- front image quality
 - definition, 371
- general linear model, 178
- generalised listener selection, 116, 117, 118, 113–118, 119, 120, 122, 128
- generalised procrustes analysis, 54
- GLM, *see* generalised linear model
- GLS, *see* generalised listener selection
- graphical assessment language, 64, 73, 75
- grounding, 241, 264
- handbook of telephonometry, 286, 287, 346
- HATS, *see* head and torso simulator

- head and torso simulator, 281, 282, 296, 298
- head related transfer functions, 282, 295
 - databases, 282, 295, 296, 297
- headphone
 - calibration, 291–300
 - calibration level, 299
 - measurement, 293–294
 - missing 6 dB, 299
 - target response, 295
 - diffuse field, 296–298
 - free field, 297, 298
 - types, 292, 292
- hearing comfort level, *see* preferred listening level
- hedonic scale, 67, 74, 161
- hedonic test, *see* affective measurements
- heterogeneity of variance, 166
- Hi-Fi magazine evaluation, 4
- histogram, 167, 168, 168, 171
- homogeneity of variance, 165, 166, 211
- Hoht noise, 245, 327
- HRTF, *see* head related transfer functions
- hypergeometric distribution, 188
- hypothesis, 17, 22–25, 27, 37, 39, 142, 154, 159
 - formulation, 18
 - testing, 156
- hypothetico-deductive, 21
- IEC recommendation
 - 60268-7, 291, 294, 296, 298
 - 60268-10, 298
 - 60268-13, 229, 231, 232, 233, 241, 242, 344
 - 60318, 295
 - 60537, 272
 - 60711, 295
 - 60959, 295
 - 61672-1, 272
- impairment scale, 74, 83
- impression of surround quality
 - definition, 371
- incomplete balanced block design, 302
- independence techniques, 162
- independent observation, 165
- independent variable, xiv, 34, 35, 98, 105, 142, 145, 146, 151, 153, 162, 201, 301
 - definition, 34
 - listening room, 98
 - reproduction system, 98, 105
 - signal, 98, 99
 - recording technique, 101
 - reference signals, 104
 - signal category, 99
 - spatial characteristics, 103
 - spectral characteristics, 102
 - storage process, 101
 - synthetic signal, 101
 - time domain characteristics, 102
 - subjects, 98
- indirect elicitation
 - definition, 44
 - non-verbal elicitation, 59
 - pointing techniques, 59
- indirect scaling, 68, 75
- inductive argument
 - definition, 20
- inferential level, 163
- initial conditions, 17, 22, 26, 27
- interaction variable, 201
- interdependence techniques, 162
- intermediate reference system, 326, 349, 352
- interquartile range, 170
 - definition, 170
- IRS, *see* intermediate reference system
- ISO standard
 - 532, 273, 276
 - 3741, 248
 - 3745, 246
 - 8586-1, 106, 109, 122, 136
 - 8586-2, 106, 109, 110, 111
- ITU-R recommendation
 - BS.708, 242, 294, 296, 298, 299, 299
 - BS.775-1, 10, 252, 254, 256, 260, 343, 354, 358
 - BS.1116-1, 10, 109, 112, 129, 231, 235, 236, 241, 250, 252, 256, 259, 287, 288, 317, 355, 356, 358, 370
 - BS.1283, 10, 332, 354, 355, 356
 - BS.1284, 10, 332, 355, 356, 358
 - BS.1285, 10, 355, 356
 - BS.1286, 10, 356, 357, 358
 - BS.1387, 317
 - BS.1387-1, 10, 13, 21, 86, 273, 274, 357
 - BS.1534, 10, 74, 102, 104, 112, 317, 318, 326, 331, 335, 336, 357
 - BS.1679, 10, 358
 - BT.500-11, 10, 240, 260, 317, 358
 - overview, 10
- ITU-T recommendation
 - overview, 9
 - P.56, 270
 - P.57, 291, 292, 293, 294, 295, 379, 380
 - P.58, 294

- P.84, 9, 346
- P.85, 9, 346
- P.563, 9, 12, 347, 348
- P.800, 9, 12, 109, 112, 244, 245, 286, 312, 317, 325, 327, 327, 329, 331, 347
- P.800.1, 9, 81, 348, 351
- P.830, 9, 81, 268, 348
- P.831, 9, 107, 109, 349
- P.832, 9, 109, 349
- P.835, 9, 326, 350
- P.840, 9, 350
- P.851, 9, 350
- P.862, 9, 12, 81, 351
- P.862.1, 9, 12, 351
- P.862.2, 9, 12, 352
- P.862.3, 9, 12, 352
- P.863, 12
- P.880, 9, 353
- P.910, 9, 353
- P.911, 9, 353
- P.920, 9, 354

- JND, *see* just noticeable difference
- jury test method, 318
- just noticeable difference, 76, 123

- Kolmogorov–Smirnov, 169, 169, 200, 203
- kurtosis, 170
 - definition, 171

- latin square, 150, 150, 151, 153, 154, 154
- law of comparative judgement
 - case V, 79
 - definition, 79
- law of contradiction, 20
- level calibration, 267–287
- Levene test, 166, 195
- LFE, *see* separate bass loudspeaker
- listener, *see* subject
- listening booth, 244–246
- listening effort scale, 83
- listening panel, 112–118
 - panel leader, 47, 305
 - panel performance, 48, 130, 135
 - reliability, 130, 135
- listening room, 228–244, 303
 - accompanying picture, 260–261
 - viewing distance, 260, 261
 - aspect ratio, 230, 232, 234, 245
 - automatic loudspeaker shuffler, 249, 251
 - background noise, 230, 232, 233, 235, 237, 239, 240, 242, 243, 247
 - EBU 3276, 236–238, 252, 253
 - general characteristics, 239–244
 - computers, 239
 - curtains, 230, 241
 - displays devices, 239, 240
 - earthing, 241
 - furnishing, 241
 - lighting, 240
 - subject comfort, 241
 - ventilation, 239
 - IEC 60268-13, 229–231
 - ITU-R BS.1116-1, 231–236
 - listener position, 250, 253
 - listening axis, 251, 259
 - listening position, 258–259
 - loudspeaker position, 250, 253, 254, 248–259
 - noise rating, 233, 235, 237, 247
 - operational room response, 232, 236, 238, 238
 - reference listening position, 249, 250, 252, 253, 259, 262
 - reflection characteristics, 234
 - reverberation time, 230, 231, 233, 234, 235, 238
 - separate bass loudspeaker, 254–258
 - summary of requirements, 242, 243
- listening test
 - administration, 301, 304, 310
 - calibration, 303
 - duration, 303
 - equipment, 305
 - hands-free terminal, 349
 - instructions, 308, 311, 312, 313
 - logistic considerations, 303
 - loudspeaker, 342
 - network echo canceller, 349
 - noise suppressor, 350
 - planning, 301
 - reporting, 301, 303, 319–321
 - schedule, 305
 - session duration, 302
 - setup, 303
 - size, 302
 - software, 315–319
- loudness
 - definition of, 272
 - directional loudness, 282
 - metric selection guideline, 280, 281
- loudness balancing, 293
- loudness preference scale, 83
- loudspeaker
 - calibration, 287–291
 - separate bass loudspeaker, 289–291
- loudspeaker reference axis, 251, 259

- low-frequency enhancement, *see* separate bass loudspeaker
- MAF, *see* minimum audible field
- main experiment, 303, 304
- Mann–Whitney U-test, 185, 189
- MANOVA, *see* multivariate analysis of variance
- MAP, *see* minimum audible pressure
- maximum permissible ambient noise levels, 232, 244, 342
- MCL, *see* preferred listening level
- MDS, *see* multidimensional scaling
- mean opinion score, 33, 42, 66, 74, 81, 81, 83, 326, 348
- MOS-LQO, 9, 81, 81, 351
- MOS-LQS, 81, 81
- mean squares
- definition, 193
- measurement level, 163
- median
- definition, 169
- Medusa, 46
- method of adjustment, 317
- definition, 79
- methods of limits
- definition, 78
- minimum audible field, 271, 300
- minimum audible pressure, 300
- mixed models, 178, 206, 209, 212, 216
- MNRU, *see* modulated noise reference unit
- modulated noise reference unit, 326, 330
- MOS, *see* mean opinion score
- MOS-LQO, *see* mean opinion score
- MOS-LQS, *see* mean opinion score
- MPANL, *see* maximum permissible ambient noise levels
- multi-stimulus test with hidden reference and anchor, 74, 102, 104, 112, 317–319, 326, 331, 335, 336, 357
- multichannel sound systems
- 5.1, 101, 103, 254, 255, 343, 354
- 6.1, 254
- 7.1, 254
- 10.2, 254, 257
- multidimensional scaling, 44, 64, 93, 162
- INDSCAL, 65
- multivariate analysis, 162
- multivariate analysis of variance, 212
- MUSHRA, *see* multi-stimulus test with hidden reference and anchor
- network echo canceller, 349
- noise at work regulations, 307
- noise exposure, 307
- noise rating, 232, 233, 235, 237, 247
- noise suppressor, 350
- non-disclosure agreement, 310
- non-parametric statistics, 161
- NR, *see* noise rating
- null hypothesis, 155, 154–187, 191, 194–196, 320
- objective results, 97
- definition, 32
- one-tailed test
- definition, 183
- outlier, 165
- definition, 173
- paired comparison, 76
- definition, 79
- paired comparison method, 317, 318
- paired rating method, 317
- panel leader, 47, 305
- parametric statistics, 161
- PEAQ, *see* perceptual evaluation of audio quality
- percentiles
- definition, 170
- perceptual evaluation of audio quality, xii, 13, 30, 274, 357
- perceptual evaluation of speech quality,
- 12, 351
- intrusive model, 12
- narrowband, 12
- non-intrusive model, 12
- wideband, 12
- perceptual measurements, 3, 41
- perceptual structure analysis, 65
- PESQ, *see* perceptual evaluation of speech quality
- phon
- definition of, 273
- physical measurements, 41
- pilot experiment, 36, 303, 304
- post-screening, *see* subject post-selection
- pre-screening, *see* subject pre-selection
- predictive modelling, 3, 11
- definition, 11
- overall performance, 11
- perceptual attribute, 11
- preference test, 66
- definition, 66
- preferred listening levels, 283, 284, 285, 283–285
- principal components analysis, 162
- principle of empiricism, 19
- definition, 20

- principle of rationalism, 21
 - falsification, 22
 - principle of asymmetry, 22
- probabilistic reasoning, 24, 27
 - mathematical, 24
 - objective, 24
 - subjective, 24
- procedural
 - definition, 176
- QDA, *see* Quantitative Descriptive Analysis
- Quantitative Descriptive Analysis
 - phase five, 48
 - phase four, 47
 - phase one, 46
 - phase six, 48
 - phase three, 47
 - phase two, 47
- quantal-response detectability tests, 348
- quantitative data
 - definition, 161
- Quantitative Descriptive Analysis, 45, 46
- random variable, 206
 - random model, 206
- randomisation, 85
- randomised variables
 - definition, 146
- repertory grid technique, 53, 54
 - dichotomisation, 55
 - ranking, 55
 - rating on category scale, 55
 - rating using a continuous scale, 55
- reporting, 37, 319–321
- representational position, 71
- research question, 17, 39, 145
 - definition, 17
- residual, 167
 - definition, 192
 - detrended probability plot, 217
 - normal probability plot, 217
 - standardised, 216
 - studentised, 216
 - transformation, 219
 - unstandardised, 216
- response attribute, 43
 - (un)pleasantness, 41
 - acceptance, 41
 - annoyance, 41
 - attitudinal, 45
 - definition, 40
 - degree of liking, 41
 - descriptive, 45
 - dissimilarity, 64
- response format
 - definition, 40
- response surface method, 302
- reverberation chamber, 248
- RGT, *see* repertory grid technique
- RSM, *see* response surface method
- sample statistics
 - definition, 157
- sampling distribution, 157
- scaling
 - categorical scale, 74, 161, 326
 - interval scale, 70, 126, 161, 162, 168
 - nominal scale, 69, 70
 - ordinal scale, 69, 70
 - ratio scale, 70
- scientific knowledge
 - definition, 18
- scientific paradigm
 - definition, 29
- semantic classification, 56
- sensorial strength, 41
- sensory evaluation, *see* descriptive analysis
- sensory profiling, *see* descriptive analysis
- Sensory Spectrum, 46
- separate bass loudspeaker, 255, 254–258
- Shapiro-Wilk, 169, 169, 200, 203
- significance level
 - definition, 157
- single stimulus continuous quality
 - evaluation method, 317
- single stimulus method, 317
- skewness, 170
 - definition, 171
- software
 - data collection, 315
 - listening test, 316, 315–319
 - design of experiments, 302
- sones
 - definition of, 273
- sound card, 263
- sound quality, xi
 - product sound quality, xi
- spatial sound quality, 363, 366
- speech intelligibility, 100, 248, 318, 342, 360, 374
- speech quality, 360
- speech reception threshold, 317
- sphericity, 211, 212, 217
- spread-versus-level plot, 166
- stabilisation, 86

- standard deviation, 130, 132, 157, 170, 175
 - definition, 170
- standard error of the mean
 - definition, 180
- standardised approach, 8
- standardised difference between means, 160
- standardised scaling paradigm, 68
- statistical experimental design, 165
 - definition, 35
- statistical model, 98, 143, 150, 151, 165
 - definition, 35
- statistical power, 151
 - definition, 159
- stem-and-leaf plot, 171, 172, 175
 - definition, 171
- stereophonic image quality
 - definition, 370
- stimulus
 - selection, 303
- Student's t-distribution, 157
- studentised range statistics, 198
- subject
 - ability, 107, 130–133, 134
 - acuity, 107
 - categorisation, 106–109
 - experienced, 109, 112, 122
 - expert, 109, 110, 110, 111, 112, 112, 122, 135
 - initiated, 110, 111
 - naïve, 109, 110, 111, 112, 112, 121, 135
 - selected, 110, 111, 122
 - specialised expert, 110
 - un-trained, 109, 112
 - consent, 307, 309, 310
 - discrimination ability, 123, 126
 - expertise, 107, 109, 138, 229
 - familiarisation, 106, 310–313
 - fatigue, 302
 - hearing ability, 121, 123–125
 - ignorable loss, 222
 - instructions for, 308, 311, 312, 313
 - listening panel leader, 305
 - listening panels, 106, 112–118
 - generalised listener selection, 116, 117, 120, 122, 128
 - non-ignorable loss, 222
 - recruitment, 305, 310
 - reliability, 130
 - inter-subject, 120, 123, 128, 139
 - intra-subject, 120, 123, 127, 128, 139
 - remuneration, 310
 - required number, 106, 107, 109, 112, 113, 121
 - sample population, 107–109, 118, 119, 121
 - selection, 111, 118–136, 303, 305
 - post-selection, 106, 107, 109, 112, 128–136
 - pre-selection, 106, 107, 109, 112, 114, 119–128
 - verbal fluency test, 135
 - statistical model of, 143
 - training, 106, 112, 126, 140
- subject variable, 204
- subwoofer, *see* separate bass loudspeaker
- sum of squares
 - definition, 192
- t-test
 - definition, 182
 - independent groups, 182
 - paired comparisons, 182
- T AFC, *see* two alternative forced choice
- test statistics
 - definition, 157
- testable statement, 17, 22–24, 27, 34, 39
- Texture Profile, 45
- trimmed mean
 - definition, 169
- true knowledge
 - definition, 19
- Tukey honestly significant difference, 198
- two alternative forced choice, 289, 317
- two-tailed test
 - definition, 183
- Type I error
 - definition, 155
 - familiwise, 196
- Type II error
 - definition, 155
- univariate analysis, 162
- variance components, 194
- verbal protocol analysis, 56
- wideband PESQ, 12, 352
- Wilcoxon test, 189
- wine aroma wheel, 51, 51
- within-groups variation, 192
- within-subject design, 152, 222, 223
- Youden squares, 151