

## SUBJECT INDEX

- Absorption studies, time-resolved X-ray diffraction, 15–16
- Acoustic horizon, laser-heated liquid hydrodynamics, time-resolved X-ray diffraction, 20–22
- Activation energy theories, polymer glass formation, 192–197
- cooperatively rearranging regions, 198–203
  - elastic modulus model, 195–198
  - Lindemann criteria, 198–199
  - Schweitzer-Saltzman theory, 193–195
- Adam-Gibbs (AG) equation, polymer glass formation:
- configurational entropy and relaxation, 152–160
  - cooperatively rearranging regions, 160–162, 198–203
  - equilibrium polymerization, 199–200
  - universality, 201–203
  - entropy production, 132, 135–137
  - fragility parameter, 168–175
  - future research issues, 204–210
  - pressure characteristics, 189–192
  - strengths and weaknesses, 139–141
  - structural relaxation times, 186–189
  - temperature identification, 162–164
- Aging phenomena, cooperatively rearranging regions, glassy dynamics, 102–104
- Angell plots, polymer glass formation, entropy production, 131–132
- A priori* probability, nonequilibrium fluctuations, path thermodynamics, 79–82
- Arrhenius behavior, polymer glass formation:
- configurational entropy, 158–160
  - fragility measurement, 211–212
  - fragility parameter, 171–175
  - structural relaxation times, 188–189
  - temperature effects, 129–131
  - temperature identification, 163–164
- Atom-atom distribution functions, time-resolved X-ray diffraction, 12–15
- Atomic force microscopy (AFM):
- glassy dynamics, cooperatively rearranging regions, 98–99
  - single molecule force experiments, 66–71
- Atomic motion “filming,” time-resolved X-ray diffraction, 11–12
- absorption and diffraction studies, 16–18
- Average cluster dimensions, polymer glass formation, cooperatively rearranging regions, 202–203
- Balance equations, cooperatively rearranging regions, glassy dynamics, 101–104
- Barrier height, polymer glass formation, alternative activation energy, 193–197
- Bayes formula, fluctuation theorem, stochastic dynamics, 43
- Bead trapping:
- nonequilibrium fluctuations, 55–64
  - single molecule force experiments, 69–71
- Bennett’s acceptance ratio method, nonequilibrium fluctuations, 75–77
- Bias, path thermodynamics, large deviation functions, 95–98
- Boltzmann-Gibbs ensemble theory, nonequilibrium transient state, 49–52
- Born-Oppenheimer equation, time-resolved X-ray diffraction, long time signals, 10–11
- Boundary term:
- fluctuation theorem, stochastic dynamics, 47–49
  - nonequilibrium steady state systems, 54–55

- Boundary term: (*continued*)  
 path thermodynamics, work/heat distribution computation, 88–90  
 steady state transitions, 63–64
- Brownian motion, polymer glass formation, elastic modulus structural relaxation, 195–196
- Buchenau relation, polymer glass formation: elastic modulus structural relaxation, 196  
 Lindemann criteria, 196–197
- Cantilever effects, single molecule force experiments, 69–71
- Carbon chain structures, polymer glass formation, configurational entropy, 159–160
- Causality, path thermodynamics, work/heat distribution computation, 88–90
- Cavitation, gold nanoparticles in water, time-resolved X-ray diffraction, 23–24
- Chain stiffness, polymer glass formation: side group size, 183–185  
 temperature identification, 162–164
- Charge-coupled detector (CCD), time-resolved X-ray diffraction:  
 basic principles, 3–4  
 signal sources, 5
- Colloidal systems:  
 nonequilibrium fluctuations, 34–36  
 polymer glass formation, Schweizer-Saltzman activation energy theory, 193–195
- Compton scattering, time-resolved X-ray diffraction, data and noise reduction, 6–7
- Conditional probabilities, fluctuation theorem, stochastic dynamics, 47–49
- Configurational entropy:  
 cooperatively rearranging regions, glassy dynamics, 103–104  
 polymer glass formation, 136–137, 154–168  
 Adam-Gibbs relation, 152–154  
 cooperatively ranging regions, 160–162  
 cooperatively rearranging regions, 199–203  
 free volume *vs.*, 175–178  
 future research issues, 205–210  
 Gibbs-DiMarzio (GD) approach, 137–139  
 pressure and volume characteristics, 164–168  
 temperature dependence, 154–160  
 temperature identification, 162–164  
 polymer melts:  
 glass formation, 143–150  
 lattice cluster theory:  
 one-bending energy model, 145–147  
 two-bending energy model, 148–150
- Constant values, polymer glass formation, configurational entropy and relaxation, 156–160
- Control parameters:  
 fluctuation theorem, stochastic dynamics, microscopic reversibility, 44–45  
 free energy recovery, 71–74  
 single molecule force experiments, 66–71
- Cooperatively rearranging regions (CRRs):  
 glassy dynamics, 98–112  
 free energy landscape, 105–106  
 intermittency, 106–112  
 phenomenological model, 100–104  
 polymer glass formation, 197–203  
 Adam-Gibbs theory:  
 equilibrium polymerization, 199–200  
 limitations, 140–141  
 equilibrium polymerization, 203  
 future research applications, 209–210  
 size and crossover temperature properties, 201–203  
 temperature dependence, 160–162  
 temperature effects, 200–201
- Crooks fluctuation theorem (CFT):  
 Bennett's acceptance ratio method, 75–77  
 free energy recovery, 71–74  
 nonequilibrium transient state, 51–52  
 path thermodynamics, 80–82  
 work/heat distribution computation, 84–86  
 single molecule force experiments, 66–71
- Crossover temperature values:  
 polymer glass formation:  
 cooperatively rearranging regions, 201–203  
 molar mass-dependence, 166–168  
 polymer glass formation, fragility parameters, 170–175
- Data reduction, time-resolved X-ray diffraction, 5–7
- Death process, path thermodynamics, work/heat distribution computation, 85–86
- Debye-Waller factors, polymer glass formation: elastic modulus structural relaxation, 196  
 free volume entropy, 176–178

- Delta function, path thermodynamics, work/heat distribution computation, 87–90
- Density functional theory (DFT), polymer glass formation, integral equations, 134–135
- Density of states theory, polymer melt glass formation, 143–150
- Detectors, time-resolved X-ray diffraction, 5
- Difference signal, time-resolved X-ray diffraction, 9–10  
laser-heated hydrodynamics, 21–22
- Differential fragility, polymer glass formation, objective measurement, 211–212
- Diffraction studies, time-resolved X-ray diffraction, 15–16
- Diiodoethane photodissociation, time-resolved X-ray diffraction, 20
- Diiodomethane photodissociation, time-resolved X-ray diffraction, 18–20
- DNA stretching, single molecule force experiments, 65–71
- Elastic modulus structural relaxation model, polymer glass formation, 195–196
- Electrical circuit, bead trapping example, 56–64
- Electron number density, time-resolved X-ray diffraction, 9
- Elongation, molecular machines, nonequilibrium fluctuations, 37–39
- Entropic droplets theory, polymer glass formation, integral equations, 135
- Entropy density, polymer glass formation, 157–160
- Entropy theory:  
bead trapping example, 60–64  
cooperatively rearranging regions, configurational entropy, 103–104  
fluctuation theorem, stochastic dynamics, 47–49  
Galilean transformations, noninvariance, 64  
nonequilibrium fluctuations, path thermodynamics, 77–82  
nonequilibrium steady state systems, 53–55  
nonequilibrium transient state, 50–52  
path thermodynamics, work/heat distribution computation, 88–90  
polymer glass formation, 131–132  
basic principles, 135–137  
elastic modulus structural relaxation model, 195–196  
fragility parameters, 174–175  
future research applications, 207–210  
isothermal compressibility, 180–182  
Schweizer-Saltzman activation energy, 194–195  
structural relaxation times, 186–189
- Equilibrated fluid, lattice cluster theory, polymer glass formation, 141–154
- Equilibrium polymerization, polymer glass formation:  
cooperatively rearranging regions, 199–203  
future research issues, 210
- Excess fluid entropy, polymer glass formation:  
configurational entropy and relaxation, 156–160  
temperature identification, 164
- Excitation structures, polymer glass formation:  
cooperatively rearranging regions, 199–203  
future research issues, 210
- Femtosecond laser ablation, gold nanoparticles in water, time-resolved X-ray diffraction, 23–24
- Flexible-flexible (F-F) polymers:  
classification, 150–152  
configurational entropy, 154–164  
relaxation and, 161–162  
temperature identification, 164  
formation mechanisms, future research issues, 205–210  
fragility parameter, 170–175  
isothermal compressibility, 178–182  
*M*-dependence of temperatures, 165–168  
side group size, 183–185  
structural relaxation times, 186–189
- Flexible-stiff (F-S) polymers:  
classification, 150–152  
configurational entropy and relaxation, 155–160  
cooperatively rearranging regions, 161–162  
formation mechanisms, future research issues, 205–210  
isothermal compressibility, 178–182  
Lindemann criteria, activation energy, 197  
*M*-dependence of temperatures, 165–168  
polymer glass formation, 170–175  
free volume entropy, 178  
pressure effects, 190–192

- Flexible-stiff (F-S) polymers: (*continued*)  
 side group size, 183–185  
 structural relaxation times, 186–189
- Flory-Huggins (FH) model, polymer glass formation:  
 entropy theory, 135–137  
 Gibbs-DiMarzio (GD) approach, 138–139
- Fluctuation-dissipation (FD) plots, glassy dynamics, cooperatively rearranging regions, 106
- Fluctuation-dissipation theorem (FDT):  
 glassy dynamics, nonequilibrium temperatures, 104–106  
 nonequilibrium transient state, 51–52  
 path thermodynamics, 81–82
- Fluctuation theorems (FTs):  
 basic principles, 39  
 future research issues, 112–113  
 nonequilibrium states, 39–42  
 polymer glass formation, Schweizer-Saltzman activation energy theory, 194–195  
 stochastic dynamics, 42–49  
 derivation of, 46–49  
 master equation, 42–43  
 microscopic reversibility, 44–45  
 nonequilibrium equality, 45–46
- Fokker-Planck equation, bead trapping fluctuation, 58–64
- Force-extension curves (FECs):  
 free energy recovery, 71–74  
 single molecule force experiments, 66–71
- Fourier transform:  
 Maxwell time-resolved X-ray diffraction, 8–9  
 time-resolved X-ray diffraction:  
 atomic motion “filming,” 17–18  
 diiodomethane photodissociation, 19–20  
 laser-heated hydrodynamics, 20–22
- Fragility parameter, polymer glass formation, 168–175  
 cooperatively rearranging regions, 200–201  
 future research issues, 206–210  
 objective measurement techniques, 211–212  
 pressure effects, 190–192  
 side group size, 182–185
- Free energy recovery:  
 glassy dynamics, cooperatively rearranging regions, 105–106  
 nonequilibrium fluctuations, 71–74
- Free volume entropy, polymer glass formation, 175–178  
 future research applications, 207–210
- Functionals, polymer glass formation, integral equations, 132–135
- Galilean transformations, entropy noninvariance, 64
- Gallavotti-Cohen fluctuation theorem, nonequilibrium steady state systems, 55
- Gauche conformations, polymer melts, lattice cluster theory, one-bending energy model, 146–147
- Gaussian distribution:  
 bead trapping example, microscopic reversibility, 59  
 path thermodynamics, 80–82  
 polymer glass formation, Schweizer-Saltzman activation energy theory, 194–195
- Gibbs-DiMarzio (GD) approach:  
 polymer glass formation:  
 configurational entropy, 154–164  
 entropy theory, 135–137  
 future research issues, 204–210  
 strengths and weaknesses, 137–139  
 polymer melt glass formation, 144–150
- Gibbs free energy difference, single molecule force experiments, 68–71
- Glass-forming liquids, cooperatively rearranging regions, equilibrium polymerization, 203
- Glass-forming polymers, lattice cluster theory, 150–152
- Glass transition temperature, polymer glass formation, 130–131  
 cooperatively rearranging regions, 200–203  
 fragility parameter, 173–175  
 free volume entropy, 176–178  
 Lindemann criteria, activation energy, 197  
 pressure effects, 190–192  
 structural relaxation times, 186–189
- Glassy system dynamics:  
 future research issues, 113  
 nonequilibrium fluctuations, colloidal systems, 34–36  
 nonequilibrium fluctuations, small systems, 98–112  
 intermittency, 106–112  
 phenomenological model, 100–104  
 temperature effects, 104–106

- polymer glass formation:  
 alternative activation energy theories,  
   192–197  
   elastic modulus model, 195–198  
   Lindemann criteria, 198–199  
   Schweitzer-Saltzman theory, 193–195  
 basic principles, 126–129  
 configurational entropy, 154–168  
   cooperatively ranging regions, 160–162  
   free volume *vs.*, 175–178  
   pressure and volume characteristics,  
     164–168  
   temperature dependence, 154–160  
   temperature identification, 162–164  
 cooperatively rearranging regions,  
   197–203  
   Adam-Gibbs hypothesis, equilibrium  
     polymerization, 199–200  
     equilibrium polymerization, 203  
   size and crossover temperature  
     properties, 201–203  
     temperature effects, 200–201  
 entropy properties, 131–132  
   Adam-Gibbs theory, 139–141  
   Gibbs-DiMarzio theory, 137–139  
 fragility, 168–175  
 future research issues, 204–212  
 generalized entropy theory, 135–137  
 group size parameters, 182–185  
 integral equation with functionals,  
   132–135  
 isothermal compressibility, volume  
   specificity, shear modulus, and  
   “jamming,” 178–182  
 lattice cluster theory, 141–154  
   Adam-Gibbs relation, 152–154  
   polymer classification, 150–152  
   polymer melts, 143–150  
   pressure characteristics, 189–192  
   temperature characteristics, 129–131  
   structural relaxation times, 185–189
- Gold nanoparticles, time-resolved X-ray  
 diffraction, 22–24
- Harmonic potential, bead trapping and,  
 56–64
- Hatano-Sasa approach, steady state transitions,  
 bead trapping example, 62–64
- Heat distribution, glassy dynamics,  
 intermittency, 109–112
- Heat exchange, fluctuation theorem,  
   nonequilibrium transient state, 52
- Helmholtz free energy, nonequilibrium transient  
 state, 50–52
- High temperature regime, polymer glass  
 formation, pressure effects, 191–192
- Hydrodynamics, time-resolved X-ray  
 diffraction, 14–15  
   laser-heated liquids, 20–22
- Image intensity, time-resolved X-ray diffraction,  
 5–7
- Inflection point, polymer glass formation,  
 configurational entropy, 158–160
- Inherent structure (IS), cooperatively  
 rearranging regions, glassy dynamics,  
 105–106
- Integral equations, polymer glass formation,  
 132–135
- Intermittency, glassy dynamics, 106–112
- Isometric ensemble, single molecule force  
 experiments, 68–71
- Isotensional ensemble, single molecule force  
 experiments, 68–71
- Isothermal compressibility, polymer glass  
 formation, 178–182  
   future research issues, 206–210
- “Jamming” phenomenon, polymer glass  
 formation, 178–182
- Jarzynski equality (JE):  
   fluctuation theorem, stochastic dynamics, 49  
   nonequilibrium transient state, 51–52  
   free energy recovery, 71–74  
   nonequilibrium fluctuations:  
     forward or reverse processes, 75  
     path thermodynamics, 77–82  
     pulling speeds, 74–75  
   path thermodynamics, work/heat distribution  
     computation, 84–86  
   single molecule force experiments, 68–71
- Kirkwood formula, fluctuation theorem,  
 nonequilibrium transient  
 state, 52
- Kirkwood-Monroe solidification theory,  
 polymer glass formation, integral  
 equations, 133–135
- Kob-Anderson model, polymer glass formation,  
 fragility parameter, 169–175

- Kovacs effect, glassy dynamics, intermittency, 109–112
- Lagrange multiplier, nonequilibrium  
fluctuations, path thermodynamics, 79–82
- Landau calculations, polymer glass formation, isothermal compressibility, 180–182
- Langevin equation:  
bead trapping example, 56–64  
microscopic reversibility, 58–59  
fluctuation theorem, stochastic dynamics, 42–49  
nonequilibrium steady state systems, 55  
polymer glass formation, elastic modulus structural relaxation, 195–196
- Large deviation functions:  
future research issues, 113  
path thermodynamics:  
bias, 95–98  
nonequilibrium fluctuations, 90–98
- Laser-heated liquids, time-resolved X-ray diffraction, hydrodynamics, 20–22
- Lattice cluster theory (LCT), polymer glass formation, 141–154  
Adam-Gibbs relation, 152–154  
configurational entropy, 154–164  
cooperatively rearranging regions, 197–203  
fragility parameter, 169–175  
free volume entropy, 176–178  
future research issues, 204–210  
isothermal compressibility, 178–182  
polymer classification, 150–152  
polymer melts, 143–150  
pressure characteristics, 189–192  
Schweizer-Saltzman activation energy, 194–195  
side group size, 182–185  
structural relaxation times, 185–189  
temperature identification, 162–164
- Lennard-Jones particles:  
glassy dynamics, intermittency, 107–112  
polymer glass formation, cooperatively rearranging regions, 201–203  
polymer glass formation, integral equations, 134–135
- Lindemann criteria, polymer glass formation:  
activation energy, 196–197  
free volume entropy, 177–178  
future research applications, 207–210  
*M*-dependence of temperatures, 165–168
- Linear response regime, fluctuation theorem, stochastic dynamics, 49
- Liquid media:  
polymer glass formation, 126–127  
time-resolved X-ray diffraction:  
atomic vibration, 16–18  
basic principles, 3–4  
data reduction procedures, 5–7  
detectors, 5  
difference signal, 9–10  
diffraction and absorption, 15–16  
future research issues, 24  
gold nanoparticles in water, 22–23  
hydrodynamics, 14–15  
laser-heated hydrodynamics, 20–22  
long time signals, 10–12  
Maxwell theory, 8–9  
molecular dynamics simulations, 13–14  
optical pumping statistical analysis, 9  
reaction intermediates, 18–20  
short time signals, 13  
simulations and calculations, 12–15  
theoretical background, 2–3, 7  
X-ray and optical sources, 4–5
- Logarithmic energy decay, cooperatively rearranging regions, glassy dynamics, 101–104
- Long time signals, time-resolved X-ray diffraction, 10–11
- Magnetic dipole, path thermodynamics, work/heat distribution computation, 82–90
- Magnetic tweezers, single molecule force experiments, 68–71
- Markov equations:  
fluctuation theorem, stochastic dynamics, 43  
nonequilibrium equality, 45–46  
path thermodynamics:  
tail characteristics, 92–95  
work/heat distribution computation, 83–86
- Maximum likelihood estimation, Bennett's acceptance ratio method, 77
- Maxwell-Boltzmann distribution, time-resolved X-ray diffraction, molecular dynamics simulations, 13–14
- Maxwell model:  
polymer glass formation, elastic modulus structural relaxation, 195–196  
time-resolved X-ray diffraction, basic principles, 8–9

- Mean-field solutions:  
 glassy dynamics, nonequilibrium temperatures, 105–106  
 path thermodynamics, work/heat computation, 86–91
- Melting temperature, lattice cluster theory, polymer glass formation, 141–154
- Metastable equilibrium, lattice cluster theory, polymer glass formation, 142–154
- Microscopic reversibility:  
 bead trapping example, 58–59  
 fluctuation theorem, stochastic dynamics, 44–45
- Mode coupling theory, polymer glass formation:  
 alternative activation energy, 193–197  
 future research applications, 208–210  
 integral equations, 132–135  
 temperature effects, 130–131
- Molar mass-dependence of temperatures,  
 polymer glass formation, 164–168  
 fragility parameter, 170–175  
 isothermal compressibility, 178–182  
 Lindemann criteria, 197  
 side group size, 183–185
- Molecular dynamics simulations:  
 glass-forming polymer classification, 151–152  
 polymer glass formation, integral equations, 134–135  
 time-resolved X-ray diffraction, 13–14
- Molecular machines, nonequilibrium fluctuations, 37–39
- Monomeric structures, lattice cluster theory, polymer glass formation, 142–154
- Nonconservative nonequilibrium steady state systems, fluctuation theorem applications, 53–55
- Nonequilibrium aging state (NEAS):  
 basic principles, 40–42  
 glassy dynamics, 98–112  
 intermittency, 109–112  
 nonequilibrium temperatures, 104–106
- Nonequilibrium equality, fluctuation theorem, stochastic dynamics, 45–46
- Nonequilibrium fluctuations, small systems:  
 basic properties, 32–34  
 bead in optical trap example, 55–64  
 entropy, work, and dissipation, 60–62  
 microscopic reversibility, 58–59  
 steady-state transitions, 62–64  
 colloidal systems, 34–36  
 fluctuation theorems, 39–55  
 nonequilibrium states, 39–42, 49–55  
 stochastic dynamics, 42–49  
 future research issues, 112–114  
 glassy dynamics, 98–112  
 intermittency, 106–112  
 phenomenological model, 100–104  
 temperature effects, 104–106  
 molecular machines, 37–39  
 path thermodynamics, 77–98  
 basic principles, 77–82  
 large deviation functions and tails, 90–98  
 mean-field approach, 86–90  
 work/heat distribution, 82–86  
 pulled biomolecule example, 64–77  
 free energy recovery, 71–74  
 single molecule force experiments, 65–71  
 strategies and numerical methods, 75–77
- Nonequilibrium glass formation theory,  
 isothermal compressibility, 181–182
- Nonequilibrium steady state (NESS):  
 basic principles, 40–42  
 bead trapping example, 55–64  
 fluctuation theorem applications, 52–55  
 path thermodynamics, large deviation functions and tails, 90–98
- Nonequilibrium temperatures, glassy dynamics, 104–106
- Nonequilibrium transient state (NETS):  
 basic principles, 40–42  
 bead trapping example, 61–64  
 fluctuation theorem applications, 49–52  
 path thermodynamics, work and heat tails, 92–95  
 single molecule force experiments, 66–71
- Numerical simulations, glassy dynamics:  
 intermittency, 110–112  
 nonequilibrium aging state, 99
- One-bending energy model, polymer melts,  
 lattice cluster theory, 144–147
- Onsager theory:  
 nonequilibrium steady state systems,  
 fluctuation theorem applications, 53–55  
 small system nonequilibrium fluctuations, 33–34
- Onset temperature, polymer glass formation, 131

- Optical sources, time-resolved X-ray diffraction, 4–5
- Optical tweezer techniques:  
 molecular machines, nonequilibrium fluctuations, 37–39  
 nonequilibrium fluctuations:  
 bead trapping, 55–64  
 pulling biomolecules, 64–77
- Order parameters:  
 polymer glass formation, fragility parameter, 211–212  
 polymer melts, lattice cluster theory, one-bending energy model, 145–147
- Orthoterphenyl, polymer glass formation, fragility parameter, 175
- Partial crystallization, fragility parameter, 171–175
- Particle clusters, polymer glass formation, cooperatively rearranging regions, 198–203
- Partition function, nonequilibrium fluctuations, path thermodynamics, 77–82
- Path entropy, path thermodynamics:  
 tail characteristics, 93–95  
 work/heat distribution computation, 88–90
- Path free energy:  
 nonequilibrium fluctuations, 79–82  
 work/heat distribution computation, 89–90
- Path thermodynamics, nonequilibrium fluctuations, 77–98  
 basic principles, 77–82  
 large deviation functions and tails, 90–98  
 mean-field approach, 86–90  
 work/heat distribution, 82–86
- Phenomenological model, glassy dynamics, cooperatively rearranging regions, 100–104
- Photodissociation, time-resolved X-ray diffraction:  
 diiodoethane, 20  
 diiodomethane, 18–20
- “Photography” of atomic processes, time-resolved X-ray diffraction, 11–12
- Polydispersity of clusters, polymer glass formation, cooperatively rearranging regions, 202–203
- Polyisobutylene (PIB), fragility parameter, 171–175
- Polymer glass formation:  
 alternative activation energy theories, 192–197  
 elastic modulus model, 195–198  
 Lindemann criteria, 198–199  
 Schweizer-Saltzman theory, 193–195  
 basic principles, 126–129  
 configurational entropy, 154–168  
 cooperatively ranging regions, 160–162  
 free volume *vs.*, 175–178  
 pressure and volume characteristics, 164–168  
 temperature dependence, 154–160  
 temperature identification, 162–164  
 cooperatively rearranging regions, 197–203  
 Adam-Gibbs hypothesis, equilibrium polymerization, 199–200  
 equilibrium polymerization, 203  
 size and crossover temperature properties, 201–203  
 temperature effects, 200–201  
 entropy properties, 131–132  
 Adam-Gibbs theory, 139–141  
 Gibbs-DiMarzio theory, 137–139  
 fragility, 168–175  
 future research issues, 204–212  
 generalized entropy theory, 135–137  
 integral equation with functionals, 132–135  
 isothermal compressibility, volume specificity, shear modulus, and “jamming,” 178–182  
 lattice cluster theory, 141–154  
 Adam-Gibbs relation, 152–154  
 polymer classification, 150–152  
 polymer melts, 143–150  
 pressure characteristics, 189–192  
 side group size parameters, 182–185  
 temperature characteristics, 129–131  
 structural relaxation times, 185–189
- Polymerization index, polymer glass formation, Adam-Gibbs theory limitations, 140–141
- Polymer melts, lattice cluster theory, 143–150  
 one-bending energy model, 144–147  
 two-bending energy model, 147–150
- Pressure characteristics, polymer glass formation, 189–192

- Probability distribution function (PDF):  
 bead trapping example, 56–64  
 glassy dynamics, intermittency, 109–112
- Protein unfolding, nonequilibrium fluctuations,  
 64–71
- Pulling biomolecules, nonequilibrium  
 fluctuation, 64–77  
 free energy recovery, 71–74  
 single molecule force experiments, 65–71  
 strategies and numerical methods, 75–77
- Quasistatic limit, path thermodynamics, tail  
 characteristics, 93–95
- Radiative mechanisms, path thermodynamics,  
 tail characteristics, 93–95
- Ramping protocol, path thermodynamics, work/  
 heat distribution computation, 83–86
- Random orthogonal model (ROM), glassy  
 dynamics, nonequilibrium  
 temperatures, 105–106
- Rayleigh-Bernard convection, nonequilibrium  
 steady state systems, 55
- Reaction intermediates, time-resolved X-ray  
 diffraction, 18–20
- Relaxation mechanisms, polymer glass  
 formation, Adam-Gibbs relation, 152–  
 154
- Release pathway, glassy dynamics,  
 cooperatively rearranging regions,  
 100–104
- Reynolds number, bead trapping, 56–64
- RNA hairpin experiments, free energy recovery,  
 71–74
- RNA mechanical unfolding, nonequilibrium  
 fluctuations, 64–71
- RNA polymerase, molecular machines,  
 nonequilibrium fluctuations, 37–39
- Schweizer-Saltzman activation energy theory,  
 polymer glass formation, 193–195  
 future research applications, 208–210
- Second law of thermodynamics, steady state  
 transitions, 64
- Shear modulus, polymer glass formation,  
 isothermal compressibility, 178–182,  
 182
- Sherrington-Kirkpatrick model, glassy  
 dynamics, nonequilibrium  
 temperatures, 105–106
- Short time signals, time-resolved X-ray  
 diffraction, 12
- “Shoving model,” polymer glass formation,  
 alternative activation energy, 193–197
- Side group size, polymer glass formation,  
 182–185  
 future research applications, 206–210
- Simulation techniques, time-resolved X-ray  
 diffraction, 12–15
- Single molecule force experiments,  
 nonequilibrium fluctuations, 65–71
- Site entropy, polymer glass formation, 157–160
- Small systems, nonequilibrium fluctuations in:  
 basic properties, 32–34  
 bead in optical trap example, 55–64  
 entropy, work, and dissipation, 60–62  
 microscopic reversibility, 58–59  
 steady-state transitions, 62–64  
 colloidal systems, 34–36  
 fluctuation theorems, 39–55  
 nonequilibrium states, 39–42, 49–55  
 stochastic dynamics, 42–49  
 future research issues, 112–114  
 glassy dynamics, 98–112  
 intermittency, 106–112  
 phenomenological model, 100–104  
 temperature effects, 104–106  
 molecular machines, 37–39  
 path thermodynamics, 77–98  
 basic principles, 77–82  
 large deviation functions and tails, 90–98  
 mean-field approach, 86–90  
 work/heat distribution, 82–86  
 pulling biomolecule example, 64–77  
 free energy recovery, 71–74  
 single molecule force experiments, 65–71  
 strategies and numerical methods, 75–77
- “Softening transformation,” polymer glass  
 formation,  $M$ -dependence of  
 temperatures, 165–168
- Spatially isotropic liquids, time-resolved X-ray  
 diffraction, 7
- Spontaneous events release stress energy,  
 glassy dynamics, intermittency,  
 110–112
- State variables, nonequilibrium states, 39–42
- Statistical analysis, time-resolved  
 X-ray diffraction, 9
- Steady state transitions, bead trapping example,  
 62–64

- Steepness parameter, polymer glass formation, 175
- Stiff-flexible (S-F) polymers:  
 classification, 150–152  
 formation mechanisms, 205–210  
 side group size, 183–185
- Stiffness properties, polymer glass formation, isothermal compressibility, 182
- Stillinger/Weber decomposition, glassy dynamics, intermittency, 106–112
- Stochastic dynamics, fluctuation theorem, 42–49  
 derivation of, 46–49  
 master equation, 42–43  
 microscopic reversibility, 44–45  
 nonequilibrium equality, 45–46
- Stokes-Einstein relation:  
 cooperatively rearranging regions, equilibrium polymerization, 203  
 polymer glass formation, temperature effects, 130–131
- String-like structures, polymer glass formation, future research applications, 209–210
- Structural relaxation times, polymer glass formation:  
 cooperatively rearranging regions, 203  
 elastic modulus model, 195–196  
 future research applications, 207–210  
 temperature ratios, 185–189
- Switching field probability distribution, path thermodynamics, work/heat distribution computation, 85–86
- Synchronous x-ray source, time-resolved X-ray diffraction, 4–5
- Tail characteristics, path thermodynamics, nonequilibrium fluctuations, 92–95
- Taylor expansion, bead trapping example, microscopic reversibility, 59
- Temperature ratios:  
 glassy dynamics:  
 cooperatively rearranging regions, 103–104  
 nonequilibrium temperatures, 104–106  
 polymer glass formation:  
 basic properties, 129–131  
 configurational entropy, 154–160  
 cooperatively rearranging regions, 160–162, 199–203  
 fragility parameter, 171–175  
 future research issues, 204–210  
 identification, 162–164  
 isothermal compressibility, 178–182  
 structural relaxation times, 185–189  
 viscosity parameters, 126–129
- Thermodynamics:  
 polymer glass formation:  
 barrier height, alternative activation energy, 193–197  
 cooperatively rearranging regions, 199–203  
 future research applications, 208–210  
 small systems, basic principles, 32–34  
 “Thread model” of polymer chains,  
 polymer glass formation, Schweizer-Saltzman activation energy theory, 194–195
- Time-dependent conservative nonequilibrium steady state systems, fluctuation theorem applications, 53–55
- Time-dependent correlation length,  
 cooperatively rearranging regions,  
 glassy dynamics, 101–104
- Time-resolved optical spectroscopy, time-resolved X-ray diffraction vs., 2–3
- Time-resolved X-ray diffraction, liquids:  
 atomic vibration, 16–18  
 basic principles, 3–4  
 data reduction procedures, 5–7  
 detectors, 5  
 difference signal, 9–10  
 diffraction and absorption, 15–16  
 future research issues, 24  
 gold nanoparticles in water, 22–23  
 hydrodynamics, 14–15  
 laser-heated hydrodynamics, 20–22  
 long time signals, 10–12  
 Maxwell theory, 8–9  
 molecular dynamics simulations, 13–14  
 optical pumping statistical analysis, 9  
 reaction intermediates, 18–20  
 short time signals, 13  
 simulations and calculations, 12–15  
 theoretical background, 2–3, 7  
 X-ray and optical sources, 4–5
- Total dissipation:  
 bead trapping example, 60–64  
 fluctuation theorem, stochastic dynamics:  
 nonequilibrium equality, 46  
 nonequilibrium transient state, 50–52

- Transition metals, time-resolved X-ray diffraction, 15–16
- Transition probability, fluctuation theorem, stochastic dynamics, microscopic reversibility, 44–45
- Two-bending energy model, polymer melts, lattice cluster theory, 147–150
- Universality parameter, polymer glass formation, cooperatively rearranging regions, 201–203
- Van der Waals interactions:  
lattice cluster theory, polymer glass formation, 141–154  
polymer glass formation, configurational entropy, 159–160  
polymer melts, lattice cluster theory:  
one-bending energy model, 144–147  
two-bending energy model, 147–150
- Viscosity parameters:  
molar mass-dependence of temperatures, polymer glass formations, 165–168  
polymer glass formation, 126–129  
fragility and, 175
- Vogel-Fulcher-Tammann-Hesse (VFTH)  
equation, polymer glass formation:  
fragility parameter, 168–175  
future research applications, 206–210  
pressure characteristics, 189–192  
structural relaxation times, 185–186  
temperature identification, 162–164
- Vogel temperature, polymer glass formation, 130–131
- Adam-Gibbs relation, 153–154
- Volume specificity, polymer glass formation:  
elastic modulus structural relaxation, 195–196  
future research issues, 206–210  
isothermal compressibility, 178–182  
 $M$ -dependence of temperatures, 164–168
- Von Neumann equation, time-resolved X-ray diffraction, 9
- Water, gold nanoparticles in, time-resolved X-ray diffraction, 22–24
- Wavevector limits, polymer glass formation, future research applications, 208–210
- Work/heat distribution:  
bead trapping, 60–64  
free energy recovery, 71–74  
path thermodynamics, tail characteristics, 92–95
- Work/heat distribution computation, path thermodynamics, 82–90  
dipole examples, 82–86  
mean-field approach, 86–90
- X-ray sources, time-resolved X-ray diffraction, 4–5
- Zernicke-Prins formula, time-resolved X-ray diffraction, atomic motion “filming,” 11–12
- Zero-temperature relaxation, glassy dynamics, intermittency, 111–112

