

INDEX

Page references followed by t indicate material in tables.

- Absorption, in monoethanolamine, 57
Acid hydrolysis, of biomass cellulose, 196–197
Active solar heating, 248–250
Active solar systems, large, 249–250
Adiabatic compression, 68
Adsorbents, efficacy of, 106
Adsorption substrates, microporous, 99
Adsorption systems, carbon-based, 97–99
Advanced gas-cooled reactor (ACR), 128
Agribusiness economy, biodiesel and, 242
Agricultural residues
 for biomass ethanol production, 190
 cost of, 190
Agricultural waste, for ethanol conversion, 190
Alanates, as hydrogen carriers, 89
Albedo radiation, 246
Alcohols, in petroleum diesel, 236–237
“Al Gore camp,” 3. *See also* Gore, Al
Aliphatic hydrocarbons, 96
Alkali metal hydroxides, 95
Alkaline fuel cell (AFC), 273
Alkaline hydrogen–oxygen fuel cell, 264, 265
Alkyl monoester biofuels, 235t
Alternate-technology vehicles, 311
Alternative energies, justifications for, xvii
Alternative energy sources, 187–188
 rational, 164
Alternative fuels, 40
 from coal, 178
 hydrogen as, 44
 technology of, xv
Alternative hydrocarbons, xxiii
Aluminum pressure vessels, 80
AM1.5D radiation, 246
Ammonia. *See also* Anhydrous ammonia
 as a hydrogen carrier, 101–102
 toxicity of, 102, 106
Ammonia borane, 95
Amorphous silicon (a-Si) technology, 253–254
Anaerobic fermentation procedures, 188

- Anhydrous ammonia, 274. *See also*
 Ammonia
 for hydrogen storage, 102
- Animal feed, as biomass conversion
 by-products, 193–194
- An Inconvenient Truth*, 4
- Antarctic temperature, climate forcings
 contributing to, 4
- Anthropogenic activity, CO₂ generated by, 12
- Anthropogenic carbon dioxide, 30
- Anthropogenic contribution, effect on global
 warming, 12, 13
- Arrhenius, Svante, 8
- ASTM D-6751 Biodiesel Specification/
 Standard, 231t
- Atmospheric carbon dioxide, man-made
 contributions to, 14
- Atmospheric water vapor, influence on
 global warming, 15–20
- Automobile emissions, 26
 regulating, 223
- Automobile fuel cell efficiencies, 266–269
- Automobiles, user expectations for,
 278–279
- Autothermal reforming, 56, 213
- Average global temperature, 29
- Bacteria, photosynthetic, 64
- Battery–electric vehicles, 320–321
- Battery-powered electric vehicles, 287–289
- Battery technology, 321
- Beam radiation, 246
- Beryllium compounds, toxicity of, 94–95
- Bi-Gas process, 183
- “Big industry” carbon dioxide producers,
 13
- “Big oil,” 65
- Biodiesel, 203, 223–236. *See also* Biodiesel
 fuels
 advantages of, 227–233
 Clean Air Act and, 232
 CO₂ control obtained from, 242
 cost of, 242
 defined, 224–227
 demand for, 233t
 disadvantages of, 233–234
 foreign oil dependency and, 232
 positive impacts of, 243–244
 production capacity of, 217
 soybean conversion to, 207
 sulfur content of, 229
 use in diesel hybrids, 236
- Biodiesel fuels. *See also* Biodiesel
 average emissions impact of, 231t
 European DIN 51606 Standard for,
 227–229, 230t
 methanol in the production of, 217
 properties summary for, 228t
- Biodiesel process, commercial development
 of, 232
- Biodiesel products
 antioxidants in, 235
 variation in, 233
- Biodiesel Standard DIN V 51606, 227–229,
 230
- Biofuels, oxidative stability of, 234–235
- Biomass
 alternative raw materials for, 194–198
 availability of, 189–191
 chemicals production from, 196
 cost implications of using, 198–199
- Biomass Canada, 195
- Biomass cellulose, acid hydrolysis of,
 196–197
- Biomass conversion, 63, 64–65
 non-corn, 195
- Biomass conversion processes,
 commercialization of, 198
- Biomass conversion products/by-products,
 193–194
- Biomass conversion technologies, 191–193
- Biomass International, 195
- Biomass pyrolysis, 6, 55
- Biomass-to-liquid (BTL) fuels, 223
- Biomass-to-liquid products, as diesel
 substitutes, 238–241
- Biomass waste, 188
- Bio-oils, 65
- Biosphere, as part of the carbon cycle, 31, 32
- Bituminous reserves, 180
- Boiling-water reactors, 151
- BP Solar, 260–261. *See also* British
 Petroleum (BP)
- “Breakthrough” technologies, 65
- British Petroleum (BP), 159. *See also* BP
 Solar
- BTU value, of biodiesel, 234
- Buckyballs, as hydrogen storage media, 98
- Bulk storage, off-vehicle, 107–111
- Buoy uranium recovery method, 151

- Bush Administration hydrogen program, 324
- By-product oxygen, 311
- Cadmium telluride (CdTe), 256
- Calcium hydride, 94
- California Air Resources Board (CARB), NO_x emissions target, 223
- Canada. *See also* Biomass Canada; Ontario Power Generation; Shell Canada SCGP plant
- energy future of, 176
 - proven natural gas reserves in, 167
- Canadian crude oil, 172
- Canadian Oil Sands, 167, 171
- development of, 160
- Canadian oil sources, xxiv
- CANDU reactors, 152
- Canola oil, analysis of, 225t
- Capacity constraints, hydrogen storage
- without, 112
- Carbohydrate conversion, 196
- Carbon, removing from coal, 179. *See also* Coal entries
- Carbonate mineral deposition, 9
- Carbonate–silicate cycle, 9
- Carbon-based adsorbents, 106
- Carbon-based adsorption systems, 97–99
- Carbon-based particulates, as global warming forcing agents, 26
- Carbon-based sorbents, 98–99
- Carbon cycle, CO₂ and, 7–10
- Carbon dioxide, 13–14. *See also* CO₂ entries
- plant growth and, 13
- Carbon dioxide contribution, exaggeration of, 19
- Carbon dioxide emissions, 42
- control of, 30
- Carbon dioxide model of global warming, 36
- Carbon dioxide sinks, 14
- Carbon emissions, largest producers of, 39
- Carbon fullerenes, as hydrogen storage media, 98
- Carbon transfers, exchange methods
- accounting for, 8–10
- Car technology, short-term change in, 322
- Catalytic steam methane reforming (SMR) process, 55
- Catalytic thermochemical reforming, 55–56
- Catalyzed hydrogen adsorption/desorption, 91–92
- Cell reactions, maximum equilibrium efficiencies for, 51
- Cellulases, 197
- genetic engineering of, 193
- Cellulose, enzymatic saccharification of, 192
- Cellulose conversion technologies, 196
- Cellulose derivatives, as biomass conversion by-products, 194
- Cellulosic biomass, 189
- acid hydrolysis of, 196–197
 - in fuel ethanol production, 191
- Cellulosic conversion methods, 191–193
- Cellulosic municipal waste, conversion into ethanol, 194–195
- Centralized hydrogen production model, 309–310
- Centralized-production hydrogen economy, 297
- Cetane numbers, 227
- “Chemical hydrides,” 92–93, 95
- Chemical industry, use of methanol in, 216
- Chemical processes, manufacturing efficiency of, 200–201
- Chemicals, from corn, 195
- Chemicals production technologies, 196
- Chemosynthesis, 31
- Chernobyl disaster, 118
- China, oil demand from, 174
- Chlorofluorocarbons (CFCs), in the ozone depletion process, 22
- Clathrates, 168
- hydrogen capacity of, 106–107
- Clean Air Act of 1990, 214
- “Clean coal” gasification technology, 176
- Clean coal-to-gas technologies, 185–186
- “Clean diesel” engines, performance data for, 220t
- “Clean diesel” fuel, 219–222
- Clean diesel technology, 243
- “Clean energy” technologies, 38
- Climate change, 5
- carbon sequestration and, 315
 - recent, 11–12
- Climate models, IPCC, 33–34
- “Closed loop” fast breeder reactor designs, 128
- Club Rome, xviii

- CO₂. *See also* Carbon dioxide entries
carbon cycle and, 7–10
combustion energies per ton of, 57t
as a consequence of global
warming, 20
conversion into carbonic acid, 9–10
diffusion into water, 8–9
recent geologic history of, 6–7
uses for, 58
- CO₂ Acceptor process, 183–186
- CO₂ atmospheric emissions, 291
comparison of, 63
- CO₂ concentration, seasonal cycles in, 10
- CO₂ exchange system, 8
- CO₂ levels
increase in, 4
short-term variability of, 34
- CO₂ production, reduction in, 37
- Coal. *See also* Carbon entries
clean processing methods for, 182–186
hydrogen from, 61
underground processing of, 186–187
- Coal-based methanol, 283
- Coal-bed methane (CBM), 165, 169–171
- Coal coke, 178–179
- Coal fired power-generating facilities, 314
- Coal gas, 178
- Coal gasification, 184
- Coal processes, alternative, 186
- Coal reserves, 178–188
U.S., 179, 180
worldwide, 181–182t
- Cold filter plugging point (CFPP), 234
- Combined heat and power (CHP)
applications, solid oxide fuel cells
in, 272
- Combustion CO₂, from reforming, 57–59
- Combustion emissions, 13
- Commonwealth of Independent States,
natural uranium from, 148. *See also*
Russian Federation
- Complex hydrides, 85, 86, 89–91
- Composite pressure vessels, 80
- Compressed gases
data on, 71t
difficulties in storing, 79
- Compressed hydrogen gas, storing and
transporting, 78–80
- Condensed gases, data on, 71t
- Consumer electronic devices, photovoltaics
in, 250
- Conventional natural gas, 164–171
recovery of, 166
- Conventional oil production, 158
- Conventional oil reserves, depletion of, 162
- Copper indium diselenide (CIS), 256
- Copper indium gallium diselenide (CIGS),
256
- Corn
chemicals from, 195
combustion enthalpy of, 202
thermodynamics of growing, 201–207
- Corn ethanol, net energy balance of, 191
- Corn production, in the United States, 207–
208
- Corrective actions, impact on global
warming, 14
- Costs, electrolysis-related, 53–54
- Countercurrent hydrolysis, 197
- Covalent hydrides, 85
- Cropland, utilization of, 207
- Cryogenic containment, 81
- Cryogenic propellants, 82
- Crystalline molecular compounds, for
hydrogen storage, 100
- Cycloalkanes, reversible dehydrogenation
of, 96
- “Dangling bonds,” 254
- Decision-making process, assumptions
underlying, 1
- DECON nuclear facility decommissioning
method, 138
- Dedicated energy crops, 190–191
- Deep sea gas production, 165
- Dehydrogenation. *See also* Partial
dehydrogenation
- “Demand adjusted” consumption slope,
164
- Department of Energy (DOE). *See also*
DOE entries
fuel storage system performance targets,
105, 107, 112–113, 114
hydrogen storage program, 80
- “Destructive distillation,” 46
- DeWeese, Tom, 39
- Diesel automobiles, nonturbocharged,
221–222

- Diesel-engine hybrids, 295
- Diesel engines
 - emissions from, 222–223
 - future of, 219–221
 - in freight-carrying trucks, 222
 - in the United States, 221
- Diesel fuels
 - advantages of, 243
 - “clean,” 219
 - future of, 221
 - substitutes for, 219–222
- Diesel hybrid vehicles, biodiesel in, 236
- Diesel market, 219
- Diesel-powered vehicles, high efficiency, 311
- Diesel substitutes, gas-to-liquid or biomass-to-liquid products as, 238–241
- Diffuse solar gain, 246
- Direct conversion hydrogen generation, 64
- Direct-injection gasoline engines, 323
- Direct-methanol fuel cells (DMFCs), 212, 216, 269–271
 - applications of, 270
- Direct solar energy, 248–250
- Direct solar installations, subsidies for, 250
- Discovered oil reserves, 158
- Discretionary uranium inventory, 147
- Distributed hydrogen manufacturing
 - “network,” 308
- Distributed hydrogen production, 292
- Distributed manufacturing, 75–76, 297
- “Distributed reformer” model, 311
- Distributed reforming, 77
- Distribution, of hydrogen, 67–75
- Distribution alternatives, for hydrogen, 75–77
- Distribution infrastructure issues, hydrogen-related, 289–290
- DOE criteria, hydrogen storage and, 103–104. *See also* Department of Energy (DOE)
- DOE objectives, for LDV transportation, 280t
- DOE targets, current status of, 281–284
- Domestic gas supplies, developing, 176
- Domestic oil producers, 172
- Drake oil well, 157
- Dupont Nafion membrane, 266
- Dye-sensitized solar cells (DSSC), 257–258
 - preparing, 258
- Earth, gradual warming of, 4
- Earth cycles, variability of, 3
- Earth’s climate, longer history of, 6–7
- “Easy” oil, 172
- E-diesel, unofficial standard for, 237t
- Education, importance of, xvi
- “Effective compression,” 84
- Efficiency, in energy conversion, 2
- “Efficiency chain,” 275–276
- Electrical supply, dependence on nuclear energy, 117–118
- Electricity generation, nuclear share in, 120
- Electric vehicles, battery-powered, 287–289
- Electrolysis
 - distributed manufacturing of hydrogen by, 75
 - economics of, 53–54
 - efficiency of, 52
 - emissions from, 53
 - energy consumption and electrolyzer efficiency in, 50–53
 - in hydrogen production, 44–45, 48–54
- Electrolytic hydrogen, cost of, 59–60
- Electrolytic hydrogen generator, 307–308
- Electrolytic oxygen, 49–50
- Electrolyzers
 - capital costs of, 53
 - efficiency of, 50
- Electron hole migration, 252
- Emissions
 - diesel engine, 222–223
 - effect of biodiesel on, 231
 - electrolysis, 53
 - GTL and BTL fuels and, 242–243
 - particulate, 222–223
 - sulfur, 24, 25
- Endothermic hydrogen reaction, 88
- Energy, frequently asked questions concerning, 285–324
- Energy choices, rational, 3
- Energy consumption, xv
 - profligate, 38
- Energy conversion, 62–63
- Energy costs, rising, xvii–xxiv
- Energy crops, 190
 - dedicated, 190–191
 - “Energy economics,” hydrogen, 72
- Energy efficiency policies, 175
- Energy footprint, sustainable, xvi

- Energy industry
 hydrogen acceptance by, 316–317
 role of, xv–xvi
- Energy Information Administration (EIA), 159
- Energy “opportunity costs,” 202, 203
- Energy options, rational assessment of, 1
- Energy policy, xiii
 approaches to, 36
- Energy requirements, for hydrogen
 compression, 68–69
- Energy reserves, xix–xxi
- Energy sources, xiv
 alternative, 187–188
 depletion of, xviii
- Energy supply disruption, xiv
- Energy supply problems, in Ontario,
 Canada, 152
- Energy sustainability, transformation to, xiv
- Energy technology
 complexity of, xvii–xviii
 irrational approach to, 1
- Enthalpy, 50, 51t
- ENTOMB nuclear facility decommissioning
 technique, 139
- Environmental impact, of the Shell Coal
 Gasification Process, 185
- Environmental status
 extreme views regarding, xiii
 truth about, xvii
- Enzymatic hydrolysis, 197
- Enzymatic saccharification, of cellulose, 192
- Enzymatic saccharification/fermentation,
 192–193
- Enzyme hydrolysis technology, 192
- Estimated Additional Resources I
 (EAR-I), 146
- Estimated Additional Resources II
 (EAR-II), 146
- Estimated Ultimately Recoverable (EUR)
 global oil reserves, 174
- Ethanol, 283–284
 annual corn crop for producing, 208
 comparison with other fuels, 209–210
 as a diesel fuel component, 236
 federal subsidies for, 208
 future prospects for, 208–209
 manufacture of, 209
 net energy balance for, 200
 net energy use in producing, 204–205t
 pathways for producing from biomass, 203
 production costs of, 199
 production efficiencies of, 206–207, 210
 production efficiency calculation for, 201
 production of, 196
 as a replacement for gasoline, 206–207
 thermodynamics of processing corn into,
 202–207
- Ethanol conversion, 190
- Ethanol market, growth in, 198–199
- Ethylene glycol alkyl ethers, 238
- Europe, biodiesel use in, 224
- European clean diesel technology, 243
- European diesel fuel, 221, 222
- Evacuated tube thermal collectors, 248–249
- Exhaust gas recirculation (EGR), 223, 241
- Exothermic hydrogen reaction, 88
- Extreme environmental remedies,
 justifications for, xvii
- Factual decision making, framework for, 1–2
- Factual truth, widespread disregard for, xiii
- FAME fuels, tallow-based, 234. *See also*
 Fatty acid methyl esters (FAMES)
- Farmland, utilization of, 207
- Fast-breeder reactors (FBRs), 127–131, 154
- Fast reactors
 gas-cooled, 128, 129
 lead-cooled, 128–129, 130
 sodium-cooled, 129–131
- Fatty acid methyl ester fuel components,
 property data for, 225t
- Fatty acid methyl esters (FAMES), 226t,
 227, 231. *See also* FAME fuels
- Fatty acids, chemical structure and
 properties of, 226t
- Federal subsidies, for ethanol, 208
- Fertilizer, net energy balance for, 200
- Filament-wound storage vessels, 79
- Fischer-Tropsch technology, 239
- Fission transmutation process, 141
- Flash point, of biodiesel products, 229–230
- Flat plate thermal collectors, 248
- Flow resistance, 72
- Foreign energy supplies, U.S. dependence
 on, 62
- Forestry waste, 190
- Formed thermal collectors, 248

- Fossil fuels, net energy balance for, 199–200
- France
 - MOX reprocessing in, 126
 - nuclear power generation in, 120
- Free energy, 50, 51t
- “Fuel assembly,” 134
- Fuel cell autos, onboard reforming of
 - gasoline for, 306
- Fuel cell efficiencies
 - in-vehicle, 295
 - real-world, 276–278
- Fuel cells, 42
 - ammonia, 101–102
 - comparison of, 267–268t
 - direct-methanol, 216
 - early, 263
 - fuels for, 265, 274
 - hydrogen, 274–276
 - intrinsically available work from, 50
 - operating temperatures of, 265–266
 - place in power generation, 296
 - principles of, 264
 - for stationary and mobile use, 263–284
 - types of, 264–274
 - variety of fuels for, 264
- Fuel cell technology, further advances in, 290
- Fuel cell vehicles (FCVs), 321–322
 - efficiency of, 104
 - on-the-road efficiencies of, 277–278
 - operational, 298–304t
 - performance targets for, 279
- Fuel cycle, in generation IV reactors, 123–124
- Fuel gases
 - from coal, 178, 183–186
 - comparison of, 282t
- Fuels
 - alternative, 40
 - combinations of, 283
 - comparison of, 282t
 - energy densities of, 217t
 - pipelined, 70t
- Fuel storage requirements, onboard, 279–284
- Fuel-tax increase, xxi
- Fuel-to-electric power efficiencies, 266, 271–272, 274
- Fuel transition, complexity of, xix
- Fusion energy/power, 153, 313–314
- Future, energy options for, xxiv
- Gas
 - high pressure above-ground storage of, 111
 - orphaned, 170–171
 - “tight,” 170
 - “unconventional,” 168–169
- Gas consumption, xxi–xxiii
- Gas-cooled fast reactors (GFRs), 128, 129
- Gas discoveries, xx
- Gasholders, 111
- Gas hydrates, hydrogen-containing, 106–107
- Gasoline
 - benefits of, 105
 - from natural gas, 239
 - phase-out process for, 43
 - U.S. wholesale price of, 60
- Gasoline-fueled vehicles, tank capacities of, 103
- Gasoline–hydrogen cars, 319–320
- Gasoline–methanol blends, 214
- Gasoline use, in the United States, 60, 207–208
- Gas permeation barrier, 79
- Gas reserves, xx–xxi
 - estimating, 158
- Gas supplies, domestic, 176
- Gas-to-liquid (GTL) products, 171
 - as diesel substitutes, 238–241
- Generation I reactors, 122
- Generation II reactors, 122
- Generation III reactors, 123
- Generation-IV International Forum (GIF), 123, 124, 128
- Generation IV reactors, 123–125
- Georgetown U fuel cell program, 274
- Global gas reserves, 164–165
- Global net primary productivity (NPP), 30–32
- Global oil reserves, 163
- Global radiation, 246, 247
- Global temperature, anthropogenic
 - contributions to, 4
- Global warming (GW), xiv, 3–40
 - as a cause versus a result, 5
 - commonly held myths about, 30
 - controlling, 37–38
 - as a cyclic event, 17
 - dealing with, 36–37

- Global warming (*continued*)
 methane release and, 168
 as a normal, natural event, 36, 37–38
 positive effects of, 38
 primary causes of, 36
 proposed remedies for, 30
 protection from the effects of, 37
 sources and mechanisms of, 11–12
 opposing camps concerning, 3
- Global warming forcing agents, 15–30
 insolation and irradiance, 26–30
 methane, 20–21
 nitrous oxide, 21–22
 ozone, 22–24
 particulates, 26
 pollutants, 24–25
 sulfur, 24
 water vapor, 15–20
- Global warming gases, 36
- Global warming models, disagreement on, 36
- Global weather, modeling the complexity of, 36
- “Gloom-and-doom-sayers,” xvii
- Glycerol by-product, from biodiesel, 232–233
- Gore, Al, 4. *See also* “Al Gore camp”
- Graphite, hydrogen adsorption by, 97–98
- Graphitic nanotubes, hydrogen absorption by, 98–99
- Gravimetric energy density, 111–112
- Greenhouse effect, 8, 10
- Greenhouse gas emissions, hydrogen and, 42
- Greenhouse gases, 10
 absorption wavelengths of, 18t
 heat trapping efficiency of, 19t
 increases in, 4
 non-CO₂, 25
 nuclear fuel production, 118
 overlap of absorption bands of, 17t, 18
- Grid-connected solar energy, 259
- Gross Heating Value (GHV), 69
- H₂ adsorption, by metals, 86–87. *See also* Hydrogen entries
- Hansen, James, global warming predictions by, 35
- “Heat islands,” 29. *See also* Therm- entries
- Heavy-duty vehicles (HDVs)
 hydrogen storage for, 107, 112
 storage technologies for, 78
- Heavy metals, filtering from water, 150
- “Heterojunction” electric fields, 255
- High BTU waste, 188
- High efficiency diesel-powered vehicles, 311
- Higher Heating Value (HHV), 69, 70, 71t
- High level nuclear wastes, 134
 storage locations for, 137
- Highly enriched uranium (HEU), 143
 from Russian nuclear weapons, 147
- High pressure electrolysis cells, 52
- High pressure hydrogen gas, 71, 105, 106
- High temperature gas-cooled reactors (HTGRs), 122, 128
- Hindenburg airship fire, 293
- Hot potassium carbonate (HPC) process, 57–58
- Hot water systems
 active, 249
 passive, 248
- H-PEDOT polymer, 79
- Hubbert curve, 158, 161–162
- Hubbert oil peak, 175
- Hybrid power systems, solid oxide fuel cells in, 272
- Hybrid vehicles, 319–320, 321–322
 performance targets for, 279
- Hydrane process, 184
- Hydrate research and development (R&D), 168, 169
- Hydride-forming reaction, 89
- Hydride powder, 90–91
- Hydrides, maximum possible hydrogen content of, 90t. *See also* Nonmetallic “hydrides”
- Hydride slurries, 93–95
- Hydride systems, recharging, 91–92
- Hydrocarbon fuels
 replacing, xv
 in solid oxide fuel cells, 272
- Hydrocarbon reforming, 65
- Hydrocarbon resources, xxii
- Hydrocarbons
 alternative, xxiii
 hydrogen from, 54–61
 via partial dehydrogenation, 96

- Hydrochlorofluorocarbons (HCFCs), in the ozone depletion process, 22–23
- Hydrofluorocarbons (HFCs), 25
- Hydrogen. *See also* H₂ adsorption; Liquid hydrogen
- as an alternative fuel, 44
 - biomass conversion to, 64–65
 - for a car fleet, 310–311
 - centrally produced, 296–297
 - competition with gasoline, 308–309
 - as a competitive threat, 316
 - compressing, 68, 294
 - compressing for automotive storage tanks, 307–308
 - current “PR” about, 323
 - dangers associated with, 292–293
 - density of, 67–68
 - distributed manufacturing of, 75–76
 - energy-equivalent amount of, 104
 - fossil-fuel energy and, 286
 - frequently asked questions concerning, 285–324
 - as a high-quality form of energy, 286
 - historic uses, of–44
 - from hydrocarbons, 54–61
 - inefficiency of, 293–296
 - issues related to, 116
 - lightness of, 286–287
 - low pressure storage for, 111
 - manufacture by electrolysis, 294
 - manufacture from an energy source, 276
 - National Research Council report on, 53
 - nuclear energy as a source of, 118
 - onboard manufacture of, 77
 - oxygen consumption and, 318
 - pipelining, 70–73
 - point-of-use production of, 76
 - promise of, 42
 - pumping power requirement for, 72–73
 - pure, 42, 309
 - road tanker transportation of, 73–74
 - safety considerations related to, 66–67, 105, 114–116
 - sources of energy for conversion into, 312
 - storage in metals and metal hydrides, 84–86
 - as a supplementary fuel, 305
 - theoretical energy recoverable from, 58–59
 - transportation and distribution alternatives for, 75–77
 - transporting and distributing, 60, 67–75
 - as a universal fuel supply, 41
- Hydrogen adsorption/desorption process, 88–89
- catalyzed, 91–92
 - “chemical hydrides” in, 92–93
- Hydrogen adsorption potential, 97–98
- Hydrogenation reaction, 88, 254
- Hydrogen carriers, 93, 101–103
- Hydrogen combustion, CO₂ emissions from, 58
- Hydrogen dissociation reaction, 87
- Hydrogen distribution infrastructure, 67
- Hydrogen economy, xiv, xviii, 41–116, 285, 288
- adoption of renewable energy and, 314
 - climate and, 317
 - coal and nuclear power stations for, 313–314
 - National Research Council report on, 80
 - technical obstacles to, 289–290
- Hydrogen explosions, 116, 293
- Hydrogen-filling stations, 75
- Hydrogen fires, 293
- Hydrogen flame, 115–116
- Hydrogen flow rate, 72
- Hydrogen fuel cells, 274–276
- “benchmark efficiency” of, 88
 - efficiency of, 276, 287
 - reducing the cost of, 305
- Hydrogen-fueled vehicles. *See also* Hydrogen vehicles
- DOE criteria for, 103
 - storage system in, 104
 - ventilation of, 114
- Hydrogen Fuel Initiative*, 41
- Hydrogen industry, development from scratch, 291–292
- Hydrogen leakage, 71–72, 73, 79
- losses from, 74–75
- Hydrogen leak/flame detection, 115
- Hydrogen manufacture. *See also* Hydrogen production entries
- costs of, 53–54
 - natural gas and, 62
 - water consumption and, 317

- Hydrogen manufacturing industry, safety record of, 115
- Hydrogen–metal (H–M) systems, evolution of, 86
- Hydrogen pipelines, 297–305
- Hydrogen production. *See also* Hydrogen manufacture; Hydrogen production methods
- carbon release from, 59
 - costs of, 59–61
 - distributed versus centralized, 311
 - efficiency losses associated with, 278
 - from natural gas, 61, 62
 - summary of, 65–66
 - uses for, 46–47
- Hydrogen production methods, 44–54
- alternative, 62–65
 - electrolysis, 44–45, 48–54
 - water splitting, 45–46, 47–48
- Hydrogen reformers
- reliability of, 76
 - safety of, 76–77
- Hydrogen research, 316
- Hydrogen storage, 77–91, 285–286. *See also* Hydrogen storage methods; Hydrogen transportation/storage
- approaches to, 78–91
 - assessment of, 112–114
 - without capacity constraints, 112
 - in cars, 306–307
 - costs of, 113
 - DOE criteria and, 103–104
 - “nanoapproach” to, 100
 - “new materials” for, 114
- Hydrogen storage media, effective, 106
- Hydrogen storage methods, novel, 99–101
- Hydrogen storage systems, heating and cooling requirements of, 90
- Hydrogen storage tanks, 80
- Hydrogen transition, 322–323
- crash program for, 323
- Hydrogen transportation/storage, hydride slurries for, 93–95
- Hydrogen user industry, accidents in, 115
- Hydrogen vehicles, major challenges related to, 305. *See also* Hydrogen-fueled vehicles
- Hydrolysis
- of cellulose, 192
 - countercurrent, 197
 - enzymatic, 197
- Hygas process, 183
- Hythane mixtures, 297–305
- Impacts, permanent versus transient, 2
- Imported energy, dependence on, 42–43
- Inconvenient Truth, An*, 4
- India, oil demand from, 174
- Industrial activities, carbon dioxide from, 14
- “Inferred” oil reserves, 158
- Inorganic cycle, carbon transfer via, 10
- Insolation, as a global warming forcing agent, 26–30. *See also* Solar insolation
- Intergovernmental panel on climate change (IPCC), 32–34. *See also* IPCC reports
- Iogen bioethanol plant, 192
- Ionic hydrides, 85
- IPCC reports, 11–12, 32–34. *See also* Intergovernmental panel on climate change (IPCC)
- conclusions of, 34–35
- Irradiance, as a global warming forcing agent, 26–30
- Isothermal compression, 68, 69
- ITER project, 153
- Japan power-demonstration reactor, decommissioning of, 140
- Jet-A fuel, 283
- JP-8 jet fuel, 283
- “Junk facts,” xiii
- Junk science, xviii
- Kellogg Transport Reactor, 186
- “Knowledge gap,” xviii
- Kyocera Corporation, 260
- Kyoto Protocol, xviii
- alternative views on, 39
 - failures of, 38–39
 - revision of, 39
- Kyoto Treaty, 3, 36, 72
- claims made by proponents of, 7
 - ineffectiveness of, 37
- Land-based gas production, 165
- LDV applications, hydrogen storage for, 108–110t. *See also* Light duty vehicles (LDVs)

- LDV transportation
 - DOE objectives for, 280t
 - realistic objectives for, 281t
- Lead-cooled fast reactors (LFRs), 128–129, 130
- Lean-burn direct-injection (LBDI) gasoline engine, 295
- Less-developed countries, CO₂ emissions in, 38–39
- Light duty military vehicles, liquid hydrogen storage for, 83–84
- Light duty vehicles (LDVs). *See also* LDV entries; Light duty military vehicles hydrogen storage in, 78 storage implications for, 104–112
- Light metal hydrides, 106
- Light-water reactors (LWRs), 122, 123, 151 mixed oxide fuel in, 125–126
- Lignin/lignin derivatives, as biomass conversion by-products, 194
- Limits to Growth, The* (Club Rome), xviii
- Linde cryogenic tank, 82
- Liquefied hydrogen dormancy period, 82
- Liquefied natural gas (LNG), xxii
 - comparison to methanol, 215–216
 - importation of, 62, 167
- Liquid ammonia, storage of hydrogen as, 102
- Liquid hydrocarbon fuel supply, 209
- Liquid hydrogen, 69–70, 80–84, 105–106, 296
 - containers for, 81
 - manufacture of, 83
 - realistic standards for, 281
 - safe handling of, 82–83
 - shipping, 81
 - storage of, 83–84
 - as vehicle fuel, 307
- Lithium batteries, 320
- Lithium ion batteries, 288
- Lithospheric carbon, 8
- Little Ice Age, 27, 28
 - temperature changes around, 12
- Localized data, extrapolating to a complex system, 5
- Long term energy needs, xiv
- Lovins, Amory, 316, 321, 322
- Low-carbon energy supply, 297
- Low level wastes (LLW), 135
 - storage fees for, 140
- Low level waste volumes, 136t
- Low molecular weight hydrocarbons, 283
- Lurgi process, 182–183
- Magnesium alanates, 92
- Magnesium hydride, 94
- Magnesium hydroxide, 94
- “Magnox” reactors, 128
- Manufacturing efficiency, of a chemical process, 200–201
- Mass extinction, historical perspective on, 7
- Maunder minima, 28
- Maximum equilibrium efficiencies, for cell reactions, 51
- Medieval Warming Period, 27, 28, 38
- “MegaMethanol” technology, 213
- Metal hydrides, 85
 - background on, 86–89
 - complex, 89–91
 - hydrogen release by, 88
 - hydrogen storage in, 84–86, 101
 - as storage media, 92
 - types of, 85–86
- Metal hydride storage system, 104
- Metallic hydride slurries, 94
- Metallurgical coke, 179
- Metals, hydrogen storage in, 84–86
- Methane
 - coal-bed, 169–171
 - as a global warming forcing agent, 20–21
 - sources of, 21
 - syngas from, 213, 214
- Methane hydrate deposits, gas production from, 165
- Methane hydrates, 168
 - exploiting, 169
- Methane release rates, 21
- Methanol, 211–218
 - applications of, 215, 216–218
 - emissions and, 218
 - as an energy carrier, 215–216, 217
 - as a fuel, 216–217
 - as a hydrogen carrier, 103
 - in internal combustion engines, 215
 - lifecycle cost of, 306
 - as a motor fuel, 214
 - production of, 212, 213
 - as a transportation fuel, 211
 - world market for, 215

- “Methanol crossover” problem, 270–271
 - Methanol fuel cell, 270
 - Methanol–gasoline blends, 214
 - Methanol manufacturing, 67, 216–218
 - overseas, 213
 - Methanol reformers, 56, 310
 - Methyl ester biodiesel fuels, property data for, 226t
 - Methyl tallowate, 229
 - Methyl tertbutyl ether (MTBE), 214, 237, 306
 - Microballoons, for hydrogen storage, 100
 - Middle distillate liquid (MDL) products, 239
 - Mixed oxide (MOX) fuel, 125–126
 - production and processing of, 126–127
 - uranium–plutonium, 147–148
 - Molten carbonate fuel cell (MCFC), 273–274
 - Molten metal technologies, 128
 - Monoethanolamine (MEA), absorption in, 57
 - Monolithic cell, 258
 - Montreal Protocol, 23
 - Multijunction cell technology, 63
 - Multijunction PV cells, 257
 - Municipal solid waste (MSW), 190
 - Municipal waste
 - as an alternative energy source, 188
 - cellulosic, 194–195
 - “Nanoapproach,” to hydrogen storage, 100
 - Nanostructured graphite, 97
 - Nanotube hydrogen absorption, 98–99
 - National Research Council reports, 53, 80
 - Natural gas, 175–177. *See also*
 - Conventional natural gas; Liquefied natural gas (LNG); Orphaned natural gas; Proven natural gas reserves;
 - Synthetic natural gas (SNG)
 - from coal beds, 170
 - conventional, 164–171
 - conversion into hydrogen, 294–295
 - as a hydrogen source, 61, 62, 312–313
 - hydrogen manufacture and, 62
 - running cars on, 66–67, 319
 - thermal and catalytic reforming from, 54–55
 - transportation of, 70
 - world reserves of, 61–62
- Natural gas–fueled vehicles, 66–67, 319
 - Natural gas leakage losses, 75
 - Natural gas prices, 164
 - Natural gas reserves, 61–67
 - by country, 166t
 - depletions of, 165
 - depletion of, 315–316
 - Natural gas spot prices, 59
 - Natural gas supplies, xxii, 66
 - Natural oils, conversion into biodiesel, 227
 - n-doped semiconductor, 251, 254
 - Neat alcohol fuels, 214
 - Net energy balances, 191, 199–201
 - Net primary productivity (NPP), 30–32
 - satellite data on, 31–32
 - Niederachbach reactor, decommissioning of, 139
 - Nitrogen, anthropogenic additions of, 21
 - Nitrogen levels, in biodiesel, 229
 - Nitrogen oxide (NO_x) emissions, 222, 223, 241
 - Nitrous oxide, as a global warming forcing agent, 21–22
 - Non-CO₂ greenhouse gases, 25
 - Non-corn biomass conversion, large-scale, high-value end products from, 195
 - Non-gasoline fuels, replacing, 43
 - Nonmetal hydrides/hydrogen carriers, 95–96
 - Nonmetallic “hydrides,” 106
 - North America, hydrogen industry in, 290
 - North American conventional oil reserves, depletion of, 162
 - Nuclear energy. *See also* Nuclear power
 - entries
 - influence of, 117–122
 - safety record of, 117
 - supplies of, xx
 - Nuclear facilities, maintenance and disposal in, 137
 - Nuclear facility decommissioning, 137–140
 - examples of, 139–140
 - factors influencing, 138
 - techniques for, 138–139
 - Nuclear fuel, disposing of, 141
 - Nuclear power, xiv. *See also* Nuclear energy
 - future of, 153
 - renewed interest in, 118–119
 - Nuclear Power 2010, 123
 - Nuclear power industry, 154
 - Nuclear power plants, worldwide, 120–121

- Nuclear power stations, decommissioning costs for, 140
- Nuclear reactor designs, evolution of, 122–125
- Nuclear reactors, 118
- legislative acts related to, 123
 - production capacity factor for, 152
- Nuclear waste(s)
- disposal of, 134–142
 - safe repository for, 136
- Nuclear waste transmutation, 140–142
- beneficial impacts of, 141–142
- Oceans
- acidity of, 13
 - influence of CO₂ on, 37
 - primary production in, 31
- Off-board hydrogen storage, 107–111
- Offshore methane hydrates, exploiting, 169
- Oil
- future supply, demand, and pricing for, 172–175
 - growing demand for, 171
 - “unconventional,” 167–168
 - worldwide availability of, 175
- Oil & Gas Journal*, 159
- Oil commodity traders, impact on oil prices, 172
- Oil consumption, xxi–xxiii
- Oil discoveries, xx
- Oilfields, early, 157–158
- Oil prices
- OPEC control over, 174
 - responsibility for setting, 171–172
 - rising, 162–163
 - worldwide volatility in, 164
- Oil production
- peaks in, xviii
 - U.S., xv
- Oil recovery technologies, enhanced, 160
- Oil reserves, xx–xxi, 158–164
- estimating, 158, 159
 - forecast of, 163–164
 - recoverable, xxiii
 - untapped, 162
 - viable, 159
- Oil sand reserves, 171. *See also* Canadian Oil Sands
- Oil sands bitumen, xxiii
- Oil shortage, status of, 171
- Oil traders, 164
- Onboard compressed gas storage, 84
- Onboard fuel storage requirements, 279–284
- system, 104
- Onboard hydrogen storage, 78
- Onboard reforming, 77
- Ontario Power Generation, difficulties facing, 152
- “Open-fuel cycle” reactors, 142
- Organic solar cells (OSC), 258–259
- Organization of Petroleum Exporting Countries (OPEC)
- control over oil prices, 172, 174
 - oil production by, 173t
- Orinoco Belt bituminous crudes, 167–168
- Orinoco Oil Belt, xxiii–xxiv, 175
- development of, 160
- Orphaned gas, 170–171, 176
- Orphaned natural gas, 239
- Oxygenated additives, 242
- effect on emissions, 241
 - in petroleum diesel, 237–238
- Oxygenated diesel fuel substitutes, 238t
- Oxygenated fuels, 243
- Oxygen by-products, of electrolytic hydrogen production, 49–50
- Oxygen disposal, 75
- Ozone, as a global warming forcing agent, 22–24
- Ozone cycle, 23
- Ozone depletion process, 22–23
- “Ozone Hole,” 24
- Ozone layer, hydrogen harm to, 318
- Ozone reports, polar region, 5
- Palladium, 86
- PAMPAS polymer, 79
- Parallel-hybrid gasoline/electric drive train technology, 277
- Partial dehydrogenation, hydrocarbons via, 96
- Partial oxidation/ceramic membrane reactors, 56
- Partial oxidation (POx) processes, 56–57.
- See also* POx (partial oxidation) gas
- Particulates, as global warming forcing agents, 26

- Passenger-carrying vehicles, hydrogen storage for, 112
 Passive solar heating, 248–250
 p-doped semiconductor, 251–252, 254
Peak Oil Report (Hirsch), xviii
 PEM cell power densities, 266. *See also* Proton exchange membrane (PEM) fuel cells
 PEMFC fuel, 269. *See also* Polymer electrolyte membrane/proton exchange membrane fuel cell (PEMFC)
 PennWell Corporation, 159
 Perfluorocarbons (PFCs), 25
 Personal transportation, user expectations for, 278–279
 Personal vehicles
 DOE objectives for, 103
 hydrogen for, 66–67
 Petroconsultants, 159
 Petroleum-derived energy sources, pervasive use of, 4
 Petroleum diesel fuel
 alcohols in, 236–237
 oxygenated additives in, 237–238
 as a solution for fuel shortages, 241
 Petroleum products, transport of, 73–74
 Phosphoric acid fuel cell (PAFC), 273
 Photobiological technology, 64
 Photoelectric effect, 251
 Photoelectrochemical (PEC) light harvesting systems, 63
 Photoelectrolysis, 63
 Photosynthesis, 31
 Photovoltaic (PV) cells, 245. *See also* PV entries
 efficiencies of, 254t
 multijunction, 257
 polycrystalline silicon, 255
 Photovoltaic systems
 international applications for, 250–251
 solar, 250–251
 Phytoplankton, 32
 “p-I-n” structure, 254
 Pipelines
 infrastructure of, 70
 leakage losses from, 73
 Plant growth rate studies, 13
 Plutonium-239, 124, 125
 “Plutonium economy,” 154
 p/n junction, 252
 Polar regions, ozone reports in, 5
 Political agendas, in IPCC reports, 32–33
 Pollutants, as global warming forcing agents, 24–25
 Polycrystalline silicon devices, 255
 Polycrystalline thin films, 255
 materials for, 255–257
 Polymer electrolyte membrane/proton exchange membrane fuel cell (PEMFC), 266–269
 Polyoxyethers, 237
 Possible oil reserves, xix, xx, 158
 Power producers, difficulties facing, 152
 POx (partial oxidation) gas, 55. *See also* Partial oxidation (POx) processes
 Prepreparation technologies, biomass conversion, 191
 Pressure-composition-temperature (PCT) curves, 88
 Pressure vessel, gravimetric energy density of, 111–112
 Pressurized-water reactors, 151
 Primary producers, 31
 Primary production, 30–31
 Probable oil reserves, xix, xx, 158
 Producer uranium inventory, 147
 Product liability, in the transportation industry, 289
 Product streams, removing carbon dioxide from, 57
 Pronuclear argument, 121
 Proton exchange membrane (PEM) fuel cells, 49, 86, 264. *See also* PEM cell power densities
 regenerative, 269
 Proven coal reserves, 178
 Proven natural gas reserves, 166
 in Canada, 167
 Proven oil reserves, xix, xx, 158
 for oil-producing countries, 160t
 Pure hydrogen, 42
 cost of, 309
 PV cells, operation of, 251–255. *See also* Photovoltaic entries
 PV manufacturers, major, 260–261
 PV materials, breakthrough advances from, 253–255

- PV semiconductor, 251
PV solar energy prices, 259–260
Pyrolysis
 biomass, 55, 65
 coal, 179
- R-22 refrigerants, 23
Radioactive waste disposal, 134–142
Radioactive waste materials, levels of, 134
RAR uranium reserves, 148. *See also*
 Reasonably Assured Resources (RAR)
Reactor fuel, 124–125
 recycling of, 125
Reactor Pressure Vessel (RPV), disposal of,
 139
Reactors, number by age, 138
Reactor technology, safe and sustainable,
 151–152
Real-world fuel cell efficiencies, 276–278
Reasonably Assured Resources (RAR), 146.
 See also RAR uranium reserves
Recoverable oil, estimates of, 174–175
Recycled hydroxide, hydride regeneration
 from, 94
Red Book, 149
Reformer furnace fuels, 55
Reformers
 maintenance of, 66
 reliability of, 76
Reforming
 autothermal, 56
 combustion CO₂ from, 57–59
 distributed manufacturing of hydrogen
 by, 76
 hydrocarbon, 65
 reactions, 48
 thermal and catalytic, 54–55
 thermochemical, 56–57
Remedial actions, current direction of,
 36–37
Re-radiation trapping, 18
Reserves, xix–xxi
 “Reserves growth,” 159
Resources, “recoverability” of, xix
Reversible cell reaction, 50–51
Reynolds number, 72
Russian Federation, as a uranium market
 supplier, 143, 144. *See also*
 Commonwealth of Independent States
- Saccharification/fermentation, enzymatic,
 192–193. *See also* Simultaneous
 saccharification and fermentation
 (SSF)
Safety issues, hydrogen-related, 114–116
SAFSTOR nuclear facility
 decommissioning strategy, 138–139
Sasol Slurry Phase Distillate Process, 186
Scalability, 2
Scattered radiation, 246
Scrubbing technology, for CO₂
 removal, 58
Seawater, uranium from, 150–151
Selexol Process, 58
Semibitumen oil, xxiii
Shale oil deposits, U.S., 167
Shale oils, xxiii
Sharp Corporation, 260
Shell Canada SCGP plant, 185
Shell Coal Gasification Process (SCGP), 185
Shell Solar, 261
Shippingport reactor, decommissioning
 of, 139
Sieverts’ Law, 88
Silicon-based solar cells, 250
Silicon PV cells, 251
Simple hydrides, 85, 86
Simultaneous saccharification and
 fermentation (SSF), 192–193, 197
Single-crystalline silicon cells, 254–255
Small to medium sized reactors (SMRs),
 119
Sodium alanate, 90, 91
Sodium borate, 94
Sodium borohydride, regeneration of, 93
Sodium-cooled fast reactors (SFRs), 129–131
Solar cells
 dye-sensitized, 257–258
 organic, 258–259
Solar electric system, utility-tied, 259
Solar energy, 245–250
 direct, 248–250
 future outlook for, 261–262
 grid-connected, 259
 power generation via, 52–53
Solar farms, 261
Solar heating, passive and active, 248–250
Solar influences, as global warming forcing
 agents, 26–30

- Solar insolation, 247. *See also* Insolation
- Solar magnetic cycles, 27, 28
- Solar photovoltaic market installations, worldwide, 261
- Solar photovoltaic power, 312
- Solar photovoltaic systems, 250–251
- Solar radiation, 245–250
standard measure of, 245
- Solar thermal collectors, types of, 248
- Solid oxide fuel cells (SOFCs), 271–272
advantages of, 272
hybrid power systems incorporating, 272
- Source-to-use analysis, 275t
- Source-to-use energy efficiencies, 277t
realistic, 296t
- South African Sasol process, 186
- Soybean esters, properties of, 229t
- Soybean oil
analysis of, 225t
nitrogen, sulfur, and phosphorus contents of, 229
- Space programs, hydrogen cooling/storing techniques for, 81
- Spent fuel, recycling of, 96
- Staebler–Wronski effect, 254
- Stationary fuel cells, 269
- Steam-assisted gravity drainage (SAGD) technology, 167
- Steam explosion technology, 192
- Steam-hydrocarbon reforming, 48
- Steam-hydrocarbon reformer furnace, 54–55
- Steam methane reforming (SMR) process, 55, 213
modified, 55
- Steam reforming process, 54
- Storage media, metal hydrides as, 92
- Storage technologies, most promising, 105
- Stranded gas, 170–171, 176. *See also* Orphaned entries
- Subnanostructured metal grids, for hydrogen storage, 100–101
- Subsidies, for ethanol, 208
- Sugars, as biomass conversion products, 193. *See also* Saccharification/fermentation
- Sulfur, as a global warming forcing agent, 24
- Sulfur hexafluoride, 25
- Sun
impact on earth temperature, 28
influences on climate change, 29
- SunFuel (SunDiesel), 240
- “Supercharged” metals, 87
- Supercritical-water-cooled reactor (SCWR), 131–132
- Superphenix reactor, decommissioning of, 140
- Sustainability, xvi, 2
- Sustainable mobility, 318–319
- “Swing” fuel, 194
- Synthane process, 184
- Synthesis gas (syngas), 45, 46, 47, 56. *See also* Synthetic natural gas (SNG)
biomass-based, 283
from coal, 182–183, 215
conversion to methanol, 103, 212
fossil sources of, 214–215
from methane, 213, 214
- Synthesized liquid fuels, value of, 240–241
- Synthetic diesel fuels, 239
- Synthetic fuels
from biomass, 242
coal as a source of, 179
- Synthetic natural gas (SNG), 176. *See also* Synthesis gas (syngas)
from coal, 183
- Tallow-based methyl ester biodiesel, 233–234
- “Thermal Depolymerization” process, 188
- “Thermal mass” materials, 248
- Thermal technologies, for biomass
conversion to hydrogen, 64–65
- Thermochemical processes, improving, 56
- Thermochemical reforming, 65
catalytic, 55–56
scaling issues related to, 56–57
- Thermodynamic factuality, 1
- Thermodynamic processes, efficiencies of, 51. *See also* “Heat islands”
- Thin-film cells, 255
- Third-world countries, clean energy technology in, 40
- Three Gorges Dam, 45
- Three Mile Island, 118
- “Tight gas,” xxiii, 170, 176
- Titanium hydride, 86

- “Town gas,” 179
- Transmutation, 141
- Transport, of hydrogen, 67–75
- Transportation, hydrogen storage for, 78
- Transportation activities, carbon dioxide from, 14
- Transportation alternatives, for hydrogen, 75–77
- Transportation costs, hydrogen, 74
- Transportation fuel
- biodiesel as, 224
 - price of, xxi
- Transportation industry, hydrogen safety in, 114
- Transuranics (TRUs), removal of, 141
- Transuranic waste materials, 134–135
- Tree species, as raw materials for biomass, 194
- Tropospheric ozone, 22
- Turbocharged diesel engines, 220
- Turbulent flow, 72
- ULSD diesel fuel, 239–240. *See also* Ultra low sulfur diesel (ULSD)
- “Ultimately recoverable” oil, 174
- Ultimately recoverable reserves, xix, xx
- Ultra low sulfur diesel (ULSD), 221, 223. *See also* ULSD diesel fuel
- “Unconventional” gas, 168–169
- “Unconventional” oil, xxiii, 167–168
- world reserves of, 175
- Underground coal gasification (UCG), 186–187
- Underground hydrogen storage, 101
- “Undiscovered recoverable” gas reserves, 166–167
- United Nations Framework Classification (UNFC) for Energy and Mineral Resources, 158
- United States. *See also* Department of Energy (DOE); Federal subsidies; National Research Council reports; U.S. entries
- availability of coal in, 180
 - biodiesel standards in, 229
 - corn production in, 207–208
 - demand for biodiesel in, 233t
 - dependence on natural gas, 309
 - exploration activities in, xxii
 - growing dependence on imported gas, 176
 - hydrocarbon resources in, xxiii
 - natural gas supply in, 166, 167
 - nuclear energy in, 121
 - oil and gas consumption in, xxi
 - oil prices in, 174
 - oil production by, xv
 - tight gas reserve data for, 170
 - transportation fuel use in, 43
 - wholesale gasoline prices in, 60
- UPI Reprocessing Plant, decommissioning of, 140
- Uranium
- captive production of, 148
 - from the Commonwealth of Independent States, 148
 - inventories of, 147
 - mined and processed, 148
 - prices of, 126
 - production and supply forecast for, 145
 - reprocessed, 147–148
 - from seawater, 150–151
 - sources of, 143
 - supply concerns related to, 142–151
 - supply projections for, 146–149
- Uranium-235, 124
- Uranium-238, 124
- Uranium industry, supply issues in, 149
- Uranium ore reserves, xx. *See also* Uranium reserves
- by grade, 147t
- Uranium ore yield, estimating, 148–149
- Uranium–plutonium mixed oxide fuel, 147–148
- Uranium reserves, 143–146. *See also* Uranium ore reserves
- estimated quantities of, 146
 - types of, 145–146
- US Energy Policy Act of 2005, 123
- U.S. oil production peak, 161
- U.S. road diesel fuel, 221
- Utility-tied solar electric system, 259
- Utility uranium inventory, 147
- Value-added biomass conversion products, 193
- van’t Hoff equation, 89
- Vanadium, 106

- Vanadium hydride, 86
- Vegetable oil-based biodiesel, alternatives to, 236
- Vegetable oils
- in biodiesel manufacture, 227
 - carbon chain distribution of, 234t
 - as fuels, 225
 - modified, 232
- Vehicles. *See also* Alternate-technology vehicles; Battery–electric vehicles; Battery-powered electric vehicles; Diesel hybrid vehicles; Diesel-powered vehicles; Electric vehicles; Fuel cell vehicles (FCVs); Gasoline-fueled vehicles; Heavy-duty vehicles (HDVs); High efficiency diesel-powered vehicles; Hybrid vehicles; Hydrogen-fueled vehicles; Hydrogen vehicles; Light duty military vehicles; Light duty vehicles (LDVs); Natural gas-fueled vehicles; Passenger-carrying vehicles; Personal vehicles
- fuel cell, 298–304t
 - natural gas-fueled, 66–67
 - user expectations for, 278–279
- Velikhov, Yevgeny, 154
- Venezuela, hydrocarbon reserves in, xxiii
- Very high-temperature reactors (VHTRs), 122, 133–134
- Volcanic emissions, 26
- Warming phases, repetitive, 12
- Water, electrolysis of, 48–49
- Water gas, 47, 179
- Water-gas shift reaction, 213
- Water-splitting, 45–46, 47–48
- reforming using, 54
- Water splitting systems,
- photoelectrochemical, 64
- Water vapor
- atmospheric, 14
 - as a global warming forcing agent, 15–20, 27–28
 - ocean heating from, 27–28
- Water vapor levels, increasing, 16
- “Well-to-wheels” analyses, of petroleum fuel use, 295
- “Well-to-wheels” energy efficiencies, 277t, 288
- realistic, 296t
- Wind energy power generation, 52–53, 312
- World nuclear energy capacity, 148
- Worldwide hydrogen industry, 291
- Yankee Rowe nuclear power plant,
- decommissioning of, 139
- Yttria-stabilized zirconia electrolytes, 271
- Yucca Mountain project, 135–136, 140
- Zeolites, hydrogen storage capacity of, 99
- Zero Boil Off (ZBO) technology, 82
- Zero Emissions Coal Alliance Corporation (ZECA), 183
- CO₂ acceptor technology of, 184
- Zero-emissions coal technologies, 185
- Ziegler-Natta hydrogenation catalysts, 92