

## Index

### a

- absorber–bioreactor–recycle model 354 f
- absorption
  - ethanol from lignocellulosic biomass 456
  - NO<sub>x</sub> removal 342 f, 351 f, 356
  - separation system 50
- acetaldehyde 202
- acetaldehyde/acetic anhydride route 287
- acetate 449
- acetic acid, sustainability metrics 12
- acetic acid/acetylene route 287
- acetone/chloroform/toluene separation
  - 92
- acetone manufacturing 173
- acetylene 202
- acid-catalyzed transesterification 417
- acid concentration 281
- acid hydrolysis 451
- acid-soluble oil (ASO) 263
- acid-to-alcohol ratio 242
- acidic quench 321
- acidification potential (AP) 167
- acidity number 405
- acroleine 316
- acrylonitrile (ACN)
  - propene ammoxidation 313–338
  - propylene ammoxidation 37
  - sustainability metrics 12
- activation energy 140, 266
- active carbon catalysts 137
- active centers 315
- additional cooling capacity 389, 392
- adiabatic PFR
  - cumene synthesis 184
  - ethylene chlorination 212
  - phenol hydrogenation 145
- adiabatic temperature change
  - cumene synthesis 180
  - reactor-design 47
- adiabatic tubular reactor 123
- adipic acid production 129
- adsorption
  - liquid-separation system 73
  - phenol hydrogenation 140
  - separation system 64 ff, 69
- aerobic digestion 456
- agglomerate 369
- agricultural land efficiency 434
- agricultural residues 399
- air emissions 334
- alcohol–water–entrainer 256
- alcohols
  - biodiesel manufacturing 406
  - fatty-ester synthesis 232
  - lauric acid esterification 249, 256
- alkaline hydrolysis 451
- alkanes 256
- alkylation
  - benzene 173–200
  - cumene synthesis 176
  - isobutane 262
- alternative fuels types 399
- alumina catalysts 137
- Amberlyst 231, 404, 419
- ammonia 314 ff
- ammonia fiber explosion (AFEX) 451
- ammoxidation 313–338
- animal lipids 404
- antipollution measures 7
- Antoine equation 236
- applications
  - biodiesel manufacturing 423
  - PVC 364, *see also* examples
- aquatic toxicity potential (ATP) 167
- arabian 449
- aromatics
  - alkylation 178
  - lauric acid esterification 256

- separation system 67, 80 f
- aspect ratio, isobutane alkylation 281
- Aspen Plus
  - acrylonitrile production 318, 324
  - biofuel manufacturing 420, 449
  - cumene synthesis 195
  - EDC pyrolysis 212
  - fatty-ester synthesis 235
  - hydrodealkylation 123
  - isobutane alkylation 280
  - lauric acid esterification 251
  - phenol hydrogenation 134
  - separation system 92
- asymmetry index 377
- auxiliary materials 6, 33
- azeotropes
  - acrylonitrile production 318, 324
  - fatty-ester synthesis 234
  - lauric acid esterification 255
  - phenol hydrogenation 131, 140
  - ternary systems 86
  - vinyl acetate monomer process 297
- azeotropic distillation
  - liquid-separation system 73
  - separation system 82 ff, 88, 95
  - vinyl acetate monomer process 293
- b**
- Bacillus azotoformans* 354
- backbiting 372
- bacteria fermentation 441
- bagasse 445
- balance equations, NO<sub>x</sub> removal 348
- balance yields 8
- balanced vinyl chloride monomer process 202
- base-catalyzed transesterification 417 f
- basic flowsheet structures (BFSs) 3, 103 ff, *see also* flowsheet
- basic quench 321
- basis of design
  - benzene alkylation 173
  - isobutane alkylation 263
  - NO<sub>x</sub> removal 341
  - phenol hydrogenation 129
  - process synthesis 27
  - vinyl chloride monomer process 201, 287
- batchwise biodiesel manufacturing 409, 444
- batchwise suspension polymerization (S-PVC) 364
- Bayer-type catalyst 290
- Benson method 135
- benzene
  - alkylation to cumene 173–200
  - physical properties 133
  - separation system 67
  - toluene conversion 52, 82
- best available technique (BAT) 334
- beta factor 139
- binary interaction parameters, phenol hydrogenation 141
- biochemical ethanol refinery 438
- biochemical NO<sub>x</sub> removal 339–362
- biochemical oxygen demand (BOD<sub>5</sub>) 335
- BioDeNO<sub>x</sub> process 343, 356
- biodiesel manufacturing 399–430
- bioethanol manufacturing 400, 429–460
- biofuels 399
- biogas 67
- biomass 436, 450
- bioreactor 354 f
- biorefinery 437
- biotriglycerides 415
- bleed streams 34
- blending 262, 430
- block diagram, *see* flowsheet
- boilers 89
- boiling points
  - acrylonitrile production 317
  - biodiesel manufacturing 406
  - cumene synthesis 176
  - fatty-ester synthesis 235
  - hierarchical approach 34
  - hydrocarbon 81
  - isobutane alkylation 265
  - lauric acid esterification 255
  - phenol hydrogenation 140
  - split sequencing 64
  - vinyl acetate monomer process 293
  - vinyl chloride monomer process 205
- boundary conditions 344
- boundary value method 98
- BTX C6–C8 aromatics 80, 439
- building blocks, bioethanol manufacturing 439
- bulk aromatics separation 80
- bulk gas/liquid 351 f
- bulk liquid separation system 73
- bulk PVC polymerization 364
- butadiene 202
- butene 265 ff, 275
- tert*-butyl peroxineodecanoate (TBPD) 379
- byproducts 6, 32, 36
  - isobutane alkylation 264
  - physical properties 205

- c**
- C–C bonds 209 ff
  - C1–C5 components 439
  - C4–C16 isoparaffins 280
  - C6–C8 aromatics 80, 439
  - C-hexanol/hexanone
    - one-reactor material balance 170
    - phenol hydrogenation 163
    - physical properties 132, 140
  - C-hexene 170
  - Candida utilis* 440
  - $\epsilon$ -caprolactam production 129
  - carbohydrates 436
  - carbon deposit formation 211
  - carbon dioxide
    - acrylonitrile production 323
    - bioethanol manufacturing 434
    - emissions 6, 399
    - PVC manufacturing 364
    - separation system 67
    - vinyl acetate monomer process 288
  - carbon fibers catalysts 137
  - carbon monoxide 364, 399
  - carbon residue 405
  - carbonyl 324
  - Carnot cycle 331
  - cascade configuration 386
  - catalysts
    - acrylonitrile production 313
    - aromatics alkylation 178
    - biodiesel manufacturing 404, 414 ff, 418
    - cumene synthesis 181
    - fatty-ester synthesis 231 ff, 243
    - hierarchical approach 30
    - isobutane alkylation 263
    - NO<sub>x</sub> removal 341
    - operating point 275
    - phenol hydrogenation 130, 137 ff
    - propene ammoxidation 335
    - vinyl acetate monomer process 287, 297
    - vinyl chloride monomer process 206
  - catalytic continuous processes 411
  - catalytic cracking 50
  - catalytic distillation
    - cumene synthesis 196
    - fatty-ester synthesis 231–260
  - catalytic hydrogenation 65
  - catalytic oxidation 65
  - catalytic reforming 80
  - cellobiose conversion 442
  - cellulose 436
  - cellulosic ethanol production 433
  - centrifugation 424
  - cetane number (CN) 405
  - chain transfer 288, 372, 382
  - chelating agents 339
  - chemical absorption 50
  - chemical components 450
  - chemical equilibrium 31
    - benzene alkylation 181
    - biodiesel manufacturing 402
    - fatty-ester synthesis 236, 241
    - phenol hydrogenation 133
  - chemical oxygen demand (COD) 335
  - chemical reactions 29
    - benzene alkylation 176
    - fatty-ester synthesis 231 ff
    - phenol hydrogenation 132
    - propene ammoxidation 319 f
    - RSR structures 41
    - vinyl chloride monomer process 205
  - chemical routes, phenol hydrogenation 130
  - chemical treatment 65
  - chemical/physical equilibrium (CPE) 47, 233, 236
  - chemical-based cleaning processes 339
  - chemically enhanced distillation 79
  - chemistry
    - biodiesel manufacturing 402
    - isobutane alkylation 264
    - process synthesis 25, 29
    - propene ammoxidation 314
  - chlorinated hydrocarbons 211
  - chlorine
    - EDC pyrolysis 213
    - physical properties 205
    - PVC manufacturing 364
    - vinyl chloride monomer process 202
  - chloroethane 67
  - chloroform 211
  - chloroform/toluene/acetone separation 92
  - chloromethyl-propane 256
  - climate conditions 27
  - closed-loop instability 107
  - cloud point 405
  - coal liquefaction (CTL) 400
  - coalescence separator 412
  - coconut 404
  - cocurrent flows 99
  - coil-like jacket 390
  - coke formation 405
  - cold filter plugging point (CFPP) 405
  - cold stream table, cumene synthesis 187
  - columns
    - acrylonitrile production 324
    - complex 77
    - EDC pyrolysis 216
    - ethanol from lignocellulosic biomass 456

- fatty-ester synthesis 246
  - isobutane alkylation 280
  - NO<sub>x</sub> removal 354
  - reactive distillation 99
  - vinyl chloride monomer process 207, *see also* distillation columns
  - combustion
    - acrylonitrile production 313, 334
    - bioethanol manufacturing 430
    - oxychlorination 209
    - PVC manufacturing 364
    - vinyl acetate monomer process 288
  - component classification 35
  - component split matrix 326
  - composite curves
    - biodiesel manufacturing 420
    - cumene synthesis 188, 191
    - isobutane alkylation reactor inlet 277
  - computer simulation, *see* simulation
  - concentration profiles
    - lauric acid esterification 241, 253, 256
    - NO<sub>x</sub> removal 348, 355 ff
    - phenol hydrogenation 147
  - conceptual design 13, 18, 22
  - reactive distillation columns 100
  - condenser
    - PVC manufacturing 388
    - separation system 64, 69 ff
    - vinyl chloride monomer process 219
  - conductivity 386
  - consolidated bioprocessing (CBP) 447
  - contamination loss reactions 456
  - continuous PFR-like reactors 421
  - continuous stirred-tank reactors (CSTR) 44
    - biofuel manufacturing 421, 444
    - isobutane alkylation 270
    - separator/recycle system 108
  - control 1, 17, 23
    - one-reactor process 162
    - phenol hydrogenation 161
    - process synthesis 58
    - PVC manufacturing 385, 393
    - reactor-inlet stream fixing 112
    - RSR systems 105 ff
    - selectivity 45, *see also* plantwide control
  - convection-mass-transfer reaction 351
  - convergence requirements 217
  - conversion
    - acrylonitrile production 313, 320
    - biofuel manufacturing 403, 442, 455
    - hydrodealkylation 124
    - isobutane alkylation 279
    - phenol hydrogenation 133
    - PVC manufacturing 365, 375–394
    - RSR systems 114, *see also* per-pass conversion
  - cooling
    - heat exchanger 278, 389
    - phenol hydrogenation 146
    - PVC manufacturing 383, 388, 391, 395
  - copper catalyst 209
  - corn 436, 447
  - costs 10, 95
  - countercurrent flow 47, 99
  - CPE diagram, lauric acid esterification 252
  - cracking section control, vinyl chloride monomer plant 223
  - critical conversion, *see* conversion
  - critical manifolds 274
  - crosscurrent flows 47
  - cryogenic acrylonitrile production 331
  - cryogenic distillation 64, 69
  - cumene, benzene alkylation 173–200
  - cyanide 335
  - cyano-acrolein 324
  - cyclohexanone hydrogenation 129–172
  - cyclone system 335
- d**
- Damköhler number 110 ff, 355
  - dead polymers 373, 373, 382
  - defect chain structure 372
  - degree-of-freedom analysis 105, 262
  - dehydration 457
  - dehydrogenation 135, 151
  - densities
    - isobutane alkylation 266
    - PVC manufacturing 386
  - design 3, 15, 35, 58
    - acrylonitrile separation 328
    - fatty-ester synthesis 251
    - hierarchical approach 21
    - phenol conversion 147 ff
    - PVC polymerization reactors 394
    - RSR systems 105
    - separation system 98
  - destination code 35
  - detailed engineering 18
  - detergents manufacture 231
  - di(*sec*-butyl) peroxidicarbonate 379
  - diesel 261, 399
  - diffusion
    - catalyst effectiveness 243
    - cumene synthesis 182
    - NO<sub>x</sub> removal 343 ff, 347
    - phenol hydrogenation 139
    - PVC manufacturing 374

- di-isoalkyl sulfates 280
  - dilute separations 73
  - dimerization 177, 262
  - dimethyl sulfoxide (DMSO) 82
  - DIPB formation 174–198
  - direct chlorination 206
  - direct sequence separations 215
  - discretized model, NO<sub>x</sub> removal 353
  - disproportionation 372, 382
  - dissociation
    - lignocellulose saccharification 444
    - PVC manufacturing 375
  - DIST–CAN, acrylonitrile production 330
  - distillation
    - double-effect 189
    - ethanol from lignocellulosic biomass 456
    - isobutane alkylation 280
    - liquid-separation system 71 ff
    - phenol hydrogenation 130
    - vinyl chloride monomer 215
  - distillation columns
    - acrylonitrile production 324
    - cumene synthesis 185
    - EDC pyrolysis 216
    - phenol hydrogenation 153
    - separation system 50, *see also* columns
  - distillation line map (DLM) 86
  - divided wall column (DWC) 57, 82
  - dodecane 265
  - dodecanoic acid esterification
    - biodiesel manufacturing 419
    - lauric acid 252
    - zirconia catalyst 242
  - Doherty–Malone method 98 f
  - Dow-Kellog technology 175
  - dynamic simulation
    - isobutane alkylation 281
    - PVC manufacturing 390
    - vinyl acetate monomer process 310
    - vinyl chloride monomer process 222, *see also* simulation
- e**
- economics 4, 12 f, 27, 36, 49, 401
    - bioethanol manufacturing 431 f
    - hierarchical approach 21, 55
    - PVC manufacturing 363 f
    - vinyl chloride monomer process 202
  - Eerbeek 343, 354
  - efficient heat transfer 366
  - effluents 265
  - eigenvalues 349
  - electron donor 340
  - Eley–Rideal (ER) mechanism 182
  - emissions
    - biodiesel manufacturing 399
    - propene ammoxidation 334 ff
  - Emmen denitrifying 343
  - emulsion polymerization 364
  - end-of-pipe antipollution 7
  - endothermic reactions 47
  - energy balance
    - isobutane alkylation 278
    - PVC manufacturing 383
  - energy consumption
    - acrylonitrile production 329
    - cumene synthesis 189
    - phenol hydrogenation 129
  - energy integration 10
    - benzene alkylation 187
    - biodiesel manufacturing 413
    - cumene synthesis 194
    - hierarchical approach 23 ff
    - phenol hydrogenation 156
    - process synthesis 56
    - vinyl acetate monomer process 302
    - vinyl chloride monomer process 219
  - enhanced distillation 79
  - enrichment 64
  - enthalpy 132
  - entrainers
    - bioethanol manufacturing 446
    - fatty-ester synthesis 255 f
    - separation system 89
  - environmental protection 4 ff, 26 ff
    - bioethanol manufacturing 434
    - phenol hydrogenation 166
  - enzymatic processes 415, 442
  - equilibrium adsorption 65
  - equilibrium constant
    - dodecanoic acid esterification 242
    - lauric acid esterification 237
    - NO<sub>x</sub> removal 343
  - equilibrium design 48, 234, 238
  - equipment design 4
    - Escherichia coli* 441
  - ESTERFIP–H process 412
  - esterification
    - biodiesel manufacturing 414
    - lauric acid 235, 251 ff, 256
  - ethanol 92, 400, 429–460
  - ethanol-*tert*-butyl-ether (ETBE) 400 f, 431
  - ethers 256
  - ethylene 205, 212, 288 f
  - ethylene dichloride (EDC)
    - physical properties 205
    - pyrolysis 212

- thermal cracking 210
  - vinyl chloride monomer process 202 ff
  - ethylhexanol 235
  - eutectic salts 158
  - examples
  - acetone/chloroform/toluene separation 92
  - acrylonitrile/propylene ammoxidation 37
  - aromatics separation 80 f
  - landfill gas (LFG) separation 67
  - phenone acetylation 11
  - propyl laurate ester 408
  - rapeseed 423
  - toluene hydrodealkylation (HDA) 52, 122
  - exothermal reactions 45 ff
  - acrylonitrile production 313
  - propylene ammoxidation 328
  - RSR systems 119
  - vinyl chloride monomer process 203
  - explosion limit 28, 205
  - extractive distillation 79, 82
  - acrylonitrile production 330
- f**
- fast initiation systems 370
  - fatty-acid methyl esters (FAME) 401 f, 422
  - fatty-esters synthesis, catalytic distillation 231–260, 402
  - feasibility condition 1, 111
  - feed purification 33 f
  - feed streams control 163
  - feedback control 107
  - feed-effluent heat exchanger (FEHE)
    - benzene alkylation 192
    - cyclohexanol dehydrogenation 151, 156
    - hydrodealkylation 124
    - isobutane alkylation 279
    - reactor-design 48
    - vinyl acetate monomer process 297
    - vinyl chloride monomer process 221
  - feedstock, bioethanol manufacturing 432, 438, 449
  - Fenske–Underwood–Gilliland (FUG) method 98
  - fermentation, bioethanol 429, 440–453
  - film model 343
  - fire risks 28
  - first separation step 50, 61
    - propene ammoxidation 321
    - vinyl acetate monomer process 299
    - vinyl chloride monomer process 213
  - first-order reaction 118
  - Fisher–Tropsch synthesis 438
  - fixed recycle flow rate 44
  - fixed-flow equation 271
  - flashes sequence
    - liquid-separation system 71 f
    - separation system 51
    - vinyl acetate monomer process 299
  - flat-blade-type turbine 384
  - Flory–Huggins theory 380
  - flow rates
    - isobutane alkylation 270
    - RSR systems 110 f
  - flowsheet
    - acrylonitrile production 322, 333, 336
    - benzene alkylation 190 f
    - BioDeNO<sub>x</sub> process 357
    - biodiesel manufacturing 410 f, 414, 423
    - bioethanol from lignocellulosic biomass 448 ff
    - catalytic cumene distillation 197
    - cyclohexanol dehydrogenation 151
    - Dow-Kellogg process 175
    - ethanol from sugar cane 446
    - 2-ethylhexyl dodecanoate synthesis 238
    - fermentation section 454
    - heat integration 220
    - impurities/VCM process 226 f
    - integrated process design 15
    - one reactor phenol hydrogenation 159
    - propene ammoxidation 335
    - PVC manufacturing 366
    - recycles/separation/heat integration 157
    - vinyl acetate monomer 303, 306
    - vinyl chloride monomer 204, 218
  - flue gases furnace 219
  - fluid properties 247
  - fluid-bed reactor 210, 320
  - N*-formylmorpholine (NFM) 82
  - fossil resources 399
  - fouling 368
  - four-component distillation 75
  - free fatty acids (FFA) 403
  - free radicals 371 ff, 381
  - freezing point, acrylonitrile 314, 317
  - frequency factor 140
  - Frössling equation 244
  - fuel-cell vehicles (FCVs) 401
  - fuel manufacturing, bioethanol 429–460
- g**
- galactan 449
  - Gani method 135, 239
  - gas cooling 321
  - gas dehydration setup 305
  - gas emissions 6

- gas flows 247
  - gas-liquid column 207, 212
  - gas-liquid/solid systems 50 f, 343
  - gas-phase balance equations 351
  - gas separation system 64, 300
  - gas split manager (GSM) 61
  - gasoline
    - biodiesel manufacturing 399, 430
    - isobutane alkylation 261
    - pyrolysis 80
  - gel effect 372 f
  - geometric characteristics, PVC reactor 368, 385 ff
  - Gibbs free energy 31
    - fatty-ester synthesis 236
    - phenol hydrogenation 132
  - Glitch ballast trays 159
  - global-warming potential (GWP) 167
  - glucose 442
  - glycerides 402 ff
  - glycerol 402–416
  - glycols 66, 82
  - grand composite curves 188, 191
  - greenhouse gases (GHGs) 6, 12, 433
  - group contribution methods 32
- h**
- H<sub>2</sub>SO<sub>4</sub> 265
  - HAL 100 catalyst 263
  - halo-hydrocarbons 67, 256
  - Hatta number 342, 348
  - Hazop analysis 23, 26
  - HCl
    - EDC pyrolysis 214
    - physical properties 205
    - PVC manufacturing 364
    - vinyl chloride monomer process 204, 222
  - HCN 323 f, 328
  - health 28, 202, 289
  - heat effects
    - PVC manufacturing 383
    - reactor-design 47 f
    - RSR systems 118
  - heat exchanger 389
  - heat exchanger network (HEN) 56
  - heat integration 26, 48
    - alkylation reactor 190, 193
    - propene ammoxidation 328
    - vinyl chloride monomer process 219
  - heat transfer
    - isobutane alkylation 279
    - phenol hydrogenation 146
    - process synthesis 56
    - PVC manufacturing 363, 366, 384, 389 ff
    - vinyl acetate monomer process 297
  - heavies 38 ff
    - acrylonitrile production 323
    - cumene synthesis 175, 184
    - EDC pyrolysis 214
    - hydrodealkylation 123 ff
    - phenol hydrogenation 132–170
    - separation systems 72 f, 76
    - vinyl acetate monomer process 298
  - heavy-ends removing 72
  - heavy ions breakdown 264
  - hemicellulose 436, 449
  - Henry coefficients 347
  - Henry components 321
  - Henry law 299
  - heterogeneous azeotropic distillation 95, 255
  - heterogeneous catalysis 99, 419 ff
  - heterogeneous systems 46
  - heuristics
    - azeotropic separation 77
    - hierarchical approach 25
    - integrated process design 15
    - split generation 63
  - hexose fermentation 440, 447
  - hierarchical approach 16, 21–60, 262
  - high-temperature chlorination (HTC) 207
  - high-volume/low-value (HVLV) biofuels 437
  - homogeneous azeotropic distillation 88
  - homogeneous catalysis 416 ff
  - homogeneous systems 46
  - hot spot occurrence 146
  - hot stream table, cumene synthesis 187
  - human toxicity potential (HTPI/ HTPE) 167
  - hybrid separations 79
  - hydraulic correlations 245
  - hydraulic design 46, 234, 246
  - hydraulic diameter 385
  - hydrocarbons
    - acrylonitrile production 335
    - lauric acid esterification 256
    - thermal cracking 211
    - vinyl chloride monomer process 204
  - hydrodealkylation (HDA) 52, 83
  - hydrofluorocarbons (HFCs) 434
  - hydrogen 57
    - biodiesel manufacturing 400
    - one-reactor material balance 170
    - phenol hydrogenation 129
    - physical properties 132

- RSR systems 121
- separation system 52
- hydrogen sulfide 67
- hydrolysis 414
- hydrolyzate conditioning 453
- hydropyrolysis 415

**i**

- immobilized cell reactors 444
- impurities 6, 32
  - acrylonitrile production 323
  - oxychlorination 208
  - phenol hydrogenation 130
  - plantwide control 224
  - separation system 63
  - thermodynamic behavior 217
- vinyl acetate monomer process 288, 295
- vinyl chloride monomer process 201 ff
- incineration process design 7
- independent chemical equations 28
- inhibitors
  - lignocellulose saccharification 444
  - PVC manufacturing 372
  - vinyl acetate monomer process 288
- initiators 211, 370–382
- inlet temperatures 184
- input/output analysis 25, 32–42, 294
- input/output mass balance 109, 119
- input/output structure
  - isobutane alkylation 267
  - phenol hydrogenation 141
  - process synthesis 25, 33–42
- inside battery limit (IBL) 33, 39
- instabilities 125
- integrated process design 1–20
- intermediates 403
- internal reactants recycle 99
- internals selection 245
- intramolecular transfer 372
- inventory control 43, 107
- ion-exchange resins 231, 404
- iron-EDTA complex 339–362
- isobutane alkylation 261–286
- isomerization 177
- isooctane 265, 430
- isopropanol 85
- isopropylbenzene (IPB), cumene
  - synthesis 174–195
- isothermal reactor 378

**j**

- jackets 368, 383, 390
- Jerusalem artichokes 436

**k**

- KA-oil 129, 148, 158
- Katapak-S 245 f, 253
- ketones 130, 148, 256
- key components 32
- key mixtures 294, 318
- kinetics
  - benzene alkylation 181
  - biodiesel manufacturing 409, 416
  - dodecanoic acid esterification 242
  - EDC pyrolysis 212
  - fatty-ester synthesis 233, 241, 244
  - hierarchical approach 31
  - isobutane alkylation 266
  - NO<sub>x</sub> removal 347
  - phenol hydrogenation 137
  - PVC manufacturing 375, 378
  - saccharification processes 442
  - sunflower oil methanolysis 418
  - suspension polymerization 371
  - vinyl acetate monomer process 292
- Klebsiella oxytoca* 441
- Kluyveromyces* 440
- Koch flexitrays 159

**l**

- landfill gas (LFG) 67
- large-scale reactor technology 365
- large-volume organic chemicals (LVOC) 334
- lauric acid 235, 254, 404 ff
- lauroil peroxide (LPO) 374
- Lewis-acid type catalysts 206
- LHHW kinetic model 137
- life-cycle assessment (LCA) 13, 17, 433
- life-cycle inventory (LCI) 12
- light-ends removing 71
- lights 184, 298
- lignin 436, 449
- lignocellulosic biomass 429, 442–450
- lignocellulosic feedstock (LCF) 438
- limited reciprocal solubility 317
- linoleic fatty acid 404 ff
- lipase 415
- lipid feedstock 403
- liquefied petroleum gas (LPG) 261, 400
- liquid activity 408
- liquid holdup 246
- liquid–liquid equilibrium 422
- liquid–liquid separation 73 f, 79
  - acrylonitrile production 317
- liquid–liquid split
  - acrylonitrile production 323, 332
  - isobutane alkylation 280

- lauric acid esterification 255
- liquid phase phenol hydrogenation 130
- liquid separation 71, 82
  - propene ammoxidation 324
  - vinyl chloride monomer process 215, 300
- liquid split manager (LSM) 61
- liquid velocity 246
- load point 247
- long-chain carbon refinery 438
- losses 161, 195
- low-temperature chlorination (LTC) 207
- low-volume/high-value (LVHV)
  - biochemicals 437
- m**
- macroradicals 382
- make-up strategies 43
- manifold projection 274 ff
- mannan 449
- manufacturing routes
  - benzene alkylation 173
  - biodiesel 409
  - bioethanol 445
  - vinyl acetate monomers 287
- mass balance
  - benzene alkylation 185
  - cellulose hydrolysis 443
  - ethanol from lignocellulosic biomass 458
  - isobutane alkylation 268
  - lauric acid esterification 250
  - PVC manufacturing 379
  - RSR systems 106
- mass exchange networks 332
- mass separation agent 51
- mass transfer
  - bulk 351
  - NO<sub>x</sub> removal 344, 347
  - phenol hydrogenation 139
- material balance 8, 35, 41
  - acrylonitrile production 320
  - cumene synthesis 175
  - one-reactor process 170
  - phenol hydrogenation 153, 163
  - RSR structures 41
  - trioleine methanolysis 423
  - vinyl acetate monomer process 294, 302
  - vinyl chloride monomer process 216
- material flow analysis (MFA) 8, 434
- material intensity 10
- mathematical models 343
- maximum uncertainty 276
- Mayo equation 377
- Mears factor 139, 243
- mechanical treatments 450
- mechanistic cycle 315
- melt crystallization 73, 79
- melting points 294, 406
- membrane permeation 64, 69, 79
- MESH equations 252
- methane 67, 399, 434
- methanol
  - bioethanol manufacturing 431
  - critical coordinates 413
  - fuel cells 401
  - sustainability metrics 12
- methodology
  - fatty-ester synthesis 232
  - separation system 61
- methyl acetate manufacturing 233
- methyl-*tert*-butyl ether (MTBE) 261, 401
- methyl esters 406
- methyl oleate 430
- N*-methyl-pyrrolidone (NMP) 82
- metrics, sustainability 10
- Michaelis–Menten model 442
- MIMO methods 57
- mineral acid 404
- minimum energy requirements (MER) 56
- minimum losses control 161
- minimum reactor volume 45
- minimum temperature difference 56, 389
- mixed-integer linear programming (MILP)
  - 17, 21, 78
- mixing
  - isobutane alkylation 284
  - PVC manufacturing 369, 384
  - RSR systems 109, 119
  - VLE 294, 318
- molar flow rates
  - isobutane alkylation 270
  - RSR systems 109
- molar ratios
  - biodiesel manufacturing 413, 418
  - selectivity 181
- molecular sieving 65, 456
- molecular volumes, isobutane alkylation
  - 266
- molecular weight
  - acrylonitrile 314, 317
  - biodiesel manufacturing 407
  - cumene synthesis 176
  - isobutane alkylation 266
  - PVC manufacturing 364, 376, 382, 395
  - VCM process byproducts 205
  - vinyl acetate monomer process 289, 294
- moments, continuous/discrete
  - distribution 376, 382
- monomers 369, 386

motor octane number (MON) 261  
 multieffect distillation 189  
 Multipak packing 245 f  
 multiple steady states 45  
 municipal solid waste (MSW) 67  
 myristic fatty acid 404 f

**n**

Nafion 231, 404, 419  
 natural gas for vehicles (NGV) 399  
 natural gas reforming 12  
 Nedalco NO<sub>x</sub> removal 343  
 neutralization 411, 424  
 NExBTL process 415  
 nitrile impurities 323, 334  
 nitrogen 67  
 nitromethane 211  
 nitrous oxides (N<sub>x</sub>O) 434  
 nominal operating points 275  
 nominal plant capacity 129  
 nominal production rate 106  
 normal-space approach, isobutane alkylation 274  
 NO<sub>x</sub>  
 – biochemical removal 339–362  
 – emissions 6, 399, 430  
 number of stages per meter (NSTM) 247

**o**

octane number 261  
 octane rating 429  
 olefin additions 264  
 oleic fatty acid 404 ff  
 oligomers 324  
 one distillation field 88  
 one reactor process 108, 117 f, 158  
 operation conditions  
 – isobutane alkylation 271 ff  
 – phenol hydrogenation 148, 161  
 – PVC manufacturing 363, 394  
 – vinyl acetate monomer process 293  
 optimization 15, 25  
 – fatty-ester synthesis 233, 250  
 – isobutane alkylation 277  
 – material balance 54  
 – phenol hydrogenation 155  
 organic ion-exchange resin 231  
 outlet reactor mixtures 176  
 outlet streams number 34  
 overall approach 56  
 overall heat coefficient 367  
 overall mass balance 110 f  
 overall material balance 35, 144  
 oxidation stability 405

oxychlorination 203, 208  
 oxygen  
 – lauric acid esterification 256  
 – NO<sub>x</sub> removal 346, 352  
 – separation system 67  
 – vinyl acetate monomer process 288  
 ozone-depletion potential (ODP) 167

**p**

packing, catalytic 245  
 palladium-type catalysts 130, 150, 158  
 palmitic fatty acid 404 ff  
 paraffins 264  
 parametric sensitivity 146  
 partial phenol conversion 147  
 particles morphology 364  
 partition ratio 371, 377  
 pasteurization 71  
 patents 28  
 payback time 54  
 Pd/Au catalysts 288  
 Peng–Robinson EOS 53  
 perfluorocarbons (PFCs) 434  
 Perkadox 16-W40 379  
 per-pass conversion  
 – acrylonitrile production 313  
 – isobutane alkylation 271  
 – phenol hydrogenation 150  
 – RSR systems 114  
 perselectivity 65  
 petrodiesel 399, 409, 430  
 phase equilibrium 32  
 – EDC pyrolysis 214  
 – fatty-ester synthesis 234 ff  
 phases  
 – biodiesel manufacturing 422  
 – NO<sub>x</sub> removal 342  
 phenol  
 – cumene manufacturing 173  
 – one-reactor material balance 170  
 – physical properties 132, 140  
 phenol hydrogenation  
 – cyclohexanone 129–172  
 – RSR structure 144  
 – to cyclohexanone 137  
 phenone acetylation 11  
 phosphoric acid 12, 410  
 photochemical oxidation potential (PCOP) 167  
 physical absorption 50, 64  
 physical properties  
 – acrylonitrile 317  
 – benzene alkylation/cumene 175  
 – biodiesel manufacturing 406

- bioethanol manufacturing 430
- isobutane alkylation 265
- phenol hydrogenation 131
- PVC manufacturing 385
- vinyl acetate monomer process 293
- vinyl chloride monomer process 205
- zeolites 180
- PID control law 386
- pinch-point analysis (PPA) 16, 23, 26, 55
- plant data 23, 27
  - phenol hydrogenation 129, 148
- plantwide control 17, 23
  - hydrodealkylation 124
  - impurities 224
  - inlet flow rates 272
  - isobutane alkylation 281
  - phenol hydrogenation 162
  - RSR systems 106
  - vinyl acetate monomer process 305
  - vinyl chloride monomer process 222
- plasticizer adsorption 369
- platinum catalysts 137
- plug-flow reactors (PFR) 44
  - glycerides transesterification 421
  - RSR systems 114
  - vinyl acetate monomer process 297
- pollution 6, 11
  - acrylonitrile production 334
  - biodiesel manufacturing 399 f
- polyalkylation 177
- polychlorinated biphenyls (PCBs) 27
- polydispersity index 377
- polylactic acid (PLA) 439
- polyvinyl acetate manufacture 287
- polyvinyl chloride (PVC)
  - suspension polymerization 363–398
  - vinyl chloride monomer process 201
- potatoes 436
- potential environmental impact (PEI) 166, 170
- power consumption 26
  - acrylonitrile production 331
  - PVC manufacturing 370
- practical minimum-energy requirements (PME) 12
- Prandtl number 139
- prefractionator 77
- preliminary chemical/phase equilibrium (CPE) 236
- preliminary hydraulic design 246
- preliminary material balance 36, 294
- preprocessing 437, 452
- pressure effect
  - acrylonitrile production 320
  - binary cyclohexanone/cyclohexanol VLE 143
- pressure-swing distillation 79
- primary raw materials (PRM) 8
- process design
  - BioDeNO<sub>x</sub> 357
  - ethanol from lignocellulosic biomass 449
  - phenol hydrogenation 161
- process flow diagram (PFD) 18
  - biodiesel manufacturing 423
- process flowsheet
  - alkylation/transalkylation/energy integration 194
  - benzene alkylation 192, *see also* flowsheet
- process intensification 15
- process selection, NO<sub>x</sub> removal 341
- process steps, vinyl chloride monomer process 202
- process synthesis/integration 3, 14, 21–60
- process utilities 27
- process-control system 26
- processing costs 37
- product price 27
- production costs, bioethanol manufacturing 432
- production rate 4
  - isobutane alkylation 266, 272
  - lauric acid esterification 249
  - phenol hydrogenation 161, 165
  - RSR systems 109, 116
  - vinyl chloride monomer plant 225
- production-integrated environmental protection 6
- project definition
  - benzene alkylation 173
  - bioethanol manufacturing 449
  - fatty-ester synthesis 233 ff
  - phenol hydrogenation 129
  - propene ammoxidation 313
  - PVC manufacturing 363
  - vinyl acetate monomer process 288
  - vinyl chloride monomer process 201
- project-based learning 2
- propagation 375, 382
- propane
  - acrylonitrile production 313
  - butane blend 400
  - cumene synthesis 176
  - isobutane alkylation 265
- propanol 255
- n*-propanol 85
- propene ammonoxidation 12, 313–338
- propene conversions 179

- propyl laurate ester 408
  - propylene 176
  - propylene ammoxidation 37
  - proton transfer 265
  - pseudoalkylates 264
  - pseudohomogeneous process 266
  - pumping capacity 370
  - purge streams 34, 64
  - purification
    - acrylonitrile 325
    - EDC pyrolysis 215
    - separation system 66
    - vinyl chloride monomer process 206
  - purity
    - biodiesel manufacturing 410
    - cumene synthesis 173
    - hierarchical approach 27
    - lauric acid esterification 249
    - phenol hydrogenation 161
    - vinyl acetate monomer process 295
    - vinyl chloride 202
  - pyrolysis
    - EDC 212
    - separation system 80
    - vinyl chloride monomer process 203
- q**
- quality specifications, phenol
    - hydrogenation 130
  - quench, acrylonitrile production 321
- r**
- Radfrac module
    - cumene synthesis 187
    - isobutane alkylation 281
    - separation system 92
  - radicals 371 ff, 381
  - rank condition 111
  - rapeseed 404
  - raw materials 6 ff, 21, 27
    - biofuel manufacturing 404, 435
    - vinyl acetate monomer process 294
  - reactants 36
    - excess 43
    - injection strategy 47
    - inventory 43
    - makeup 41 ff
    - recycling 33
    - RSR systems 109
    - vinyl acetate monomer process 293
  - reaction engineering 31
    - benzene alkylation 176
    - biodiesel manufacturing 420
  - reaction heat, RSR systems 118
  - reaction kinetics 6
    - benzene alkylation 182
    - ethylene chlorination 207
    - isobutane alkylation 265
    - lignocellulose saccharification 444
    - oxychlorination 209
    - phenol hydrogenation 132
    - RSR systems 111
    - vinyl acetate monomer process 289
  - reaction rates
    - acrylonitrile production 313
    - dodecanoic acid esterification 242
    - phenol hydrogenation 138
    - PVC manufacturing 370, 382, 394
    - RSR systems 109
  - reaction scheme 30
    - cellulose hydrolysis 443
    - NExBTL process 415
    - NO<sub>x</sub> removal 340
    - propene ammoxidation 314
    - vinyl acetate monomer process 289
    - vinyl chloride monomer process 202
  - reaction temperature
    - biodiesel manufacturing 418
    - EDC pyrolysis 212
    - isobutane alkylation 279
  - reactive distillation (RD) 98 ff
    - benzene alkylation 195
    - biodiesel manufacturing 421
    - cumene synthesis 195
    - fatty-ester synthesis 231, 246
  - reactor design 31, 45 ff
    - cyclohexanol dehydrogenation 151
    - phenol hydrogenation 149
    - PVC manufacturing 363, 367, 378, 388
    - vinyl chloride monomer process 212
  - reactor inlet, phenol hydrogenation 163
  - reactor outlet
    - EDC pyrolysis 214
    - isobutane alkylation 265
    - RSR systems 110
    - vinyl chloride monomer process 219
  - reactor selection 45
  - reactor/separation/recycle (RSR) systems 103–128
    - benzene alkylation 183
    - hierarchical approach 23
    - isobutane alkylation 268
    - phenol hydrogenation 144
    - process synthesis 25, 41, 103
    - vinyl acetate monomer process 296
  - real balance yield 8
  - reboiled stripping 50, 71

- reboiler
    - cumene synthesis 189
    - lauric acid esterification 249
    - vinyl chloride monomer process 219
  - recipe changed PVC manufacturing 393
  - recovery
    - acrylonitrile production 330
    - first separation split 68
    - isobutane alkylation 268
    - separation system 51
  - rectifiers 77
  - recycle systems 6, 23 ff, 41 ff, 103
    - isobutane alkylation 268, 272
    - phenol hydrogenation 163
    - RSR systems 110
    - vinyl acetate monomer process 296
  - Redlich–Kwong model
    - acrylonitrile production 318
    - EDC pyrolysis 214
    - phenol hydrogenation 140
  - redox potentials 341
  - redox properties, catalysts 313
  - reflux ratio
    - lauric acid esterification 249
    - phenol hydrogenation 155
  - refractive index, acrylonitrile 314
  - refrigeration systems 26, 56
  - regulation-by-feedback 43
  - research octane number (RON) 261 f
  - residence time
    - cumene synthesis 183
    - fatty-ester synthesis 244
  - residue curve maps (RCM) 16, 32
    - fatty-ester synthesis 233
    - lauric acid esterification 237, 255
    - phenol/cyclohexanol/cyclohexanone mixture 143
    - separation system 84
    - vinyl acetate monomer process 295
  - resins 231, 404
  - resources optimization 57
  - revenues 10
  - reversible endo/exothermic reactions 47
  - Reynolds number 139, 146
  - Rilsan 11 440
  - robustness, isobutane alkylation 262, 271, 281
- S**
- S. carlsbergensis* 440
  - S. uvarum* 440
  - saccharification/fermentation 441
  - Saccharomyces cerevisiae* 440
  - safety 28
    - isobutane alkylation 263
    - vinyl acetate monomer process 289
    - vinyl chloride monomer process 202
  - saponification 404
  - scaling 390
  - secondary raw materials (SRM) 8
  - segmentation 56
  - selection 245, 271
  - selective catalytic reduction (SCR/SNCR) 339
  - selectivity
    - cumene synthesis 179
    - EDC pyrolysis 213
    - fatty-ester synthesis 242
    - isobutane alkylation 266, 273 ff
    - phenol hydrogenation 134 ff, 141
    - vinyl acetate monomer process 288
  - selectors 61 ff, 70
  - self-regulation 43, 106
  - sensitivity 44
  - separation system 23 ff, 49, 61–102
    - acrylonitrile production 320, 325
    - biodiesel manufacturing 411, 424, 445
    - ethanol from lignocellulosic biomass 457
    - isobutane alkylation 280
    - phenol hydrogenation 152
    - propene ammoxidation 324 ff
    - vinyl acetate plant 304
    - vinyl chloride monomer process 206, 213, 298
  - separation/recycle structure 23 ff, 41, 103
    - isobutane alkylation 268
    - vinyl acetate monomer process 296
  - sequence optimization 78
  - sequential cellulose hydrolysis/hexose fermentation (SHF) 447
  - shell heat exchanger 148
  - shell-and-tube chemical reactor 159
  - Sherwood particle 139
  - shifts 43
  - shut-down control 161
  - side-chain aromatics 52
  - side-stream complex columns 77
  - Sieder–Tate correlation 384
  - silica gel catalysts 137
  - simulated moving bed (SMB) technology 84
  - simulation
    - acrylonitrile purification 327
    - benzene alkylation 185
    - isobutane alkylation 281
    - lauric acid esterification 248
    - one-reactor phenol hydrogenation 160
    - phenol hydrogenation 153

- propene ammoxidation 324
  - vinyl acetate monomer process 310
  - vinyl chloride monomer process 222
  - simultaneous saccharification/fermentation (SSF) 441
  - single-stage solid washer (Swash) 451
  - singularities 274
  - SISO methods 57
  - site data 27
  - site isolation 315
  - sizing 155, 355
  - slope condition 121
  - sloppy split 189
  - slurry gas/liquid reactor 49
  - snowball effect 44
  - isobutane alkylation 262, 270
  - RSR systems 105 f, 111
  - SO<sub>2</sub> emissions 6
  - social sustainability 5
  - SOHIO catalyst 315
  - solid catalysts 231 ff, 419
  - solid split manager (SSM) 61
  - solubility 64, 317
  - solvents 26, 57, 82
  - sorghum 436
  - SORONA 440
  - soybean 404, 418
  - space-time yield (STP) 292
  - specific balance yield 9
  - specific heat 366, 386
  - specifications 263
    - acrylonitrile production 314
    - biodiesel manufacturing 405
    - vinyl acetate monomer process 288
  - spiral models 17
  - split sequences 61, 64 ff, 73, 215
  - SPYRO software 211
  - SR-Polar EOS 214, 299
  - stabilizers 71
  - starch 436, 445
  - start-up control 161
  - start-up heaters 48
  - state multiplicity 44, 107
  - static membrane reactor 445
  - steady-state model 118, 281
  - steam consumption 331
  - steam explosion 451
  - steam generator 48
  - stearic fatty acid 404 ff
  - stoichiometric parameters 8
    - phenol hydrogenation 130
    - RSR systems 111
    - trioleine methanolysis 423
  - stoichiometric reactor
    - EDC pyrolysis 212
    - ethylene oxyacetylation 289
    - phenol hydrogenation 153
  - storage facilities 27
  - stream table
    - acrylonitrile production 323
    - process synthesis 56
    - vinyl acetate monomer process 297
  - strippers 73, 77
  - submixture analysis 63
  - sugars fermentation 429, 436, 445
  - sulfated zirconia (SZ) 404, 419
  - sulfolane 82
  - sulfuric acid alkylation 280 f
  - sunflower oil 404, 418
  - supercritical processes 413
  - superstructures 17, 51
  - supertargeting 56
  - supported liquid-phase catalysis (SLPC) 290
  - surface parameters 240
  - surfactants manufacture 231
  - suspension PVC polymerization 363–398
  - sustainability metrics 5, 10
  - sweet sorghum 436
  - synfuels 400
  - synthesis, separation systems 61–102
  - systematic approaches 1, 15, 103 ff
- t**
- Talamini analysis 371 ff, 377
  - tallow 404
  - targeting 56, 192
  - task-oriented system 61
  - temperature
    - bioethanol manufacturing 440
    - lauric acid esterification 241
    - liquid-separation system 73
    - PVC manufacturing 385 ff, 389 f, 395
    - reactive distillation 99
    - vinyl acetate monomer process 294
  - terephthalic acid 12
  - termination 372 ff, 382
  - ternary azeotropes 256
  - ternary systems
    - distillation separation 75
    - ethanol/water/entrainer 95
    - residue curve maps (RCM) 86
  - terrestrial toxicity potential (TTP) 167
  - tetradecane 430
  - tetra-ethyl lead blending 430
  - theoretical balance yield 8
  - thermal coupling 57
  - thermal cracking 203, 210

- thermal degradation 321
  - thermal design 47, 278
  - thermal effects 180
  - thermochemical bioethanol refinery 438
  - thermodynamic equilibrium
    - NO<sub>x</sub> removal 344
    - PVC manufacturing 371
  - thermodynamics
    - acrylonitrile production 314, 318
    - fatty-ester synthesis 233, 239
    - integrated process design 15
    - lauric acid esterification 254
    - phenol hydrogenation 140
    - process synthesis 25, 29, 32
    - vinyl acetate monomer process 289
    - vinyl chloride monomer process 202
  - Thiele modulus 139
  - toluene/acetone/chloroform separation 92
  - toluene hydrodealkylation (HDA) 52, 122
  - tortuosity 139
  - total cost assessment (TCA) 13
  - tower reactor 444
  - toxicity
    - bioethanol manufacturing 429
    - emissions 11
    - fatty-ester synthesis 235
    - hierarchical approach 28
    - materials 6
    - phenol hydrogenation 129
  - transalkylation 83, 177, 194
  - transesterification 402, 409
  - transient behavior 388
  - transitions time control 161
  - transportation fuels 399
  - trichlorethane (TCE) 206 ff
  - triglycerides
    - biodiesel manufacturing 406
    - hydrolysis 415, *see also* glycerides
  - trimethyl pentane (TMP) 262
  - tube heat exchanger 148
  - turndown ratio 343
  - turnover-frequency (TOF) 291
  - two distillation fields 89
  - two reactants/recycle processes 115
  - two-phase model, suspension PVC manufacturing 369
- u**
- Underwood–Gilliland sequence optimization 78
  - UNIFAC model
    - biodiesel manufacturing 409
    - separation system 87
  - UNIQUAC model
    - acrylonitrile production 318, 326
    - fatty-ester synthesis 236 ff, 242 ff
- v**
- V-cycle model 17
  - valorization, glycerol 416
  - value-added monetary unit 10
  - vapor–liquid equilibrium 99
  - vapor phase 130
  - vapor pressure 240, 406
  - vapor recovery 23, 64
  - Veendam 343, 354
  - vegetal lipids 404
  - vinyl acetate monomer (VAM) process 287–312
  - vinyl chloride monomer (VCM) process 201–230, 364 f
  - viscosity 386
  - VLE
    - fatty-ester synthesis 239
    - hierarchical approach 32
    - key mixtures 294, 318
    - separation system 91
  - void fraction 180, 245
  - volatile organic components (VOCs) 7, 27, 323
  - volatility
    - cyclohexanone 152
    - distillation separation 75
    - split sequencing 64
  - volume parameters 240
- w**
- walls 386
  - waste
    - disposal costs 27
    - process design 6
    - propene ammoxidation 334
    - reduction algorithm (WAR) 166
    - treatment 10
    - water 7, 334
  - water 10, 23, 26, 57
    - acrylonitrile production 314, 318 f, 324, 332 ff
    - azeotropes 236
    - bioethanol manufacturing 431, 456
    - burning 324
    - cooling capacity 392
    - ethanol from lignocellulosic biomass 456
    - lauric acid esterification 255
    - one-reactor material balance 170
    - physical properties 133
    - propene ammoxidation 332 ff

- PVC manufacturing 386
- residue curve maps 85
- separation systems 97
- waterfall approach 17
- Weber number 370
- Weisz–Prater criterion 243
- wheat 432, 436
- Wilson/Redlich–Kwong model 141
- Winn–Underwood–Gilliland method 280

**x**

- xylan 449
- xylenes 83
- xylose 442

**y**

- Y-type zeolites 179
- yeasts fermentation 440
- yields 8, 134

**z**

- Z. mobilis* 441, 455
- zeolites
  - biodiesel manufacturing 419
  - cumene synthesis 175, 178 ff
  - phenol hydrogenation 137
- zeotropic mixtures 73 f
- zirconia catalyst 242