

## Index

- $(J_1, J_2, J_3)$ , rotation matrices 147, 255  
 $(\sigma_1, \sigma_2, \sigma_3)$ , Pauli spin matrices 163, 257  
 $(a_1, a_2, \dots, a_n)$ , covariant components 49  
 $(x^1, x^2, \dots, x^n)$ , contravariant components 49, 66  
 $(x_1, x_2, \dots, x_n)$ , covariant components 83  
 $*$ , Hodge-star operation 144  
 $A^i = (\phi, \mathbf{A})$ , relativistic four-potential 332  
 $D$ , absolute differential 105  
 $D_t$ , absolute time derivative operator 240  
 $G(a)$ , growth rate profile, K–B method 515  
 $G(\mathbf{q}, \mathbf{Q})$ , generating function 443  
 $G_{ij}$ , Einstein tensor 429  
 $I$ , action variable 448  
 $I \equiv R(0)$ , identity transformation 191  
 $P_i$ , or  $\alpha_i$ , Jacobi momenta 302  
 $Q^i$ , or  $\beta_i$ , Jacobi coordinates 302  
 $R(0) \equiv I$ , identity transformation 191  
 $R(\mathbf{r})$ , Lagrange perturbation function 493  
 $R^k_{\ j ab}$ , curvature tensor 423  
 $R_{jb}$ , Ricci tensor 425  
 $S(\mathbf{q})$ , action 296  
 $S(\mathbf{q}, \mathbf{P}, t)$ , generating function 445  
 $S_0(\mathbf{q}, \mathbf{P})$ , abbreviated action 446  
 $TM$ , union of all tangent spaces 348, 531  
 $TM_{\mathbf{q}}$ , tangent space at  $\mathbf{q}$  348, 531  
 $T_0$ , string tension 387  
 $\Gamma^j_{\ ik}$ , Christoffel symbol 95  
 $\Im$ , imaginary part 279  
 $\Lambda^i_{\ j}$ , transformation matrix 70  
 $\Omega$ , Cartan matrix 146  
 $\Re$ , real part 279  
 $\alpha'$ , angular momentum factor 402  
 $\alpha_i$ , or  $P_i$ , Jacobi momenta 302  
 $\beta_i$ , or  $Q^i$ , Jacobi coordinates 302  
 $\delta(x)$ , Dirac delta function 72  
 $\epsilon_{ijk}$ , Levi-Civita three-index symbol 86  
 $\hbar = h/2\pi$  314  
 $\langle \tilde{\mathbf{a}}, \mathbf{x} \rangle$ , invariant product 50  
 $\mathcal{P}_\mu^{(\tau)}$ , string momentum density 389  
 $\mathcal{R}$ , scalar curvature 429  
 $\omega_i^j$ , Christoffel form 95  
 $\overline{D}_t$ , gauge invariant time derivative operator 242  
 $\overline{d}/\overline{dt}$ , apparent time derivative 229  
 $\partial/\partial x$ , basis vector 77  
 $\phi$ , electromagnetic scalar potential 64, 332  
 $R.I.I.$ , Poincaré relative integral invariant 561  
 $\epsilon_{ijk}$  325  
 $\tilde{\mathbf{x}}$  49  
 $\tilde{\mathbf{a}}(\mathbf{x})$ , invariant product 50  
 $\tilde{\mathbf{d}}\mathbf{x}$ , differential form 53  
 $\tilde{\mathbf{e}}^i$ , basis covector 70  
 $a, \Phi$ , Krylov–Bogoliubov variables 509  
 $a_i x^i$ , invariant product 50  
 $c$ , speed of light 318  
 $d$  or  $\delta$ , equivalent differential notations 57  
 $dx$ , “ordinary” differential 53  
 $h$ , Planck constant, quantum of action 314  
 $\mathbf{A}$ , electromagnetic vector potential 64, 332  
 $\mathbf{E}/\mathbf{B}$ , electric/magnetic field 334  
 $\mathbf{H}/\Phi_M$ , magnetic field/potential 558  
 $\mathbf{S} = -\mathbf{J}$ , matrices in Hamilton’s equations 542  
 $\mathbf{d}/\mathbf{d}\lambda$ , vector field notation 121  
 $\mathbf{e}_i$ , basis vector 70  
 $\mathbf{k}$ , wave vector 316  
 $\mathbf{p}$ , momentum 297  
 $\mathbf{x} \otimes \mathbf{y}$ , tensor product 74  
 $\mathbf{x} \wedge \mathbf{y}$ , wedge product 76  
 $\mathcal{E}$ , relativistic energy 328  
 $\mathcal{E}_0 = mc^2$ , relativistic rest energy 328  
 $\stackrel{\text{A}}{=}$ , qualified equality 5  
 $H.I.$ , Hamiltonian variational line integral 442  
 $I.I.$ , Poincaré–Cartan integral invariant 560  
 $4$ -gradient 326  
 $4$ -vector 322

**a**

- Abbreviated action 446, 453, 455
- Absolute differential
  - contravariant vector 100
  - covariant vector or constant vector 100
  - metric tensor 101
  - scalar function or scalar product 100
- Absolute time derivative operator,  $D_t$  240
- Accelerating frame description 226
- Acceleration
  - absolute 105
  - fictitious 230
- Accuracy of adiabatic invariant 466
- Action 278, 295
  - $\hbar$ , Planck constant 314
  - -angle variables 448
  - -angle, conjugate variables 453
  - abbreviated-  $S_0$  305, 446, 453
  - abbreviated-, parametric oscillator 455
  - adiabatic invariance of 449
  - approximate invariance 454
  - as generator of canonical transformation 441
  - in terms of transverse velocity 393
  - modified 388
  - multidimensional 473
  - Nambu–Goto 386
  - Nambu-Goto 403
  - Polyakov 389
  - related to eikonal 295
  - related to Lagrangian 295
  - related to period of motion 452
  - relation to period of motion 475
  - relativistic 327
  - relativistic, including electromagnetism 332
  - simple harmonic oscillator 448
  - spatial dependence, H–J 316
  - string 386
  - variable 450
- Action variable, see angle 441
- Action-angle
  - -like K–B parameterization 509
  - conditionally periodic motion 474
  - Fourier expansion 456
- Active/passive interpretation 52, 242
- Adiabatic
  - approximation, Foucault pendulum 268
  - condition 281
  - invariant, action is 449
  - use of the term in thermodynamics 452
- Adiabatic invariant 268
  - accuracy of its conservation 466
  - charged particle in magnetic field 460
  - importance for quantum mechanics 452
  - magnetic moment in magnetic bottle 463
  - proof of invariance 451
  - R.I.I. 566
- Affine
  - centered-, transformation 91
  - connection 94
  - transformation 91
- Alternate coordinate ordering, Hamiltonian 481
- Ampère law, mathematical and physical arguments 558
- Analogy
  - eikonal/action 314
  - optics/mechanics 441
  - optics/mechanics/quantum mechanics 314
- Angle in metric geometry 90
- Angle variable 471
  - adiabatic dependence 468
  - defined 454
  - proportional to  $t$  473
- Angle variable, see action 448
- Angular momentum 173, 216
  - conservation 342, 352
  - rate of change 341
  - string 401
- Anharmonic oscillator 502
  - first-order solution 504
  - potential illustrated 506
  - second-order solution 507
  - zeroth-order solution 502
- Anholonomy 263, 274, 275
- Anisotropic medium 292
- Annihilation 67
- Anti-symmetrization 140
- Apparent
  - time derivative 229
  - velocity, acceleration 229
- Appropriateness of string theory 379
- Approximation
  - accuracy of adiabatic invariance 466
  - analytic basis for 441
  - need to preserve symplecticity 441
  - see also linearized 53
- Area
  - integral 154
  - projected onto coordinate planes 535
  - Pythagorean relation for 143
- Arrow 5
- Ascending node 309
- Association
  - $2 \times 2$  matrix and vector 256
  - $2 \times 2$  matrix with vector or bivector 163
  - $3 \times 3$  matrix and vector 258
  - $\mathbf{z}$  with  $\mathbf{dH}$  540

- angular momentum as matrix 260
- cross product, commutator 164
- dot, cross, triple, products 164
- plane and vector 134
- spinor with vector 162
- torque as matrix 260
- trajectory and differential of Hamiltonian 540
- trivector with matrix 164
- vector or bivector with  $2 \times 2$  matrix 163
- vector, plane, and matrix 135
- vector/form, induced by  $\tilde{\omega}^{(2)}$  538
- Asteroid 237
- Autonomous oscillators, qualitative analysis 515
- Autonomous/nonautonomous definition 502
- Average 449
- Averaged
  - perturbed Kepler equations 496
- Axis
  - body 183
  - laboratory 183
  - space 183
- b**
- Ball rolling without slipping 214
- Base frame 91
- Basis
  - orthonormal 133
  - reciprocal 84
  - symplectic 544
- Basis vector
  - partial derivative notation 77
- Beaded string 32, 37
- Beads on stretched string 22
- Beam of particles 278
- Bianchi identity 425
- Bifurcation 516
- Bilinear covariant 58, 109
  - independence of coordinates 111
  - related to quasivelocity 181
- Bilinear form 19
- Billiard ball 214
- Bivector 140
  - and infinitesimal rotation 145
  - association with rotation 163
- Body
  - -axes 185
  - -axis principal moments of inertia 209
  - -frame Poincaré description 208
  - -frame expression for kinetic energy 209
  - and space frames 253
  - frame 226
- Bohr–Sommerfeld theory 453
- Boundary
  - conditions, relativistic string 389, 397, 405
  - value, ray tracing 290
- Bowling ball 214
- Bracket
  - Lagrange 495
  - Poisson, see Poisson 554
- Branes 391
- c**
- Calculus
  - differential form 61
  - of variations 295
  - of variations, vector field formulation 186
- Canonical
  - momentum 1-form 533
  - transformation 446
- Cartan 47
  - méthode du repère mobile 241
  - matrix  $\Omega$  241
  - matrix  $\Omega$  206, 244
  - matrix  $\Omega$  as bivector 146
  - matrix  $\Omega$  related to angular velocity 147
- Cartesian
  - axes 47
  - basis 79
- Catalytic 61
- Cavendish experiment 429
- Cayley–Klein parameters 161, 165
- Central force, perturbed equations of motion 500
- Centrifugal
  - acceleration 230
  - force 227, 230
  - meteorological unimportance 232
- Centroid 208
  - variables 340
- Chaotic motion 505
- Characteristic
  - exponent, or tune 487
  - multiplier 487
- Christoffel
  - coefficients in general relativity 413
  - form,  $\omega_i^j$  95
  - symbol,  $\Gamma_{ik}^j$  95
- Christoffel symbol 94
  - cylindrical coordinates 109
  - derived from metric 97
  - evaluation using MAPLE 109
  - practical evaluation 108
  - spherical coordinates 103, 109
- Close-to-identity
  - matrix  $A_{\mu}^{\lambda}$  192

- transformation 192
- Closed string 382
- Commutator
  - Euclidean 215
  - matrix 164
  - quantum mechanical, and Poisson bracket 555
  - quasi-basis vectors 130
  - relation to loop defect 123
  - rotation and translation 215
  - same as Lie derivative 126
  - vector fields 122
- Complete integral
  - examples 313
- Complex
  - multiple meanings 538
- Component
  - curvilinear 89
  - skew 90
- Concatenation 71, 291
  - requirement for continuous group 192
- Condition
  - adiabatic 281, 467
  - extremal 187, 288, 442
  - Floquet 485
  - for matrix to be symplectic 547
  - H–J transverse 297
  - Hamiltonian or infinitesimally symplectic 481
  - magnetic trap velocities 462
  - minimum, or extremum 288
  - osculation, Lagrange planetary equations 493
  - periodicity 485
  - single-value 558
  - validity of geometric optics 281
  - validity of magnetic trap analysis 461, 466
- Conditionally periodic motion 469
  - Kepler problem 474
- Congruence 285
  - no crossing requirement 529
  - of curves 123, 529
- Conjugate
  - symplectic-, of matrix 547
- Conjugate momentum 13
- Connection
  - affine 94
  - symmetric 94
- Conservation
  - and cyclic coordinates 344
  - and symmetry 339
  - angular momentum, Lagrangian approach 342
  - angular momentum, Poincaré approach 341
  - cancellation of internal forces 342
  - energy 343
  - linear momentum 339
  - magnetic flux linked by guiding center 466
  - multiparticle laws 339
  - Noether’s theorem 348
  - of charge, misleading application 558
  - reduction 344
  - string momenta 400
  - symmetric top 345
- Conserved quantity 302
  - Kepler problem 310
- Constraint
  - nonholonomic, or nonintegrable 171
- Continuity equation 64
- Continuous group
  - concatenation requirement 192
  - examples 196
  - investigation using MAPLE 197
- Contour
  - equi-value 50
  - reduced three body problem 236
- Contour integration 468
- Contraction
  - of indices 76
  - of indices theorem 75
- Contravariant
  - relativistic components 323
  - vector 49
- Control parameter 517
- Coordinate
  - complex 79, 161
  - curvilinear 90
  - generalized, of manifold 5
  - ignorable 180, 348
  - light-cone 405
  - locally inertial 412
  - longitudinal 18
  - longitudinal and perpendicular in magnetic trap 461
  - transformation 68
  - transverse 18
  - transverse and longitudinal 405
- Coriolis
  - acceleration 230
  - force 227, 230
  - force, free fall subject to 233
  - force, importance for satellite motion 234
  - force, meteorological consequence 232
- Correspondence, quantum/classical 556
- Cosine
  - -like trajectory 284
  - of angle in metric geometry 90
- Covariant

- component 83
- relativistic components 323
- vector 47, 49
- vector, as pair of planes 83
- Curl
  - as differential form 63
- Current
  - density 559
- Curved space 413
- Curvilinear coordinate 89, 148
- Cyclic (or ignorable) coordinate 344, 347
- Cyclotron frequency 461
- d**
- D’Alembert’s principle 491
- Darboux’s theorem 545
- DeBroglie
  - frequency/energy relation 316
  - wavelength/momentum relation 316
- Density
  - conserved in phase space 570
  - string, Lagrangian 389
- Derivative
  - covariant 109
  - invariant 109
  - Lagrange 107
  - second-, related to commutator 188
  - total 105
- Diagonalization
  - linear Hamiltonian system 482
  - matrix 479
- Differential
  - $\tilde{d}\mathbf{f}$  of function  $f(\mathbf{x})$  53, 532
  - covariant, or absolute 97
  - exterior 563
  - exterior, see exterior 60
  - related to gradient 78
- Differential form
  - “old-fashioned” 57
  - ad hoc notation 57
  - and vector calculus 61
  - calculus 57
  - closed 58
  - exact 58
  - geometric interpretation 53
  - surface integral 154
- Dirac  $\delta$ -function 72
- Distribution
  - function 72
  - parameters 72
- Diver 274
- Divergence
  - as differential form 63
  - generalized 157
  - theorem, see Gauss’s theorem 157
- Dot product 80
- Drift
  - azimuthal, in magnetic trap 466
  - longitudinal, in magnetic trap 464
- Dual
  - space 66
  - vector 66
- Dyadic 254
- Dynamical system 282, 344, 523
- Dynamics 107
- e**
- Earth, moon, sun system 234
- Eccentric anomaly 29, 475, 499
- Eigenvalue
  - linear Hamiltonian system 482
  - symplectic matrix 548, 550
- Eigenvector
  - multidimensional linear system 481
  - special, in extended phase space 563
  - symplectic matrix 548
- Eikonal 281, 295
  - equation 281, 557
- Einstein
  - gravity 436
  - tensor 429
- Einstein–Minkowski metric, or law 80, 319
- Energy
  - kinetic 106
  - relativistic 328
- Equality of mixed partials 199
- Equation
  - anharmonic oscillator 502
  - eikonal 281
  - Floquet 487
  - H–J first order P.D.E. for  $S(\mathbf{q}, t)$  296
  - Hamilton’s 15, 291, 444
  - inhomogeneous 479
  - linear, periodic, Hamiltonian system 484
  - Lorentz 321, 334
  - Newton 219
  - Poincaré 177
  - rolling ball 215
  - Schrödinger 314
  - variational 489
  - wave 280
  - wave on relativistic string 390
- Equivalence principle 411
- Equivalent
  - damping (or growth) rate 512
  - linearization, K–B method 512
  - spring constant 512
- Ergodic theorems 236
- Essential parameter 192
- Euclidean basis 79

- Euler
  - -Poisson equation, rigid body in force field 211
  - equation, Lie algebraic derivation 261
  - rigid-body equation, Poincaré derived 211
- Evolution, active/passive interpretations 242
- Example
  - action variables 475
  - adiabatic invariants for magnetic trap 461
  - advance of perihelion of Mercury 497
  - astronaut re-orientation 275
  - beaded string 32
  - charged particle in electromagnetic field, Hamiltonian 16
  - charged particle in magnetic field 459
  - continuous transformation group 196
  - contour map of Colorado 54
  - falling cat 274
  - Foucault pendulum 262
  - free fall in rotating frame 233
  - grandfather clock as autonomous oscillator 518
  - gravity pendulum as anharmonic oscillator 510
  - gravity pendulum, superconvergent analysis 525
  - Kepler problem, H-J treatment 310
  - magnetic trap 461
  - parametric oscillator, action-angle approximation 455
  - projectile, H-J treatment of 301
  - reflecting waves 40
  - rolling cart 217
  - rolling inside cylinder 217
  - simple harmonic motion, H-J treatment 306
  - skateboard 216
  - sound in solid 35
  - symmetric top 345
  - Van der Pol oscillator, K-B treatment 511, 522
  - variable length pendulum 457
  - waves on classical string 39
- Examples
  - adiabatic invariance 268, 456
  - canonical transformation 456
  - commutation of group generators 207
  - complete integral 313
  - conservation and symmetry 343–345
  - constrained motion, Poincaré 216
  - Coriolis force 234, 238
  - differential forms 61
  - exterior differential 61, 62
  - fiber optics 284
  - fictitious force 231
  - geometric phases 274
  - Hamilton’s equations 347
  - Hamilton–Jacobi method 313
  - Hamiltonian 313
  - Krylov–Bogoliubov method 510
  - Lie algebra 257, 258
  - matrix optics 289
  - perturbed oscillators 456
  - Poincaré equation using group theory 214
  - rotating relativistic string 398
  - solution by iteration 233
  - successive approximation 233
  - symplecticity in optics 289
  - worked 42
- Expansion, impossibility of remote 95
- Experiment
  - bending of light by sun 437
  - Cavendish 429
  - Foucault 232
  - gravitational lensing 437
  - gravitational red shift 437
  - Mercury perihelion advance 435
  - Michelson–Morley 318
  - Pound–Rebka 410
  - Sagnac 421
  - Zeeman 238
- Exponentiation 120, 255
  - matrix 479, 486
- Extended phase space 560
  - 1-form 563
  - 2-form 563
  - simple harmonic oscillator 561
  - special eigenvector 563
  - trajectories 562
- Extended phase-space
  - displacement vector 563
  - skew-scalar product 563
- Exterior differential 60
  - defined 62
  - independence of coordinates 111
- f**
- Falling cat 274
- Fermat principle 278, 288
- Fiber optics 284
- Fictitious force 230
  - gauge invariant reconciliation 244
- Field
  - electric 64, 334
  - electromagnetic, derived from four-potential 64, 334
  - magnetic 64, 334, 559
- Floquet

- analysis of periodic system 484
- equation 487
- pseudo-harmonic description 486
- theorem 485
- variables 486
- Flux 558
- Force
  - central 500
  - centrifugal 227, 242
  - conservative, Krylov–Bogoliubov treatment 510
  - Coriolis 227, 242
  - fictitious 230
  - generalized 106, 174
  - intensity 209
- Form 50
  - $n$ - 156
  - fundamental 80
  - linear 66
  - metric 80
  - one- 50, 531
  - symplectic (or canonical) two- 536
  - symplectic, as phase-space “metric” 544
  - two- 62, 156
- Form invariant 239
  - Maxwell’s equations 239, 317
  - requirement of relativity 317
- Formalism
  - gauge invariant/fictitious force comparison 240
  - spinor 161
- Foucault
  - experiment 232
  - fictitious force solution 263
  - gauge invariant method 265
  - pendulum 262
- Fourier
  - expansion in terms of angle variable 456
  - expansion of perturbation 514
  - expansion, purpose for angle variables 471
  - expansion, relativistic string 406
- Frame
  - astronomical 308
  - inertial 91, 226
- Frenet–Serret
  - description 273
  - expansion of  $\omega$  226
  - formula 222
  - limited applicability in mechanics 225
  - vector 224
- Frequency shift
  - anharmonic oscillator 507
- Function
  - linear 66
  - or mapping 5
- g**
- G.P.S. 440
- Galilean
  - invariance 240
  - relativity 318
- Gauge
  - light-cone 403
  - static 385
- Gauge invariant 238
  - angular motion definitions 247
  - description of rigid body motion 252
  - fictitious force reconciliation 244
  - form of Newton’s equation 239, 242
  - Gauss’s theorem 159
  - manifest covariant 241
  - mechanics 219
  - Newton torque equation 248
  - rigid body description 259
  - single particle equation 238
  - time derivative operator 242, 259
  - torque 246
- Gauss’s theorem
  - as a special case 157
  - gauge invariant form 157
  - generalized 157
- Gaussian optics 288
- Generalized
  - coordinate 220
  - gradient 297
  - rotation 133
  - velocity 220
- Generating function 443
  - $F_3(\mathbf{p}, \mathbf{Q}, t)$  443
  - $F_4(\mathbf{p}, \mathbf{P}, t)$  443
  - $G(\mathbf{q}, \mathbf{Q}, t) \equiv F_1(\mathbf{q}, \mathbf{Q}, t)$  443
  - $S(\mathbf{q}, \mathbf{P}, t) \equiv F_2(\mathbf{q}, \mathbf{P}, t)$  443
  - inherent impracticality of 444
- Generator
  - commutation relations for 205
  - transformation group 201
- Geodesic 416
  - Euler–Lagrange equation 106
  - great circle 271
  - in general relativity 411
- Geometric
  - optics 277
  - optics, condition for validity 281
  - phase 262
- Geometry
  - $n$  dimensional 90
  - differential, of curve 222
  - Einstein 413
  - Euclidean 79
  - generalized Euclidean 133

- metric 79
- ordinary 89
- symplectic 529, 543
- synthetic 66
- vector 219
- Global positioning system 440
- Gradient
  - related to differential form 54
- Grand unification 379
- Gravitational acceleration, effective 249
- Great circle 271
- Group
  - $n$  coordinates,  $x^1, x^2, \dots, x^n$  190
  - $r$  parameters,  $a^1, a^2, \dots, a^r$  190
  - commutation relations 199
  - infinitesimal operator 195
  - Lie 189
  - operator as vector field 195
  - parameters as coordinates 193
  - structure constants 199
  - transformation, continuous 189
  - transitive 193, 206
  - velocity 294
- Growth (or damping) rate
  - Van der Pol oscillator 512
- Guiding center 461
  - drift in magnetic trap 464
  - transverse drift in magnetic trap 466
- Gymnast 274
- Gyration 459
  - illustrated 462
  - in magnetic trap 463
- Gyroscopic terms
  - reduced three body problem 237
- h***
- H–J, abbreviation for Hamilton–Jacobi 295
- Hamilton 295
  - -ian 296
  - characteristic function 446
  - equations 15, 443
    - in embryonic form 291
  - matrix, linear system 477
  - original line of thought 288
  - point characteristic 443
  - point characteristic,  $G(\mathbf{q}, \mathbf{Q})$  291
  - principle 278
  - variational line integral H.I. 442
- Hamilton’s equations
  - conditionally periodic motion 473
  - in action-angle variables 454
  - in matrix form 541
  - linear system 477
- Hamilton–Jacobi 295
  - abbreviation H–J 295
  - and quantum mechanics 314
  - canonical transformation approach 445
  - equation 296, 300
  - equation from Schrödinger equation 314
  - equivalence to Hamilton equations 302
  - geometric picture 297
  - inverse square law potential 310
  - nonintrinsic discussion 297
  - transverse condition 297
- Hamilton–Jacobi equation
  - and Schrödinger equation 300, 314
  - energy  $E$  as Jacobi momentum 307
  - in general relativity 437
  - Kepler problem 310
  - projectile 301
  - relativistic 330
  - relativistic, including electromagnetism 334
  - separability 470
  - Stäckel analysis 470
  - time-dependent 445
  - time-independent 305, 446
- Hamiltonian
  - charged particle in magnetic trap 463
  - defined 15
  - in terms of action variables 473
  - its differential 540
  - matrix formulation 477
  - perturbed 449
- Hard or soft spring, sign of cubic term 506
- Harmonic balance, in K–B method 514
- Hodge-star operation 64, 144
- Holonomy 263
  - holonomic drive or propulsion 275
- Hooke’s law 441, 505
- Huygens
  - construction 292
  - principle 292
  - principle, proof of 293
- Hydrogen atom and Kepler problem 310
- Hyperplane 81
- Hysteresis
  - autonomous oscillator 517
  - cycle 518
- i***
- Ignorable (or cyclic) coordinate 344, 348
- Inclination of orbit 309
- Index lowering 83
- Index of refraction 18, 279, 288
- Inertial frame 91, 226
- Inexorable motion 234
- Infinitesimal
  - generator commutation relations 205

- generator of group 201
- group operator 195
- rotation operator 207
- translation operator 207
- Inhomogeneous equation 479
- Initial value
  - ray tracing 290
- Integrability 347
- Integral
  - complete, H–J 300
  - evaluation by contour integration 469
  - general, H–J 300
  - particular 504
- Integral invariant 557
  - absolute 558
  - invariance of I.I. 563
  - Poincaré relative 561
  - Poincaré–Cartan 560
  - R.I.I. as adiabatic invariant 566
  - R.I.I., dimensionality 566
  - R.I.I., time-independence 566
  - relative 559
- Interface, spherical 289
- Intrinsic 5, 50
- nature of vector analysis 532
- Invariance
  - adiabatic, of action 449
  - gauge 336
  - symplectic 2-form 537
- Invariant 52
  - area, volume, etc. in phase space 569
  - form 239
  - Galilean 240
  - gauge, see gauge invariant 335
  - integral 557
  - Lagrange integral 285
  - multivector measure in phase space 569
  - Poincaré–Cartan 285
  - product 50, 80
- Inverse
  - matrix 68
  - of symplectic matrix 547
- Involution
  - solutions in 544
- Isometry 414
- Isomorphism  $I$ , vector/form, induced by  $\tilde{\omega}^{(2)}$  539
- Isotropic vector 80, 162
- Iterative solution
  - anharmonic oscillator 502
  - first-order solution 504
  - second-order solution 507
  - zeroth-order solution 502
- j**
- Jacobian matrix 531
- Jacobi
  - identity 129
  - initial time,  $\beta_1$  306
  - integral 235
  - method 302
  - new coordinate parameters 302
  - new coordinates and momenta 310
  - new momentum parameters 302
  - parameter 446
  - parameter, nature of 305
  - parameters, Kepler problem 310, 475
  - theorem 302, 555
- Jupiter satellite at Lagrange point 237
- k**
- K–B, Krylov–Bogoliubov abbrev. 508
- KAM, Kolmogorov, Arnold, Moser 523
- Kepler
  - geosynchronous orbit 231
  - Jacobi integral 237
  - orbit 236
  - orbit trigonometry 312
  - problem 26
  - reduced three-body problem 234
  - sun, earth, moon system 236
- Kepler problem 307
  - action elements 475
  - and Hydrogen atom 310
  - canonical momenta 310
  - conditionally periodic motion 474
  - equality of periods 475
  - H–J treatment 310
  - Hamiltonian 310
  - Jacobi parameters 475
  - perturbation of 493
  - zero eigenvalue 489
- Killing terms in canonical perturbation theory 524
- Kinematic 107
- Kinetic energy
  - expressed in quasivelocities 176
  - space and body formulas 253
- Kolmogorov superconvergent theory 523
- Krylov–Bogoliubov method
  - equations in standard form 510
  - equivalent damping and spring constant 512
  - first approximation 508, 510
  - higher approximation 518
  - power and harmonic balance 514
- l**
- L.I.I., Lagrange integral invariant 285
- Lagrange
  - bracket 495
  - bracket related to Poisson bracket 496

- brackets for Kepler problem 500
  - identity 86
  - integral invariant, L.I.I. 285
  - planetary equations 492, 496
  - planetary equations, explicit 501
  - stable/unstable fixed points 237
  - stationary points 236
  - Lagrange equation 13
    - equivalence to Newton equation 107
    - from absolute differential 102
    - from geodesic 106
    - from variational principle 106
    - related to ray equation 18
  - Lagrangian 13
    - expressed in quasivelocities 214
    - related to action 295
    - relativistic, including electromagnetism 332
    - set of solutions in involution 544
  - Langevin metric 420
  - Laplace transform method 23, 264, 503, 505
  - Larmor theorem 238
  - Law
    - Ampère 558
    - Einstein–Minkowski 80
    - Hooke’s 441, 505
    - Pythagorean 79
  - Least time, principle of 287, 439
  - Legendre transformation 13
  - Leibniz rule for Lie derivative 129
  - Lens-like medium 284
  - Levi-Civita three-index symbol 86, 325
  - Libration 42
    - in multiperiodic motion 472
  - Lie algebra 128, 244
    - derivation of Euler equation 261
    - rigid body description 259
    - structure coefficient or commutation coefficient 200
  - Lie derivative
    - contravariant components 120
    - coordinate approach 111
    - Lie algebraic approach 120
    - related to absolute derivative 119
    - same as vector field commutator 126
    - scalar function 116
    - vector 116
  - Lie theorem 200
  - Lie-dragged
    - congruence 125
    - coordinate system 111
    - scalar function 116
    - vector field 116, 117
  - Light-cone 319
    - coordinate 405
    - gauge 403
    - metric 405
  - Limit cycle, Van der Pol oscillator 512
  - Linear system 477
    - Hamiltonian 477
    - Hamiltonian, periodic 484
  - Linearization, equivalent 512
  - Linearized 53
    - change of function 203, 532
    - coordinate translation 95
    - function variation 53
    - introduction of tangent space 174, 202
    - Lie-dragged coordinate transformation 115
    - ray equation 284
  - Liouville
    - determinant formula 484
    - symplectic transfer matrix requirement 568
    - theorem 285, 538, 563, 568
  - Locally inertial coordinates 412
  - Logarithm of matrix 479, 486
  - Loop defect 122
  - Lorentz
    - “rotation” 321
    - force law, from Lagrangian 334
    - transformation 321
    - velocity transformation 322
  - Lyapunov’s theorem 487
- m**
- Magnetic
    - bottle 461
    - moment, invariant in trap 463
    - trap 461
    - trap, guiding center 461
  - Manifest
    - covariance and gauge invariance 241
    - covariant 56
    - invariant parameterization 396
  - Manifold 89, 95, 111, 116, 531
  - MAPLE
    - Christoffel symbol evaluation 109
    - general relativity 434
    - reduced three body problem 235
  - Mass of relativistic string 387, 408
  - Matrix
    - $2 \times 2$ , relation between inverse and symplectic conjugate 548
    - $\mathbf{J} = -\mathbf{S}$ , in Hamilton’s equations 542
    - $\mathbf{S} = -\mathbf{J}$ , in Hamilton’s equations 542
    - associated to
      - angular momentum 260
      - plane 135
      - torque 260
      - vector or bivector 163

- commutator 164
- composition 71
- concatenation 71
- conventions 68
- diagonalization 479
- exponentiation 255, 479
- fundamental solution 484
- inverse of symplectic 547
- Jacobean 531
- logarithm 479
- monodromy, see periodic 484
- optics 288
- Pauli spin 163
- single-period transfer 484
- symplectic 478
- symplectic conjugate in block form 548
- symplectic, determinant = 1 546
- transfer 285, 478
- transfer, periodic system 484
- Matrizant, see periodic 484
- Maxwell equations 63
- Mechanics
  - gauge invariant 219
  - Lagrange–Poincaré 169
  - quantum 300
  - related to optics 315
  - relativistic 317
  - symplectic 529
  - vector 219
- Mercury, advance of perihelion 497
- Method
  - action-angle 453
  - adiabatic invariance 462
  - averaging fast motion 462
  - canonical transformation 441
  - Fourier expansion, nonlinear 503
  - generating function 443
  - Hamilton–Jacobi 445
  - invariants of slow motion after averaging fast 462
  - iterative 233, 502
  - Jacobi 302
  - Krylov and Bogoliubov (and Mitropolsky) 508
  - Linstedt, for anharmonic oscillator 502
  - perturbation 491
  - separation of variables 300
  - variation of constants 474, 493
- Metric
  - artificial Pythagorean metric in phase space 542
  - Einstein–Minkowski 319
  - form 80
  - geometry 79
  - Langevin 420
  - light-cone 405
  - revised relativistic 384
  - Schwarzschild 433
- Minkowski metric 319
- Mixed partials, equality of 199
- Mode
  - normal 20
  - relativistic string 406
  - shape 22
- Mode shape 24
- Moment of inertia
  - ellipsoid 254
  - tensor 31, 254
- Momentum
  - 1-form yields canonical 2-form 537
  - canonical 1-form 533
  - canonical, in magnetic trap 463
  - conjugate 189
  - conjugate of  $\theta$ , particle in magnetic field 460
  - conservation 339
  - conserved 189
  - from action  $S$  302
  - from action  $S(\mathbf{q})$  297
  - from eikonal 293
  - from Lagrangian 14, 328, 340
  - in geometric optics 289
  - not essential to Lagrangian description 177
  - quantum mechanical relation to wavelength 316
  - relativistic 328
- Moon, earth, sun system 234
- Moving frame method, Cartan’s 241
- Multidimensional system 469
- Multivector 138
  - area, volume, etc. 142
  - Hodge-star 144
  - invariant measure 142
  - measure in phase space 569
  - supplementary 144
- n**
- Nambu–Goto action 386, 403
- Natural
  - basis vectors 92
  - frequency 456
- New
  - coordinates  $Q^j$  and momenta  $P_i$  441
  - coordinates and momenta 302
- Newton
  - equation 219, 239
  - gravity 436
  - law 106, 219, 434
- Noether
  - invariant 350
  - theorem 348, 350

- Nonlinear, see also anharmonic 502
- Notation 5
  - multiple meanings of  $x^i$  124
  - relative/absolute integral invariant 567
  - relativistic dot product 384
- o**
- O.P.L., optical path length 287
- Old coordinates  $q^i$  and momenta  $p_i$  441
- Open string 382
- Optical path length 279
  - O.P.L. 18
- Optics
  - analog of angular momentum conservation 285
  - geometric 277
  - matrix 288
  - paraxial or Gaussian 288
  - related to mechanics 315
- Orbit
  - element 28
  - element, planetary 309
  - equation 28
  - geodesic in Schwarzschild metric 434
- Orientation
  - inner/outer 49
  - of orbit 309
- Orthogonal
  - parameterization 394
  - vector 80
- Orthogonal matrix
  - eigenvalues 197
  - orthonormal rows/columns 163
  - parameterization 206
- Oscillator
  - action  $S_0(q, E)$  307
  - action-angle approach 454
  - anharmonic 502
  - curve of constant energy 308
  - damped and driven 25
  - multidimensional 18, 469
  - new Hamilton's equations 454
  - parametric 455, 457
  - parametric, new Hamiltonian 456
  - phase space trajectory 308
  - Van der Pol 512
- Osculating plane 223
- p**
- Pair of planes as covariant vector 47
- Parallel
  - -ism 95
  - displacement of coordinate triad 270
  - displacement, Levi-Civita 270
  - pseudo- 117
  - translation 270
  - transport on a surface 413
- Parameter
  - essential 192
  - independent 300
  - Jacobi 305, 446
  - reduction to minimal set 206
- Parameterization
  - $\sigma$  and  $\tau$  385
  - by energy content 394
  - invariance 381
  - orthogonal 394
- Parametric oscillator 449
- Paraxial 288
- Particle mass as gravitational “charge” 209
- Pauli spin matrix 163
  - algebra 257
- Pendulum
  - example of Poincaré approach 178
  - Foucault 262
  - variable length 457
- Perigee 309
- Perihelion 497
- Periodic system
  - characteristic exponent 487
  - characteristic multiplier 487
  - conditionally-, motion 469
  - linear Hamiltonian system 484
  - variation has 1 as characteristic multiplier 490
- Perturbation
  - central force 500
  - Kepler equations 493
  - of periodic system, 1 as multiplier 490
  - parametric of Hamiltonian 449
  - theory 491
- Perturbation theory
  - based on unperturbed action-angle analysis 454
  - canonical 523
  - Fourier expansion of perturbation 514
  - Lagrange planetary equations 492
  - superconvergent 523
- Pfaffian form 95
- Phase
  - -like, action  $S$  300
  - advance, rate of 282
  - velocity 279, 294
- Phase space
  - artificial Pythagorean metric 542
  - configuration space comparison 530
  - density conserved 570
  - extended 560, 563
  - measure of area, volume, etc. 569
  - no crossing requirement 529
  - orbit illustrated 472

- rotation 472
  - trajectory of oscillator 308
  - Photon
    - trajectory 293
  - Planck's constant 314, 566
  - Plumb bob 248
    - angular momentum transformation method 251
    - fictitious force method 250
    - gauge invariant method 252
    - inertial frame force method 248
    - inertial frame torque method 250
  - Poincaré
    - relative integral invariant 561
    - terminology for integral invariants 558, 559
    - variational equations 489
  - Poincaré equation 169, 177
    - and rigid body motion 183
    - derivation using vector fields 186
    - examples 178, 185
    - features 179
    - generalized Lagrange equation 169
    - in terms of group generators 204
    - invariance 180
    - restriction using group theory 189
    - rigid body motion 213
  - Poincaré–Cartan integral invariant 560
  - Poisson bracket 554
    - and quantum mechanics 555
    - in perturbation theory 555
    - properties 555
    - related to Lagrange bracket 496
  - Poisson theorem 555
  - Polyakov action 389
  - Potential
    - effective 26
    - gravitational 210
    - multidimensional 18
    - relation to potential energy 209
    - scalar 332
    - vector 332
  - Potential energy
    - and generalized force 107, 177
    - derived from potential 209
    - inclusion in Lagrangian 177
  - Pound–Rebka experiment 410
  - Power balance, in K–B method 514
  - Precession 497
  - Principal
    - axes 31, 262
    - normal 223
  - Principle
    - constancy of speed of light 318
    - d'Alembert's 491
    - equivalence 410
    - Fermat 288
    - greatest (proper) time 320
    - Huygens' 292
    - least time 287
    - variational 285
  - Product
    - exterior 140
    - inner, explicit evaluation 539
    - skew-scalar symplectic 543
    - skew-scalar, in various forms 546
    - tensor 534
    - wedge 140, 534
  - Projected area 535
  - Projection 67
  - Proper
    - distance 319
    - time 319
  - Pseudo-harmonic solution 486
  - Pseudo-parallel 117
  - Pythagoras
    - law 45, 79
    - relation for areas 143, 569
- q**
- Qualified equality 5
  - Qualitative analysis, autonomous oscillators 515
  - Quantum mechanics 300
    - commutator from Poisson bracket 555
    - importance of adiabatic invariants 452
    - Poisson bracket 555
    - quantum/classical correspondence 556
    - related to optics and classical mechanics 315
    - Schrödinger equation 314
  - Quasi-
    - coordinate 172
    - displacement, expressed as form 181, 182
    - velocity 172
    - velocity, related to generalized velocity 183
- r**
- Radius of curvature
    - Frenet–Serret 223
    - invariant expression for 144
  - Ray 278
    - -wavefront equation 282
    - analog of Newton equation 283
    - equation 283
    - hybrid equation 282, 297
    - in lens-like medium 284
    - linearized equation 284
    - obtained from wavefront 282
  - Reduced

- mass 30
- three body problem 234
- Reduction
  - quadratic form 18
  - to quadrature 311
  - to quadrature, Stäckel 470
  - to sum or difference of squares 81
- Reference
  - frame 91
  - trajectory 278, 530, 535
- Reflection
  - in hyperplane 134
  - vector and bivector 164
- Refractive index 288
- Relative
  - angular velocity 242
  - velocity 241
- Relativistic
  - 4-acceleration 326
  - 4-gradient 326
  - 4-momentum 329
  - 4-tensor 323
  - 4-vector 322
  - 4-velocity 326
  - action 327
  - action, including electromagnetism 332
  - antisymmetric 4-tensor 325
  - energy 328
  - forced motion 329
  - four-potential 332
  - Hamilton–Jacobi equation 330
  - Hamilton–Jacobi equation, including electromagnetism 334
  - metric tensor 324
  - momentum 328
  - rate of work done 329
  - rest energy  $\mathcal{E} = mc^2$  328
  - string 379
- Relativity 317
  - Einstein 317
  - Galilean 318
- Remembered position 228
- Repeated-index summation convention 50
- Representation
  - reflection of bivector 164
  - reflection of spinor 164, 166
  - reflection of vector 164
  - rotation of spinor 166
  - rotation of vector or bivector 165
- Resonance 503
  - small denominator 505
- Ricci’s theorem 101
- Riemann tensor
  - See curvature tensor 423
- Rigid body
  - gauge invariant description 259
  - Lie algebraic description 259
  - motion, commutation relations 212
  - Poincaré analysis 206
  - Poincaré equation 213
- Rolling ball 214
  - equations of motion 215
- Rotating string 398
- Rotation
  - and reversal 133
  - as product of reflections 135, 137
  - expressed as product of reflections 135
  - infinitesimal, relation to bivector 145
  - Lie group of 136
  - noncommutation of 255
  - proof of group property 137
  - proper/improper 133
  - spinor representation 165
- Routh
  - -ian 345
  - procedure 344
- s**
- Sagnac effect 421
- Satellite orbit
  - see also Kepler 238
  - stability 238
- Scalar
  - curvature 429
  - product 80, 90
  - wave equation 279
- Schrödinger equation 300, 306
  - $\hbar = 0$  limit 314
  - time dependent 314
- Schwarzschild
  - metric 433
- Science Museum, London, England 262
- Secular terms, anharmonic oscillator 502
- Separation
  - additive/multiplicative 300
  - of variables 300
  - of variables, Kepler problem 310
- Shape
  - normal mode 22
  - of variation 186
- SI units 317
- Simple harmonic oscillator 25
  - action 448, 561
  - H–J treatment of 306
  - R.I.I. and I.I. 561
- Sine-like trajectory 284
- Skew coordinate frame 81
- Slowness, vector of normal 293
- Small denominator
  - problem of 505
- Snell’s law 26, 286

- SO(3)
  - orthogonal group 138
  - related to SU(2) 161
- Soft or hard spring, sign of cubic term 506
- Solution
  - cosine-like 284
  - Hamilton–Jacobi 299
  - sine-like 284
- Space
  - -like 80
  - and body frames 253
  - curved 413
  - like 319
  - Minkowski 317
  - or inertial, frame 226
  - Riemann 423
- Special relativity, see relativity 317
- Spinor
  - association with vector 162
  - defined 162
  - in pseudo-Euclidean space 167
  - operation on 166
  - proof it is a tensor 162
  - reflection and rotation 166
  - three dimensions 161
  - unitarity of its rotation matrix 167
- Stäckel’s theorem 470
- Stability of satellite orbit 238
- Stokes
  - lemma 559, 563, 565
  - lemma for forms 565
  - theorem for forms 156
- String
  - angular momentum 401
  - conserved momenta 400
  - open or closed 382
  - period 41
  - rotating 398
- Structure constant 176
  - antisymmetry in lower indices 184
  - as Lie algebra commutation coefficient 200
  - Euclidean 215
  - example 185
  - rotation group 207
  - rotation/translation 215
- SU(2)
  - related to SO(3) 161
  - unimodular group 167
- Summation convention 50
- Sun, earth, moon system 234
- Superconvergent perturbation theory 507, 523
- Surface
  - integral 154
- Sylvester’s law of inertia 83
- Symmetric top 345
- Symmetry and conservation laws 339
- Symplectic 289, 529
  - 1-form, from momentum 1-form 537
  - 2-form, or canonical 2-form 533
  - basis 544
  - canonical form 543
  - conjugate in block form 548
  - conjugate, alternate coordinate ordering 481
  - conjugate, of matrix 547
  - feature of anharmonic oscillation 507
  - geometry 529
  - geometry, analogy to Euclidean geometry 543
  - geometry, properties derived 545
  - group 543
  - hard to maintain perturbatively 507
  - infinitesimally 481
  - origin of the name “symplectic” 538
  - properties of phase space 530
  - skew-scalar product 543
  - space, dimension must be even 545
  - system evolution 566
  - transformation 545
- Symplectic matrix
  - 4 × 4 diagonalization 552
  - 6 × 6 diagonalization 553
  - determinant = 1 546
  - eigenvalue 548
  - eigenvalues 550
  - eigenvector 548
  - robustness of eigenvalue under perturbation 552
- Synchronization
  - clocks in general relativity 418
- t**
- Tangent
  - bundle 348
- Tangent space 173, 531
  - algebra 175
  - and instantaneous velocity 174
  - linearized introduction of 174
  - or tangent plane 175
- Taylor approximation 532
  - see also linearized 53
- Telescope in space
  - Hubble 237
  - Next Generation 237
- Tension
  - string,  $T_0$  387
- Tensor 73
  - algebra 66
  - alternating 74

- antisymmetric 74
- contraction 73
- curvature 423
- distinction between algebra and calculus 76
- Einstein 423
- multi-index 73
- product 534
- Ricci 425
- Riemann 423
- Theorem
  - adiabatic invariance 451
  - contraction of indices 75
  - Darboux 545
  - Fermat 288
  - Fermat, fallacy in proof 557
  - Floquet 485
  - I.L., integral invariant 563
  - invariance of R.I.I. 565
  - Jacobi 302, 555
  - Kolmogorov, superconvergence 527
  - Larmor 238
  - Lie 200
  - Liouville 285, 538, 563, 568
  - Lyapunov 487
  - Noether 350
  - Poincaré, series nonconvergence 507
  - Poisson 555
  - Ricci 101
  - rotation as product of reflections 135
  - rotations form group 137
  - Stäckel, separability- 470
  - Stokes 558
  - Sylvester 83
  - time evolution of quantum commutator 556
- Three body problem 234
- Three index antisymmetric symbol 86
- Time
  - -like 80
  - average 449
  - dependence, normal mode 481
  - derivative expressed as Lie derivative 207
  - derivative operator 242, 259
  - like 319
  - of passage through perigee 309
  - proper 319
- Toroidal configuration space geometry 474
- Torque 210, 246
- Torsion 224
- Trace 76
- Trajectory
  - configuration space 278
  - phase space, no crossing property 278
  - photon 283
  - reference 278, 530, 535
- Trampoline 274
- Transfer matrix 285, 478
  - required to be symplectic by Liouville 568
- Transform
  - Laplace 23, 264
  - symplectic 545
- Transformation
  - active/passive 6
  - affine 91
  - canonical 441
  - canonical, using  $G(\mathbf{q}, \mathbf{Q}, t)$  444
  - canonical, using  $S(\mathbf{q}, \mathbf{P}, t)$  445
  - centered affine 91
  - close to identity 192
  - close-to-identity 192
  - coordinates 68
  - distribution 72
  - force vector 239
  - from unperturbed action-angle analysis 454
  - gauge 335, 336
  - group of continuous 189
  - Legendre 13
  - Lorentz 321
  - Lyapunov 487
  - relativistic velocity 322
  - similarity 242
  - symplectic 545
  - to action-angle variables 454
- Transitive group 193, 206
- Transport, parallel 270
- Transpose, matrix 5
- Trigonometry
  - of Kepler orbit 312
- Trivector
  - association with matrix 164
  - invariant measure of 143
  - vector triple product 164
- True anomaly 499
- True vector 56
- Tumble 274
- Tune, or characteristic exponent 488
- Twin paradox
  - for Foucault "clock" 269
  - in general relativity 417
  - in special relativity 320
- u**
  - Unification, grand 379
  - Unit cell 84
  - Unit tangent vector 223
  - Unit vector 93
  - time derivative of 221

– unit length 220

### **v**

Van der Pol

– oscillator 512

– solution, precursor to K–B 508

Variable length pendulum 457

Variation

– calculus of 295

– end point 296

– mono-frequency 279

Variation of constants

– conditionally periodic motion 474

– Kepler problem 493

– Krylov–Bogoliubov approach 508

Variational

– (or Poincaré-) equations 489

– principle 285

Vector

– association with reflection 163

– curvilinear coordinates 219

– incommensurate at disjoint points 95

– mechanics 219

– true 56

Vector field 99

– as directional derivative 201, 202

– as group operator 195

– associated with  $\widetilde{\mathbf{dH}}$  540

– identified with differential operator 121

– rotation operators 184

– total derivative notation 121

Velocity

– group 279, 294

– phase 279, 294

Virasoro expansion 407

Virtual displacement 201

Volume

– determined by  $n$  vectors 138

– oriented 138

Vortex line 560, 565

Vorticity 560

### **w**

Wave

– -front 278, 292

– -front, surface of constant action,  $S$  297

– equation 279, 280

– equation on relativistic string 390

– function 280

– length,  $\lambda$  279

– length, vacuum,  $\lambda_0$  279

– number,  $k$  279

– number, vacuum,  $k_0$  279

– phase 281

– plane 279

– vector, related to electric field 285

Wedge product 534

Weyl, originator of symplectic geometry  
538

World sheet of string 382

### **z**

Zeeman effect 238

