

# Index

- Adaptors, 55–56, 110
- Adenoviruses, 349–350
- Agrobacterium tumefaciens*, 91–92, 282, 351–352
- Alkaline phosphatase, 52–53, 319
- Allelic replacement, 196–198, 344
- Amino acid matrices, 182–183, 185
  - BLOSUM, 183, 185
  - PAM, 183, 185
- Amino acids
  - biochemical groups, 183, 288
  - codons, 126–127, 225, 262, 288–289, 307
  - hydrophobicity, 190–191
  - notation, 184
- Antibiotic resistance, 61–62, 290–291
- Antibodies, 129
  - epitope tagged proteins, 239–240
  - immunocytochemistry, 218–219
  - monoclonal, 129–130, 239–240
  - phage display, 330–331
  - probe detection, 122
  - screening libraries, 83, 117, 124, 128–130
  - Western blots, 130, 217–218
- Arrays, 292–293, 319–326
  - Affymetrix, 324
  - analysis of gene expression, 320–326
  - clones, 282, 320–321
  - ESTs, 320–321
  - genomic variation, 292–293
  - hybridization, 121, 292, 325–326
  - libraries, 113–114
  - macroarrays, 114, 321
  - microarrays, 114, 292–293, 319–324
  - oligonucleotide, 114, 292–293, 319–324
  - PCR products, 114, 321–324
- Artemis, 264, 270
- Auxotrophs, 86
- Bacillus subtilis*, 241
- Bacillus thuringiensis*, 353
- Back translation, 126
- Bacterial artificial chromosomes (BACs), 93, 97, 101, 102, 115, 130, 260
- Bacteriophages, 27, 106, 267
  - assay, 74, 100, 105
  - restriction and modification, 41
  - transfection, 74
  - see also* specific bacteriophages
- BCG vaccine, 333, 336
- beta-galactosidase, 66, 77, 103, 209, 229, 237
- beta-lactamase, 66
- Bioinformatics
  - gene function prediction, 265–266
  - gene identification, 173–175, 261–264
  - genomic comparison, 269–272
  - on-line resources, 168, 374
  - protein structure prediction, 190–196, 265–266
  - sequence alignment, 188–190
  - sequence comparison, 178–183, 265
  - synteny, 270
- Biostatistics, 351

- Biotin, 122, 316  
BLAST, 171, 179–182, 187, 269  
Bootstrap analysis, 311  
Boxes, 177–178
- Caenorhabditis elegans*, 284, 337, 348
- cDNA  
arrays, 320–321  
cloning, 110  
differential screening, 314–319, 320, 322–323  
gene expression, 341  
probes, 320
- cDNA libraries, 95, 106–107, 111, 175, 320–321  
bacterial, 112–113  
construction, 107–111, 207  
size, 105–106  
vectors, 78, 110
- cDNA synthesis, 89, 108–112, 146–147, 207  
full-length, 111  
RACE, 148–149
- Chromosome walking, 97, 275, 302–303
- Circadian rhythms, 178
- Clones  
arrays, 113–115, 282, 320–321  
characterization, 104, 131–134, 155–156  
identification, 101, 103–105, 117, 124, 128–130, 315  
libraries, 95, 99, 100–106, 111–113  
overlapping, 96–98  
stability, 87, 229–232  
subcloning, 130–131, 154
- Cloning, 25, 28–29, 63–65  
cDNA, 110  
DNA topoisomerase, 58–59  
homopolymer tailing, 56–57  
large fragments, 87, 92–93  
ligation, 47–51  
linkers and adaptors, 54–56, 110  
PCR products, 57–58, 144–146  
positional, 275, 302  
restriction fragments, 41–47  
TA cloning, 57  
transgenesis, 337–338
- CLUSTAL, 181, 187–190
- Codon usage, 20, 225–226, 242, 246, 262, 267, 288–289
- Codons  
list, 127  
rare, 242  
start, 15, 173, 224, 234, 261  
stop, 15, 21, 22, 173, 225, 261–263, 289  
synonymous, 20, 128, 225, 262, 288
- ColE1 plasmid, 61–62
- Competence, 67–68
- Complementation, 66, 86, 198–199, 281, 303, 341
- Conjugation, 67, 92
- Consensus sequence, 17, 175, 177, 188, 228, 263
- Cosmids  
cloning capacity, 78–79, 104  
gene libraries, 101  
genome sequencing, 258, 259  
in vitro packaging, 78–79
- CpG islands, 267
- Cre-lox recombination, 60
- Cytomegalovirus promoter, 87, 237
- Databanks, 167–171, 178, 261, 264, 265  
annotation, 169–171, 261–264  
DDBJ, 167  
EMBL, 167, 264  
ESTs, 175, 321  
GenBank, 169  
UniProt, 171
- Deletions, 242, 269, 291–293, 295  
*see also* Indels
- Denaturation, 10–11, 30–31, 35, 118
- Dictyostelium, 348
- Dideoxynucleotides, 161–162, 164
- DNA  
base composition, 10–11, 44, 118–119, 222–224, 226, 266–267  
base pairing, 8–11, 118–119  
denaturation, 10–11, 30–31, 35, 118  
heteroduplex, 109, 120, 243  
hydrogen bonding, 8, 11, 119  
hydrophobic interactions, 11, 119–120  
junk, 16, 106  
methylation, 41, 44, 244  
quantitation, 37  
repetitive, 259–260, 267–269, 276, 296–298  
replication, 11, 48, 62, 72, 267, 269  
single stranded, 11, 40, 80–81, 120, 243  
structure, 7–11, 14, 45

- supercoiling, 14–15, 58, 146, 177
- synthesis, 14, 160–161
- synthetic, 8, 242, 246, 247, 322
- transfection, 74, 343
- transformation, 26, 67–69
- DNA gyrase, *see* DNA topoisomerase
- DNA ligase, 7, 28, 45, 47–49, 58–59, 243
  - see also* Ligation
- DNA polymerase I, 109
- DNA purification
  - affinity chromatography, 36
  - alcohol precipitation, 35, 36
  - phenol extraction, 34–35
  - plasmids, 35
- DNA sequencing, 81, 159–162
  - automated, 163
  - contig assembly, 165–166, 256
  - dideoxy method, 160–162, 164–165
  - gap filling, 166, 256–257, 260–261
  - genomes, 251–258
  - primer walking, 164–165
  - problems, 163, 166, 259–261
  - pyrosequencing, 252
  - shotgun, 165–166, 257–258
  - supervectors, 260–261
- DNA topoisomerase, 58–59, 146
- DNA vaccines, 249
- DNA-binding proteins, 17, 177–178, 192, 210, 213–216, 329
- Domains, *see* Proteins, domains
- Drosophila*, 2, 301, 337
  - P elements, 280–281
- Electrophoresis
  - 2D, 217, 327–328
  - acrylamide, 39, 162, 217
  - agarose, 37–40, 131–132, 141, 299
  - analytical, 38–39, 131–2
  - characterizing clones, 131–2
  - denaturing, 40, 162
  - DNA sequencing, 162
  - gel retardation assays, 215–216
  - markers, 38, 131
  - PCR products, 141, 143
  - PFGE, 39, 294, 299–300
  - plasmids, 39–40
  - preparative, 40
  - proteins, 217, 327
  - RNA, 37, 202
  - SDS-PAGE, 217, 327
  - Electroporation, 68–69, 349, 351
  - EMBL, 167, 179, 264
  - Embryonic stem cells, 341–343
  - Enhancer trapping, 210, 281
  - Epstein Barr Virus, 239
  - Ethidium bromide, 37
  - Exons, 19, 22–23, 106, 171, 174–175, 263
  - Expressed sequence tags, 175, 320–321
  - Expression vectors
    - bacterial, 81–84, 227–235
    - gene libraries, 128–130
    - insect cells, 236–237
    - mammalian, 87–90, 237–239
    - regulation, 83–84, 229–232, 237
    - transcriptional fusions, 81–83, 227–229
    - translational fusions, 81, 232–234
    - yeast, 87, 235–236
  - FASTA, 179, 187, 188
  - Fluorescent *in situ* hybridization (FISH), 122, 302
  - Footprinting, 214–215, 216
  - Gel retardation, 39, 215–216
  - GenBank, 167, 169, 272, 321
  - Gene expression, 16–21, 222–226
    - bacterial, 17–20, 226–229, 241
    - cloned genes, 81–92, 222–232, 235–239, 241
    - codon usage, 225, 262
    - conditional, 83–84, 229–232
    - epitope tagging, 239–240
    - eukaryotes, 17–19, 21, 84–92, 224, 235–239
    - gene dosage effects, 228–229
    - histidine tagging, 240–241
    - insect cells, 236–237
    - mammalian cells, 87–91, 237–239, 349
    - RNAi, 19, 283–285, 345–346
    - secretion, 241
    - transcription, 17–19, 222–224
    - transgenes, 340–341
    - translation, 20–21, 224
    - yeasts, 85–87, 235–236
  - Gene expression analysis
    - 2D gels, 327–328
    - arrays, 320, 322–324
    - footprinting, 214–215
    - gel retardation, 215–216
    - mass spectrometry, 328–329

- Northern blot, 202–203
- primer extension, 207–208
- promoter probe vectors, 209
- promoters, 209, 214–217
- proteome, 326–329
- reporter genes, 209
- RNase protection assay, 203–204
- RT-PCR, 204–206
- sequence analysis, 175–178, 261–264
- subtractive hybridization, 315–317
- Western blots, 217–218
- Gene function
  - annotation, 171, 264–266, 273
  - confirmation, 196–199, 283–285, 344–346
  - prediction, 190–191, 219, 265–266, 273–274, 329
- Gene knock-down, 283–285, 345–346
  - see also* RNA interference
- Gene knock-in, 346
- Gene knockouts, 196–198, 283, 303, 335, 338, 344
- Gene libraries, 29–30, 95
  - arrayed (gridded), 113–114
  - choice of vector, 94, 97, 99–101
  - differential screening, 314–315
  - ordered, 114–115, 275
  - screening with antibodies, 83, 128–130
  - screening with gene probes, 31, 117–128
  - shotgun sequencing, 257–258
  - storing, 105
  - subcloning, 130–131
  - see also* cDNA libraries, Genomic libraries
- Gene mapping
  - chromosome walking, 275, 302
  - cytogenetic, 301–302
  - linkage analysis, 1, 275, 301
  - microsatellites, 302
  - ordered libraries, 275
  - SNPs, 302
- Gene silencing, *see* RNA interference
- Gene subtraction, 352–353
- Gene therapy, 348–351
- Genetic maps, 273–274, 301
- Genome browsers, 271–273
- Genome plasticity, 194, 270, 292
- Genome sequences
  - comparison, 269–271
  - examples, 252–253
  - phylogeny, 307
  - post-genomic analysis, 313
  - structure, 266–269
  - variation, 292, 299
- Genome sequencing, 251
  - analysis, 261–269
  - annotation, 256, 261–264
  - assembly, 256
  - clone by clone, 258
  - gap filling, 256, 260–261
  - repetitive sequences, 259–260
  - shotgun, 257–258
  - supervectors, 260–261
  - techniques, 252–256
- Genomic libraries, 29
  - choice of vector, 99–102
  - construction, 96–99, 102–105
  - evaluation, 102–105
  - partial digests, 97–99
  - sheared fragments, 98–99
  - size, 99–100
- Green fluorescent protein, 209, 341
- Hairpins, 11, 120, 153, 156, 163, 268–269
  - cDNA synthesis, 109–110
  - RNA, 285, 345
- Hepatitis B virus vaccine, 248
- Herbicides, 353–354
- Herpes simplex virus, 237, 350
- Hidden Markov Models, 173, 194, 263
- Homopolymer tailing, 56–57, 110, 149
- Hybridization, 2, 11, 30–31, 117–121
  - arrays, 292, 320, 323, 325–326
  - dot blots, 291
  - filters, 122, 123
  - in situ*, 122, 207, 219, 302
  - library screening, 31, 124
  - Northern blots, 123, 202–203
  - probe labelling, 121–122
  - slot blots, 291
  - solution, 203
  - Southern blots, 123, 133–134
  - stringency, 12, 117–121
  - subtractive, 315–317
- Immunocytochemistry, 218–219
- In vitro* packaging, 74, 77, 78, 104
- Inclusion bodies, 226, 241
- Indels, 270, 291–293, 295
- Insecticides, 353

- Insertion sequences, 16, 156, 259–260, 270, 292, 296–297
- Insertional inactivation, 66–67, 75
- Integrase, 60, 89
- Introns, 15, 19, 22–23, 101, 106, 147, 341  
boundaries, 171, 174–175, 263
- Inverted repeats, 267–269, 276, 280–281
- IPTG, 66, 84, 103, 128, 229, 231
- Islands, 267
- Isoelectric focussing, 327
- Isoschizomers, 47
- IVET (*in vivo* expression technology), 210–211
- Lambda bacteriophage, 69–73  
cos sites, 72, 74, 78  
genome structure, 71  
lysogeny, 69–71  
lytic cycle, 72–73  
packaging, 72, 78  
promoters, 227  
replication, 72  
superinfection immunity, 70
- Lambda vectors, 69  
cloning capacity, 72–73, 76–78  
EMBL4, 76–78  
gene libraries, 69, 78, 101  
gt10, 75  
gt11, 75, 82–83, 128  
insertion vectors, 74–76  
packaging limits, 73, 76–77  
replacement vectors, 76–77, 104
- Ligation, 27, 47–53, 55, 68, 74  
blunt-ended fragments, 46–47, 48–49, 54, 99  
cDNA, 110  
inverse PCR, 279  
optimization, 49–51  
PCR products, 145–146  
sheared fragments, 99
- Linkage analysis, 1, 275, 301
- Linkers, 54–56
- Luciferase, 209, 341
- Lysogeny, 69–71
- M13 bacteriophage, 79–81, 164, 165, 243, 330–331
- Macroarrays, 114, 321  
*see also* Arrays
- MALDI-TOF, 328–329
- Mammalian cells  
gene expression, 87–89, 237–239, 340–341  
gene knockouts, 344–345  
RNA interference, 285, 345–346  
vectors, 87–90, 237–239
- Mapping  
chromosome walking, 275, 302  
cytogenetic, 301–302  
disease genes, 301–302  
genetic and physical maps, 273–275  
*in situ* hybridization, 207  
linkage analysis, 1, 275, 301  
ordered libraries, 275
- Mass spectrometry, 328–329
- Mendel, 1
- Metagenomics, 258–259
- Methylation, 41, 44
- Mice  
embryonic stem cells, 342  
gene mapping, 301  
knock-in, 346  
knock-out, 198, 344–345  
RNA interference, 346  
transgenic, 25, 338–340
- Microarrays, 114, 292–293, 321–324  
*see also* Arrays
- Microinjection, 351
- Microsatellites, 275, 297–298, 302
- Molecular Beacons, 153
- Molecular clock, 306, 310
- Molecular phylogeny, 188–190, 305–312
- Motifs, *see* Proteins, motifs
- mRNA  
antisense, 203–204, 352–353  
arrays, 320, 322–323  
bacterial, 20, 21, 23, 112, 208, 224  
detection, 202–207, 313–314  
identifying ends, 111, 147–149, 207–208  
isolation, 36, 107–108  
leader, 232  
levels, 20, 105, 201, 202, 206, 224, 326  
Northern blot, 202–203  
polyadenylation, 19, 87, 107–109  
polycistronic, 22, 112–113, 198  
processing, 19, 22–23, 106, 304  
quantitation, 202–204, 206  
reverse transcription, 89, 95, 105, 107, 109–112, 146–147, 204–206

- RNA interference, 284–285, 345–346, 353
- RT-PCR, 146–147, 204–206
- stability, 20, 87, 212, 224
- synthesis, 17–19, 21
- transcriptome, 313, 320, 322–324
- translation, 19–21, 224–225, 289
- untranslated regions, 21, 212, 232
- Mutagenesis
  - gene replacement, 196–198, 283
  - in vitro*, 242–246
  - signature-tagged, 282
  - site-directed, 81, 155, 242–246
  - transposon, 276–278, 280–282
- Mutants
  - antibiotic-resistant, 290
  - attenuated, 333
  - auxotrophs, 2, 86, 210–211
  - disease associated, 136, 156, 290, 300–304, 350
  - selection, 2, 229
- Mutations
  - chain-terminating, 289
  - complementation, 198–199
  - conditional, 71, 278
  - deletions, 291–293, 295
  - frameshift, 171, 289
  - identification, 290–291, 304–305
  - polarity, 198
  - random, 1–2, 199
  - silent, 288
  - SNPs, 288–289, 307
  - transposon, 277–282
  - see also* Mutagenesis
- Neighbour Joining (NJ), 310–311
- Northern blot, 123–124, 202–203, 204, 206, 207, 325
- Oligo(dT), 107–108, 111, 149, 202
- Open reading frames, 15, 171, 252, 264–265, 322
  - identification, 173–174, 261–263
- Operons, 21–22, 112
- P1 bacteriophage, 60, 71, 78, 93
- Pathogenicity islands, *see* Islands
- Pathogens, 61, 67, 91, 270
  - antibiotic resistance, 277, 290
  - diagnosis, 156–157, 207
  - typing, 296–298, 300
  - vaccines, 198, 248–249, 333–336
  - virulence genes, 203, 210–211, 267, 282, 313, 334
- Pfam, 171, 194–196, 265
- Phage display, 330–331
- Phages, *see* Bacteriophages
- Pharming, 347
- Phenotype, 2, 15, 198, 273, 278, 281, 303–304, 319
- Phylogenetic trees, 188–190, 307–312
- Physical maps, 273–274
- Pichia pastoris*, 236
- Plant cells
  - lysis, 34
  - transformation, 351–352
  - vectors, 91–92, 352
- Plants
  - cloning, 25, 342
  - gene subtraction, 352–353
  - RNA interference, 285, 352–353
  - transgenic, 337, 351–352, 353–354
- Plasmid vectors, 61–67
  - cloning sites, 63–65
  - dual origin, 231–232
  - expression, 81–84, 227–229, 232–235
  - gene libraries, 100, 105
  - insertional inactivation, 66–67
  - pGEM, 84, 203
  - pUC18, 64–66, 81, 103, 105
  - selectable markers, 65–66
  - shuttle vectors, 63, 86
  - yeasts, 85–86, 235
- Plasmids
  - antibiotic resistance, 4, 61–62, 276–277
  - copy number, 62, 228–229, 231–232, 261
  - electrophoresis, 39–40, 131
  - F plasmid, 80, 93
  - horizontal gene transfer, 67
  - host range, 62–63
  - isolation, 34–35
  - origin of replication, 62, 231–232
  - replication, 26, 62
  - stability, 229, 336
  - structure, 14–15, 39–40
  - suicide, 197, 278
  - Ti plasmids, 91, 352
  - transformation, 67–69
- Polymerase chain reaction (PCR), 32–33
  - analysis of products, 38, 143–144

- applications, 154–157, 247, 278–279, 290, 297–298, 317
- assembly PCR, 155, 247
- cDNA synthesis, 149
- characterization of clones, 156
- cloning products, 57–59, 138–139, 144–146, 154
- diagnosis, 156–157, 290, 305, 338
- fingerprinting, 296–298
- gene expression analysis, 204–206, 317, 323
- generating probes, 125–126
- inverse PCR, 278–279
- long-range, 146
- metagenomics, 258–259
- nested, 143–144, 154
- optimization, 141
- polymerases, 135–136
- primers, 56, 57, 58, 128, 141–143
- procedure, 135–139
- product arrays, 114, 292, 321–322, 324, 326
- quantitative, 149–153, 206
- RACE, 111, 147–149
- real-time, 149–154, 206, 291
- RT-PCR, 146, 204, 205, 206
- sequence polymorphisms, 289–291
- sequencing, 134, 166, 254, 258, 260, 290–291
- signature-tagged mutagenesis, 282
- site-directed mutagenesis, 155, 245–246
- tagging products, 240
  - TaqMan, 152–153
- Positional cloning, 275, 302
- Primer extension assay, 207–208
- Primer walking, 164, 166, 260
- Primers, 14
  - cDNA synthesis, 108, 110
  - degenerate, 143
  - mutagenesis, 243
  - oligo(dT), 108, 111
  - PCR, 32, 58, 134, 135, 138, 141–143
  - RACE, 148–149
  - random, 111, 149
  - sequencing, 134, 160, 163, 164, 260
  - tagging, 58, 138–139, 145, 240
  - T<sub>m</sub>, 118–119, 136, 141
- Probes, 11
  - allele-specific, 291
  - back translation, 124, 126–128
  - degenerate, 128
  - diagnosis, 156, 289, 291, 297, 305
  - generation, 31, 84, 121, 124
  - heterologous, 124–126
  - homologous, 124
  - in situ* hybridization, 207
  - labelling, 121–122
  - microarrays, 292, 320, 323
  - Northern blots, 202
  - RFLPs, 294–296
  - RNA, 31, 84, 203
  - screening libraries, 117, 124
  - Southern blots, 134, 294
  - stringency, 121, 123, 126
  - T<sub>m</sub>, 118–119
- Promoter probe vectors, 209–211
- Promoters, 17
  - analysis, 209, 212, 214–217, 347
  - AOX1, 236
  - baculovirus, 236–237
  - cauliflower mosaic virus, 352
  - consensus, 17, 177, 228
  - controllable, 83–84, 229–231, 235–236
  - cytomegalovirus, 87, 237
  - eukaryotic, 17, 235–239
  - expression vectors, 81–84, 222–224, 227–228, 235–239
  - GAL1, 235–236
  - HS-TK, 237
  - lac*, 83–84, 227–229
  - lambda P<sub>L</sub>, 227
  - locating, 177, 209–212, 214
  - mammalian, 89, 237–239
  - plants, 352
  - polyhedrin, 236–237
  - retroviral, 89
  - SP6 bacteriophage, 84, 203, 228
  - SV40, 237
  - T7 bacteriophage, 83–84, 203, 228, 232
  - transgenesis, 347
  - trp*, 227–228, 231
  - yeasts, 235–236
- PROSITE, 171, 192, 196, 265
- Protein engineering, 247
- Protein interactions, 329–331
- Protein sequencing, 159, 329
- Protein synthesis, *see* Translation
- Proteins
  - amino acid matrices, 182–183, 185
  - conformation, 130, 191–193

- DNA-binding, 213–214, 216
- domains, 191–196
- electrophoresis, 217, 327
- function prediction, 265–266, 274
- fusion, 83, 232–234
- hydrophobicity, 191
- immunocytochemistry, 219
- inclusion bodies, 226, 241
- localization, 219
- mass spectrometry, 328–329
- mosaic, 194
- motifs, 190, 191–193, 194–196
- phylogeny, 188–190, 307
- post-translational modification, 226, 235, 237
- production, 221, 226, 235, 237, 241, 347
- secretion, 87, 226, 239, 241, 319
- sequence analysis, 171, 190–196
- sequence comparisons, 182–188
- sequence databanks, 171
- sequence prediction, 171, 175, 261–264
- structure prediction, 190–191
- tagged, 239–241
- variation, 288–289, 307
- Western blots, 217–218
- Proteomics, 326–329
- Pseudogenes, 106, 266
- Pulsed-field gel electrophoresis (PFGE), 294, 299–300
- RACE (rapid amplification of cDNA ends), 111, 147–149, 317
- Reading frames, 171, 173–174, 261–263, 289
- translational fusions, 67, 81–83, 233–234
- Recombination, 1
- gene replacement, 196–198, 283, 344, 346
- homologous, 196, 211, 237, 335, 342, 346
- repeat sequences, 269, 276
- site-specific, 60
- vector integration, 87, 89, 91–92, 211, 236, 239, 336, 338
- Repeat sequences
- direct repeats, 269
- dispersed repeats, 259
- inverted repeats, 267–269, 276, 280, 353
- long terminal repeats, 89
- tandem repeats, 259, 269, 296, 298
- Repetitive elements, 106, 259–260, 292, 296
- insertion sequences, 16, 156, 259, 270, 296
- retrotransposons, 281
- transposons, 165, 259, 269, 276–282, 296, 319
- Reporter genes, 209, 210, 212, 227
- alkaline phosphatase, 319
- beta-galactosidase, 209, 211, 281
- developmental studies, 347–348
- GFP, 209, 219, 332, 348
- luciferase, 209
- one-hybrid assay, 213–214
- promoter activity assay, 209, 212, 341
- protein localization, 219
- transposons, 319
- two-hybrid assay, 330
- Representational difference analysis (RDA), 317
- Restriction and modification, 41, 44
- Restriction endonucleases, 7, 28, 41–47
- double digests, 53
- examples, 42–43
- frequency of cutting, 43–44, 96, 299
- isoschizomers, 47
- partial digests, 97–98
- rare cutters, 299
- recognition sites, 42–43, 45
- Type I, 41
- Type II, 41–42
- Restriction fragment length polymorphisms (RFLPs), 290, 294–297
- bacterial typing, 296–297, 299
- mapping disease genes, 302
- phylogeny, 306
- Restriction fragments
- blunt-ended, 46, 54–55
- dephosphorylation, 52
- electrophoresis, 38–39, 131–132
- ligating, 47–49
- linkers and adaptors, 54–56
- modification of ends, 53, 56–57
- sticky-ended, 45–46, 55
- tailing, 56–57
- trimming, 99
- Retinitis pigmentosa, 290
- Retrotransposons, 281

- Retroviruses, 89, 282  
  gene therapy, 350  
  LTR, 89  
  transgenesis, 338–340  
  vectors, 89, 239, 338–339, 350
- Reverse transcriptase, 89, 107, 108–109,  
  149, 207–208  
  retrotransposons, 281  
  retroviruses, 89, 350  
  RT-PCR, 146–147, 205–206
- Reverse translation, *see* Back translation
- Rhodopsin, 191, 290
- Ribonuclease, 8, 34, 110, 204, 352
- Ribonuclease protection assay, 84,  
  203–204, 207
- Ribosome-binding sites, 19, 20, 22, 81,  
  224, 232–234
- Rice, 352, 354
- RNA  
  antisense, 84, 204, 346, 352–353  
  biosynthesis, 14, 17–19  
  electrophoresis, 37, 40, 202  
  folding, 11, 40, 120, 268–269  
  heteronuclear, 19, 175  
  microRNA (miRNA), 264, 285  
  Northern blots, 124, 202–203  
  polyadenylated, 19, 87, 108–109,  
    148–149  
  probes, 31, 84, 117, 121, 124, 203–204  
  purification, 33–35  
  quantitation, 36–37, 202  
  ribosomal (rRNA), 15, 19, 20, 107, 202,  
    259, 268  
  short interfering RNA (siRNA),  
    284–285, 345–346, 353  
  structure, 8, 12–13, 40  
  transfer (tRNA), 15, 19, 107, 225, 267, 268  
  *see also* mRNA
- RNA interference, 19, 198, 283–285, 338,  
  345–346, 348, 352–353
- RNA polymerase, 14, 17–19, 21  
  eukaryotic, 19, 177, 281  
  inhibition, 290  
  promoter specificity, 17–19, 83–84, 177,  
    203, 222–224, 228  
  RNA-dependent, 353  
  transcriptional termination, 269
- RNase, *see* Ribonuclease
- RT-PCR, 112, 146–147, 206, 315, 326
- Run-on assay, 216–217
- S1 nuclease, 109–110
- Saccharomyces cerevisiae*, 85–87, 235–236,  
  248, 283
- Salmonella*, 210–211, 335, 336
- SDS-PAGE, *see* Proteins, electrophoresis
- Secretion signals, 87, 192, 226, 241–242,  
  319
- Selectable markers, 65–66, 86, 197, 336,  
  342, 346
- Sequence analysis  
  alignments, 181, 186–190, 194  
  annotation, 169–171, 264, 265  
  Artemis, 262, 264, 270  
  base composition, 266–267  
  BLAST, 179–182, 270  
  CLUSTAL, 188–190  
  comparisons, 178–188, 265, 269–271, 307  
  databanks, 167–169  
  exons and introns, 174–175, 263  
  expression signals, 175–178  
  FASTA, 187  
  function prediction, 265–266  
  genome browsers, 271–273  
  gMAP, 270  
  HMMs, 194, 263  
  indels, 270  
  MPsrch, 188  
  OMIM, 304  
  ORFs, 173–174, 261–263  
  Pfam, 194–196, 265  
  PROSITE, 192–193, 196, 265  
  protein motifs, 191–194  
  protein structure, 190–191, 193–194, 265  
  repeats, 267–269  
  SNPs, 288–289, 304  
  synteny, 270
- Shine-Dalgarno sequence, *see* Ribosome-  
  binding sites
- Signature-tagged mutagenesis, 282
- Single nucleotide polymorphisms (SNPs),  
  288–289, 293, 304
- siRNA (short interfering RNA), 284–285,  
  345–346, 353
- Site-directed mutagenesis, 81, 242–246,  
  334, 346
- Southern blots, 121, 123, 133–134, 294–297
- Stem-loop structures, 11, 120, 156, 268
- Stringency, 12, 117–119, 121, 123, 126, 138,  
  297
- SV40, 87, 212, 237, 251

- SYBR Green, 151  
Synonymous codons, 20, 128, 225, 262, 288  
Synteny, 270  
Synthetic genes, 155, 242, 246–247  
Systems biology, 332
- T7 bacteriophage, 83–84, 203, 228, 232  
TA cloning, 57–58, 145, 146  
Tagged proteins, 235, 239–241  
Tandem repeats, 259, 269, 296, 298  
Taq polymerase, 135–136, 137–138, 145, 146, 246  
TaqMan, 152–153  
Terminal transferase, 56, 110, 149  
Tetracycline repressor, 237  
Ti plasmids, 91–92, 352  
Transcription, 17–19, 222–224  
  analysis, 201–208, 209–210, 313–319, 320–324  
  cloned genes, 81–83, 87, 222–224, 227–232, 235–237  
  control, 83–84, 229–232, 235–236  
  eukaryotes, 17–19, 177, 224  
  initiation, 17–19, 81, 209, 222–224, 227  
  reporter genes, 209  
  termination, 269  
Transcription factors, 214–216  
Transcriptional fusions, 81–84, 227  
Transcriptomes, 313–319, 320–324  
Transduction, 67  
Transfection, 74, 237, 285, 340, 343, 346  
Transformation, 26, 29, 67–68, 74, 102  
  biolistics, 69, 351  
  competence, 67–68  
  electroporation, 68–69  
  microinjection, 69, 351  
  plant cells, 351  
  protoplasts, 69, 351  
Transgenics, 337–338  
  animals, 338–346, 347  
  applications, 347, 353–354  
  ES cells, 341–343  
  gene knockouts, 344–345  
  plants, 337, 351–354  
  RNA interference, 345–346  
  Translation, 20–21, 224–225  
  Translational fusions, 81, 232–235  
  Transposon mutagenesis, 276–279, 280–282  
  Transposons, 165, 259, 276–277, 280, 281–282, 296, 319  
  Ty element, 281  
  UniProt, 171  
  UPGMA (Unweighted Pair Group Method with Arithmetic means), 308–311  
  UTR, 21, 212  
  Vaccines, 194, 198, 247–249, 333–336  
  Vaccinia, 58, 146, 335  
  Variable number tandem repeats (VNTR), 296, 297–298  
  Vectors  
    BAC, 93, 97, 101, 102, 115, 260  
    cosmids, 78–79  
    expression, 81–84, 227, 235–237  
    insect cells, 236–237  
    lambda, 69, 74–78, 82–83  
    M13, 79–81  
    mammalian cells, 87–91, 237–239  
    plant cells, 91–92, 352  
    plasmids, 61–67  
    YAC, 92–93, 94, 97, 102, 130, 302, 340  
    yeasts, 85–87, 235–236  
  Western blot, 130, 217–218  
  X-gal, 66, 77, 83, 103  
  YAC, 87, 92, 94, 97, 102, 130, 302, 340  
  Yeasts  
    gene expression, 87, 235–236  
    one-hybrid assay, 213–214  
    selectable markers, 86  
    transposons, 281–282  
    two-hybrid assay, 329–330  
    vectors, 85–87, 92–93, 235–236  
  Zebrafish, 91, 348