

# INDEX

---

## A

A36 versus A992 steel, 254  
Acceleration of gravity, 314  
Acceleration vector, 344  
Accelerogram readings, 337  
ACI regulations, 43  
Aggregates, 37  
*AISC Manual of Steel Construction*,  
86  
*AISC Seismic Provisions*, 28  
Allowable bending stress, 194, 242  
Allowable story drift, 116  
Amplification of dynamic lateral  
displacements, 17  
Astaneh, A., 183  
Axial force, 38, 109, 110  
Axial force component, 109, 113  
Axial loads, 113, 136, 220  
Axial stress in bar, 222

## B

Bars, development, 38  
Base plate, 217, 224  
axially loaded, design, 175  
maximum axial compression, 174  
maximum uplift, 174  
Base shear for earthquake, 75  
BCSA/CONSTRADO, 348

## Beam

flexural buckling, 110  
flexural resistance, 110  
plastic bending moment, 97  
Beam allowable stress, 241  
Beam–column joint failure, 17, 20  
mechanism of, 20  
Beam flange reactions, 346  
Beam-to-column connections, 26, 88,  
89  
Beam-to-column joint, 92  
Beam-to-column plate design, 242  
Beam web, 17, 44  
Bending stress, 194, 208, 242  
Berkeley Earthquake Engineering  
Research Center, 99, 128, 182  
Bertero, V. V., 127, 182  
Black, R. G., 182  
Block shear design, 150  
Block shear failure mechanism, 150  
Bondad, D. M., 127, 358  
Boundary conditions, 95  
Brace capacity, loss, 170  
Braced frame, eccentric (hybrid), 20  
Braced-frame project, description,  
129  
Brace reactions, 148  
Brace stiffness, 180, 181

Brittle failure, 181  
 Brittle fracture failure, 173, 348  
 Bruneau, M., 182  
 Buckling, compressed member, 136  
 Building codes interaction, 27

## C

Calibrated hydraulic piston dampers, 357  
 California Department of Conservation, Division of Mines and Geology, 344  
 California freeway bridges, 15  
 Carter, C. J., 358  
 Cedar Hills nursery, 24, 339  
 Cement, 37  
 Characteristic equation, 313, 321  
 CMU wall stresses, 220  
 Codes cross-referencing, 28  
 Coefficient matrix, 299  
 Cold-formed steel, 29, 277  
   structural members, 277  
 Column and row vectors, 293  
 Column(s)  
   deformations, 344  
   design of, 109  
   design for compression, 116  
   design for tension, 162  
   tensile resistance, 120  
 Combined bending and shearing resistance, 40  
 Compact matrix form, 290  
 Component failure, 17  
 Concentrically braced frames, 33, 128, 156  
 Concentric braced frame alternative, 20  
 Concentric braced frames, 18  
 Concrete  
   as construction material, 36  
   compressive strength, 36  
   crack patterns, 43  
   design for bending, 39  
   design for flexure, 40  
   diagonal cracks, 46  
   modulus of elasticity, 38  
   modulus of rupture, 38

  rectangular compression block method, 40  
   splitting, 46  
   tensile resistance, 38  
   tensile strength, 38  
   working-stress design, 39  
 Constant(s), 298, 303, 307, 309, 311, 314, 320  
 Constant of proportionality, 321  
 Construction defects versus earthquake damage, 235  
 Corrosion, 51  
 Cover plate dimensions and welds, 95  
 Crawl spaces, 228  
 Cripple wall, 229  
 Crisscrossing joint, 136  
 Critical damping, 174  
 Critical stress concentrations, 346  
 Crosby, P., 182  
 Cyclic loading, 180  
 Cylindrical footings, 228

## D

D'Alembert principle of equilibrium, 314  
 Damping ratio, 322  
 Design lateral pressures, 196  
 Design panel shear, 109  
 Design strategies, 89  
 Detailed systems design requirements, 76, 83, 85, 88, 110, 122, 130, 135, 139, 166, 180  
 Development length, 45  
 Diagonal brace  
   bowing out, 137  
   slenderness, 137  
   system, 142  
 Differential equation of motion, 315, 317  
 Differential equations  
   general solution, 303  
   standard form, 308  
 Double curvature, 160  
 Drift evaluation, 83  
 Dry-jointed connections, 14  
 Ductile behavior, 344, 348  
 Ductile hinge, 348

Ductility, 180  
 Dynamic equilibrium without damping, 317  
 Dynamic forces, 14, 20, 138, 143, 346  
 Dynamic structural response, 344

**E**

Earthquake  
 magnitude, 7  
 physics of, 100  
 source, 2  
 Earthquake-damaged chimneys, 235  
 Earthquake-generated cyclic loading, 102  
 Effective time period of earthquake, 344  
 Eigenvectors, deflected mode shapes, 332  
 Elastic limit, 111  
 Element stiffness, 136  
 Energy-dissipating external walls, 352  
 Energy dissipation, 95, 173, 351  
 Engelhardt, M. D., 127, 358  
 Engineered damping, 352  
 Engineered energy dissipation, examples, 352  
 Engineered metal connectors, 229  
 Equation of free vibration, 326  
 Equation of motion, 320  
 Erdey, C. K., 126, 127, 182, 348  
 Euler's solution, 318, 319  
 Excessive sway, 346  
 Expansion joints, continuous structures, 16

**F**

Factored toe pressure, 200  
 Faults, consideration to existing, 27  
 Fierro, E. A., 183  
 First and upper story walls not aligned, 14  
 Flexibility coefficient matrix, 290  
 Flexural compressive stress, 197, 202  
 Footing design, 215, 225, 244, 251, 263, 276  
 Footing, external CMU wall, 225  
 Frame, lateral translation, 117

Free lateral contraction, 340  
 Free vibration, 314  
 Friction devices, 352  
 Fundamental period of structure, 25

**G**

Garages, seismic shortcomings, 234  
 Gaussian elimination method, 301  
 Glulam (GLB) support, 244, 262, 271  
 Goel, S. C., 182, 183  
 Gravity load, analysis and design, 271  
 Ground acceleration data, 344  
 Ground on heel, weight, 203  
 Ground velocities and accelerations, 27  
*g* vertical acceleration, 100

**H**

Hangar design, 206  
 Hangar masonry walls, 209  
 Hangar, wind and seismic, 209  
 Hanson, R. D., 182, 183, 358  
 Hassan, O., 182  
 High-frequency response, 136  
 High-frequency speed straining, 351  
 High-frequency vibrations, 336  
 Horizontal and vertical ground acceleration components, 24, 339  
 Horizontal reinforcement, 60, 195, 209  
 HSS steel columns, 28, 217, 224, 241, 242, 254  
 Husain, A. S., 127, 358  
 Hydraulic piston dampers, calibrated, 357

**I**

IBC 2000, moment-resisting frame system category, 187  
 Imaginary number, 318, 322  
 Improved connection, 93  
 Inelastic response displacement, 83  
 Initial value problem, 303  
 Internal design forces, modification, 26

Internal reaction of forces and stresses, 341  
 International Conference of Building Officials (ICBO), 192  
 Iwankiw, N. R., 358

**J**

Joint, brittle fracture, 95  
 Joint-penetration-groove weld, 95  
 Joint stresses, 350  
 Joist girder-to-column connection, 224

**K**

Kareem, A., 183  
 Kelly, J. M., 358  
 Khatib, I. F., 182  
 Krawinkler, H., 127

**L**

Laplace expansion, 297  
 Lateral analysis and design, 264  
   garage, 243  
 Lateral coefficient, 23  
 Lateral confinement, 20, 176  
 Lateral east–west ground acceleration, 341  
 Lateral floor displacements, 10  
 Lateral force distribution, 78  
 Lateral oscillations, 10  
 Lateral and vertical earthquake forces, 22  
 Le Chang, K., 358  
 Light-gauge steel  
   design example, 278  
   partition walls, 281  
   specifications, 282  
   versus wood construction, 277  
 Lightweight concrete, 51  
 Limit-state design, 39  
 Limit-state pattern, 51  
 Linear equations, 290  
 Load cases, set of, 69  
 Load combinations, LRFD method, 82, 89  
 Load factor, lateral pressure, 197  
 Load sharing, 79, 80, 281  
 Loma Prieta earthquake, 173  
 Longitudinal component of the quake, 10

Low-hazard structures, 30  
 Lumped-impulse method, 340

**M**

Mahin, S. A., 182  
 Major lateral force-resisting systems, 17  
 Manhole openings, 215  
 Masonry  
   horizontal reinforcement, 209  
   seismic collapses, 191  
   seismic overview, 191  
   and steel structure, 217  
   vertical reinforcement, 209  
 Material degradation, 351  
 Matrix  
   multiplication, 292  
   nonsingular, 302  
   singular 302  
 Maximum bending moment, 197  
 Maximum brace reactions, 148  
 Maximum inelastic response displacements, 83  
 McCormac, J. C., 36, 127  
 Mechanical vibrations, 314  
 Mechanical vibrations without driving function, 334  
 Mechanism of destruction of moment frame/end shear wall construction, 12  
 Member overstress, 69  
 Metallic yield devices, 352  
 Minimum fillet weld size, 94  
 Modulus of elasticity, 366  
 Moment frame failure, 10  
 Moment frames as rigid frames, 21  
 Moment frame–shear wall combination, 10  
 Moment-resisting frame, reinforced concrete, 20  
   ductile performance, 20  
 Mozzafarian, H., 358

**N**

Naeim, F., 358  
 Natural circular frequency, 320  
 Natural frequency, 316  
 Necking, 348  
 New Madrid earthquake, 5  
 Noel, S., 358

No necking, no ductility, 351  
 Northridge experience, 68  
 Northridge lesson, 228

### O

Occupancy category, 30  
 Oscillation, 322  
 Out-of-plane bending, 13, 352  
 Overdamped system, 322  
 Overstressed joint, 348  
 Overstressed structure, 229  
 Overturning  
   factor of safety, 203  
   and hold-down bolts, 244  
   moment, 196

### P

Pacific tectonic plate edge, 192  
 Pacoima dam readings, 22, 100  
 Pad footing, 226, 272, 276  
 Panel zone, 87, 88, 90, 347, 350  
 Panel zone shear strength, 101  
 Parapet, 219  
 Parent metal brittleness, 351  
 Parking structures, 49  
 Particular solution, 303  
 Paso Robles Clock Tower, 192  
 Permanent deformation, 348  
 Permanent structural damage, 344  
 Perry, C., 183  
 Pister, K. S., 182  
 Plastic deformation, 351  
 Plastic hinge, 344  
 Popov, E. P., 127, 182  
 Post and pier supports, 228  
 Postbuckling, 171  
 Postbuckling stage, 170  
 Potential energy absorption, 181  
 Precast concrete circular plate, 214

### Q

Quasi-static tests, 349, 351

### R

RC parking structure, 49  
 Redundant backup system, 189  
 Reinforcement  
   effective depth, 205  
   overstressed, 222  
 Reinforcing bars, 37

Reliability/redundancy factor  $\rho$ , 86  
   braced frames, 141  
 Reserve shearing resistance, 98  
 Reserve strength, 21  
 Resonance factor, 26  
 Response spectrum analysis, 138  
 Restoring moment, 203  
 Retaining wall  
   10 ft, 196  
   13 ft, 199  
   15 ft high, 203  
   seismic zones 3 and 4, 193  
 Reversals of magnitude, 351  
 Reversible earthquake forces, 142  
 R factor, 34  
 Rigid joint, 348  
 Ring foundation, 216

### S

Sabol, T. A., 127  
 SAC 95-01, 1995, 358  
 San Fernando earthquake, 13, 21, 22, 23  
 Santa Monica seismic motion, 338  
 Scalar number, 293  
 Section neutral axis, 198  
 Seismic design forces, zone 2B, 218  
 Seismic design philosophy, 68  
 Seismic isolation, primer on, ASCE, SEI 2004, 353  
 Seismic isolation systems, 353  
 Seismic pressure on component, 219  
 Seismic, transverse direction, 249  
 Seismic not governing, 261  
 Seismic versus wind, 206  
 Seismograph readings, 51, 338, 345  
 Shear  
   and compression, 45  
   and flexural resistance, 46  
   and moment combined, 46  
   reinforcement, 46  
 Shear tab, 17  
   design, 96  
   moment of resistance, 17  
 Shear tabs cracked and split, 105  
 Shear wall pier, 244  
 Shearing resistance, *see* Combined bending and shearing resistance  
 Shift of force in tensile reinforcement, 43

Shrinkage, 51  
 Significant U.S. earthquakes, 8  
 Single-degree system, 314  
 Single-direction oriented lateral forces, 143  
 Single spring–mass differential equation, 318  
 Slenderness ratio, 138  
 Speed straining, 350  
 Spring coefficient, 316  
 Spring constant, 314  
 Spring–mass–dashpot, 327  
 Square matrix, 295  
 Static force method, 138  
 Steel, modulus of elasticity, 85  
 Steel portal frame, 234  
 Steel-reinforced  
   duplex, 252  
   wood-framed building, 237  
 Steel reinforcement, 36  
 Stephen, R. M., 127  
 Stirrups in resisting moment, 46  
 Stirrup sizes, 45  
 Stirrup spacing, 45  
 Story-drift control, 83  
 Strain hardening, 350  
 Strength design, 45  
 Strength-level bearing pressures, 199  
 Strength-level factored loads, 83  
 Stress reversals, 135, 138, 179, 350, 351  
 Stress values, masonry project, 220  
 Strong column–weak beam, 113  
 Structural details, 223  
 Structural displacement, increase, 344  
 Structural layout and member sizes, 70  
 Structural vibrations, 314  
 Stucco and wood frame, 229  
 Sunset Crater volcano, 5  
 Sway components due to rocking motion, 343

**T**

Tang, X., 182  
 T-assembly static moment, 242  
 Tectonic plate edge, 192  
 Tensile reinforcement, shift of force, 43  
 Tensile strength by yielding, 94

Tensile stress, 195  
 Thornton, W. A., 183  
 Tilt-up walls, 49  
 Toe nailing, 233  
 Toe of footing design, 198  
 Tognarelli, M., 183  
 Transfer of overturning moment, 14  
 Triangular distribution, 204  
 Tsai, K. C., 127

**U**

Uang, C. M., 127, 182, 358  
 Ultimate strength design, 41  
 Unique continuous solution, 305  
 University of Michigan, 128, 181

**V**

Vaulted ceilings, 234  
 Vector matrix, 290  
 Vertical reinforcement, 13, 194, 196, 197, 201, 209  
 Viscoelastic devices, 352, 353  
 Viscous damping force, 321  
 Viscous devices, 352  
 Vulcraft joists, 217, 223

**W**

Water–cement ratio, 37  
 Web joint, welding, 98  
 Wegener, A., 3  
 Wenger, W. A., 182  
 Whittaker, A. S., 182  
 Whittier Narrows earthquake, 1987, 20, 21  
 Width-to-wall thickness ratio, 138  
 Wind  
   and earthquake loads, 135  
   normal force method, 72  
   projected-area method, 72  
   on three-story steel frame, 238  
 Wood frame/masonry chimney incompatibility, 235  
 Wood-framed seismic performance, 227  
 Wood-framed structure failures, 228  
 Wronski, 334

**Z**

Zekioglu, A., 358  
 Z zone factor, 25