

INDEX

Page numbers of illustrations are printed in *italics*.

- A** Accounting Software Advisor (ASA), 77–78
- aesthetic model, 165, 168, 169
- agile methodologies, 87, 89, 152, 162, 163, 164
- air-traffic control center shutdown, 7–8
- Andersen, Hans Christian, 24
- Andreu, Paul, 143
- anthropologists, role of, 173, 174
- Apple Computer, 15. *See also* iPod; iTunes; Macintosh
 - desktops, 17, 20
 - applications. *See* software: *names of applications*
 - architects, 41–42. *See also* design: architectural
 - and clients, 42, 81–82, 83–84
 - Architecture of Happiness, The* (de Botton), 23
- ATMs (automated teller machines), Citibank, 44–48
- automobile
 - dashboard, 57–58
 - design, 32
 - expectations for, 2, 12–13
 - navigation system, display, 209–210
 - safety features, 206
 - usability, 12–13, 32

- B** Beck, Harry, 72, 74, 210
 Benjamin Franklin Parkway (Philadelphia), 41
 Bloomberg L.P. (offices), 43
 blueprints, 84, 120, 155
 brand impression, 133–134, 143, 207–208
 Buchner, Daniel C., 60
 business analysts, role of, 103
 business process, 123. *See also* workflow; work process
 diagramming, 123, 176–177
 human context, 174
 understanding, 131–132
 business requirements. *See* software development process: requirements
 business systems. *See* software: *names of systems*
 business technology. *See* software
 buyers, 31–32
- C** card-sorting exercises, 63
 Carnegie Mellon University (CMU), 45, 98, 99, 108
 industrial design modeling shop, 149
 Cathedral of Notre Dame, 36, 37
 C-46 Commando, 104, 105
 change management, 131, 204, 211
 Chapanis, Alphonse, 104–105
 Chaplin, Charlie, 54
 Charles, Prince of Wales, 145
 Children’s Hospital of Pittsburgh (CHP), 93–94, 95, 96
 Children’sNet, 94, 95, 96
 Chrysler, Walter P., 152
 Chrysler Building, 152–153
 Citibank ATMs, 44–48
 communication. *See* language; messages
 computer
 characteristics, 55
 software. (*see* software)
 technology, development, 97–98
 computer-assisted design (CAD), 108
 computerized physician order entry (CPOE). *See* software: electronic
 health records
 consumer products
 design, 20
 market research, 60–61
 Continuum (design firm), 60

- Cool Hand Luke*, 5
- Copco, 67, 68
- CPOE. *See* software: electronic health records
- customer-relationship management (CRM) software. *See* software:
customer-relationship management
- customers, 31–32, 112, 115. *See also* users
- D** Daily News Building, 46–47
- dashboard
- automobile, 57–58
 - data management, 58, 122, 147, 148
- data
- access, 131, 145
 - context, 69–70
 - dashboard, 58, 122, 147, 148
 - display, 55–56
 - form, 132, 187, 205
 - interpretation, 57–58, 69, 91–92, 132, 178, 205
 - storage, 91–92
 - visualization, 58, 148, 159
 - warehouse, 91–92, 135–136
- “dead money,” 91
- de Botton, Alain, 23
- decision support, 9, 132, 146, 178
- deliverables, 87
- design, 38. *See also* design process; software development process: design phase
- architectural, 23, 37, 41–42, 52, 120, 127–128, 130, 140, 141, 143–145
 - automotive, 12–13, 15, 32, 37–38, 40, 57–58
 - computer-assisted (CAD), 108
 - of experience, 13, 19, 51–52, 106, 131, 145
 - fashion, 38, 39
 - of form, 19, 106, 108
 - function, 38
 - graphic, 141–142, 171
 - industrial, 41, 171
 - information technology, 33
 - interior, 41
 - product, 13, 20, 22, 42–43, 51–52, 87–88
 - and style, 38
- designers. *See also* software development process: designers
- as communicators, 39
 - contributions, 118

- designers (*continued*)
- fashion, 39
 - goal, 50
 - graphic, 39–40
 - industrial, 40–41, 150
 - information technology, 49, 50
 - as observers, 102–103
 - as problem solvers, 106–107
 - responsibility, 108, 110
 - skills, 108, 110
- design process, 37, 50, 107, 111. *See also* software development process: design phase
- architectural, 32–33, 81–82, 83–84, 120, 127–128, 130, 150
 - automotive, 12–13, 32
 - as business opportunity, 143, 145
 - as collaboration, 108, 110, 120
 - industrial, 150
 - information technology, 33
 - product, 13, 20, 22, 33, 66, 87–88, 89, 150
- design researchers, 115, 173, 174, 196. *See also* designers
- Disguised* (Moore), 66–67
- drawings
- architectural, 82, 83
 - as exploration of form, 109, 171
 - figure, 170–171
 - as software prototypes, 107, 109, 158, 165–166, 169, 177, 200
 - 3-D, 108, 109
- E**
- Ease of Use program (IBM), 100
 - electronic health records (EHR). *See* software: electronic health records
 - “Emperor’s New Clothes, The” (Andersen), 24
 - Empire State Building, 120
 - end users. *See* users
 - engineering psychology, 105
 - enterprise resource planning (ERP) software. *See* software: enterprise resource planning
 - E.ON, 146
 - E-Pass, 51
 - ERP. *See* software: enterprise resource planning
 - error messages, 184–185
 - experience. *See* design: of experience; software: experience of using
 - E-Z pass, 51

- F**
 - Farber, Betsey, 67, 69
 - Farber, Sam, 67, 68–69
 - Farnsworth, Edith, 70
 - fashion design and designers, 38, 39
 - FasTrak, 51
 - First Data Corporation, Health Systems Group, 112, 121, 122
 - Ford Motor Company, 12, 40, 79
 - Forrester Research, ERP survey, 30–31
 - Frankenstein’s monster, 163, 164, 165
 - Franklin, Oliver, 56
- G**
 - Gartner, Inc., 91, 92
 - Good Grips utensils, 68–69
 - graphical user interface. *See* software: user interface
 - graphic design and designers, 39–40, 141–142, 171
 - Gréber, Jacques (sketches), 41
 - Guggenheim Museum, 52
- H**
 - Hamlet* (Shakespeare), 211
 - Han, Yong Y., 94, 95, 96
 - Hardy, Tom, 98
 - health care
 - in America, 92–93
 - records, computerized (*see* software: electronic health records)
 - help function, 184
 - Hershey Foods, 7
 - HR. *See* human resources (HR) software
 - human beings. *See also* software development process:
 - requirements, human
 - behavior and thought processes, 55
 - and machines, 54–55, 96 (*see also* software: user interface)
 - performance criteria, 213
 - persona, 200–201
 - profile, 201–202
 - proxies, 200, 202
 - Human Factors Society of America, 105
 - human factors specialists, role, 49–50, 102–103
 - at Warwick Software Development Laboratory, 99–101
 - human resources (HR) software, 62, 88
- I**
 - IBM
 - Application System (AS), 99
 - Ease of Use program, 100

IBM (*continued*)

OS/2, 99

personal computer (PC), 97–98

Warwick Software Development Laboratory, 99, 100–101, 138, 151

industrial design and designers, 40–41, 171

Industrial Revolution, 54, 55

information technology (IT). *See also* software

eye-tracking, 190, 191

form, diminishing, 19

industry, 43

investment in growth, 91

innovation

in behavior, 208, 209, 210

and design process, 143

in form, 208, 210

human context, 210

investments in, 91

obstacles, 110, 115, 175

opportunities, 77

qualities, 208–209

in software development process, 158

sources, 66, 69

Institute of Medicine (“To Err Is Human”), 92, 93

interface. *See* software: user interface

interior design, 41

Invacare, 7

I-Pass, 51

iPod (Apple Computer), 43, 212

development, 15, 16

IT. *See* information technology

iTunes (Apple Computer), 17

J Jobs, Steve, 15

Johnson Wax office (Wright), 42, 43

L language. *See also* software: language

ambiguity, 161–162

as business tool, 137

Lawson Software, 30

Leapfrog Group, The, 93

learning curve, 71–72

lemon law, 4

Lexikon 80 (Olivetti), 14

- Lexus (Toyota), 140–141
Loewy, Raymond, 66, 67
London Underground, 72
 map, 72, 73, 74, 210
- M** Macintosh (Apple Computer), 98
Magnielli, Aldo, 14
Magnuson-Moss Act, 3
Mao Tse-tung, 121
market research, for consumer industries, 60–61
Martin, Strother, 5
medical chart, patient's, 126
medical records, computerized. *See* software: electronic
 health records
messages, 59. *See also* language
 error, 184–185
 interpreting, 59, 60, 63
Microsoft, 5, 29, 99, 219
 Windows, 17
 Word, 20, 54
Mies van der Rohe, Ludwig, 70
MINI Cooper, 15, 17
model (design), 150, 155, 158. *See also* prototype
Model T (Ford), 11–12, 110, 183
Modern Times (Chaplin), 54
Moen Corporation, 60
Moore, Patricia, 66–67, 68
Morgan Stanley, 7
MPI (Olivetti), 13, 14, 16
- N** National Academy of Sciences, 92
National Centre for the Performing Arts (Andreu), 143
National Gallery of Art (London), 144–145
NCR Corporation, 98
Newman, Paul, 5
Nizzoli, Marcello, 14
Notre Dame (cathedral), 36, 37
Nowalk, Andrew, 94
Nursing Care Coordinator (NCC), workflow, 116, 117
nursing flow sheet, computerization, 124–125
- O** Olivetti (typewriters), 13–14, 15, 16
Olivetti, Camillo, 13, 14

Olivier, Laurence, 19
 Oracle, 5, 29, 30, 32
 O/S (Apple Computer), 17
 OS/2 (IBM), 99
 OXO, 68–69

- P** password. *See* software: password
 patient record, 124–125
 patient transfer report, 178
 persona, 200–201
 PikePass, 51
 “pilot error,” 104–105
 PJM Interconnection, 146, 147, 148
 PlatePass, 51
 Plummer, Daryl, 91
 prescription bottles, 106
 product design, 13, 20, 22, 33, 66, 87–88, 89, 150
 product development process, 89. *See also* software development process
 product map, 165, 166, 167, 168
 profile, 201–202
 prototype, 155–156
 industrial design, 149–150, 151
 product, 150, 154
 software. *See* software development process: prototype
 prototyping process, 108, 110–111, 150, 154, 157, 168, 169, 177
 proxies, 200, 202
 psychologists, role of, 49–50, 103, 113, 118, 173
 at Warwick Software Development Laboratory, 100–101
- R** radio frequency identification (RFID) technology, 51
Raiders of the Lost Ark, 134, 135
 rapid methodology, 87, 152, 162–163, 164
 requirements. *See* software development process: requirements
 Robin, F. Philip, 124–125
 Rohm and Haas, 135–136
 Roscoe, Stanley N., 104, 105
- S** Sainsbury Wing, National Gallery of Art (Venturi Scott Brown), 144–145
 SAP, 5, 29, 32
 data warehousing system, 135–136
 and Waste Management, Inc., 197–198
 scrum methodology, 87, 152, 162
 SDLC. *See* software development life cycle

- Smart Design, 68
- software
 - advertising, 78
 - aesthetic treatments, 141–142
 - applications (*see names of applications*)
 - aspirations, 153
 - benchmarks, 61–62
 - as brand, 133–134
 - buyers (*see buyers*)
 - communication (quality), 5, 8, 33, 55, 60, 88, 205–206
 - consultants, 192
 - contracts, 3
 - cost, 5, 8, 77–78, 79, 193
 - customer-relationship management (CRM), 49
 - context, 174–175
 - training, 80
 - usability, 56–57
 - customers (*see customers; users*)
 - data dashboard, 58, 122, 147, 148
 - data warehouse, 91–92, 135–136
 - deliverables, 87
 - demonstrations, 203
 - design (*see software development process: design phase*)
 - development (*see software development process*)
 - electronic health records (EHR), 126
 - blood bank, 134
 - blood pressure, 156–157
 - Children’sNet, 94, 95, 96
 - computerized physician order entry (CPOE), 93, 94, 95, 96
 - format, 126
 - hospital, 121–122
 - nursing flow sheet, 124–125
 - patients’, 112
 - pharmacy, 137
 - usability, evaluation, 113–114
 - enterprise resource planning (ERP), 29–30
 - performance survey, 30–31
 - satisfaction, 32
 - usability, 24, 30, 113–114
 - error
 - messages, 184–185
 - recovery from, 206–207

- software (*continued*)
- expectations (performance), 1–2, 23–24, 29, 181, 212
 - expenses, 63
 - experience of using, 1–2, 8, 11, 12, 14, 24, 32, 133, 207
 - flaws, 7, 8
 - form, 50, 153–154, 187
 - help function, 184
 - human context, 57, 60, 61, 80, 131, 174, 175, 189
 - human resources (HR), 62, 88
 - icons, 138, 185, 186
 - interface (*see* software: user interface)
 - intuitive, 77
 - language, 137
 - ambiguity, 55–56
 - in ATM displays, 46, 47–48
 - barrier, 62–63, 79, 137
 - as business tool, 137–138
 - configuration, 187
 - jargon, 21, 137
 - on screen, 102, 133, 173–174, 186–187, 194
 - in traffic-tracking software, 65–66
 - learning curve, 71, 72
 - legacy, 91, 182
 - liability limitations, 3
 - licensing agreements, 213
 - limitations, technological, 5, 129, 130
 - marketing, 9, 78, 194
 - measurements, performance, 49–50, 133
 - quantitative, 189–191
 - user, 190, 213
 - medical (*see* software: electronic health records)
 - navigation, 21–22
 - obstacles to users, 21
 - password
 - security, 33–34
 - setting, 35–36
 - as product, 1, 212
 - prototype (*see* software development process: prototype)
 - reconfiguring, 10, 63, 180, 187
 - requirements (*see* software development process: requirements)
 - sales revenues, U.S., 6
 - satisfaction, 32, 142

- software (*continued*)
 - screen display, 157–158, 187, 188, 194
 - self-evident, 199
 - simulations, 204
 - solutions, 122
 - specifications, 86 (*see also* software development process: requirements)
 - standards, 185
 - toolbars, 138, 185
 - training programs (*see* training)
 - upgrades, 214
 - usability, 3, 9, 11, 12, 23–24, 30–31, 77, 78, 142, 199
 - user interface, 122, 136, 141
 - ATMs, Citibank, 44–48
 - call center, 118–119
 - data warehouse, 136
 - effective, 132
 - graphical, hospital, 122–123
 - human-machine, 96
 - optimal, 132
 - reconfiguring, 180
 - sensitivity, 102
 - usability study, 30–31
 - users (*see* users of software)
- software design process. *See* software development process: design phase
- software development life cycle (SDLC), 87
- software development process, 13, 87–88, 89, 160–161, 162–163
 - anthropologists, role of, 173, 174
 - business analysts, role of, 103
 - collaboration, 50, 82, 120
 - customers, role of, 112–113
 - defect, 160
 - designers, role of, 49, 50, 102–103, 118, 120, 165, 177, 196
 - design phase, 49–50, 82–83, 200–202
 - effective, 84
 - human factor, 20, 49, 123, 200, 201
 - human factors specialists, role of, 49–50, 103
 - limitations, 84, 90, 142, 153, 165
 - market research, 61–62, 63
 - methodology, 87–88
 - agile, 87, 89, 152, 162, 163, 164, 167
 - extreme programming, 87, 152, 162–163
 - rapid, 87, 152, 162–163, 164

- software development process (*continued*)
 - scrum, 87, 152, 162
 - spiral, 87, 152, 162–163
 - sprint, 87, 162–163
 - waterfall, 87, 89, 152, 160, 162, 164
- opportunities, 145
- persona, 200–201
- profile, 201–202
- prototype, 82, 151–152, 154
 - aesthetic model, 165, 168, 169
 - drawings, 107, 109, 158, 165–166, 169, 177, 200
 - product map, 165, 166, 167, 168
 - wireframes, 165, 167–168, 169
 - workflow drawings, 200
- prototyping, 110–111, 150, 151–152, 157, 161, 165–168, 169, 177
 - cost, 158
 - at Warwick Software Development Laboratory, 151
- proxies, 200, 202
- psychologists, role of, 49–50, 103, 113, 118, 120, 173, 174
- requirements, 4
 - balancing, 20, 102
 - business, 4, 78, 122
 - cultural, 174
 - defining, 123
 - document, 156, 196
 - flaw, 110
 - functional, 88, 90, 102, 156
 - human, 5, 9, 20, 49, 61, 78, 90, 123, 131, 174, 175, 181–182
 - prose-based, 153, 156, 161–162
 - researching, 61, 81, 115, 181–182
 - technological, 4, 90, 131, 153
 - usability, 78
 - wants and needs, 102–103, 110, 122, 156
- risk, 21, 43, 152, 156, 157, 161, 164
- testing (*see* testing)
- users, role of, 21–22, 112–113, 140
- software products. *See names of products*
- specifications, 86. *See also* software development process: requirements
- spiral methodology, 87, 152, 162–163
- sprint methodology, 87, 162–163
- Stadelmeier, Steve, 108
- Standish Group, The, 2

- stop sign, 58, 59
 - St. Peter's Basilica, 37
 - Studio 42 (Olivetti), 14
 - style, 38
 - Sullivan, Louis, 52
 - Sydney Opera House (Utzon), 143
 - systems. *See names of software systems*
- T**
- target audiences. *See users*
 - Target prescription bottle, 106
 - technology. *See information technology*
 - Telecom Italia S.p.A., 14
 - Temple, Tony, 100
 - testing. *See also software development process: prototyping*
 - business, 3
 - card-sorting, 63
 - user, 190
 - user acceptance (UAT), 160–161, 162
 - user group, 112–113
 - Thousand Islands, architecture, 127–128, 130
 - “To Err Is Human: Building a Safer Health System”
(Institute of Medicine), 92–93
 - Toyota, 140–141
 - Traffic.com, 64–66
 - training (for software), 77
 - cost, 77–78, 158, 212
 - effectiveness, 132–133, 204
 - expectations, 24, 71–72
 - fanfare, 211
 - opportunity, 199
 - purpose, 80–81, 199, 212
 - Two Twelve Associates, 45
 - typewriters (Olivetti), 13–14, 15, 16
- U**
- Underground. *See London Underground*
 - Uniform Commercial Code, 3
 - usability, 77. *See also software: experience of using; usability*
 - business requirement, 78
 - prioritizing, 191
 - usability specialist. *See designers; human factors specialists*
 - user acceptance testing (UAT), 160–161, 162
 - user adoption, 29
 - user group, 112–113

user interface. *See* software: user interface

users of software, 31–32. *See also* software development process:

requirements, human

attitudes, 181–182

identifying, 61, 78

observing, 115, 173, 181–182, 204

representatives, 200–201, 202

role, 112–113, 114, 118, 140

Utzon, Jorn, 143

V Van Alen, William, 152

Venturi Scott Brown and Associates, 144

Veterans Administration (V.A.), 8

visualization. *See* software development process: prototype

W warehouse. *See* software: data warehouse

Warwick Software Development Laboratory (IBM), 99, 100–101, 138, 151

Waste Management, Inc., and SAP, 197–198

waterfall methodology, 87, 89, 152, 160, 162, 164

Westcott, Grace, 11–12, 14

Westcott, Harold Flavell, 11

Windows (Microsoft), 17

wireframes, 165, 167–168, 169

Word (Microsoft), 20, 54

workaround techniques, 75, 182

workflow

diagrams, 116, 117, 176

drawings, 200

workplace (influence), 42, 189

work process. *See also* business process

assessing, 192

diagramming, 176–177

measuring, 118

observing, 118, 173, 192

understanding, 172–173

and workplace, 183, 189

Wright, Frank Lloyd, 42, 43, 52

Z Zhang, Ming, 121–122