

# INDEX

---

- Accelerations, building, 159, 163, 170
  - and human comfort 170, 172
- Across-wind response, buildings, 152, 177
- Active tuned mass dampers, 251
- Added mass, 59
- Admittance, mechanical, 48
- Aerodynamic damping, 51, 57, 60, 199
  - negative, 51
  - positive, 51
- Aerodynamic derivatives
  - flutter, 57, 213
  - steady-state, 56
- Aerodynamic proximity effects, twin decks, 254
- Aerodynamic susceptibility
  - parameter, bridges, 233
- Aerodynamics, 37
  - bridge deck, improvement of, 41, 246
- Aeroelastic behavior, 50, 222
- Aeroelastic testing
  - of bridges, 222
  - of buildings, 167
- Air, specific mass, 89
- Akashi Kaikyo bridge, 184, 190, 218, 222, 236, 240, 266, 269
- Allowable stress design, 67
- Along-wind response, buildings, 152, 174
- Analytical procedure, ASCE Standard, 66
- Animation, wind pressures, 43, 75, 128
- Appurtenances, 183
- Arched roofs, ASCE Standard, 100
- ASCE Standard, 66
  - ASCE 7-02 versus ASCE 7-05, 121
  - critique of, 66, 123
- ATMD (active tuned mass dampers), 251
- Atmospheric flow, moderate winds, 9, 23, 183
  - effect on vortex-shedding, 23
- Atmospheric turbulence, 20
- Australian/New Zealand Standard, 31, 126
- Averaging times, wind speeds, 9, 12, 18
- Background response, 126
- Basic wind speeds, ASCE Standard, 67
- BD 49/01 Standard for bridges, 232

- Bernoulli equation, 38
- Bluff bodies, 183
- Boundary layers, 40
- Brancusi, 172
- Bridge response in turbulent flow, 61, 219, 287
- Brighton Chain Bridge, 50
- British Standard, 126
  - BS 5400 deck drag coefficients, 258
- Buffeting, 61, 174, 219, 224, 225, 287
- Cables:
  - aerodynamic improvement on surface of, 260
  - rain and wind effects on, 227
  - suppression of vibrations in, 259
  - vibrations of in the wake of a
    - parallel cable, 230
    - vortex excitation of, 227
- CDF (cumulative distribution function), 27
- CFD (computational fluid dynamics), 38, 270
- Chinook winds, 7
- Cladding damage, 1
- Code of practice, bridges, Japan, 234
- Coefficient of variation, sampling errors, 37
- Coherence, 22
- Components and cladding, ASCE Standard, 76, 77, 84, 108, 117
- Computational fluid dynamics, 38, 270
- Cross-spectra, 22, 49
  - of turbulence fluctuations, 22
- Cumulative distribution functions, 27
- DAD (database-assisted design), 127, 129, 154
- Dampers,
  - bridge towers, 244, 251
  - tall buildings, 155, 173
  - mechanical, 251
    - active tuned mass dampers, 253
    - oil, 259
    - tuned liquid dampers, 173, 251
    - tuned mass dampers, 252
    - viscous-shear, 259
- Damping, aerodynamic, 51, 57, 60, 199
- Damping ratio, 48
- Data, extreme wind speed, 24
- Database-assisted design, 127, 129, 154
  - interpolation procedures, 133
  - flexible buildings, 154, 155
  - rigid buildings, 131
  - tall buildings, see flexible buildings
- Debris, wind-borne, 73
- Directional influence factors, 132, 137
- Directional wind speed data, 24
- Directionality, effects of wind, 136
  - one-dimensional sample approach, 139
  - outcrossing approach, 142
  - sector-by-sector approach, 143
- Directionality factor, ASCE Standard wind, 88, 137
- Divergence instability, 52, 233
- Domed roofs, ASCE Standard, 98, 114
- Drag force, 42
  - effect of Reynolds number on, 44, 191
- Drift, interstory, 169
- Dynamic response, flexible buildings, 157
- Dynamics, structural, 46
- Eave height, ASCE Standard, 75
- Eddies, turbulent, 22
- Effective wind areas, ASCE Standard, 43, 75
- Elastic center, 49
  - eccentricity of, 157
- Enclosed buildings, ASCE Standard, 72
- Enclosure classification, ASCE Standard, 72
- Endless column, 172
- Epochal approach, estimation of extreme speeds, 29
- Equivalent wind speeds, 141

- Error estimates, extreme wind speeds, 36
- Escarments, ASCE Standard, 70
- Estimates, extreme wind speeds, 28
  - epochal approach, 29
  - method of moments, epochal approach, 31
  - non-parametric methods, hurricane speeds, 33
  - parametric methods, hurricane speeds, 33
  - peaks-over-threshold approach, 29
  - and sample sizes, 29
- Eurocode, 13, 17, 99, 126
- EV I distribution, 30
- EV III distribution, 30
- Exceedance probabilities, 33
- Exposure, terrain, ASCE Standard, 69
  - categories, ASCE, 70
- Extratropical storms, 6
- Extreme wind speeds, 23
  - biased estimates of, 29
  - estimation of, 28
  - non-parametric methods for estimating, 33
  - parametric methods for estimating, 33
- Eye of the storm, 7
- Eye wall, 7
- Fastest-mile speeds, 11
- Fatigue, due to vortex excitation of bridges, 233
- Fetch, 13
- Finite element model, full bridge, 218, 284
- Flachsbart, 46
- Flexible buildings, 74, 152
  - database-assisted design approach, 154, 155
  - deflections and accelerations, 163
  - dynamic modeling, 157
  - wind effects on structural members, 160
  - wind effects with specified mean recurrence intervals, 164
- Flutter, 57
  - aerodynamic derivatives, flutter, 57
  - analysis, Akashi Kaikyo bridge, 240
  - three-dimensional, 284
  - classical, 209, 215
  - coupled, 209
  - formulation of problem for two-dimensional bridge, 58
  - Scanlan flutter derivatives, 59
  - torsional, 209
  - velocity, 60, 219, 287
    - and buffeting response, 287
- Foehn winds, 7
- Force coefficients, aerodynamic, 43
- Frequency
  - natural, 48
  - reduced, 58
- Full bridge model tests, 265
- Gable roofs, ASCE Standard, 91
- Galloping, 54, 210
  - Glauert-Den Hartog necessary condition for, 56, 211
- Generalized coordinates, 49
- Generalized force, 160
- Generalized mass, 160
- Geostrophic height, 15
- Geostrophic speed, 15
- Golden Gate Bridge, 295
- Gradient height, 15, 16
- Gradient speed, 15
- Gumbel distribution, 30
- Gust effect factor, ASCE Standard, 88
- H-shaped cross section, 61, 211
- HFFB (high-frequency force balance), 128, 165, 178
- High-frequency force balance, 128, 165, 178
  - limitations of, 167
- Hills, 40
  - ASCE Standard, 70
- Hip roofs, ASCE Standard, 91, 93
- Hourly wind speed, 10
- Hurricanes,
  - definition, 7
  - pressure defect in, 7
  - wind flows in, 7
- Hyperbolic towers, 45

- Importance factor, ASCE Standard, 68
- Internal pressures, 44
  - ASCE Standard, 89
- Interstory drift, 169
- Jerks, 172
- Jet-effect winds, 7
- John Hancock building, Boston, 50
- Katrina hurricane, damage, 1, 127
- Kinematic viscosity, 39
- Lattice frameworks, ASCE Standard, 120
- Lettau formula, terrain roughness, 13
- Lift, vortex-induced, 42, 52
- Load factors, wind, 146
- Lock-in, vortex, 52, 188
- Logarithmic decrement, 48
- Low-rise buildings, ASCE Standard, 76, 100
- Main wind-force resisting systems, 69, 76
- Mansard roofs, ASCE Standard, 91
- Mean recurrence intervals, 27
- Mean return period, 27
- Mean roof height, ASCE Standard, 75
- Mechanical admittance function, 48
- Micrometeorology, wind, 8
- Minimum design wind loading, ASCE Standard, 76
- Mixed extreme wind climates, 28
- Modal shapes, 48, 269
- Modes of vibration, 48, 269
- Monoslope roofs, ASCE Standard, 91, 115
- Multispan gable roofs, ASCE Standard, 107
- MRI (mean recurrence interval), 27
- MWFRS (mean wind-force resisting systems), 69
- National Building Code of Canada, 15, 16, 173, 174
- Natural frequencies of vibration, 48, 269
- Net pressures, ASCE Standard, 74
- Nonlinear response, 151
- Occupant comfort, tall buildings, 170
- One-dimensional sample, directional wind effects, 139
- Open buildings, ASCE Standard, 72, 115
- Outcrossing approach to wind directionality, 160, 167
- Overhangs, roof, ASCE Standard, 82, 91, 105
- Parapets, ASCE Standard, 106, 114
- Partially enclosed buildings, ASCE Standard, 72
- Peak gust speed, 10
- Peaks over threshold approach, estimation of extreme speeds, 29
- Pitched roofs, ASCE Standard, 115
- Power law, wind profiles, 15
- Prandtl, 46
- Pressure, 43
  - coefficients, 43
  - defect in hurricanes, 6
  - distributions on bluff bodies, 188
  - dynamic, 38
  - gradient, 38
  - internal, 43
  - net, 74
  - sign convention, 74
- Profiles, wind, 12
  - logarithmic law, 13
  - power law, 15
- Quasi-static response, 126
- Rain- and wind-induced vibration, 227
- Reattachment, flow, 40, 187
- Rectangular shapes, drag coefficient for, 190
- Reduced frequency, 58
  - similarity requirement, 160
- Reduced velocity, 193
  - physical interpretation of, 196
- Reliability, structural 62
- Resonance, 48
- Resonant amplification, 48

- Resonant response, 126
- Response
  - in frequency domain, 49, 165
  - in time domain, 49
  - background, 126
  - nonlinear, 151
  - quasi-static, 126
  - resonant, 126
  - static, 126
  - tall buildings, preliminary estimates, 173
- Reversal, flow, 40
- Reverse Weibull distributions, 30
- Reynolds number
  - critical, 190
  - definition, 39
  - effect on drag, 44
  - effect on flow, bodies with round edges, 44, 45, 184, 191
  - effect on flow, bodies with sharp edges, 45, 185
  - violation of, in the wind tunnel, 39, 45
- Rigid buildings, 126
  - ASCE Standard, 74
  - with domed roofs, ASCE Standard, 98, 114
- Roof overhangs, ASCE Standard, 82, 105
- Rooftop equipment, ASCE Standard, 121
- Roughness length, 13, 14
- Safety during bridge construction, 283
- Saffir-Simpson scale, 8
  - conversion of, to speeds above open terrain, 18, 69
- Sampling errors in extreme speeds estimation, 37
- Sawtooth roofs, 107
- Scanlan flutter derivatives, 59
- Scruton number, 202
- Section model tests, bridges, 263
- Selberg, simplified flutter analysis, 217
- Self-excited motions, 50, 183
- Separation, flow, 40
  - around bridge decks, 185
- Serviceability requirements, tall buildings, 169
- Shear
  - layer, 40
  - stresses, 39
- Shielding, bridge decks, 257
- Signature turbulence, 289
- Simplified procedure, ASCE Standard, 66
- Spectral density function, 22
- Stationarity, statistical, 10
- Straight winds, 6
- Straits of Messina bridge, 219, 226
- Stratified flow, 183
- Strength design, 68
- Stresses, shear, 39
- Strouhal number, 42, 187
- Structural dynamics, 46
- Structural reliability, 62
- Superstations, 26
- Surface layer, wind profile, 14
- Surface roughness categories, ASCE Standard, 69
- Sustained wind speeds, 11
- Tacoma Narrows bridge, 50, 60, 211, 213
- Taipei 101 building, 170, 171
- Tall buildings, see flexible buildings
- Terrain exposure, 20
- Terrain roughness, 13, 14
- Thunderstorms, 7
  - averaging time, simplified model, 12
- TLD (tuned liquid damper), 289
- TMD (tuned mass damper), 173, 252
- Tuned mass damper, Taipei 101 building, 173
- Topographic effects
  - ASCE Standard, 70
  - bridges, 268
  - flow around hills, 40
- Tornadoes, 7, 68
- Torsion
  - ASCE Standard, 78, 97, 102
- Torsional
  - flutter, 211
  - response, flexible buildings, 50, 158, 178

- Tower damping, Akashi Kaikyo bridge, 244
- Tropical cyclones, 7
- Troughed roofs, ASCE Standard, 115
- Trussed towers, ASCE Standard, 120
- Turbulence, atmospheric, 20
  - effects on bridge response, 61, 219
  - effects on drag, 45
  - intensities, 21, 220
  - integral scales, 21
  - cross-spectra, 22, 49
  - spectra, 22
- Turbulence, signature, 289
- Turbulent eddies, 22
- Turbulent flow, aerodynamic effects, 37, 45
  - effects on vortex-induced response, 206, 219
- Twin deck configurations, 254
- Type I distribution, 30
- Type III distribution, 30
- Uncertainties in wind effects
  - estimation, 146
- Ultimate structural capacity, 151
- Undulation, 50
- Veering angle, 15
- Vibration reduction/suppression,
  - bridges, 246
  - buildings, 155, 169, 173
  - cables, 259
- Viscosity, 39
  - kinematic, 39
- von Kármán vortex shedding, 229
- Vortex shedding, 42
- Vortex-induced oscillations
  - bridge decks, 199
  - cables, 227, 259
  - control of, 246
  - tower structures and bridge members, 207
  - turbulence effect on, 206
    - lift, 42
    - lock-in, 52
    - oscillations, 53
- Wake flutter, 230
- Wake galloping, 230
- Weibull distributions, reverse, 30
- Wind directionality effects, rigid buildings, 136
  - approach based on one-dimensional sample, 139
  - approach based on outcrossing of limit state boundary, 142
  - sector-by-sector approach, 143
- Wind directionality factor, ASCE Standard, 88, 137
- Wind load factors, 146
- Wind profiles, 12
  - in hurricanes, 23
  - in moderate wind speeds, 23
  - in thunderstorms, 23
  - logarithmic law, 13
  - near a change of surface roughness, 20
  - non-horizontal terrain, 20, 70
  - power law, 15
- Wind speed data, 24
  - data sets, description and access to, 24
- Wind speeds in different roughness regimes, relation between, 16
- Windstorms, 6
- Wind tunnel procedure, ASCE Standard, 66
- Wind tunnel testing, 45
  - errors and uncertainties, 136
  - of bridges, 261, 265
  - of full bridge models, 265
  - of rigid section models, 263
  - variation of results among laboratories, 46
  - violation of Reynolds number in, 45, 184
- Wind-borne debris, ASCE Standard, 73, 77
- World Trade Center towers,
  - discrepancies in wind effects estimates, 128