

Subject Index

Volume 27

B

- Bacterial disease, maize breeding, 156–159
- Biography, Frederick A. Bliss, 1–14
- Biotechnology:
 - Cucurbitaceae, 213–244
 - Douglas-fir, 331–336
 - Rosaceae, 175–211
 - sugarcane, 15–118
- Bliss, Frederick A. (biography), 1–14
- Breeding:
 - Cucurbitaceae, 213–24
 - Curcurbits, 213–244
 - Douglas-fir, 245–353
 - maize, foliar pathogens, 119–173
 - Rosaceae, 175–211
 - sugarcane: 15–158

C

- Cucurbits, mapping, 213–244
- Cytogenetics, sugarcane, 74–78

D

- Disease and pest resistance, maize foliar pathogens, 119–173
- Douglas-fir breeding, 245–353

F

- Forest crop breeding, Douglas-fir, 245–353

- Fungal diseases, maize breeding, 125–142

G

- Genetic engineering, sugarcane, 86–97
- Genetics:
 - Cucurbitaceae, 213–244
 - Maize foliar diseases, 118–173
 - Rosaceae, 175–211
- Grain breeding, maize, 119–173

I

- Industrial crop breeding, sugarcane, 15–118

M

- Maize breeding, 119–173
- Mapping:
 - Cucubitaceae, 213–244
 - Rosaceae, 175–211

R

- Rosaceae, synteny, 175–211

S

- Sugarcane breeding, 15–118
- Synteny, Rosaceae, 175–211

T

- Transformation, sugarcane, 86–97

V

- Virus diseases, maize breeding, 142–156

Cumulative Subject Index

(Volumes 1–27)

A

Adaptation:

- blueberry, rabbiteye, 5:351–352
- durum wheat, 5:29–31
- genetics, 3:21–167
- testing, 12:271–297

Aglaonema breeding, 23:267–269

Alexander, Denton, E. (biography), 22:1–7

Alfalfa:

- honeycomb breeding, 18:230–232
- inbreeding, 13:209–233
- in vitro culture, 2:229–234
- somaclonal variation, 4:123–152
- unreduced gametes, 3:277

Allard, Robert W. (biography), 12:1–17

Allium cepa, see Onion

Almond:

- breeding self-compatible, 8:313–338
- domestication, 25:290–291
- transformation, 16:103

Alocasia breeding, 23:269

Astroemaria, mutation breeding, 6:75

Amaranth:

- breeding, 19:227–285
- cytoplasm, 23:191
- genetic resources, 19:227–285

Animals, long term selection

24(2):169–210, 211–234

Aneuploidy:

- alfalfa, 10:175–176
- alfalfa tissue culture, 4:128–130
- petunia, 1:19–21
- wheat, 10:5–9

Anther culture:

- cereals, 15:141–186
- maize, 11:199–224

Anthocyanin

- maize aleurone, 8:91–137
- pigmentation, 25:89–114

Anthurium breeding, 23:269–271

Antifungal proteins, 14:39–88

Antimetabolite resistance, cell selection, 4:139–141, 159–160

Apomixis:

- breeding, 18:13–86
- genetics, 18:13–86
- reproductive barriers, 11:92–96
- rice, 17:114–116

Apple:

- Domestication, 25:286–289
- genetics, 9:333–366
- rootstocks, 1:294–394
- transformation, 16:101–102

Apricot:

- domestication, 25:291–292
- transformation, 16:102

Arachis, see Peanut

in vitro culture, 2:218–224

Artichoke breeding, 12:253–269

Avena sativa, see Oat

Avocado domestication, 25:307

Azalea, mutation breeding, 6:75–76

B

Bacillus thuringiensis, 12:19–45

Bacteria, long-term selection, 24(2):225–265

Bacterial diseases:

- apple rootstocks, 1:362–365
- cell selection, 4:163–164
- cowpea, 15:238–239
- maize, 27:156–159
- potato, 19:113–122
- raspberry, 6:281–282
- soybean, 1:209–212
- sweet potato, 4:333–336
- transformation fruit crops, 16:110

Banana:

- breeding, 2:135–155
- domestication, 25:298–299
- transformation, 16:105–106

- Barley:
 anther culture, 15:141–186
 breeding methods, 5:95–138
 diversity, 21:234–235
 doubled haploid breeding, 15:141–186
 gametoclonal variation, 5:368–370
 haploids in breeding, 3:219–252
 molecular markers, 21:181–220
 photoperiodic response, 3:74, 89–92, 99
 vernalization, 3:109
- Bean (*Phaseolus*):
 breeding, 1:59–102; 10:199–269; 23:21–72
 breeding mixtures, 4:245–272
 breeding (tropics), 10:199–269
 heat tolerance, 10:149
 in vitro culture, 2:234–237
 long-term selection, 24(2):69–74
 photoperiodic response, 3:71–73, 86–92;
 16:102–109
 protein, 1:59–102
 rhizobia interaction, 23:21–72
- Beet (table) breeding, 22:357–388
- Beta*, see Beet
- Biochemical markers, 9:37–61
- Biography:
 Alexander, Denton E., 22:1–7
 Allard, Robert W., 12:1–17
 Bliss, Frederick A., 27:1–14
 Bringhurst, Royce S., 9:1–8
 Burton, Glenn W., 3:1–19
 Coyne, Dermot E., 23:1–19
 Downey, Richard K., 18:1–12
 Dudley, J.W., 24(1):1–10
 Draper, Arlen D., 13:1–10
 Duvick, Donald N., 14:1–11
 Gabelman, Warren H., 6:1–9
 Hallauer, Arnel R., 15:1–17
 Harlan, Jack R., 8:1–17
 Jones, Henry A., 1:1–10
 Laughnan, John R. 19:1–14
 Munger, Henry M., 4:1–8,
 Rédei, George, P., 26:1–33
 Peloquin, Stanley J., 25:1–19
 Ryder, Edward J., 16:1–14
 Sears, Ernest Robert, 10:1–2
 Simmonds, Norman W., 20:1–13
 Sprague, George F., 2:1–11
 Vogel, Orville A., 5:1–10
 Vuylsteke, Dirk R., 21:1–25
 Weinberger, John H., 11:1–10
 Yuan, Longping, 17:1–13
- Biotechnology:
 Cucurbitaceae, 27:213–244
 Douglas-fir, 27:331–336
 politics, 25:21–55
 Rosaceae, 27:175–211
- Birdsfoot trefoil, tissue culture, 2:228–229
- Blackberry, 8:249–312
 mutation breeding, 6:79
- Black walnut, 1:236–266
- Bliss, Frederick A. (biography), 27:1–14
- Blueberry:
 breeding, 13:1–10
 domestication, 25:304
 rabbiteye, 5:307–357
- Brachiararia*, apomixis, 18:36–39, 49–51
- Bramble:
 domestication, 25:303
 transformation, 16:105
- Brassica*, see Cole crops
- Brassica*:
napus, see Canola, Rutabaga
rapa, see Canola
- Brassicaceae:
 incompatibility, 15:23–27
 molecular mapping, 14:19–23
- Breeding:
Aglaonema, 23:267–269
 alfalfa via tissue culture, 4:123–152
 almond, 8:313–338
Alocasia, 23:269
 amaranth, 19:227–285
 apomixis, 18:13–86
 apple, 9:333–366
 apple rootstocks, 1:294–394
 banana, 2:135–155
 barley, 3:219–252; 5:95–138; 26:125–169
 bean, 1:59–102; 4:245–272; 23:21–72
 beet (table), 22:357–388
 biochemical markers, 9:37–61
 blackberry, 8:249–312
 black walnut, 1:236–266
 blueberry, rabbiteye, 5:307–357
 bromeliad, 23:275–276
 cactus, 20:135–166
Calathea, 23:276
 carbon isotope discrimination, 12:81–113
 carrot, 19:157–190
 cassava, 2:73–134
 cell selection, 4:153–173
 chestnut, 4:347–397
 chimeras, 15:43–84
 chrysanthemum, 14:321–361
 citrus, 8:339–374
 coffee, 2:157–193
 coleus, 3:343–360
 competitive ability, 14:89–138
 cowpea, 15:215–274
 cucumber, 6:323–359
 Cucurbitaceae 27:213–244
 cucurbits, 27:213–244
 cytoplasmic DNA, 12:175–210

- diallel analysis, 9:9–36
Dieffenbachia, 271–272
 doubled haploids, 15:141–186;
 25:57–88
 Douglas-fir, 27:245–253
Dracaena, 23:277
 drought tolerance, maize, 25:173–253
 durum wheat, 5:11–40
Epepremmum, 23:272–2mm
 epistasis, 21:27–92
 exotic maize, 14:165–187
 fern, 23:276
 fescue, 3:313–342
Ficus, 23:276
 Flower color, 25:89–114
 foliage plant, 23:245–290
 forest tree, 8:139–188
 fruit crops, 25:255–320
 gene action 15:315–374
 genotype \times environment interaction,
 16:135–178
 grapefruit, 13:345–363
 grasses, 11:251–274
 guayule, 6:93–165
 heat tolerance, 10:124–168
Hedera, 23:279–280
 herbicide-resistant crops, 11:155–198
 heritability, 22:9–111
 heterosis, 12:227–251
 homeotic floral mutants, 9:63–99
 honeycomb, 13:87–139; 18:177–249
 hybrid, 17:225–257
 hybrid wheat, 2:303–319; 3:169–191
 induced mutations, 2:13–72
 insect and mite resistance in cucurbits,
 10:199–269
 isozymes, 6:11–54
 legumes, 26:171–357
 lettuce, 16:1–14; 20:105–133
 maize, 1:103–138, 139–161; 4:81–122;
 9:181–216; 11:199–224; 14:139–163,
 165–187, 189–236; 25:173–253;
 119–173
 mitochondrial genetics, 25:115–238
 molecular markers, 9:37–61, 10:184–
 190; 12:195–226; 13:11–86; 14:13–37,
 17:113–114, 179, 212–215; 18:20–42;
 19:31–68, 21:181–220, 23:73–174
 mosaics, 15:43–84
 mushroom, 8:189–215
 negatively associated traits, 13:141–177
 oat, 6:167–207
 oil palm, 4:175–201; 22:165–219
 onion, 20:67–103
 papaya, 26:35–78
 palms, 23:280–281
 pasture legumes, 5:237–305
 pea, snap, 212:93–138
 peanut, 22:297–356
 pearl millet, 1:162–182
 perennial rye, 13:265–292
 persimmon, 19:191–225
Philodendron, 23:273
 plantain, 2:150–151; 14:267–320;
 21:211–25
 potato, 3:274–277; 9:217–332; 16:15–86;
 19:59–155, 25:1–19
 proteins in maize, 9:181–216
 quality protein maize (QPM), 9:181–216
 raspberry, 6:245–321
 recurrent restricted phenotypic
 selection, 9:101–113
 recurrent selection in maize, 9:115–179;
 14:139–163
 rice, 17:15–156; 23:73–174
rol genes, 26:79–103
 Rosaceae, 27:175–211
 rose, 17:159–189
 rutabaga, 8:217–248
 sesame, 16:179–228
 snap pea, 21:93–138
 somatic hybridization, 20:167–225
 sorghum male sterility, 25:139–172
 soybean, 1:183–235; 3:289–311;
 4:203–243; 21:212–307
 soybean hybrids, 21:212–307
 soybean nodulation, 11:275–318
 soybean recurrent selection,
 15:275–313
 spelt, 15:187–213
 statistics, 17:296–300
 strawberry, 2:195–214
 sugarcane, 16:272–273; 27:15–158
 supersweet sweet corn, 14:189–236
 sweet cherry, 9:367–388
 sweet corn, 1:139–161; 14:189–236
 sweet potato, 4:313–345
Syngonium, 23:274
 tomato, 4:273–311
 transgene technology, 25:105–108
 triticale, 5:41–93; 8:43–90
Vigna, 8:19–42
 virus resistance, 12:47–79
 wheat, 2:303–319; 3:169–191; 5:11–40;
 11:225–234; 13:293–343
 wheat for rust resistance, 13:293–343
 white clover, 17:191–223
 wild rice, 14:237–265
 Bringhurst, Royce S. (biography), 9:1–8
 Broadbean, in vitro culture, 2:244–245
 Bromeliad breeding, 23:275–276
 Burton, Glenn W. (biography), 3:1–19

C

Cactus:

- breeding, 20:135–166
- domestication, 20:135–166

Cajanus, in vitro culture, 2:224

Calathea breeding, 23:276

Canola, R.K. Downey, designer, 18:1–12

Carbohydrates, 1:144–148

Carbon isotope discrimination, 12:81–113

Carica papaya, see Papaya

Carnation, mutation breeding, 6:73–74

Carrot breeding, 19:157–190

Cassava:

- breeding, 2:73–134
- long-term selection, 24(2):74–79

Castanea, see Chestnut

Cell selection, 4:139–145, 153–173

Cereal breeding, see Grain breeding

Cereal diversity, 21:221–261

Cherry, see Sweet cherry

- domestication, 25:202–293

Chestnut breeding, 4:347–397

Chickpea, in vitro culture, 2:224–225

Chimeras and mosaics, 15:43–84

Chinese cabbage, heat tolerance, 10:152

Chromosome, petunia, 1:13–21, 31–33

Chrysanthemum:

- breeding, 14:321–361
- mutation breeding, 6:74

Cicer, see Chickpea

Citrus:

- domestication, 25:296–298
- protoplast fusion, 8:339–374

Clonal repositories, see National Clonal Germplasm Repository

Clover:

- in vitro culture, 2:240–244
- molecular genetics, 17:191–223

Coffea arabica, see Coffee

Coffee, 2:157–193

Cold hardiness:

- breeding nectarines and peaches, 10:271–308
- wheat adaptation, 12:124–135

Cole crops:

- Chinese cabbage, heat tolerance, 10:152
- gametoclonal variation, 5:371–372
- rutabaga, 8:217–248

Coleus, 3:343–360

Competition, 13:158–165

Competitive ability breeding, 14:89–138

Controlling elements, see Transposable elements

Corn, see Maize; Sweet corn

Cotton, heat tolerance 10:151

Cowpea:

- breeding, 15:215–274
- heat tolerance, 10:147–149
- in vitro culture, 2:245–246
- photoperiodic response, 3:99

Coyne, Dermot E. (biography), 23:1–19

Cranberry domestication, 25:304–305

Crop domestication and selection, 24(2):1–44

Cryopreservation, 7:125–126, 148–151, 167

- buds, 7:168–169
- genetic stability, 7:125–126
- meristems, 7:168–169
- pollen, 7:171–172
- seed, 7:148–151, 168

Cucumber, breeding, 6:323–359

Cucumis sativa, see Cucumber

Cucurbitaceae:

- insect and mite resistance, 10:309–360
- mapping, 213–244

Cucurbits mapping, 213–244

Cybrids. 3:205–210; 20:206–209

Cytogenetics:

- alfalfa, 10:171–184
- blueberry, 5:325–326
- cassava, 2:94
- citrus, 8:366–370
- coleus, 3:347–348
- durum wheat, 5:12–14
- fescue, 3:316–319
- Glycine*, 16:288–317
- guayule, 6:99–103
- maize mobile elements, 4:81–122
- maize-tripsacum hybrids, 20:15–66
- oat, 6:173–174
- pearl millet, 1:167
- perennial rye, 13:265–292
- petunia, 1:13–21, 31–32
- polyploidy terminology, 26:105–124
- potato, 25:1–19
- rose, 17:169–171
- rye, 13:265–292
- Saccharum* complex, 16:273–275
- sesame, 16:185–189
- sugarcane, 27:74–78
- triticale, 5:41–93; 8:54
- wheat, 5:12–14; 10:5–15; 11:225–234

Cytoplasm:

- breeding, 23:175–210; 25:115–138
- cybrids, 3:205–210; 20:206–209
- incompatibility, 25:115–138
- male sterility, 25:115–138, 139–172
- molecular biology of male sterility, 10:23–51
- organelles, 2:283–302; 6:361–393
- pearl millet, 1:166

- petunia, 1:43–45
- sorghum male sterility, 25:139–172
- wheat, 2:308–319

D

- Dahlia, mutation breeding, 6:75
- Date palm domestication, 25:272–277
- Daucus*, see Carrot
- Diallel cross, 9:9–36
- Dieffenbachia* breeding, 23:271–272
- Diospyros*, see Persimmon
- Disease and pest resistance:
 - antifungal proteins, 14:39–88
 - apple rootstocks, 1:358–373
 - banana, 2:143–147
 - barley, 26:135–169
 - blackberry, 8:291–295
 - black walnut, 1:251
 - blueberry, rabbiteye, 5:348–350
 - cassava, 2:105–114
 - cell selection, 4:143–145, 163–165
 - citrus, 8:347–349
 - coffee, 2:176–181
 - coleus, 3:353
 - cowpea, 15:237–247
 - durum wheat, 5:23–28
 - fescue, 3:334–336
 - herbicide-resistance, 11:155–198
 - host-parasite genetics, 5:393–433
 - induced mutants, 2:25–30
 - lettuce, 1:286–287
 - maize, 119–173
 - papaya, 26:161–357
 - potato, 9:264–285, 19:69–155
 - raspberry, 6:245–321
 - rutabaga, 8:236–240
 - soybean, 1:183–235
 - spelt, 15:195–198
 - strawberry, 2:195–214
 - virus resistance, 12:47–79
 - wheat rust, 13:293–343
- Diversity:
 - land races, 21:221–261
 - legumes, 26:171–357
- DNA methylation, 18:87–176
- Doubled haploid breeding, 15:141–186; 25:57–88
- Douglas-fir breeding, 27:245–353
- Downey, Richard K. (biography), 18:1–12
- Dracaena* breeding, 23:277
- Draper, Arlen D. (biography), 13:1–10
- Drought resistance:
 - durum wheat, 5:30–31
 - maize, 25:173–253
 - soybean breeding, 4:203–243
 - wheat adaptation, 12:135–146

- Dudley, J.W. (biography), 24(1):1–10
- Durum wheat, 5:11–40
- Duvick, Donald N. (biography), 14:1–11

E

- Elaeis*, see Oil palm
- Embryo culture:
 - in crop improvement, 5:181–236
 - oil palm, 4:186–187
 - pasture legume hybrids, 5:249–275
- Endosperm:
 - balance number, 25:6–7
 - maize, 1:139–161
 - sweet corn, 1:139–161
- Endothia parasitica*, 4:355–357
- Epepremmum* breeding, 23:272–273
- Epistasis, 21:27–92.
- Escherichia coli*, long-term selection, 24(2):225–224
- Evolution:
 - coffee, 2:157–193
 - fruit, 25:255–320
 - grapefruit, 13:345–363
 - maize, 20:15–66
 - sesame, 16:189
- Exploration, 7:9–11, 26–28, 67–94

F

- Fabaceae, molecular mapping, 14:24–25
- Fern breeding, 23:276
- Fescue, 3:313–342
- Festuca*, see Fescue
- Fig domestication, 25:281–285
- Flavonoid chemistry, 25:91–94
- Floral biology:
 - almond, 8:314–320
 - blackberry, 8:267–269
 - black walnut, 1:238–244
 - cassava, 2:78–82
 - chestnut, 4:352–353
 - coffee, 2:163–164
 - coleus, 3:348–349
 - color, 25:89–114
 - fescue, 3:315–316
 - garlic, 23:211–244
 - guayule, 6:103–105
 - homeotic mutants, 9:63–99
 - induced mutants, 2:46–50
 - pearl millet, 1:165–166
 - pistil in reproduction, 4:9–79
 - pollen in reproduction, 4:9–79
 - reproductive barriers, 11:11–154
 - rutabaga, 8:222–226
 - sesame, 16:184–185
 - sweet potato, 4:323–325
- Flower color, 25:89–114

- Forage breeding:
 alfalfa inbreeding, 13:209–233
 diversity, 21:221–261
 fescue, 3:313–342
 perennials, 11:251–274
 white clover, 17:191–223
- Foliage plant breeding, 23:245–290
- Forest crop breeding:
 black walnut, 1:236–266
 chestnut, 4:347–397
 Douglas-fir, 27:245–353
 ideotype concept, 12:177–187
 molecular markers, 19:31–68
 quantitative genetics, 8:139–188
- Fragaria*, see Strawberry
- Fruit, nut, and beverage crop breeding:
 almond, 8:313–338
 apple, 9:333–366
 apple rootstocks, 1:294–394
 banana, 2:135–155
 blackberry, 8:249–312
 blueberry, 13:1–10
 blueberry, rabbiteye, 5:307–357
 breeding, 25:255–320
 cactus, 20:135–166
 cherry, 9:367–388
 citrus, 8:339–374
 coffee, 2:157–193
 domestication, 25:255–320
 ideotype concept, 12:175–177
 genetic transformation, 16:87–134
 grapefruit, 13:345–363
 mutation breeding, 6:78–79
 nectarine (cold hardy), 10:271–308
 origins, 25:255–320
 papaya, 26:35–78
 peach (cold hardy), 10:271–308
 persimmon, 19:191–225
 plantain, 2:135–155
 raspberry, 6:245–321
 strawberry, 2:195–214
 sweet cherry, 9:367–388
- Fungal diseases:
 apple rootstocks, 1:365–368
 banana and plantain, 2:143–145, 147
 barley, *Fusarium* head blight, 26:125–169
 cassava, 2:110–114
 cell selection, 4:163–165
 chestnut, 4:355–397
 coffee, 2:176–179
 cowpea, 15:237–238
 durum wheat, 5:23–27
Fusarium head blight (barley),
 26:125–169
 host-parasite genetics, 5:393–433
 lettuce, 1:286–287
 maize foliar, 125–142
 potato, 19:69–155
 raspberry, 6:245–281
 soybean, 1:188–209
 spelt, 15:196–198
 strawberry, 2:195–214
 sweet potato, 4:333–336
 transformation, fruit crops, 16:111–112
 wheat rust, 13:293–343
- Fusarium* head blight (barley), 26:125–169
- G**
- Gabelman, Warren H. (biography), 6:1–9
- Gametes:
 almond, self compatibility, 7:322–330
 blackberry, 7:249–312
 competition, 11:42–46
 forest trees, 7:139–188
 maize aleurone, 7:91–137
 maize anthocyanin, 7:91–137
 mushroom, 7:189–216
 polyploid, 3:253–288
 rutabaga, 7:217–248
 transposable elements, 7:91–137
 unreduced, 3:253–288
- Gametoclonal variation, 5:359–391
- barley, 5:368–370
 brassica, 5:371–372
 potato, 5:376–377
 rice, 5:362–364
 rye, 5:370–371
 tobacco, 5:372–376
 wheat, 5:364–368
- Garlic breeding, 6:81, 23:211–244
- Genes:
 action, 15:315–374
 apple, 9:337–356
Bacillus thuringiensis, 12:19–45
 incompatibility, 15:19–42
 incompatibility in sweet cherry,
 9:367–388
 induced mutants, 2:13–71
 lettuce, 1:267–293
 maize endosperm, 1:142–144
 maize protein, 1:110–120, 148–149
 petunia, 1:21–30
 quality protein in maize, 9:183–184
Rhizobium, 23:39–47
rol in breeding, 26:79–103
 rye perenniality, 13:261–288
 soybean, 1:183–235
 soybean nodulation, 11:275–318
 sweet corn, 1:142–144
 wheat rust resistance, 13:293–343
- Genetic engineering:
 bean, 1:89–91
 DNA methylation, 18:87–176
 fruit crops, 16:87–134

- host-parasite genetics, 5:415–428
 legumes, 26:171–357
 maize mobile elements, 4:81–122
 papaya, 26:35–78.
rol genes, 26:79–103
 salt resistance, 22:389–425
 sugarcane, 27:86–97
 transformation by particle bombardment, 13:231–260
 transgene technology, 25:105–108
 virus resistance, 12:47–79
 Genetic load and lethal equivalents, 10:93–127
 Genetics:
 adaptation, 3:21–167
 almond, self compatibility, 8:322–330
 amaranth, 19:243–248
 Amaranthus, see *Amaranth*
 apomixis, 18:13–86
 apple, 9:333–366
 Bacillus thuringiensis, 12:19–45
 bean seed protein, 1:59–102
 beet, 22:357–376
 blackberry, 8:249–312
 black walnut, 1:247–251
 blueberry, 13:1–10
 blueberry, rabbiteye, 5:323–325
 carrot, 19:164–171
 chestnut blight, 4:357–389
 chimeras, 15:43–84
 chrysanthemums, 14:321
 clover, white, 17:191–223
 coffee, 2:165–170
 coleus, 3:3–53
 cowpea, 15:215–274
 Cucurbitaceae, 27:213–344
 cytoplasm, 23:175–210
 DNA methylation, 18:87–176
 domestication, 25:255–320
 durum wheat, 5:11–40
 flower color, 25:89–114
 forest trees, 8:139–188
 fruit crop transformation, 16:87–134
 gene action, 15:315–374
 history, 24(1):11–40
 host-parasite, 5:393–433
 incompatibility, 15:19–42
 incompatibility in sweet cherry, 9:367–388
 induced mutants, 2:51–54
 insect and mite resistance in Cucurbitaceae, 10:309–360
 isozymes, 6:11–54
 lettuce, 1:267–293
 maize aleurone, 8:91–137
 maize anther culture, 11:199–224
 maize anthocyanin, 8:91–137
 Maize, foliar diseases, 27:118–173
 maize endosperm, 1:142–144
 maize male sterility, 10:23–51
 maize mobile elements, 4:81–122
 maize mutation, 5:139–180
 maize seed protein, 1:110–120, 148–149
 male sterility, maize, 10:23–51
 mapping, 14:13–37
 markers to manage germplasm, 13:11–86
 maturity, 3:21–167
 metabolism and heterosis, 10:53–59
 mitochondrial, 25:115–138.
 molecular mapping, 14:13–37
 mosaics, 15:43–84
 mushroom, 8:189–216
 oat, 6:168–174
 organelle transfer, 6:361–393
 overdominance, 17:225–257
 pea, 21:110–120
 pearl millet, 1:166, 172–180
 perennial rye, 13:261–288
 petunia, 1:1–58
 photoperiod, 3:21–167
 plantain, 14:264–320
 polyploidy terminology, 26:105–124
 potato disease resistance, 19:69–165
 potato ploidy manipulation, 3:274–277; 16:15–86
 quality protein in maize, 9:183–184
 quantitative trait loci, 15:85–139
 quantitative trait loci in animals selection, 24(2):169–210, 211–224
 reproductive barriers, 11:11–154
 rhizobia, 21–72
 rice, hybrid, 17:15–156, 23:73–174
 Rosaceae, 27:175–211
 rose, 17:171–172
 rutabaga, 8:217–248
 salt resistance, 22:389–425
 selection, 24(1):111–131, 143–151, 269–290
 sesame, 16:189–195
 snap pea, 21:110–120
 soybean, 1:183–235
 soybean nodulation, 11:275–318
 spelt, 15:187–213
 supersweet sweet corn, 14:189–236
 sweet corn, 1:139–161; 14:189–236
 sweet potato, 4:327–330
 temperature, 3:21–167
 tomato fruit quality, 4:273–311
 transposable elements, 8:91–137
 triticale, 5:41–93
 virus resistance, 12:47–79
 wheat gene manipulation, 11:225–234
 wheat male sterility, 2:307–308
 wheat molecular biology, 11:235–250

- Genetics (*cont.*)
 wheat rust, 13:293–343
 white clover, 17:191–223
 yield, 3:21–167
- Genome:
Glycine, 16:289–317
 Poaceae, 16:276–281
- Genomics, grain legumes, 26:171–357
- Genotype × environment, interaction, 16:135–178
- Germplasm, *see also* National Clonal Germplasm Repositories; National Plant Germplasm System
 acquisition and collection, 7:160–161
 apple rootstocks, 1:296–299
 banana, 2:140–141
 blackberry, 8:265–267
 black walnut, 1:244–247
 cactus, 20:141–145
 cassava, 2:83–94, 117–119
 chestnut, 4:351–352
 coffee, 2:165–172
 distribution, 7:161–164
 enhancement, 7:98–202
 evaluation, 7:183–198
 exploration and introduction, 7:9–18, 64–94
 genetic markers, 13:11–86
 guayule, 6:112–125
 isozyme, 6:18–21
 grain legumes, 26:171–357
 legumes, 26:171–357
 maintenance and storage, 7:95–110, 111–128, 129–158, 159–182; 13:11–86
 maize, 14:165–187
 management, 13:11–86
 oat, 6:174–176
 peanut, 22:297–356
 pearl millet, 1:167–170
 plantain, 14:267–320
 potato, 9:219–223
 preservation, 2:265–282; 23:291–344
 rights, 25:21–55
 rutabaga, 8:226–227
 sesame, 16:201–204
 spelt, 15:204–205
 sweet potato, 4:320–323
 triticale, 8:55–61
 wheat, 2:307–313
- Gesneriaceae, mutation breeding, 6:73
- Gladiolus, mutation breeding, 6:77
- Glycine*, genomes, 16:289–317
- Glycine max*, *see* Soybean
- Grain breeding:
 amaranth, 19:227–285
 barley, 3:219–252, 5:95–138; 26:125–169
 diversity, 21:221–261
 doubled haploid breeding, 15:141–186
 ideotype concept, 12:173–175
 maize, 1:103–138, 139–161; 5:139–180; 9:115–179, 181–216; 11:199–224; 14:165–187; 22:3–4; 24(1):11–40, 41–59, 61–78; 24(2):53–64, 109–151; 25:173–253; 27:119–173
 maize history, 24(2):31–59, 41–59, 61–78
 oat, 6:167–207
 pearl millet, 1:162–182
 rice, 17:15–156; 24(2):64–67
 sorghum, 25:139–172
 spelt, 15:187–213
 transformation, 13:231–260
 triticale, 5:41–93; 8:43–90
 wheat, 2:303–319; 5:11–40; 11:225–234, 235–250; 13:293–343; 22:221–297; 24(2):67–69
 wild rice, 14:237–265
- Grape:
 domestication, 25:279–281
 transformation, 16:103–104
- Grapefruit:
 breeding, 13:345–363
 evolution, 13:345–363
- Grass breeding:
 breeding, 11:251–274
 mutation breeding, 6:82
 recurrent selection, 9:101–113
 transformation, 13:231–260
- Growth habit, induced mutants, 2:14–25
- Guayule, 6:93–165
- ## H
- Hallauer, Arnel R. (biography), 15:1–17
- Haploidy, *see also* unreduced and polyploid gametes
 apple, 1:376
 barley, 3:219–252
 cereals, 15:141–186
 doubled, 15:141–186; 25:57–88
 maize, 11:199–224
 petunia, 1:16–18, 44–45
 potato, 3:274–277; 16:15–86
- Harlan, Jack R. (biography), 8:1–17
- Heat tolerance breeding, 10:129–168
- Herbicide resistance:
 breeding needs, 11:155–198
 cell selection, 4:160–161
 decision trees, 18:251–303
 risk assessment, 18:251–303
 transforming fruit crops, 16:114
- Heritability estimation, 22:9–111
- Heterosis:
 gene action, 15:315–374

- overdominance, 17:225–257
 plant breeding, 12:227–251
 plant metabolism, 10:53–90
 rice, 17:24–33
 soybean, 21:263–320
- Honeycomb:
 breeding, 18:177–249
 selection, 13:87–139, 18:177–249
- Hordeum*, see Barley
- Host-parasite genetics, 5:393–433
- Hyacinth, mutation breeding, 6:76–77
- Hybrid and hybridization, see also Heterosis
 barley, 5:127–129
 blueberry, 5:329–341
 chemical, 3:169–191
 interspecific, 5:237–305
 maize high oil selection, 24(1):153–175
 maize history, 24(1):31–59, 41–59, 61–78
 maize long-term selection, 24(2):43–64,
 109–151
 overdominance, 17:225–257
 rice, 17:15–156
 soybean, 21:263–320
 wheat, 2:303–319
- I**
- Ideotype concept, 12:163–193
- In vitro culture:
 alfalfa, 2:229–234; 4:123–152
 barley, 3:225–226
 bean, 2:234–237
 birdsfoot trefoil, 2:228–229
 blackberry, 8:274–275
 broadbean, 2:244–245
 cassava, 2:121–122
 cell selection, 4:153–173
 chickpea, 2:224–225
 citrus, 8:339–374
 clover, 2:240–244
 coffee, 2:185–187
 cowpea, 2:245–246
 embryo culture, 5:181–236, 249–275
 germplasm preservation, 7:125, 162–167
 introduction, quarantines, 3:411–414
 legumes, 2:215–264
 mungbean, 2:245–246
 oil palm, 4:175–201
 pea, 2:236–237
 peanut, 2:218–224
 petunia, 1:44–48
 pigeon pea, 2:224
 pollen, 4:59–61
 potato, 9:286–288
 sesame, 16:218
 soybean, 2:225–228
Stylosanthes, 2:238–240
 wheat, 12:115–162
 wingbean, 2:237–238
 zein, 1:110–111
- Inbreeding depression, 11:84–92
 alfalfa, 13:209–233
 cross pollinated crops, 13:209–233
- Incompatibility:
 almond, 8:313–338
 molecular biology, 15:19–42
 pollen, 4:39–48
 reproductive barrier, 11:47–70
 sweet cherry, 9:367–388
- Incongruity, 11:71–83
- Industrial crop breeding:
 guayule, 6:93–165
 sugarcane, 27:5–118
- Insect and mite resistance:
 apple rootstock, 1:370–372
 black walnut, 1:251
 cassava, 2:107–110
 clover, white, 17:209–210
 coffee, 2:179–180
 cowpea, 15:240–244
 Cucurbitaceae, 10:309–360
 durum wheat, 5:28
 maize, 6:209–243
 raspberry, 6:282–300
 rutabaga, 8:240–241
 sweet potato, 4:336–337
 transformation fruit crops, 16:113
 wheat, 22:221–297
 white clover, 17:209–210
- Intergeneric hybridization, papaya, 26:35–78
- Interspecific hybridization:
 blackberry, 8:284–289
 blueberry, 5:333–341
 citrus, 8:266–270
 pasture legume, 5:237–305
 rose, 17:176–177
 rutabaga, 8:228–229
Vigna, 8:24–30
- Intersubspecific hybridization, rice,
 17:88–98
- Introduction, 3:361–434; 7:9–11, 21–25
Ipomoea, see Sweet potato
 Isozymes, in plant breeding, 6:11–54
- J**
- Jones, Henry A. (biography), 1:1–10
Juglans nigra, see Black walnut
- K**
- Karyogram, petunia, 1:13
- Kiwifruit:
 domestication, 25:300–301
 transformation, 16:104

L

- Lactuca sativa*, *see* Lettuce
 Landraces, diversity, 21:221–263
 Laughnan, Jack R. (bibliography), 19:1–14
 Legume breeding, *see also* Oilseed, Soybean:
 cowpea, 15:215–274
 genomics, 26:171–357
 pasture legumes, 5:237–305
 Vigna, 8:19–42
 Legume tissue culture, 2:215–264
 Lethal equivalents and genetic load,
 10:93–127
 Lettuce:
 breeding, 16:1–14; 20:105–133
 genes, 1:267–293
 Lingonberry domestication, 25:300–301
 Linkage:
 bean, 1:76–77
 isozymes, 6:37–38
 lettuce, 1:288–290
 maps, molecular markers, 9:37–61
 petunia, 1:31–34
 Lotus:
 hybrids, 5:284–285
 in vitro culture, 2:228–229
Lycopersicon, *see* Tomato

M

- Maize:
 anther culture, 11:199–224; 15:141–186
 anthocyanin, 8:91–137
 apomixis, 18:56–64
 breeding, 1:103–138, 139–161; 27:119–173
 carbohydrates, 1:144–148
 cytoplasm, 23:189
 doubled haploid breeding, 15:141–186
 drought tolerance, 25:173–253
 exotic germplasm utilization, 14:165–187
 foliar diseases, 27:119–173
 high oil, 22:3–4; 24(1):153–175
 history of hybrids, 23(1):11–40, 41–59,
 61–78
 honeycomb breeding, 18:226–227
 hybrid breeding, 17:249–251
 insect resistance, 6:209–243
 long-term selection 24(2):53–64, 109–151
 male sterility, 10:23–51
 marker-assisted selection, 24(1):293–309
 mobile elements, 4:81–122
 mutations, 5:139–180
 origins, 20:15–66
 origins of hybrids, 24(1):31–50, 41–59,
 61–78
 overdominance, 17:225–257
 physiological changes with selection,
 24(1):143–151

- protein, 1:103–138
 quality protein, 9:181–216
 recurrent selection, 9:115–179;
 14:139–163
 RFLF changes with selection,
 24(1):111–131
 selection for oil and protein,
 24(1):79–110, 153–175
 supersweet sweet corn, 14:189–236
 transformation, 13:235–264
 transposable elements, 8:91–137
 unreduced gametes, 3:277
 Male sterility:
 chemical induction, 3:169–191
 coleus, 3:352–353
 genetics, 25:115–138, 139–172
 lettuce, 1:284–285
 molecular biology, 10:23–51
 pearl millet, 1:166
 petunia, 1:43–44
 rice, 17:33–72
 sesame, 16:191–192
 sorghum, 139–172
 soybean, 21:277–291
 wheat, 2:303–319
Malus spp, *see* Apple
Malus × domestica, *see* Apple
 Malvaceae, molecular mapping, 14:25–27
 Mango:
 domestication, 25:277–279
 transformation, 16:107
 Manihot esculenta, *see* Cassava
 Mapping:
 Cucurbitaceae, 27:213–244
 Rosaceae, 27:175–211
Medicago, *see also* Alfalfa
 in vitro culture, 2:229–234
 Meiosis, petunia, 1:14–16
 Metabolism and heterosis, 10:53–90
 Microprojectile bombardment,
 transformation, 13:231–260
 Mitochondrial genetics, 6:377–380;
 25:115–138
 Mixed plantings, bean breeding, 4:245–272
 Mobile elements, *see also* transposable
 elements:
 maize, 4:81–122; 5:146–147
 Molecular biology:
 apomixis, 18:65–73
 comparative mapping, 14:13–37
 cytoplasmic male sterility, 10:23–51
 DNA methylation, 18:87–176
 herbicide-resistant crops, 11:155–198
 incompatibility, 15:19–42
 legumes, 26:171–357
 molecular mapping, 14:13–37; 19:31–68

- molecular markers, 9:37–61,
10:184–190; 12:195–226; 13:11–86;
14:13–37; 17:113–114, 179, 212–215;
18:20–42; 19:31–68, 21:181–220;
23:73–174; 26:292–299
- papaya, 26:35–78
- quantitative trait loci, 15:85–139
- rol genes, 26:79–103
- salt resistance, 22:389–425
- somaclonal variation, 16:229–268
- somatic hybridization, 20:167–225
- soybean nodulation, 11:275–318
- strawberry, 21:139–180
- transposable (mobile) elements,
4:81–122; 8:91–137
- virus resistance, 12:47–79
- wheat improvement, 11:235–250
- Molecular markers, 9:37–61, 10:184–190;
12:195–226; 13:11–86; 14:13–37;
17:113–114, 179, 212–215; 18:20–42;
19:31–68, 21:181–220, 23:73–174
- alfalfa, 10:184–190
- apomixis, 18:40–42
- barley, 21:181–220
- clover, white, 17:212–215
- forest crops, 19:31–68
- fruit crops, 12:195–226
- maize selection, 24(1):293–309
- mapping, 14:13–37
- plant genetic resource management,
13:11–86
- rice, 17:113–114, 23:73–124
- rose, 17:179
- somaclonal variation, 16:238–243
- wheat, 21:181–220
- white clover, 17:212–215
- Monosomy, petunia, 1:19
- Mosaics and chimeras, 15:43–84
- Mungbean, 8:32–35
- in vitro culture, 2:245–246
- photoperiodic response, 3:74, 89–92
- Munger, Henry M. (biography), 4:1–8
- Musa*, *see* Banana, Plantain
- Mushroom, breeding and genetics,
8:189–215
- Mutants and mutation:
- alfalfa tissue culture, 4:130–139
- apple rootstocks, 1:374–375
- banana, 2:148–149
- barley, 5:124–126
- blackberry, 8:283–284
- cassava, 2:120–121
- cell selection, 4:154–157
- chimeras, 15:43–84
- coleus, 3:355
- cytoplasmic, 2:293–295
- gametoclonal variation, 5:359–391
- homeotic floral, 9:63–99
- induced, 2:13–72
- long term selection variation,
24(1):227–247
- maize, 1:139–161, 4:81–122; 5:139–180
- mobile elements, *see* Transposable
elements
- mosaics, 15:43–84
- petunia, 1:34–40
- sesame, 16:213–217
- somaclonal variation, 4:123–152;
5:147–149
- sweet corn, 1:139–161
- sweet potato, 4:371
- transposable elements, 4:181–122;
8:91–137
- tree fruits, 6:78–79
- vegetatively-propagated crops, 6:55–91
- zein synthesis, 1:111–118
- Mycoplasma diseases, raspberry,
6:253–254
- N**
- National Clonal Germplasm Repository
(NCGR), 7:40–43
- cryopreservation, 7:125–126
- genetic considerations, 7:126–127
- germplasm maintenance and storage,
7:111–128
- identification and label verification,
7:122–123
- in vitro culture and storage, 7:125
- operations guidelines, 7:113–125
- preservation techniques, 7:120–121
- virus indexing and plant health,
7:123–125
- National Plant Germplasm System
(NPGS), *see also* Germplasm
history, 7:5–18
- information systems, 7:57–65
- operations, 7:19–56
- preservation of genetic resources,
23:291–34
- National Seed Storage Laboratory (NSSL),
7:13–14, 37–38, 152–153
- Nectarines, cold hardiness breeding,
10:271–308
- Nematode resistance:
- apple rootstocks, 1:368
- banana and plantain, 2:145–146
- coffee, 2:180–181
- cowpea, 15:245–247
- soybean, 1:217–221
- sweet potato, 4:336
- transformation fruit crops, 16:112–113

Nicotiana, see Tobacco

Nodulation, soybean, 11:275–318

O

Oat, breeding, 6:167–207

Oil palm:

breeding, 4:175–201, 22:165–219

in vitro culture, 4:175–201

Oilseed breeding:

canola, 18:1–20

oil palm, 4:175–201; 22:165–219

sesame, 16:179–228

soybean, 1:183–235; 3:289–311;
4:203–245; 11:275–318; 15:275–313

Olive domestication, 25:277–279

Onion, breeding history, 20:57–103

Opuntia, see Cactus

Organelle transfer, 2:283–302; 3:205–210;
6:361–393

Ornamentals breeding:

chrysanthemum, 14:321–361

coleus, 3:343–360

petunia, 1:1–58

rose, 17:159–189

Ornithopus, hybrids, 5:285–287

Orzya, see Rice

Overdominance, 17:225–257

Ovule culture, 5:181–236

P

Palm (Arecaceae):

foliage breeding, 23:280–281

oil palm breeding, 4:175–201;
22:165–219.

Panicum maximum, apomixis, 18:34–36,
47–49

Papaya:

Breeding, 26:35–78

domestication, 25:307–308

transformation, 16:105–106

Parthenium argentatum, see Guayule

Paspalum, apomixis, 18:51–52

Paspalum notatum, see Pensacola
bahiagrass

Passionfruit transformation, 16:105

Pasture legumes, interspecific
hybridization, 5:237–305

Pea:

breeding, 21:93–138

flowering, 3:81–86, 89–92

in vitro culture, 2:236–237

Peach:

cold hardiness breeding, 10:271–308

domestication, 25:294–296

transformation, 16:102

Peanut:

breeding, 22:297–356

in vitro culture, 2:218–224

Pear:

domestication, 25:289–290

transformation, 16:102

Pearl millet:

apomixis, 18:55–56

breeding, 1:162–182

Pecan transformation, 16:103

Peloquin, Stanley, J. (biography), 25:1–19

Pennisetum americanum, see Pearl millet

Pensacola bahiagrass, 9:101–113

apomixis, 18:51–52

selection, 9:101–113

Pepino transformation, 16:107

Peppermint, mutation breeding, 6:81–82

Perennial grasses, breeding, 11:251–274

Perennial rye breeding, 13:261–288

Persimmon:

breeding, 19:191–225

domestication, 25:299–300

Petunia spp., genetics, 1:1–58

Phaseolin, 1:59–102

Phaseolus vulgaris, see Bean

Philodendrum breeding, 23:273

Phytophthora fragariae, 2:195–214

Pigeon pea, in vitro culture, 2:224

Pineapple domestication, 25:305–307

Pistil, reproductive function, 4:9–79

Pisum, see Pea

Plant breeders; rights, 25:21–55

Plant breeding:

politics, 25:21–55

prediction, 15–40

Plant introduction, 3:361–434; 7:9–11,
21–25

Plant exploration, 7:9–11, 26–28, 67–94

Plantain:

breeding, 2:135–155; 14:267–320;
21:1–25

domestication, 25:298

Plastid genetics, 6:364–376, see also
Organelle

Plum:

domestication, 25:293–294

transformation, 16:103–140

Poaceae:

molecular mapping, 14:23–24

Saccharum complex, 16:269–288

Pollen:

reproductive function, 4:9–79

storage, 13:179–207

Polyploidy, see also Haploidy

alfalfa, 10:171–184

alfalfa tissue culture, 4:125–128

- apple rootstocks, 1:375–376
 banana, 2:147–148
 barley, 5:126–127
 blueberry, 13:1–10
 gametes, 3:253–288
 isozymes, 6:33–34
 petunia, 1:18–19
 potato, 16:15–86; 25:1–19
 reproductive barriers, 11:98–105
 sweet potato, 4:371
 terminology, 26:105–124
 triticale, 5:11–40
 Pomegranate domestication, 25:285–286
 Population genetics, *see* Quantitative Genetics
 Potato:
 breeding, 9:217–332, 19:69–165
 cytoplasm, 23:187–189
 disease resistance breeding, 19:69–165
 gametoclonal variation, 5:376–377
 heat tolerance, 10:152
 honeycomb breeding, 18:227–230
 mutation breeding, 6:79–80
 photoperiodic response, 3:75–76, 89–92
 ploidy manipulation, 16:15–86
 unreduced gametes, 3:274–277
 Protein:
 antifungal, 14:39–88
 bean, 1:59–102
 induced mutants, 2:38–46
 maize, 1:103–138, 148–149; 9:181–216
 Protoplast fusion, 3:193–218; 20:167–225
 citrus, 8:339–374
 mushroom, 8:206–208
Prunus:
 amygdalus, *see* Almond
 avium, *see* Sweet cherry
 Pseudograin breeding, amaranth,
 19:227–285
Psophocarpus, *in vitro* culture, 2:237–238
Q
 Quantitative genetics:
 epistasis, 21:27–92
 forest trees, 8:139–188
 gene interaction, 24(1):269–290
 genotype \times environment interaction,
 16:135–178
 heritability, 22:9–111
 maize RFLP changes with selection,
 24(1):111–131
 mutation variation, 24(1):227–247
 overdominance, 17:225–257
 population size & selection,
 24(1):249–268
 selection limits, 24(1):177–225
 statistics, 17:296–300
 trait loci (QTL), 15:85–139; 19:31–68
 variance, 22:113–163
 Quantitative trait loci (QTL), 15:85–138;
 19:31–68
 animal selection, 24(2):169–210,
 211–224
 selection limits:24(1):177–225
 Quarantines, 3:361–434; 7:12, 35
R
 Rabbiteye blueberry, 5:307–357
 Raspberry, breeding, 6:245–321
 Recurrent restricted phenotypic selection,
 9:101–113
 Recurrent selection, 9:101–113, 115–179;
 14:139–163
 soybean, 15:275–313
 Red stele disease, 2:195–214
 Rédei, George P. (bibliography), 26:1–33.
 Regional trial testing, 12:271–297
 Reproduction:
 barriers and circumvention, 11:11–154
 foliage plants, 23:255–259
 garlic, 23:211–244
 Rhizobia, 23:21–72
 Rhododendron, mutation breeding, 6:75–76
 Rice, *see also* Wild rice:
 anther culture, 15:141–186
 apomixis, 18:65
 cytoplasm, 23:189
 doubled haploid breeding, 15:141–186
 gametoclonal variation, 5:362–364
 heat tolerance, 10:151–152
 honeycomb breeding, 18:224–226
 hybrid breeding, 17:1–15, 15–156;
 23:73–174
 long-term selection 24(2):64–67
 molecular markers, 73–174
 photoperiodic response, 3:74, 89–92
Rosa, *see* Rose
 Rosaceae, synteny, 27:175–211
 Rose breeding, 17:159–189
Rubus, *see* Blackberry, Raspberry
 Rust, wheat, 13:293–343
 Rutabaga, 8:217–248
 Ryder, Edward J. (biography), 16:1–14
 Rye:
 gametoclonal variation, 5:370–371
 perennial breeding, 13:261–288
 triticale, 5:41–93
S
Saccharum complex, 16:269–288
 Salt resistance:
 cell selection, 4:141–143

- Salt resistance (*cont.*)
 durum wheat, 5:31
 yeast systems, 22:389–425
- Sears, Ernest R. (biography), 10:1–22
- Secale*, *see* Rye
- Seed:
 apple rootstocks, 1:373–374
 banks, 7:13–14, 37–40, 152–153
 bean, 1:59–102
 garlic, 23:211–244
 lettuce, 1:285–286
 maintenance and storage, 7:95–110,
 129–158, 159–182
 maize, 1:103–138, 139–161, 4:81–86
 pearl millet, 1:162–182
 protein, 1:59–138, 148–149
 rice production, 17:98–111, 118–119,
 23:73–174
 soybean, 1:183–235, 3:289–311
 synthetic, 7:173–174
 variegation, 4:81–86
 wheat (hybrid), 2:313–317
- Selection, *see also* Breeding
 bacteria, 24(2):225–265
 bean, 24(2):69–74
 cell, 4:139–145, 153–173
 crops of the developing world,
 24(2):45–88
 divergent selection for maize ear length,
 24(2):153–168
 domestication, 24(2):1–44
Escherichia coli, 24(2):225–265
 gene interaction, 24(1):269–290
 genetic models, 24(1):177–225
 honeycomb design, 13:87–139;
 18:177–249
 limits, 24(1):177–225
 maize high oil, 24(1):153–175
 maize history, 24(1):11–40, 41–59, 61–78
 maize long term, 24(1):79–110, 111–
 131, 133–151; 24(2):53–64, 109–151
 maize oil & protein, 24(1):79–110,
 153–175
 maize physiological changes,
 24(1):133–151
 maize RFLP changes, 24(1):111–131
 marker assisted, 9:37–61, 10:184–190;
 12:195–226; 13:11–86; 14:13–37;
 17:113–114, 179, 212–215; 18:20–42;
 19:31–68, 21:181–220, 23:73–174,
 24(1):293–309; 26:292–299
 mutation variation, 24(1):227–268
 population size, 24(1):249–268
 prediction, 19:15–40
 productivity gains in US crops,
 24(2):89–106
 quantitative trait loci, 24(1):311–335
 recurrent restricted phenotypic,
 9:101–113
 recurrent selection in maize, 9:115–179;
 14:139–163
 rice, 24(2):64–67
 wheat, 24(2):67–69
- Sesame breeding, 16:179–228
- Sesamum indicum*, *see* Sesame
- Simmonds, N.W. (biography), 21:1–13
- Snap pea breeding, 21:93–138
- Solanaceae:
 incompatibility, 15:27–34
 molecular mapping, 14:27–28
- Solanum tuberosum*, *see* Potato
- Somaclonal variation, *see also*
 Gametoclonal variation
 alfalfa, 4:123–152
 isozymes, 6:30–31
 maize, 5:147–149
 molecular analysis, 16:229–268
 mutation breeding, 6:68–70
 rose, 17:178–179
 transformation interaction, 16:229–268
 utilization, 16:229–268
- Somatic embryogenesis, 5:205–212;
 7:173–174
 oil palm, 4:189–190
- Somatic genetics, *see also* Gametoclonal
 variation; Somaclonal variation:
 alfalfa, 4:123–152
 legumes, 2:246–248
 maize, 5:147–149
 organelle transfer, 2:283–302
 pearl millet, 1:166
 petunia, 1:43–46
 protoplast fusion, 3:193–218
 wheat, 2:303–319
- Somatic hybridization, *see also* Protoplast
 fusion, 20:167–225
- Sorghum:
 male sterility, 25:139–172
 photoperiodic response, 3:69–71,
 97–99
 transformation, 13:235–264
- Southern pea, *see* Cowpea
- Soybean:
 cytogenetics, 16:289–317
 disease resistance, 1:183–235
 drought resistance, 4:203–243
 hybrid breeding, 21:263–307
 in vitro culture, 2:225–228
 nodulation, 11:275–318
 photoperiodic response, 3:73–74
 recurrent selection, 15:275–313
 semidwarf breeding, 3:289–311

- Spelt, agronomy, genetics, breeding,
15:187–213
- Sprague, George F. (biography), 2:1–11
- Starch, maize, 1:114–118
- Statistics:
advanced methods, 22:113–163
history, 17:259–316
- Sterility, *see also* Male sterility, 11:30–41
- Strawberry:
biotechnology, 21:139–180
domestication, 25:302–303
red stele resistance breeding, 2:195–214
transformation, 16:104
- Stress resistance:
cell selection, 4:141–143, 161–163
transformation fruit crops, 16:115
- Stylosanthes*, in vitro culture, 2:238–240
- Sugarcane:
Breeding, 27:15–118
mutation breeding, 6:82–84
- Saccharum* complex, 16:269–288
- Synteny, Rosaceae, 27:175–211
- Sweet cherry:
Domestication, 25:202–293
pollen-incompatibility and self-fertility,
9:367–388
transformation, 16:102
- Sweet corn, *see also* Maize:
endosperm, 1:139–161
supersweet (*shrunk2*), 14:189–236
- Sweet potato breeding, 4:313–345; 6:80–81
- T**
- Tamarillo transformation, 16:107
- Taxonomy:
amaranth, 19:233–237
apple, 1:296–299
banana, 2:136–138
blackberry, 8:249–253
cassava, 2:83–89
chestnut, 4:351–352
chrysanthemum, 14:321–361
clover, white, 17:193–211
coffee, 2:161–163
coleus, 3:345–347
fescue, 3:314
garlic, 23:211–244
Glycine, 16:289–317
guayule, 6:112–115
oat, 6:171–173
pearl millet, 1:163–164
petunia, 1:13
plantain, 2:136; 14:271–272
rose, 17:162–169
rutabaga, 8:221–222
Saccharum complex, 16:270–272
sweet potato, 4:320–323
triticale, 8:49–54
Vigna, 8:19–42
white clover, 17:193–211
wild rice, 14:240–241
- Testing:
adaptation, 12:271–297
honeycomb design, 13:87–139
- Tissue culture, *see* In vitro culture
- Tobacco, gametoclonal variation,
5:372–376
- Tomato:
breeding for quality, 4:273–311
heat tolerance, 10:150–151
- Toxin resistance, cell selection, 4:163–165
- Transformation and transgenesis
alfalfa, 10:190–192
barley, 26:155–157
cereals, 13:231–260
fruit crops, 16:87–134
mushroom, 8:206
papaya, 26:35–78
rice, 17:179–180
somaclonal variation, 16:229–268
sugarcane, 86–97
maize breeding, 142–156
white clover, 17:193–211
- Transpiration efficiency, 12:81–113
- Transposable elements, 4:81–122;
5:146–147; 8:91–137
- Tree crops, ideotype concept, 12:163–193
- Tree fruits, *see* Fruit, nut, and beverage
crop breeding
- Trifolium*, *see* Clover, White Clover
- Trifolium* hybrids, 5:275–284
in vitro culture, 2:240–244
- Trilobium*, long-term selection,
24(2):211–224
- Tripsacum*:
apomixis, 18:51
maize ancestry, 20:15–66
- Trisomy, petunia, 1:19–20
- Triticale, 5:41–93; 8:43–90
- Triticosecale*, *see* Triticale
- Triticum*:
Aestivum, *see* Wheat
Turgidum, *see* Durum wheat
- Tulip, mutation breeding, 6:76
- U**
- United States National Plant Germplasm
System, *see* National Plant Germplasm
System
- Unreduced and polyploid gametes,
3:253–288; 16:15–86
- Urd bean, 8:32–35

V

- Vaccinium*, see Blueberry
 Variance estimation, 22:113–163
 Vegetable breeding:
 artichoke, 12:253–269
 bean, 1:59–102; 4:245–272, 24(2):69–74
 bean (tropics), 10:199–269
 beet (table), 22:257–388
 carrot 19:157–190
 cassava, 2:73–134; 24(2):74–79
 cucumber, 6:323–359
 cucurbit insect and mite resistance,
 10:309–360
 lettuce, 1:267–293; 16:1–14; 20:105–133
 mushroom, 8:189–215
 onion, 20:67–103
 pea, 21:93–138
 peanut, 22:297–356
 potato, 9:217–232; 16:15–86; 19:69–165
 rutabaga, 8:217–248
 snap pea, 21:93–138
 tomato, 4:273–311
 sweet corn, 1:139–161; 14:189–236
 sweet potato, 4:313–345
Vicia, in vitro culture, 2:244–245
Vigna, see Cowpea, Mungbean
 in vitro culture, 2:245–246; 8:19–42
 Virus diseases:
 apple rootstocks, 1:358–359
 clover, white, 17:201–209
 coleus, 3:353
 cowpea, 15:239–240
 indexing, 3:386–408, 410–411, 423–425
 in vitro elimination, 2:265–282
 lettuce, 1:286
 maize, 142–156
 papaya, 26:35–78
 potato, 19:122–134
 raspberry, 6:247–254
 resistance, 12:47–79
 soybean, 1:212–217
 sweet potato, 4:336
 transformation fruit crops, 16:108–110
 white clover, 17:201–209

- Vogel, Orville A. (biography), 5:1–10
 Vuylsteke, Dirk R. (biography), 21:1–25

W

- Walnut (black), 1:236–266
 Walnut transformation, 16:103
 Weinberger, John A. (biography), 11:1–10
 Wheat:
 anther culture, 15:141–186
 apomixis, 18:64–65
 chemical hybridization, 3:169–191
 cold hardiness adaptation, 12:124–135
 cytogenetics, 10:5–15
 cytoplasm, 23:189–190
 diversity, 21:236–237
 doubled haploid breeding, 15:141–186
 drought tolerance, 12:135–146
 durum, 5:11–40
 gametoclonal variation, 5:364–368
 gene manipulation, 11:225–234
 heat tolerance, 10:152
 hybrid, 2:303–319; 3:185–186
 insect resistance, 22:221–297
 in vitro adaptation, 12:115–162
 long-term selection, 24(2):67–69
 molecular biology, 11:235–250
 molecular markers, 21:191–220
 photoperiodic response, 3:74
 rust interaction, 13:293–343
 triticale, 5:41–93
 vernalization, 3:109
 White clover, molecular genetics,
 17:191–223
 Wild rice, breeding, 14:237–265
 Winged bean, in vitro culture, 2:237–238

Y

- Yeast, salt resistance, 22:389–425
 Yuan, Longping (biography), 17:1–13.

Z

- Zea mays*, see Maize, Sweet corn
 Zein, 1:103–138
Zizania palustris, see Wild rice

Cumulative Contributor Index

(Volumes 1–27)

- Abbott, A.G., 27:175
 Abdalla, O.S., 8:43
 Acquaaah, G., 9:63
 Aldwinckle, H.S., 1:294
 Alexander, D.E., 24(1):53
 Anderson, N.O., 10:93; 11:11
 Aronson, A.I., 12:19
 Arús, P., 27:175
 Ascher, P.D., 10:93
 Ashri, A., 16:179
- Baggett, J.R. 21:93
 Balaji, J., 26:171
 Baltensperger, D.D., 19:227
 Barker, T., 25:173
 Basnizki, J., 12:253
 Beck, D.L., 17:191
 Beebe, S., 23:21–72
 Beineke, W.F., 1:236
 Bell, A.E., 24(2):211
 Below, F.E., 24(1):133
 Berzonsky, W.A., 22:221
 Bingham, E.T., 4:123; 13:209
 Binns, M.R., 12:271
 Bird, R. McK., 5:139
 Bjarnason, M., 9:181
 Blair, M.W., 26:171
 Bliss, F.A., 1:59; 6:1
 Boase, M.R., 14:321
 Borlaug, N.E., 5:1
 Boyer, C.D., 1:139
 Bravo, J.E., 3:193
 Brenner, D.M., 19:227
 Bressan, R.A., 13:235;
 14:39; 22:389
 Bretting, P.K., 13:11
 Broertjes, C., 6:55
 Brown, A.H.D., 21:221
 Brown, J.W.S., 1:59
 Brown, S.K., 9:333, 367
- Buhariwalla, H.K., 26:171
 Bünger, L., 24(2):169
 Burnham, C.R., 4:347
 Burton, G.W., 1:162; 9:101
 Burton, J.W., 21:263
 Byrne, D., 2:73
- Camadro, E.L., 26:105
 Campbell, K.G., 15:187
 Campos, H., 25:173
 Cantrell, R.G., 5:11
 Carputo, D., 25:1; 26:105
 Carvalho, A., 2:157
 Casas, A.M., 13:235
 Cervantes-Martinez, C.T.,
 22:9
 Chen, J., 23:245
 Cherry, M., 27:245.
 Chew, P.S., 22:165
 Choo, T.M., 3:219; 26:125
 Christenson, G.M., 7:67
 Christie, B.R., 9:9
 Clark, R.L., 7:95
 Clarke, A.E., 15:19
 Clegg, M.T., 12:1
 Comstock, J.G., 27:15
 Condon, A.G., 12:81
 Cooper, M., 24(2):109;
 25:173
 Cooper, R.L., 3:289
 Cornu, A., 1:11
 Costa, W.M., 2:157
 Cregan, P., 12:195
 Crouch, J.H., 14:267; 26:171
 Crow, J.F., 17:225
 Cummins, J.N., 1:294
- Dana, S., 8:19
 Dean, R.A., 27:213
 De Jong, H., 9:217
- D'Hont, A., 27:15
 Dekkers, J.C.M., 24(1):311
 Deroles, S.C., 14:321
 Dhillon, B.S., 14:139
 Dickmann, D.I., 12:163
 Ding, H., 22:221
 Dirlewanger, E., 27:175
 Dodds, P.N., 15:19
 Dolan, D., 25:175
 Donini, P., 21:181
 Draper, A.D., 2:195
 Drew, R., 26:35
 Dudley, J.W. 24(1):79
 Dumas, C., 4:9
 Duncan, D.R., 4:153
 Duvick, D.N., 24(2):109
 Dwivedi, S.L., 26:171
- Echt, C.S., 10:169
 Edmeades, G., 25:173
 Ehlers, J.D., 15:215
 England, F., 20:1
 Eubanks, M.W., 20:15
 Evans, D.A., 3:193; 5:359
 Everett, L.A., 14:237
 Ewart, L.C., 9:63
- Farquhar, G.D., 12:81
 Fasoula, D.A., 14:89;
 15:315; 18:177
 Fasoula, V.A., 13:87; 14:89;
 15:315; 18:177
 Fasoulas, A.C., 13:87
 Fazuoli, L.C., 2:157
 Fear, C.D., 11:1
 Ferris, R.S.B., 14:267
 Flore, J.A., 12:163
 Forsberg, R.A., 6:167
 Forster, B.P., 25:57
 Forster, R.L.S., 17:191

- Fowler, C., 25:21
 Frusciante, L., 35:1
 Frei, U., 23:175
 French, D.W., 4:347
- Gai, J., 21:263
 Galiba, G., 12:115
 Galletta, G.J., 2:195
 Gepts, P., 24(2):1
 Glaszmann, J.G., 27:15
 Gmitter, F.G., Jr., 8:339;
 13:345
 Gold, M.A., 12:163
 Goldman, I.L. 19:15; 20:67;
 22:357; 24(1):61;
 24(2):89
 Gonsalves, D., 26:35
 Goodnight, C.J., 24(1):269
 Gordon, S.G., 27:119
 Gradziel, T.M., 15:43
 Gressel, J., 11:155; 18:251
 Gresshof, P.M., 11:275
 Griesbach, R.J., 25:89
 Grombacher, A.W., 14:237
 Grosser, J.W., 8:339
 Grumet, R., 12:47
 Gudín, S., 17:159
 Guimarães, C.T., 16:269
 Gustafson, J.P., 5:41; 11:225
 Guthrie, W.D., 6:209
- Habben, J., 25:173
 Haley, S.D., 22:221
 Hall, A.E., 10:129; 12:81;
 15:215
 Hall, H.K., 8:249
 Hallauer, A.R., 9:115; 14:1,
 165; 24(2):153
 Hamblin, J., 4:245
 Hancock, J.F., 13:1
 Hancock, J.R., 9:1
 Hanna, W.W., 13:179
 Harlan, J.R., 3:1
 Harris, M.O., 22:221
 Hasegawa, P.M. 13:235;
 14:39; 22:389
 Havey, M.J., 20:67
 Henny, R.J., 23:245
 Hill, W.G., 24(2):169
 Hillel, J., 12:195
 Hodgkin, T., 21:221
 Hokanson, S.C., 21:139
 Holbrook, C.C., 22:297
 Holland, J.B., 21:27; 22:9
 Hor, T.Y., 22:165
- Howe, G.T., 27:245
 Hunt, L.A., 16:135
 Hutchinson, J.R., 5:181
 Hymowitz, T., 8:1; 16:289
- Janick, J., 1:xi; 23:1; 25:255
 Jansky, S., 19:77
 Jayaram, Ch., 8:91
 Jayawickrama, K., 27:245
 Jenderek, M.M., 23:211
 Jifon, J., 27:15
 Joobeur, T., 27:213
 Johnson, A.A.T., 16:229;
 20:167
 Johnson, G.R., 27:245
 Johnson, R., 24(1):293
 Jones, A., 4:313
 Jones, J.S., 13:209
 Ju, G.C., 10:53
- Kang, H., 8:139
 Kann, R.P., 4:175
 Karmakar, P.G., 8:19
 Kartha, K.K., 2:215, 265
 Kasha, K.J., 3:219
 Keep, E., 6:245
 Kleinhofs, A., 2:13
 Keightley, P.D., 24(1):227
 Knox, R.B., 4:9
 Koebner, R.M.D., 21:181
 Kollipara, K.P., 16:289
 Koncz, C., 26:1
 Kononowicz, A.K., 13:235
 Konzak, C.F., 2:13
 Krikorian, A.D., 4:175
 Krishnamani, M.R.S., 4:203
 Kronstad, W.E., 5:1
 Kulakow, P.A., 19:227
- Lamb, R.J., 22:221
 Lambert, R.J., 22:1;
 24(1):79, 153
 Lamborn, C., 21:93
 Lamkey, K.R., 15:1;
 24(1):xi; 24(2):xi
 Lavi, U., 12:195
 Layne, R.E.C., 10:271
 Lebowitz, R.J., 3:343
 Lee, M., 24(2):153
 Lehmann, J.W., 19:227
 Lenski, R.E., 24(2):225
 Levings, III, C.S., 10:23
 Lewers, K.R., 15:275
 Li, J., 17:1, 15
 Liedl, B.E., 11:11
- Lin, C.S., 12:271
 Lovell, G.R., 7:5
 Lower, R.L., 25:21
 Lukaszewski, A.J., 5:41
 Lyrene, P.M., 5:307
- Maas, J. L., 21:139
 Mackenzie, S.A., 25:115
 Maheswaran, G., 5:181
 Maizonnier, D., 1:11
 Marcotrigiano, M., 15:43
 Martin, F.W., 4:313
 Matsumoto, T.K. 22:389
 McCoy, T.J., 4:123; 10:169
 McCreight, J.D., 1:267; 16:1
 McDaniel, R.G., 2:283
 McKeand, S.E., 19:41
 McKenzie, R.I.H., 22:221
 McRae, D.H., 3:169
 Medina-Filho, H.P., 2:157
 Mejaya, I.J., 24(1):53
 Mikkilineni, V., 24(1):111
 Miles, D., 24(2):211
 Miles, J.W., 24(2):45
 Miller, R., 14:321
 Ming, R., 27:15
 Mirkov, T.E., 27:15
 Mondragon Jacobo, C.,
 20:135
 Moose, S.P., 24(1):133
 Moore, P.H., 27:15
 Morrison, R.A., 5:359
 Mowder, J.D., 7:57
 Mroginski, L.A., 2:215
 Muir, W.M., 24(2):211
 Mumm, R.H., 24(1):1
 Murphy, A.M., 9:217
 Mutschler, M.A., 4:1
 Myers, J.R., 21:93
 Myers, O., Jr., 4:203
 Myers, R.L., 19:227
 Namkoong, G., 8:139
 Navazio, J., 22:357
 Neuffer, M.G., 5:139
 Newbigin, E., 15:19
 Nyquist, W.E., 22:9
- Ohm, H.W., 22:221
 O'Malley, D.M., 19:41
 Ortiz, R., 14:267; 16:15;
 21:1; 25:1, 139; 26:171
 Osborn, T.C., 27:1
- Palmer, R.G., 15:275, 21:263
 Pandey, S., 14:139; 24(2):45

- Pardo, J. M., 22:389
 Parlman, B.J., 3:361
 Paterson, A.H., 14:13; 26:15
 Patterson, F.L., 22:221
 Peairs, F.B., 22:221
 Pedersen, J.F., 11:251
 Peiretti, E.G., 23:175
 Peloquin, S.J., 26:105
 Perdue, R.E., Jr., 7:67
 Peterson, P.A., 4:81; 8:91
 Polidorus, A.N., 18:87
 Porter, D.A., 22:221
 Porter, R.A., 14:237
 Powell, W., 21:181
 Prasartsee, V., 26:35
 Pratt, R.C., 27:119
 Proudfoot, K.G., 8:217

 Rackow, G., 18:1
 Rai, M., 27:15
 Raina, S.K., 15:141
 Ramage, R.T., 5:95
 Ramesh, S., 25:139
 Ramming, D.W., 11:1
 Ratcliffe, R.H., 22:221
 Ray, D.T., 6:93
 Reddy, B.V.S., 25:139
 Redei, G.P., 10:1; 24(1):11
 Reimann-Phillipp, R.,
 13:265
 Reinbergs, E., 3:219
 Rhodes, D., 10:53
 Richards, R.A., 12:81
 Roath, W.W., 7:183
 Robinson, R.W., 1:267;
 10:309
 Rocheford, T.R., 24(1):111
 Ron Parra, J., 14:165
 Roos, E.E., 7:129
 Ross, A.J., 24(2):153
 Rotteveel, T., 18:251
 Rowe, P., 2:135
 Russell, W.A., 2:1
 Rutter, P.A., 4:347
 Ryder, E.J., 1:267; 20:105

 Samaras, Y., 10:53
 Sansavini, S., 16:87
 Saunders, J.W., 9:63
 Savidan, Y., 18:13
 Sawhney, R.N., 13:293
 Schaap, T., 12:195
 Schaber, M.A. 24(2):89
 Schnell, R.J., 27:15
 Schussler, J., 25:173

 Schneerman, M.C. 24(1):133
 Schroeck, G., 20:67
 Scott, D.H., 2:195
 Seabrook, J.E.A., 9:217
 Sears, E.R., 11:225
 Seebauer, J.R., 24(1):133
 Serraj, R., 26:171
 Shands, Hazel L., 6:167
 Shands, Henry L., 7:1, 5
 Shannon, J.C., 1:139
 Shanower, T.G., 22:221
 Shattuck, V.I., 8:217; 9:9
 Shaun, R., 14:267
 Sidhu, G.S., 5:393
 Silva, da, J., 27:15
 Simmonds, N.W., 17:259
 Simon, P.W., 19:157; 23:211
 Singh, B.B., 15:215
 Singh, R.J., 16:289
 Singh, S.P., 10:199
 Singh, Z., 16:87
 Slabbert, M.M., 19:227
 Slepser, D.A., 3:313
 Sleugh, B.B., 19:227
 Smith, J.S.C., 24(2):109
 Smith, S.E., 6:361
 Snoeck, C., 23:21
 Sobral, B.W.S., 16:269
 Socias i Company, R., 8:313
 Soh, A.C., 22:165
 Sondahl, M.R., 2:157
 Spoor, W., 20:1
 Steadman, J.R., 23:1
 Stalker, H.T., 22:297
 Steffensen, D. M., 19:1
 Stevens, M.A., 4:273
 Stoner, A.K., 7:57
 Stuber, C.W., 9:37; 12:227
 Sugiura, A., 19:191
 Sun, H. 21:263
 Suzaki, J.Y., 26:35

 Tai, G.C.C., 9:217
 Talbert, L.E., 11:235
 Tan, C.C., 22:165
 Tarn, T.R., 9:217
 Tehrani, G., 9:367
 Teshome, A., 21:221
 Tew, T.L., 27:15
 Thomas, W.T.B., 25:57
 Thompson, A.E., 6:93
 Tiefenthaler, A.E. 24(2):89
 Towill, L.E., 7:159, 13:179
 Tracy, W.F., 14:189; 24(2):89
 Tripathi, S., 26:35

 Troyer, A.F., 24(1):41
 Tsafaris, A.S., 18:87
 Tsai, C.Y., 1:103

 Ullrich, S.E., 2:13
 Upadhyaya, H.D., 26:171
 Uribelarrea, M., 24(1):133

 Vanderleyden, J., .23:21
 Van Harten, A.M., 6:55
 Varughese, G., 8:43
 Vasal, S.K., 9:181; 14:139
 Vegas, A., 26:35
 Veilleux, R., 3:253; 16:229;
 20:167
 Villareal, R.L., 8:43
 Vogel, K.P., 11:251
 Volk, G.M., 23:291
 Vuylsteke, D., 14:267

 Wallace, D.H., 3:21; 13:141
 Walsh, B. 24(1):177
 Wan, Y., 11:199
 Wang, Y.-H., 27:213
 Waters, C., 23:291
 Weber, K., 24(1):249
 Weeden, N.F., 6:11
 Wehner, T.C., 6:323
 Welandar, M., 26:79
 Wenzel, G. 23:175
 Westwood, M.N., 7:111
 Wheeler, N.C., 27:245
 Whitaker, T.W., 1:1
 White, D.W.R., 17:191
 White, G.A., 3:361; 7:5
 Widholm, J.M., 4:153;
 11:199
 Widmer, R.E., 10:93
 Widrlechner, M.P., 13:11
 Wilcox, J.R., 1:183
 Williams, E.G., 4:9; 5:181,
 237
 Williams, M.E., 10:23
 Wilson, J.A., 2:303
 Wong, G., 22:165
 Woodfield, D.R., 17:191
 Wright, D., 25:173
 Wright, G.C., 12:81
 Wu, K.-K., 27:15
 Wu, L., 8:189
 Wu, R., 19:41

 Xin, Y., 17:1, 15
 Xu, S., 22:113
 Xu, Y., 15:85; 23:73

Yamada, M., 19:191
Yamamoto, T., 27:175
Yan, W., 13:141
Yang, W.-J., 10:53
Yonemori, K., 19:191
Yopp, J.H., 4:203
Yun, D.-J., 14:39

Zeng, Z.-B., 19:41
Zhu, L.-H., 26:79
Zimmerman, M.J.O., 4:245
Zinselmeier, C., 25:173
Zohary, D., 12:253