

Index

SYMBOLS

- & (ampersand) ToolStrip control text property prefix, 174**
- * (asterisk) multiplication operator, 71**
- ^ (caret) SendKeys method replacement character, 150**
- = (equals sign) assignment operator, 71**
- (minus sign) subtraction operator, 71**
- { } (parentheses)**
 - event parameter delimiters, 99
 - subroutine delimiters, 72
- % (percent sign) SendKeys method replacement character, 150**
- . (period)**
 - method prefix, 101
 - object suffix, 98
 - property prefix, 18, 101
- + (plus sign)**
 - addition operator, 71
 - SendKeys method replacement character, 150
- “ ” (quotation marks) XML attribute delimiters, 243**
- / (slash) XML closing tag prefix, 243**
- ~ (tilde) SendKeys method replacement character, 150**

A

- AcceptButton property, 162**
- Access Point URL, 181**
- Access, software program, 33**
- Actions dialog box, 65**
- Add ⇄ Class, 95**
- Add method, 88, 193**
- Add New Item dialog box, 36, 95**
- Add New Table menu (SQL Server), 37**
- Add Web Reference Wizard, 180, 181**
- AddHandler statement, 116, 117**
- AddMode property, 138**
- AddPerson function, 136, 138**
- AddPersonRow method, 136, 252**
- AddPOUserRow function, 290**
- AddRow method, 129**
- AddSalary method, 160**
- alignment**
 - control, 13, 53, 54, 257
 - text, 56, 162
- Allow Nulls property, 44**
- AllowWebBrowserDrop property, 170, 174**
- Amazon web service**
 - AWSECommerceService object, 185
 - Documentation page, 184–185
 - function, calling, 191
 - license agreement, 183
 - Personal Organizer Database application,
 - integrating with
 - btnGetGiftIdeas_Click subroutine, 189–190
 - btnSearch_Click subroutine, 191, 192, 193
 - calling web service, 192
 - Cancel button, 194
 - Cancelled property, 195
 - CheckedListBox control, 186, 191, 193, 194, 195
 - debugging, 213
 - GetGiftIdeas.vb file, 186
 - GiftSuggestions property, 195
 - ItemSearch method, 184–185, 191, 192
 - ItemSearchResponse object, 185, 192–193, 213
 - mbCancelled variable, 194–195
 - msFavorites variable, 188
 - msGiftSuggestions variable, 195
 - PersonDetails control setup, 185–186, 187, 189
 - RadioButton control setup, 186–187, 188
 - referencing web service, 191
 - Save button, 195, 198
 - SelectedText property, 192
 - title, concatenating into string, 195
- registration, 183
- starter kit, building application access using, 20–23
- Subscription ID, 183, 191

ampersand (&) ToolStrip control text property prefix, 174

Anchor property, 67

Application files dialog box, 300

Application object, 153–155

arithmetic, 71

asterisk (*) multiplication operator, 71

Audio object, 148

authentication

SQL Server, 46

status, testing, 163, 280–281

AutoCompleteCustomSource property, 234

AutoCompleteSource property, 234

AWSECommerceService object, 185

B

BackColor property, 105

BackgroundColor property, 162

BackgroundImage property, 162, 269

BackgroundImageLayout property, 257

BalloonTip properties, 219, 221

BeginEdit command, 129, 137

Beginning XML, 3rd Edition (Hunter et al.), 245

BindingNavigator control, 124

BindingPoint website, 180, 181

BindingSource component, 123

bitwise comparison, 139–140

BorderColor property, 105

Bound Column properties window, 123

breakpoint, 205–207, 212

Build ⇄ Publish Personal Organizer, 305

BuiltInRole website, 281

Button control. See also RadioButton control; Split-Button control

aligning, 13, 54, 257

anchoring, 63

color, 55

contrast, visual, 52–53

creating, 11

dynamic, 116–119

event handling, 81, 82, 85, 118–119, 272–274

form, adding to, 54–55

image, 55, 109

positioning, 55

sizing, 54

subroutine, assigning, 74

text, 11, 55

ButtonsSwapped property, 148

ByRef keyword, 73, 74

ByVal keyword, 72–73, 74

C

calendar type of local system, returning, 147

CancelButton property, 162

Cancelled property, 195, 261

CanGoBack property, 170, 175, 178

CanGoForward property, 170, 178

caret (^) SendKeys method replacement character, 150

Catch keyword, 200–202, 203–204

CBC (cipher block chaining), 285

CD-ROM with this book, 307–308

CelsiusToFahrenheit function, 78

CheckBox control, 57, 77–78, 139–140, 269–270

CheckedListBox control, 186, 191, 193, 194, 195

ChildNodes property, 254

CIL (Common Intermediate Language), 312, 313

cipher block chaining (CBC), 285

class

creating, 18, 94–101, 103–104, 158

defined, 18

event, adding, 99

generic, 160–161

instance, 19, 83, 98

object

creating from class, 83

relation to class, 18

partial, 158–160, 167

project, adding to, 95

property, adding, 112–113

public, 95

variable, place in class structure, 96

web service, 180

Clear method, 145

CLI (Common Language Infrastructure), 313

Click event, 55, 81, 82, 85, 118–119

ClickOnce application deployment

Application files dialog box, 300

CD, from, 295, 302

component, selecting for, 300

database, including as local file, 304

Internet-based application, 296

location for installation files, specifying, 295, 299

.NET Framework prerequisite, 300

network-based application, 296

Prerequisites dialog box, 300

Publish Wizard, 295–296

restoring application to previous state, 298

security, 302–304

server, from, 295

signature, digital, 303

- SQL Server 2005 Express prerequisite, 304
- Start menu item, 297
- uninstalling ClickOnce application, 298
- update, automatic, 295, 297–298, 300–301, 304, 306
- web page
 - displaying, 297, 305
 - product support web page, offering, 302
- Clipboard class, 145–146, 149**
- Clock object, 146**
- Close method, 151**
- CloseRequested class, 176, 178**
- CLR (Common Language Runtime), 5, 313**
- code**
 - breakpoint, inserting, 205–207, 212
 - displaying, 12
 - editing
 - design-time, at, 28
 - execution, while paused, 211–212
 - event, hooking to, 69, 82
 - font, changing, 30
 - group, 283
 - line number display, 73
 - looping execution, 79–81
 - message, displaying when specific line executed, 209–210, 211
 - reusing, 156–161
 - security, code-based, 283–284
 - snippet library, 156–157, 167, 255
 - stepping into/over, 206–207, 212
 - troubleshooting, 205–211
- Code Definition window, 28, 29**
- Collection Editor feature, 107**
- color**
 - background, 105, 162
 - border, 105
 - Button control, 55
 - dialog control, customizing using, 61
 - menu, 66
 - property, defining, 105
 - system-defined, 53
 - text, 55, 89
 - transparency, 162
 - user interface, 52, 53
- ColorDialog control, 61**
- ColumnType property, 123**
- COM (Component Object Model), 310–311**
- CombinePath method, 153**
- ComboBox control, 57, 266–267, 271**
- command-line interpreter, 4**
- Common Intermediate Language (CIL), 312, 313**
- Common Language Infrastructure (CLI), 313**
- Common Language Runtime (CLR), 5, 313**
- comparison**
 - bitwise, 139–140
 - number, 139–140
 - text, 141
- compilation, 4, 101, 154, 293**
- Component Object Model (COM), 310–311**
- ComponentControlType property, 266**
- Components object, 260**
- Computer Manager feature, 34**
- Computer object, 144–153**
- computer, returning information about, 146–147**
- conditional logic, 76–79**
- constructor method, 102**
- Contains method, 145**
- ContextMenuStrip control, 60**
- control. See also specific control**
 - aligning, 13, 53, 54, 257
 - anchoring, 63–64, 67
 - container, 58, 115
 - creating
 - application, while running, 115–119
 - design time, at, 111–112, 174
 - data control, 62
 - database, associating with, 66, 124–126
 - defined, 19
 - dialog control, 61
 - docking, 64, 66, 174
 - dynamic, 115–119
 - enabling/disabling, 56
 - error, displaying, 231
 - events, listing associated, 106
 - form, adding to, 54–55, 258, 259
 - graphic control, 32, 55, 61–62, 109
 - grouping, 58
 - layout control, 58–59
 - menu control, 59–60
 - naming, 65
 - print control overview, 62
 - project, adding to, 174
 - property
 - assigning, 54–55
 - updating control automatically upon change, 113
 - resetting, 113, 115
 - sizing, 13, 54, 67
 - smart tag, 65, 109
 - starter kit, adding using, 22
 - status control, 59–61

ControlType

class, 260
property, 266

Convert class, 314

CopyDirectory method, 153

CopyFile method, 152

CreateDecryptor method, 289

CreateElement method, 255

CreateSubKey method, 151

CreateUser function, 164, 290

cryptography, 284–291

CryptoStream object, 288

CType function, 75

culture of system, returning, 146, 147

CurrentControl object, 274

CurrentDirectory method, 153

D

Data ⇄ Add New Data Source, 127

Data ⇄ Show Data Sources, 46

Data Source Configuration Wizard, 37, 46, 47

Data Sources window, 45–46

data type

converting, 30, 75, 314–315
enumerated, 88
function, assigning to, 72
overview of standard types, 70
variable, assigning to, 71

DataAdapter class, 127–128, 129–130, 137, 247, 251

database. *See also* SQL Server

ClickOnce application deployment, including database
as local file in, 304
column, 35, 44, 45, 123
connection
adding, 127–128
project connection setup, 46, 47–48
SQL database, 128
control, associating with, 66, 124–126
copying, 47
creating, 36–37, 39, 41
field
adding, 44
column, relation to, 35
control, associating with, 66, 124–126
deleting, 123
hiding, 123
identifier, 36, 37, 42
order, changing, 123

record, selecting by field criterion, 128–129
text field, 42, 56
watching, 207–209

key
described, 35
foreign, 39–40, 136
Personal Organizer Database application key
setup, 44
primary, 36, 37–38, 40
password, verifying against, 163–164, 167, 290, 291
project
adding to, 36–37, 41
connection setup, 46, 47–48
query, 36, 128–129, 133
record
adding, 39, 45
deleting, 129
row, relation to, 35
selecting by field criterion, 128–129
relational, 34, 39–41
row
adding, 39, 45, 122, 129, 135–136
deleting, 39, 41, 122, 129
record, relation to, 35
updating, 137–138
saving, 47
SQL, 36, 128–129
table
creating, 37
displaying in Database Explorer, 38
displaying in DataGridView control, 46, 48, 121–122, 124
filling with data, 128
introduced, 35
naming, 38
relationship, 39–41
saving, 38
updating, 128, 129, 137–138
XML
exporting data to XML file from database, 246, 247–248, 276
importing XML file into database, 246, 248–253
Personal Organizer Database application XML
import/export, 246–253, 262–267, 276

Database Explorer feature, 37, 38

DataGridView control, 46, 48, 121–122, 124

DataRow object, 128

DataSet object, 46, 123

DataSource property, 129

DataTable class, 127–128, 246, 247, 251

DataView class, 127, 133

date

- calendar type of local system, returning, 147
- current, returning, 103, 218–219
- difference between two dates, calculating, 181–182, 196–197, 221–222
- label date display, updating automatically, 218–219
- range, determining if date contained in, 220–221
- reminder application, 220–224

DateDiff

- function, 197
- method, 221

DateDifference method, 181–182, 197

DateOfBirth field, 42

DateTime class, 314

DateTimeKind class, 314

DateTimePicker control, 63, 66, 182

Debug ⇄ Continue, 206

Debug object, 209, 210–211

Debug ⇄ Start, 20

Debug ⇄ Step Into, 206

Debug ⇄ Step Over, 206–207

debugging

- breakpoint, using, 205–207, 212
- editing code while execution paused, 211–212
- field, watching, 207–209
- message, displaying when specific code line executed, 209–210, 211
- Personal Organizer Database application Amazon web service, 213
- Solution Explorer, adding debug argument using, 154
- stepping into/over code, 206–207, 212
- variable value, tracking, 207, 208–209, 212

decision statement, 76

DecryptString function, 286, 289–290

DefaultPageSettings property, 228

Delete

- method, 129
- SQL command, 129

DeleteFile method, 153

DeleteSubKey method, 151

DeleteValue method, 151

Description property, 264

destructor method, 102

Dim keyword, 71, 83

DirectoryExists method, 153

DisplayMember property, 130

DisplayName property, 104, 114

DisplayStyle property, 109

Dispose method, 102

DivideByZeroException object, 205

Do Until statement, 80–81

Dock property, 256

Document property, 171

Document Type Definition (DTD), 242. See also XML (Extensible Markup Language)

DocumentCompleted event, 173

DocumentText property, 171

DocumentTitle property, 170, 173

DocumentTitleChanged event, 173

Draw function, 229

DrawString function, 230

DrawVerticalString method, 157

DropDownItems property, 110

DTD (Document Type Definition), 242. See also XML (Extensible Markup Language)

DVD Movie Collection application, 20–25, 32

E

ECMA (European Computer Manufacturers Association), 310, 313

Edit and Continue feature, 211–212

Else keyword, 78, 79

ElseIf keyword, 78

e-mail functionality, 232, 235–238

Enabled property, 218

encryption, 284–291

EncryptString function, 286, 287, 289

equals sign (=) assignment operator, 71

Err object, 203–204

error

- displaying, 10, 87, 202, 231
- divide by zero error, 205
- handling
 - encryption error, 287
 - function error, returning to code responsible for call, 203–204
 - subroutine error, returning to code responsible for call, 203–204
 - throwing exception, 204–205
 - Try block, using, 200–202, 203–204, 287
 - validation, in, 233–234
 - XML error, 262
- ignoring, 203
- number identifying error type, 204
- pausing execution upon, 202
- string, returning error message as, 202

Error List feature, 10

ErrorProvider control, 231, 233, 234

European Computer Manufacturers Association (ECMA), 310, 313

event. See also specific event

class, adding to, 99

control events, listing, 106

defining, 99–100

described, 19

handling

Button control, 81, 82, 85, 118–119, 272–274

dynamic, 116–119

function, using, 18

print operation, 225–226, 228

subroutine, using, 81–82, 100, 116–119

WebBrowser control, 172–173, 176, 177–178

wizard form, 272–274, 278

hooking code to, 69, 82

information about, returning, 106

naming, 99

raising, 99

signature, 81

Event keyword, 99

EventArgs object, 81–82

Exception object, 200, 202

exception, throwing, 204–205

ExportDataLocationDialog object, 248

ExportPOData function, 247–248

Extensible Markup Language. See XML (Extensible Markup Language)

F

Fahrenheit function, 75

FahrenheitToCelsius function, 74–75

file. See also specific file

application file, 293

change, monitoring for, 231

class, creating from multiple files, 158

configuration file, 293

copying, 152

deleting, 153

existence, determining, 153

naming, 65, 153

Open File dialog box, creating, 253

path, 153

printing to, 225

Resource library, adding to, 24

File ⇨ New File (Visual Web Developer 2005 Express), 196

File ⇨ New Project, 11

File ⇨ Open Project, 26

File ⇨ Print, 227

File ⇨ Print Preview, 228

File ⇨ Recent Projects, 47

File ⇨ Save, 38

File ⇨ Save All, 25

File ⇨ Save Selected Items, 24

FileExists method, 153

FileName property, 248

FileSystem object, 152–153

FileSystemWatcher component, 231

fileToolStripMenuItem object, 109

Fill method, 128, 129–130

Finalize method, 102

Finally keyword, 201

FlowLayoutPanel control, 58–59

FlushFinalBlock method, 288

folder

change, monitoring for, 231

copying, 153

current, returning, 153

existence, determining, 153

listing all folders, 153

location, returning, 153

path, 153

font. See also text

code font, changing, 30

previewing, 106

printing, setup for, 229–230

property, assigning, 106

user interface, 52

Font dialog box, 106

Font Name property, 106

Font property, 106

For statement, 80

Foreign Key Relationships dialog box, 39–40, 41

form. See also wizard form, creating

application version number, displaying in, 162

caption, 23–24, 25

control, adding, 54–55, 258

creating, 7, 11

image, background, 24–25, 162, 256–257, 269

login form, 162–167

project, adding to, 155

sizing, 13, 256

FormBorderStyle property, 162

Form1.vb file, 48

Forms object, 155

Friend keyword, 96

FromAddress property, 238

function. See also specific function

- access modifier, 75
- built-in, 75
- calling, 72, 191
- creating, 72–74
- data type, assigning, 72
- defined, 19
- error, returning to code responsible for call, 203–204
- event handling using, 18
- internal, 18
- method, relation to, 83, 98
- nesting, 75
- parameter, passing to, 72–74
- private, 75, 98
- public, 98
- subroutine versus, 72

Function keyword, 72

G

GeneralFunctions.vb file, 132

GenerateReport function, 226–227

Get

- keyword, 96–97, 103
- method, 145

GetBytes method, 288

GetComponent function, 265–266

GetDirectories method, 153

GetGiftIdeas.vb file, 186

GetPerson function, 132, 133, 137

GetPersonTable object, 133

GetRelativePath method, 153

GetSteps function, 263–264, 265

GetUserID function, 163, 250

GetValue method, 151

GiftSuggestions property, 195

GlobalGraphic property, 260, 263

GmtTime method, 146

GoBack method, 15, 172, 175

GoForward method, 172

GoHome method, 15, 172, 175

GoSearch method, 172

Graphic property, 264

Graphics object, 226, 230

GripStyle property, 108, 174

GroupBox control, 58, 186

H

Handles keyword, 82

hashing, 284

HasMorePages property, 226, 228

Heading property, 264

Hello World application, 11–12

HelpProvider control, 61, 232–233

history of Visual Basic, 3–5

Host property, 237

HScrollBar control, 58

HTML (Hypertext Markup Language)

- e-mail, sending HTML-formatted, 237, 238
- XML, relation to, 241–243

HTMLDocument object, 171

Hunter, David (*Beginning XML, 3rd Edition*), 245

I

IBM website, 180

Icon property, 219

IDE (Integrated Development Environment), 7

identity, user, 280, 282

If statement, 76–78, 87

If statement, 78, 222

image

- control, graphic, 32, 55, 61–62, 109
- encoding, 316
- form, displaying in
 - background image, 24–25, 162, 256–257, 269
 - wizard form, 256–257, 258, 260, 263, 269
- icon image, 55, 61
- printing, 226
- sizing, 25
- transparency, 61

Image property, 109, 145

ImageList control, 61–62, 232

Images collection, 232

Immediate window, 209–210, 211

ImportDataLocationDialog object, 253

ImportDataUserInfo class, 250

ImportPOData function, 249, 250

Imports statement, 132, 236, 288

Indent property, 210

Info class, 146–147

Initialization Vector (IV), 285

InnerException object, 202

InnerText property, 254, 267

Insert SQL command, 129

InsertAfter method, 255

InsertBefore method, 255
InstalledUICulture object, 146
installing custom application. *See also* **ClickOnce application deployment**
 copying application to destination computer, via, 293–294
 Windows Installer, using, 294–295
installing SQL Server, 6
installing template, 22
installing Visual Basic 2005 Express, 6–7, 15
Integrated Development Environment (IDE), 7
IntelliSense feature, 87–88
Internet Explorer, 151, 170, 171
interpreter, command-line, 4
Is Identity property, 42
IsBodyHtml property, 237
IsInRole method, 281
IsOffline property, 170
IsWebBrowserContextMenuEnabled property, 170, 174
Items property, 107
ItemSearch method, 184–185, 191, 192
ItemSearchResponse object, 185, 192–193, 213
ItemValue property, 160
IV (Initialization Vector), 285

K

Keyboard object, 149–150
keyboard shortcut, disabling in WebBrowser control, 170

L

Label control, 55, 66, 218–219
license agreement, 6
LinkLabel control, 55
Lippert, Eric (Visual Basic .NET Code Security Handbook), 279
ListBox control, 58, 68, 126, 129–130
ListDetails.vb file, 22
Load
 event, 131
 method, 254
LoadXml method, 254
LocalTime method, 146
login form, 162–167
looping code execution, 79–81

M

MailAddress object, 238
MailAddressCollection object, 236, 237–238
MailMessage object, 237
MainForm property, 153
MainForm.vb file, 22, 65, 84–85
markup language, 241
MaskedTextBox control, 56
math, 71
Measure function, 229
MeasureString method, 230
memory available, returning, 147
MemoryStream object, 288
menu
 color, 66
 command set, adding default, 65
 control overview, 59–60
 item
 adding, 65
 collection, 107, 109–110
 drop-down, 107, 109, 110–111
 Personal Organizer Database application menu system, 108–111, 119
 separator, 107, 109, 110
 WebBrowser control context menu, 170
MenuStrip control, 60, 65, 107
Message property, 202
method. *See also specific method*
 calling, 18
 constructor, 102
 creating, 98
 defined, 19
 destructor, 102
 external, 18
 function, relation to, 83, 98
 object, relation to, 18, 83
 overloading, 101–102
 subroutine, relation to, 98
 web method, 181
 web service, listing methods available to, 181
Microsoft Access software, 33
Microsoft Database Engine (MSDE), 34
Microsoft Developer Network (MSDN), 6, 30–31, 307
Microsoft Intermediate Language (MSIL), 312
Microsoft Passport, 311
Microsoft SQL Desktop Edition (MSDE), 34

Microsoft website

- MSDN, 6, 30–31
- .NET Framework download, 300
- starter kit download, 22
- UDDI resources, 180, 181

minus sign (-) subtraction operator, 71**module, 132****Mouse object, 148****MSDE (Microsoft Database Engine), 34****MSDE (Microsoft SQL Desktop Edition), 34****MSDN (Microsoft Developer Network), 6, 30–31, 307****MSIL (Microsoft Intermediate Language), 312****My Movie Collection Starter Kit template, 20****My namespace**

- Application object, 153–155
- Computer object, 144–153
- Forms object, 155
- .NET Framework, integration with, 143–144
- Project object, 153–155
- Resources object, 155
- Settings object, 155
- User object, 152
- WebServices object, 155

My Project window, 154, 295, 299**N****namespace. See also specific namespace**

- module, 132
- .NET Framework, 143–144, 232, 236, 314–316

Navigate method, 14, 171–172**Navigated event, 173****Navigating event, 173****.NET Framework**

- COM, 310–311
- component support, 312
- development history, 310–311
- downloading, 300
- ECMA ratification, 310
- encryption, 285
- language integration, 312–313
- Microsoft Passport, 311
- namespace, 143–144, 232, 236, 314–316
- prerequisite for Visual Basic application, 294, 300
- printing, 144
- security, 280, 285
- SQL Server ADO.NET support, 34

Network object, 151–152**New**

- keyword, 102
- method, 83, 102, 104

New Project dialog box, 7**NewId property, 251****Next keyword, 79–80****Not operator, 85–86****NotifyIcon control, 61, 219, 220–221****Now keyword, 103****number**

- comparison, 139–140
- formatting, 147

Number property, 264**NumberOfLinesFilled property, 230****O****object**

- class
 - creating object from, 83
 - relation to object, 18
- collection, editing, 107
- creating, 18, 83, 102
- defined, 19
- destroying, 102
- existence, determining, 85–86, 141
- initializing, 83
- instantiating, 102
- method, relation to, 18, 83
- property, relation to, 18
- type, determining using reflection functionality, 270

Object class, 314**objPersonalDetails object, 86****of keyword, 161****OLE DB (Object Linking and Embedding Database), 48–49****OOP (Object-Oriented Programming), 17–19****Open File dialog box, creating, 253****Open Project dialog box, 26****OpenSubKey method, 151****Operation property, 185****Options window, 28–29, 30****P****PageSetupDialog control, 62, 224****Panel control, 57, 58–59, 66, 84, 256–257****parentheses ({ })**

- event parameter delimiters, 99
- subroutine delimiters, 72

Partial keyword, 158–160, 167

Passport, Microsoft, 311

password

database, verifying against, 163–164, 167, 290, 291
encrypting, 286–291

string, comparing against, 141

TextBox control for entering, 162–163

path, 153

pausing application execution, 202, 211–212

percent sign (%) SendKeys method replacement character, 150

period (.)

method prefix, 101

object suffix, 98

property prefix, 18, 101

permission, 280, 283, 303

Person

class, 83, 95, 103, 112–113, 114

property, 113, 114

table, 42–43, 49, 238, 252

Personal Organizer Database application

AcceptButton property, 162

Add Person Click subroutine, 114

AddCheckBox subroutine, 269, 270

AddComboBox subroutine, 271

AddPerson function, 136, 138

AddPersonRow method, 136, 252

AddPOUserRow function, 290

AddRadioButton subroutine, 270

AddTextArea subroutine, 270, 271, 278

Allow Nulls property, 44

Amazon web service, integrating with

 btnGetGiftIdeas_Click subroutine, 189–190

 btnSearch_Click subroutine, 191, 192, 193

 calling web service, 192

 Cancel button, 194

 Cancelled property, 195

 CheckedListBox control, 186, 191, 193, 194, 195

 debugging, 213

 GetGiftIdeas.vb file, 186

 GiftSuggestions property, 195

 ItemSearch method, 184–185, 191, 192

 ItemSearchResponse object, 185, 192–193, 213

 mbCancelled variable, 194–195

 msFavorites variable, 188

 msGiftSuggestions variable, 195

 PersonDetails control setup, 185–186, 187, 189

 RadioButton control setup, 186–187, 188

 referencing web service, 191

 Save button, 195, 198

 SelectedText property, 192

 title, concatenating into string, 195

 AutoCompleteCustomSource property, 234

 AutoCompleteSource property, 234

 BirthDate field, 66

 btnAddPerson_Click subroutine, 86, 177

 btnCancel_Click subroutine, 272

 btnFinish_Click subroutine, 273–274

 btnGetGiftIdeas_Click subroutine, 189–190

 btnSearch_Click subroutine, 191, 192, 193

 btnSend_Click subroutine, 237

 btnShowList_Click subroutine, 84, 85, 166, 177

 btnWeb_Click subroutine, 177

 ButtonClickedHandler subroutine, 118, 234

 Button1_Click subroutine, 275–276

 CancelButton property, 162

 Cancelled property, 195, 261

 CheckedListBox control, 186, 191, 193, 194, 195

 CloseRequested class, 176, 178

 ComponentControlType property, 266

 Components object, 260

 ControlType

 class, 260

 property, 266

 CreateUser function, 164, 290

 creating database, 41

 CurrentControl object, 274

 CurrentStep variable, 262

 data source setup, 47–48, 126

 DataSource property, 129

 DateOfBirth field, 42

 DecryptString function, 286, 289–290

 Description property, 264

 DisplayMember property, 130

 DisplayName

 column, 44

 property, 104, 114

 Draw function, 229

 e-mail functionality, 235–238

 EncryptString function, 286, 287, 289

 errorPersonalDetails component, 233

 ExportDataLocationDialog object, 248

 ExportPOData function, 247–248

 exportToolStripMenuItem_Click subroutine, 248

 FileName property, 248

 fileToolStripMenuItem object, 109

 FindComponent subroutine, 275

 FromAddress property, 238

- GeneralFunctions.vb file, 132
- GenerateReport function, 226–227
- GetComponents function, 265–266
- GetGiftIdeas.vb file, 186
- GetPerson function, 132, 133, 137
- GetPersonTable object, 133
- GetSteps function, 263–264, 265
- GetUserID function, 163, 250
- GiftSuggestions property, 195
- GlobalGraphic property, 260, 263
- Graphic property, 264
- Heading property, 264
- help functionality, 232–233
- identifier field, 42
- ImportDataLocationDialog object, 253
- ImportDataUserInfo class, 250
- ImportDefinition subroutine, 262–263
- ImportPOData function, 249, 250
- importToolStripMenuItem_Click subroutine, 253
- InitializeWizardSettings subroutine, 262
- InnerText property, 254, 267
- Is Identity property, 42
- ItemSearch method, 184–185, 191, 192
- ItemSearchResponse object, 185, 192–193, 213
- key setup, 44
- LoadListBox subroutine, 130, 131, 166
- login form, 162–167
- MailAddress object, 238
- MailAddressCollection object, 236, 237–238
- MailMessage object, 237
- MainForm.vb file, 22, 65, 84–85
- mbCancelled variable, 194–195
- Measure function, 229
- menu system, 108–111, 119
- msFavorites variable, 188
- msGiftSuggestions variable, 195
- Name column, 44
- NameFirst row, 44
- NavigateToStep subroutine, 272
- navigation bar, 46
- New method, 104
- NewId property, 251
- Number property, 264
- NumberOfLinesPrinted variable, 230
- objPersonalDetails object, 86
- objPersonalDetails_ButtonClicked subroutine, 165
- objPersonList variable, 85, 86, 134
- objPOWebBrowser variable, 177
- objPOWebBrowser_CloseRequested subroutine, 178
- password encryption, 286–291
- Person
 - class, 83, 95, 103, 112–113, 114
 - property, 113, 114
 - table, 42–43, 49, 238, 252
- PersonalDetails control
 - Cancel button, 116–119, 135
 - CheckBox control group, placing in, 139–140
 - creating, 66, 85
 - existence, determining, 85–86
 - filling with data, 134–135
 - Gift Categories area, 139–140
 - helpPersonalDetails component, 232
 - Person class, associating with, 113
 - PersonList control, removing from screen when displaying, 85–86
 - resetting, 115, 139
 - Save button, 116–119, 135–136
 - validation, 233–234
- PersonDataTable object, 132, 136
- PersonDetails control, 185–186, 187, 189
- PersonList control
 - creating, 68
 - data source, 126
 - Delete Selected button, 131
 - initializing, 84
 - ListBox control, updating from, 126, 129–130
 - objPersonList variable, 85, 86, 134
 - PersonalDetails control, removing from screen when displaying, 85–86
 - printing, allowing only when displayed, 240
 - record display, 165–166
 - Send Email button, 237
 - Show Details button, 132
- PersonTableAdapter object, 132
- Pet table, 39, 49
- pnlControls object, 269, 272, 274
- POMessage form, 235
- POUser table, 44, 45, 126, 136, 247–249
- POUserDataTable class, 137
- POUserID column, 44
- POWebBrowser control, 174, 177, 178
- printing, 226–231
- ProgressBar control, 240
- RemoveButtons function, 118
- ReportString variable, 227, 229
- ResetFields subroutine, 113, 139
- running, 48

PersonalDetails control

- saveToolStripButton_Click subroutine, 165
- SelectedItems object, 134, 237, 238
- SelectedText property, 192
- SetForm subroutine, 261, 268–269
- SettingValues property, 260
- SetupButtons subroutine, 117–118
- splash screen, 161–162
- StatusLabel control, 240
- StatusStrip control, 240
- StoreNewValues subroutine, 274–275
- StringFormat object, 229
- ToAddresses collection, 238
- toolbar, 108–109
- ToolStripMenuItem object, 109
- txtFirstName control, 233
- txtFirstName_Validating subroutine, 233
- txtLastName_Validating subroutine, 233–234
- UpdatePerson function, 137–138
- user interface, 64–67, 84–88
- UserPasswordMatches function, 290, 291
- WebBrowser control, 173–179
- WizardBase_Load subroutine, 261–262
- WizardComponent class, 265–266, 270, 274
- WizardDefinition property, 275
- WizardSettingValues property, 273
- WizardStep class, 259–260, 263–265, 273, 275
- XML, import/export, 246–253, 262–267, 276
- PersonalDetails control**
 - Cancel button, 116–119, 135
 - CheckBox control group, placing in, 139–140
 - creating, 66, 85
 - existence, determining, 85–86
 - filling with data, 134–135
 - Gift Categories area, 139–140
 - helpPersonalDetails component, 232
 - Person class, associating with, 113
 - PersonList control, removing from screen when displaying, 85–86
 - resetting, 115, 139
 - Save button, 116–119, 135–136
 - validation, 233–234
- PersonDataTable object, 132, 136**
- PersonDetails control, 185–186, 187, 189**
- PersonList control**
 - creating, 68
 - data source, 126
 - Delete Selected button, 131
 - initializing, 84
 - Listbox control, updating from, 126, 129–130
 - objPersonList variable, 85, 86, 134
 - PersonalDetails control, removing from screen when displaying, 85–86
 - printing, allowing only when displayed, 240
 - record display, 165–166
 - Send Email button, 237
 - Show Details button, 132
- PersonTableAdapter object, 132**
- PictureBox control, 62, 145–146**
- Play method, 148**
- plus sign (+)**
 - addition operator, 71
 - SendKeys method replacement character, 150
- pnlControls object, 269, 272, 274**
- PO-Data.mdf file, 41**
- POUserDataTable class, 137**
- POWebBrowser control, 174, 177, 178**
- Prerequisites dialog box, 300**
- PrimaryScreen property, 148**
- primitive, cryptographic, 284**
- Principal object, 280–281, 282**
- PrincipalPermission object, 280**
- Print**
 - function, 172
 - method, 225
- PrintDialog control, 62, 224**
- PrintDocument**
 - class, 225, 226, 228
 - control, 62
- Printers object, 152**
- printing**
 - control overview, 62
 - event handling, 225–226, 228
 - file, to, 225
 - font setup, 229–230
 - image, 226
 - line limit, specifying, 229
 - .NET Framework, 144
 - page
 - flagging last, 226, 228
 - margin, 224
 - orientation, 224
 - printable area, determining, 228
 - range, 225
 - paper size, 224
 - Personal Organizer Database application, 226–231
 - PersonList control, allowing only when displayed, 240
 - preview, 62, 172, 224, 227
 - security, 280, 281

selecting printer, 224
 text, 226, 229–230
 user interface, 224–225, 227–228
 WebBrowser control, from, 170, 172

PrintPage event, 225–226, 228

PrintPageEventArgs object, 226

PrintPreviewControl control, 62, 225

PrintPreviewDialog control, 62, 224, 227

Private keyword, 75, 96, 97

product support web page, offering, 302

progress bar display, 60, 240

ProgressChanged event, 173

project

- class, adding, 95
- control, adding, 174
- creating, 7, 11, 20
- database
 - adding, 36–37, 41
 - connection setup, 46, 47–48
- form, adding, 155
- location, 30
- module, adding, 132
- naming, 20
- opening, 26, 47
- option default, changing, 30
- reference
 - listing all references, 154
 - web reference, adding, 180
- saving, 25, 30
- starter kit, 20–25
- updating project created in previous version, 26–27

Project ⇄ Add Class, 95

Project ⇄ Add New Item, 36

Project ⇄ Add User Control, 174

Project ⇄ Add Web Reference, 180

Project ⇄ Add Windows Form, 155

Project ⇄ New Module, 132

Project object, 153–155

Project1.vbp file, 26

Properties window, 10, 106

property. See also specific property

- access modifier, 97
- class, adding to, 112–113
- color, 105
- control
 - assigning property to, 54–55
 - updating automatically upon property change, 113
- defining, 96, 105–107
- described, 19
- font, 106

- information about, returning, 106
- listing all properties, 106
- object, relation to, 18
- private, 97
- public, 97
- read-only, 97
- value, getting/setting, 96–97
- write-only, 97, 187
- XML attribute, 244

Property structure, 96

Protected keyword, 96

Provider object, 288

Public keyword, 96, 97

Publish Wizard, 295–296

Q

Quick Watch feature, 209

quotation marks (“ ”) XML attribute delimiters, 243

R

RadioButton control, 57, 186–187, 188, 270

Raise method, 203–204

RaiseEvent command, 99, 176

RC2 encryption, 285

ReadOnly keyword, 97, 114

ReadXml method, 246, 251

reflection functionality, determining object type using, 270

Refresh function, 172

Registry object, 151

RemoveButtons function, 118

RenameFile method, 153

Request property, 185

Resource library, 24

Resources object, 155

Return keyword, 72

Rijndael encryption, 285

role, security, 279, 280–283

running application, 12, 20

S

Screen object, 148

scrollbar, 58

SearchIndex property, 185, 191, 192

security

- ClickOnce application deployment, 302–304
- code-based, 283–284

Select

- encryption, 284–291
- form, 282–283
- hashing, 284
- identity, 280, 282
- .NET Framework, 280, 285
- permission, 280, 283, 303
- printing, 280, 281
- role-based, 279, 280–283
- signature, digital, 284, 303
- Windows Installer, 294–295
- Select**
 - method, 137
 - SQL command, 128–129
- Select Case statement, 78–79**
- SelectedItem object, 134, 237, 238**
- SelectedText property, 192**
- SelectNodes**
 - function, 255
 - method, 263, 265, 267
- SelectSingleNode method, 254, 262, 264**
- Send method, 237**
- SendKeys method, 149–150**
- Set**
 - keyword, 96–97, 103
 - method, 145
- SetError method, 233**
- Settings object, 155**
- SettingValues property, 260**
- SetValue method, 151**
- ShowDialog method, 195, 225**
- ShowPageSetupDialog method, 172**
- ShowPersonDetails event, 134**
- ShowPrintDialog method, 172**
- ShowPrintPreviewDialog method, 172**
- ShowPropertiesDialog method, 172**
- ShowSaveAsDialog method, 172**
- signature**
 - digital, 284, 303
 - event, 81
- Simple Mail Transfer Protocol (SMTP), 237**
- Simple Object Access Protocol (SOAP), 179**
- SizeF structure, 230**
- SizeNeededHeight property, 230**
- slash (/) XML closing tag prefix, 243**
- smart tag, 65, 109**
- SMTP (Simple Mail Transfer Protocol), 237**
- smtpClient object, 237**
- SOAP (Simple Object Access Protocol), 179**
- Solution Explorer feature, 7, 10, 22, 24, 154**
- SoundPlayer control, 63**
- splash screen, 153, 161–162**
- SplitButton control, 60**
- SplitContainer control, 59**
- SQL Native Client, 34**
- SQL Server. See also database**
 - Add New Table menu, 37
 - ADO.NET support, 34
 - authentication, 46
 - buffer, 34
 - ClickOnce application deployment prerequisite, 304
 - Computer Manager feature, 34
 - connecting to database, 128
 - creating database, 36–37, 39
 - engine, 34
 - Express version (on the CD), 307
 - installing, 6
 - MSDE, relation to, 34
 - reliability, 33
 - size of database supported, 34
 - SQL Native Client support, 34
 - Table Designer toolbar, 39
 - Transact-SQL support, 34
- SQL (Structured Query Language), 36, 128–129. See also database; SQL Server**
- SqlDataAdapter class, 128**
- SqlDataTable class, 128**
- Start method, 218**
- Start Position property, 162**
- starter kit, 20–25**
- starting**
 - application, 12
 - Visual Basic, 7
- Static variable, 228**
- StatusLabel control, 240**
- StatusStrip control, 60, 65, 240**
- StatusText property, 171**
- StatusTextChanged event, 173**
- Stop**
 - function, 172
 - method, 148
- Stream object, 288**
- StringFormat object, 229**
- Structured Query Language (SQL), 36, 128–129. See also database; SQL Server**
- Sub keyword, 72**
- subroutine**
 - Button control, assigning to, 74
 - calling, 72
 - error, returning to code responsible for call, 203–204
 - event handling using, 81–82, 100, 116–119

function versus, 72
 method, relation to, 98
 parameter, passing to, 72–73
 signature, 81
 syntax, 72

system information, returning, 146–147

System namespace

`Collections` subordinate namespace, 315
`Data` subordinate namespace, 49, 132, 315
`Drawing` subordinate namespace, 315, 316
`Drawing2D` subordinate namespace, 316
`IO` subordinate namespace, 315
`.NET Framework`, 232, 236, 314–316
`Printing` subordinate namespace, 316
`Security` subordinate namespace, 282, 315
`Text` subordinate namespace, 315
`Timers` subordinate namespace, 315
`Windows` subordinate namespace, 148, 315
`Xml` subordinate namespace, 253–256, 273, 315

T

tab order, setting, 106–107

Table Designer ⇄ Relationships, 44

Table Designer toolbar (SQL Server), 39

TableLayoutPanel control, 58–59

Tables and Columns dialog box, 39

tag, smart, 65, 109

Task List feature, 10

Tasks window, 123

template, 11, 20, 22

TestWebService application, 181

text

aligning, 56, 162
`Button` control, 11, 55
 case
 converting, 56, 267
 XML case sensitivity, 243
 color, 55, 89
 comparing strings, 141
 concatenating, 195, 227
 data type, 70
 database column caption, 123
 error message, returning as string, 202
 field, 42, 56
 font
 code font, changing, 30
 previewing, 106
 printing, setup for, 229–230

property, assigning, 106
 user interface, 52
 form caption, 23–24, 25
 layout area, 230
 printing, 226, 229–230
 validating, 233–234
`WebBrowser` control
 title bar text, customizing, 170
 web page displayed in, returning as text, 171
 wizard form caption, 258
 XML document, converting to string, 254

Text property, 157, 182, 236

TextBox control

alignment, 56
 anchoring, 67, 186
 AutoComplete functionality, 232
 case conversion, 56
 change, monitoring for, 217
 clipboard, filling from, 145, 149
 color, 89
 described, 56
`Multiline`, 56
 naming, 74
 password entry, for, 162–163
 read-only, 56, 186

Then keyword, 87

Throw statement, 204

Tick event, 218, 220, 222–224

tilde (~) SendKeys method replacement character, 150

time

`Clock` object, 146
 current time, returning, 103, 146

Timer control, 217–223

title bar

Internet Explorer, 170
`WebBrowser` control, 170
 wizard form, 258, 269

ToAddresses collection, 238

ToLower function, 267

toolbar of application, customizing, 108–109

Toolbox window, 7–8, 9–10, 219

Tools ⇄ Export Data, 248

Tools ⇄ Import Data, 253

Tools ⇄ Options, 28

ToolStrip control, 60, 65, 108, 119, 174

ToolStripMenuItem object, 109

ToolTip control, 60–61, 219

ToString method, 75, 147, 202, 254

ToUpper function, 267

Transact-SQL language, 34

transparency

- color, 162
- image, 61

TripleDES (Triple Data Encryption Standard), 285, 287–290

Try statement, 200–202, 203–204, 287

txtFirstName control, 233

U

UDDI (Universal Description Discovery, and Integration), 180, 181

Uniform Resource Locator. See URL (Uniform Resource Locator)

Unindent property, 210

Update

- method, 128, 129, 137, 251, 252
- SQL command, 129

UpdatePerson function, 137–138

updating

- application, updating automatically via ClickOnce
 - deployment, 295, 297–298, 300–301, 304, 306
- control, updating automatically upon property change, 113
- project, 26–27
- Visual Basic, 27

Uri property, 170, 174, 175

URL (Uniform Resource Locator)

- web service
 - Access Point URL, 181
 - constructing URL from, 180
- WebBrowser control
 - loading URL into, 13–14, 171–172
 - returning current URL, 170

User

- object, 152
- XML node, 243, 244, 254

user identity, 280, 282

user interface. See also control; form

- color, 52, 53
- consistency, 52
- contrast, visual, 52–53
- enabling user interface element, 56
- font, 52
- grouping elements, 53, 57, 58
- Personal Organizer Database application, 64–67, 84–88
- print dialog, 224–225, 227–228
- simplicity, 51–52
- wizard form, custom, 256–257

UserExists function, 163

UserID property, 166

UserPasswordMatches function, 290, 291

Using statement, 273

V

validation

- text, 233–234
- XML, 242, 244–245

variable

- access modifier, 96
- class structure, place in, 96
- compiler shortcut variable, 101
- data type, assigning, 71
- declaring, 30, 71–72
- defined, 19
- Friend scope, 96
- function, passing to, 74
- loop counter, 79
- Option Strict option, 30, 75
- private, 96
- Protected scope, 96
- public, 96
- status display, 74, 87
- value
 - assigning manually while application running, 209
 - tracking, 207, 208–209, 212

vb files, 65

vbObjectError constant, 204

version

- application
 - displaying version number in form, 162
 - updating automatically using ClickOnce deployment, 295, 297–298, 300–301, 304, 306
- Internet Explorer version, returning, 151
- project created in previous version, updating, 26–27
- Visual Basic, updating, 27

View ⇄ Database Explorer, 37

View ⇄ Tab Order, 106

Visual Basic .NET Code Security Handbook (Lippert), 279

Visual Basic Upgrade Wizard, 26–27

Visual Studio development environment, 309–310

Visual Web Developer 2005 Express (on the CD), 180, 196–197, 308

vScrollBar control, 58

.vsi files, 22

W**Watch windows, 207–208****web method, 181****web service. See also Amazon web service**

- calling, 192
- class, 180
- consuming, 180, 181–182
- creating, 180
- date difference, calculating using, 181–182, 196–197
- described, 179
- instance, creating, 182
- locating, 180
- methods available, listing, 181
- referencing, 180, 191
- SOAP, role in, 179
- UDDI library, 180, 181
- URL
 - Access Point URL, 181
 - constructing from web service, 180
 - Visual Basic 2005 versus Visual Basic Express, 180
 - Visual Web Developer 2005 Express, developing web service application using, 180, 196–197
 - XML, role in, 179, 180

WebBrowser control

- address bar, customizing, 170
- AllowWebBrowserDrop property, 170, 174
- CanGoBack property, 170, 175, 178
- CanGoForward property, 170, 178
- closing, 176
- Document property, 171
- DocumentCompleted event, 173
- DocumentText property, 171
- DocumentTitle property, 170, 173
- DocumentTitleChanged event, 173
- event handling, 172–173, 176, 177–178
- GoBack method, 15, 172, 175
- GoForward method, 172
- GoHome method, 15, 172, 175
- GoSearch method, 172
- IsOffline property, 170
- IsWebBrowserContextMenuEnabled property, 170, 174
- Navigate method, 14, 171–172
- Navigated event, 173
- Navigating event, 173
- Personal Organizer Database application implementation, 173–179
- printing from, 170, 172
- ProgressChanged event, 173

- Refresh function, 172
- ShowPageSetupDialog method, 172
- ShowPrintDialog method, 172
- ShowPrintPreviewDialog method, 172
- ShowPropertiesDialog method, 172
- ShowSaveAsDialog method, 172
- StatusText property, 171
- StatusTextChanged event, 173
- Stop function, 172
- text
 - title bar text, customizing, 170
 - web page displayed in, returning as, 171
- URL
 - loading specified, 13–14, 171–172, 175
 - returning, 170
- WebBrowserShortcutsEnabled property, 170

WebServices object, 155**WheelExists property, 148****WheelScrollLines property, 148, 149****while statement, 80, 81****widget, 4****Windows Installer, 294–295****WindowsPrincipal class, 282****with statement, 101****withEvents keyword, 100, 116, 134, 178****wizard form, creating**

- cancel functionality, 261, 272
- caption, 258
- ComboBox component, 266–267, 271
- control
 - adding, 258, 259
 - event handling, 272–274
- data definition, 258
- description text box, 257, 258, 269
- event handling, 272–274, 278
- Finish
 - button, 268, 273
 - flag, 258
- heading, 258, 269
- image display, 256–257, 258, 260, 263, 269
- initializing, 261–262
- loading, 261–262, 268
- Next button, 268, 272
- Previous button, 268, 272
- runtime, customizing during, 268–271
- sizing, 256
- Start button, 268, 272
- storing value set by user, 274–275
- title bar, 258, 269
- user interface, 256–257

wizard, using built-in

XML

- component attribute, defining, 259
- document, filling, 273–274
- error handling, 262
- importing data from XML file, 262–267
- schema, 278

wizard, using built-in, 25–27. See also specific wizard

WizardComponent class, 265–266, 270, 274

WizardDefinition property, 275

WizardSettingValues property, 273

WizardStep class, 259–260, 263–265, 273, 275

WorkingArea object, 148

WriteContentTo function, 254

WriteElementString

- function, 255
- method, 273

WriteEndElement method, 255, 273

WriteLine method, 209

WriteLineIf method, 210

WriteOnly keyword, 97

WriteStartElement method, 255, 273

WriteTo function, 254

WriteXml method, 246, 247

Wrox website, 308

X

XML (Extensible Markup Language)

- attribute
 - content, mixed, 244
 - element, assigning to, 244
 - introduced, 242
 - property, 244
 - returning, 254
 - syntax, 243
 - wizard form component attribute, defining, 259
- case sensitivity, 243
- database
 - exporting data to XML file from, 246, 247–248, 276
 - importing XML file into, 246, 248–253
 - Personal Organizer Database application XML
 - import/export, 246–253, 262–267, 276
- described, 241–243
- document, 252, 253–254
- DTD, 242
- element
 - attribute, assigning, 244
 - child, 244, 254
 - introduced, 242
 - parent, 244

- root, 243, 244, 254
- sibling, 244
- sister, 244
- error handling, 262
- HTML, relation to, 241–242
- namespace, 253–256, 273, 315
- node
 - collection, returning, 255
 - creating, 255
 - document, inserting in, 255
 - selecting, 254–255, 263, 265, 267
- schema, 242, 244–245, 247, 278
- tag
 - defining, 242
 - syntax, 243
 - value, 242
- validation, 242, 244–245
- web service, role in, 179, 180
- well formed, 244
- wizard form
 - component attribute, defining, 259
 - document, filling, 273–274
 - error handling, 262
 - importing data from XML file, 262–267
 - schema, 278
- XmlDocument class, 253–254, 255, 262**
- XmlNode object, 254, 263, 264**
- XmlReader object, 255**
- XmlWriter object, 254, 255, 273**
- XPathNavigator object, 273**
- XSD (XML Schema Document), 242, 244–245, 247, 278**

