

Index

Note to reader: **Bolded** page references indicate main discussions of a topic and definitions. *Italicized* page references indicate illustrations.

Numbers

216 color palette, 474
3D effects, **228**, 228

A

absolute addresses, 124
absolute units, CSS units, 331
Access. *see* Microsoft Access
Access Permissions pane, of Virtual Directory Creation Wizard, 856
action attribute, HTML, 688
active content. *see also* ActiveX; Java
 browser support for, **438**
 defined, 581
Active Server Pages. *see* ASP (Active Server Pages)
ActiveX Control Properties dialog box, 586–587, 587
 Object tab, 587, 588–589
 Parameter tab, 589, 590
ActiveX controls, **581–591**
 changing properties of, **586–590**
 creating, **590–591**
 installing from IE, 582
 locating and inserting, **581–585**
 obtaining additional, **585–586**
 online resources for, 586
 overview of, **581**
ad banners
 placing on Web pages, **396–397**, 397
 using frames for, 295
 using with community site, 794
 using with large scale sites, 821
Add Browser dialog box, 442
Add Choice dialog box, 373
Add Clips to Organizer dialog box, 895
Add Editor Association dialog box, 844, 844
Add Name And Value dialog box, 409
Addicted 2: Stuff, Web site, **21–22**, 22
additive synthesis, color management, 473
Address style, paragraph styles, 141
administrative extensions, FrontPage Server Extensions, 659
Administrator, Windows 2000, 880
Adobe Illustrator, **491–492**
 creating shapes, 492, 492
 as imaging program, 213
 online resources for, 491
 setting directional type with, 491

- Adobe Photoshop, **488–489**
 - adding drop shadow, 490
 - as imaging program, 213
 - layering with, **489**, 489
 - online resources for, 490
 - overview of, 488
 - specialty features of, **490**
- Advanced Form Properties dialog box, creating hidden fields, 375–376, 376
- advertising banners. *see* ad banners
- advertising, moderated forums and, 803
- Alien Skin Software, **499**, 499
- align="", IMG tag attribute, 463
- alignment
 - of sound controls, 248
 - of tables, 264, **275–276**
 - of text in table cells, **269–271**
 - of video controls, 241
- alpha testing, software releases and, 191
- AltaVista, checking retroactive links in, 647
- Amazon.com, as database-backed Web site, 603
- ancillary content
 - online communities and, 790–791
 - technologies of, 794
- animations, GIF animation programs, 503–504
- anonymous access, 854
- anti-aliasing, 169
- AppleScript, **677**
- application objects, ASP, 694
- architecture, guidelines for directory structure, 630. *see also* structure
- art catalogs, using frames for, 295
- ArtToday, online resource for stock art, 502
- ASCII text files
 - converting documents into Web pages and, 63
 - scripts and, 684
- ASP (Active Server Pages), **692–706**
 - adding scripts to Web pages, **704–705**
 - ASP tools, **699–704**
 - ASP Table Wizard, 699–703, 700, 703
 - InterDev, 699–700, 700
 - online resources for, 704
 - data entry with, 606
 - dynamic content with, 794
 - executable folders and, 620
 - online resources for, 705
 - overview of, 693–699
 - online resources for, 699
 - scripting choices, **695–699**
 - structure, **694–695**
 - using with large scale sites, 821
- .asp files, 704
- ASP Table Wizard
 - ASP tools and, 699–700, 700
 - example program, 701–703, 703
- .au files (Sun Audio sound files), 245
- audience, target
 - community Web sites, **791–792**
 - large-scale Web sites, **818**
 - personal Web sites, **738**
 - pre-production planning and, **509–510**
 - small-business Web sites, **759**
- Authentication Methods dialog box, 854, 854–855
- authoring extensions, FrontPage Server Extensions, 659

Authorware, Macromedia, 496

Auto F/X, filters, **500**, 500

AutoFormat command, managing tables
appearance, **282–283**

B

background sounds

for IE and Navigator, **249–251**

for IE only, **251–252**, 252

Background tab, of Properties dialog box, 113

backgrounds, **112–117**

adding color, **228**

choosing color, **112–113**

choosing graphic for, **114–115**

creating, 516

for tables, **289**

Balance dialog box, Microsoft Photo Editor,
223, 223

Banner Ad Manager Properties dialog box,
396–397, 397

banners. *see* ad banners

basic authentication, 855

BBSs (Bulletin Board Services), 789

beta testing, 191–192

binary files, 684

Blank Picture Dialog box, Microsoft Photo
Editor, 218

blockquote tags

setting margins with, **449–454**

standard and indented margins with, 454

<BODY> tag, 455, 457

Bookmark dialog box, 121

bookmarks

links to, **121–122**

marking frames, 294

border style, 335

borders

adding, **228**

adding color to table borders, **288**

of frames, **314–316**

selecting DHTML effects for, 568, 568–569

setting width of table borders, **284–286**

of sound controls, 248

of tables, 265

of video controls, 241

Borders and Shading dialog box, 568, 568–569

bottommargin, IE margin attributes, 455

branding a product, **764–765**

Break dialog box, 89

Broken Hyperlinks report, 631–632

changing links, 633–635

editing links, 635

browser-detection scripts, 432–433

BrowserWatch, 430–431

browsing extensions, FrontPage Server
Extensions, 659

bulleted lists, **142–143**

changing style of, 142–143

creating, 142

Bulletin Board Services (BBSs), 789

bulletin boards, CGI scripts and, 671

business plans, small-business Web sites,
760–761

button bar

use on IRS newsletter, 24

using for navigation, 17
 button bars, using frames for, 295

C

C language, 677

Caboodles of Clip Art, online resource for
 stock art, 502

caching, databases, 717

Caption Properties dialog box, 273

career opportunities

certification and, 833

list of, 832–833

Cascading Style Sheets (CSS), 326–346

applying embedded style sheets, 339–342

applying external style sheets, 342–345

applying inline style sheets, 337–339

class selectors, 332–333

compatibility issues with, 327

components, 330–331

definition of, 327

inheritance and, 333–334

introduction to, 328

terms and concepts, 329

units of measurement, 331–332

when to use, 334–336

advantages of, 334

disadvantages of, 335

catalogs, using databases for, 606

cell padding, 265, 284–286, 466–468

Cell Properties dialog box

alignment options, 270, 270–271

no wrap option, 271–272

options in, 283

using background images in tables, 289

using single-pixel GIFs, 470, 470–471

cell spacing, 265, 284–286, 466–468

cells, in tables

adding, 277–278, 278

defined, 258

editing, 283

merging into a single cell, 280–281

splitting, 278, 278–279

certification, online resources for, 833

CGI (Common Gateway Interface), 670–690

adding scripts to Web pages, 685–690

changing permissions (chmod),
 686–688

getting help, 689

placing script on servers, 686

pointing to CGI script from HTML,
 688–689

testing scripts, 690

compared with ASP, 693–694

compared with FrontPage Server
 Extensions, 673

executable folders and, 620

online resources for, 675

overview of

features added with, 671–673

server-side programming and,
 673–676

programming languages for

AppleScript, 677

C, 677

Perl, 676–677

TcL and Python, 677

programming with, 676–677

- script resources for, **680–681**
- server selection and, **678–679**
- using as form handlers, 358, 380–381
- using with large scale sites, 821
- working with scripts, **681–685**
 - FTP client, **682–684**
 - Telnet, **684–685**
- CGI Resources, 680, 681
- CGI Script Center, 680
- CGI-World Professional Scripts, 680
- Chalk and Charcoal command, Effects menu, 224–225, 224–225
- chat hosts, **804**
- chats
 - adding to community Web site, **802**
 - online communities and, 789, 790
 - overview of, 794
- Check Box Properties dialog box, 369
- check boxes, **368–369**
- chmod, changing permissions with, **686–688**
- circular shapes, 479
- class selectors, CSS, **332–333**
- client/server databases, **713–714**
 - defined, **709**
 - IBM DB2, **713**
 - Oracle8i and Oracle9i, **713**
 - Sybase Adaptive Server Enterprise, **714**
- clients
 - pre-production planning and, **510–511**
 - relationships with, 723
- clip art
 - getting from Clip Organizer, 96–99, 97
 - online resources for, 502
 - using your own, 99, 99–100
- Clip Organizer. *see* Microsoft Clip Organizer
- Clipboard, moving and copying text from, 66–68, 67
- clustering, RDBMS, 717
- CNET, table-based layout of, 257, 257
- Collection List view, Microsoft Clip Organizer, 891
- Collection Lists
 - getting multimedia files from, **895**
 - storing multimedia files in, 898
- colors, **472–478**
 - adding to tables, **286–288**
 - choosing for backgrounds, **112–113**
 - color depth in Web design, 431
 - controlling with style sheets, **477–478**
 - creating look and feel with, 739, 766, 793, 820
 - examples of color schemes, 167
 - fonts, **167–171**
 - changing font colors, **170–171**
 - choosing for hyperlinks, **171**
 - defaults for Web pages, **168**
 - intelligent choices for, **476–477**
 - Kook's Museum as example of use of, 21
 - overview of Web color, **473–474**
 - palette of, 12
 - RGB color values, 332
 - for tables borders and gridlines, **288**
 - using safe colors, **474–476**
 - in Web site design, 14
- columns
 - in databases, **715**
 - inserting into tables, **276–277**
 - removing from tables, **281**

- Comment dialog box, 415
- comments, site management effects, 415–416
- Common Gateway Interface. *see* CGI (Common Gateway Interface)
- community Web sites, 787–808
 - components of, 790–791, 791
 - managing communities, 803–807
 - chat hosts, 804
 - content managers, 804–805
 - creating community rules, 805–807
 - moderated forums, 803–804
 - online communities, 789
 - planning, 790–792
 - audience and site intent, 791–792
 - community structure, 790–791
 - short- and long-term goals, 792
 - pre-production planning
 - creating visual design, 793
 - technology, 794
 - preparing for publication, 803
 - production phase, 794–796
 - page layout, adding graphics, 795–796
 - page layout, welcome page, 795
 - working with FrontPage, 796–803
 - adding chats, 802
 - creating welcome page, 800–801
 - customizing forum pages and table of contents, 802
 - setting up directories, 799
 - setting up discussion Web page, 797–799
 - setting up tasks, 799–800
- competition
 - business plans and, 760–761
 - market positioning and, 759
- complex tier models, 814–815, 815
- compression utilities, 497–498
 - DeBabelizer Pro, 497
 - functions of, 497
 - resources for, 498
 - Ulead SmartSaver, 497–498, 498
- Configuration tab, Network dialog box, 875
- Configure Editors tab, Options dialog box, 843, 843–844
- configuring FrontPage. *see* FrontPage, configuring
- Confirm Delete dialog box, 57
- Confirmation Field Properties dialog box, 389
- confirmation pages
 - defined, 351
 - having forms call up, 389–390
 - setting up, 388–389
- connection timeouts, IIS, 853
- containers, ActiveX, 581
- content
 - checklist for, 131
 - choosing ISPs and, 194
 - design, 512–518
 - checking live content, 525
 - look and feel and, 513–514
 - site structure and, 512–513
 - sketches and mock ups, 514–518
 - technology planning and, 518
 - guidelines for personal Web pages, 737–738
 - importance of, 131–132
 - live checks of, 755
 - online communities and, 790

- readability of, 130
 - content managers, **804–805**
 - content pages, compared with frames page, 293
 - Contents template, 299
 - context-sensitive help, Microsoft Script Editor, 576
 - copyediting
 - preparing for publication and, 524
 - resources for, 132
 - copying, cutting, and pasting
 - forms, **360**
 - Office files, **532–533**
 - text, 66–68
 - copyrights
 - conditions for use in style guides, 630
 - use of copyright symbol, 86
 - Web content and, 7
 - Corel-DRAW!, 213, 492
 - Corporate Presence Web Wizard
 - function of, 38
 - tasks list created by, 180
 - Create New Data Source dialog box, 610, 610
 - Crop dialog box, 221
 - cropping graphic objects, 220, **220–221**, 221
 - cross-browser design, **424–444**, **427–433**. *see also* Web browsers
 - creating multiple versions of Web pages, **432–433**
 - designing for a target audience, **428–430**
 - designing for browser features, **431–432**
 - features browsers might miss, **437–440**
 - active content, **438**
 - FrontPage's IE only features, **438–439**
 - problems with Marquee tags, **440**
 - tables, frames, and style sheets, **437–438**
 - FrontPage browser support, **433–434**
 - Microsoft IE, **435–436**
 - Netscape Navigator, **435**
 - other browsers, **437**
 - profile of Web users, **427**
 - testing, **440–444**
 - previewing in different browsers, **440–443**
 - testing in other environments, **443–444**
 - types of browsers and extent of use, **430**
- CSS. *see* Cascading Style Sheets (CSS)
- Ctrl+A, selecting graphics, 220
 - Ctrl+C, copying, 360
 - Ctrl+F, finding text, 71, 636–637
 - Ctrl+G, inserting bookmarks, 121
 - Ctrl+H, replacing text, 73, 636–637
 - Ctrl+M, indenting paragraphs, 91
 - Ctrl+P, printing, 80
 - Ctrl+S, saving text, 74
 - Ctrl+Shift+M, decreasing indentation, 92
 - Ctrl+V, pasting, 360
 - Ctrl+X, cutting, 360
 - Ctrl+Z, undoing edits, 73
 - customer service, choosing ISPs and, 195
 - Customize ActiveX Control List dialog box, 584, 584–585
 - cut and paste. *see* copying, cutting, and pasting
 - CuteFTP, publishing sites with, 203

D

data relationships, in databases, **716–717**

Data Source Name (DSN), **608–611**

data, vs. information in databases, 604

database administrators (DBAs), 623

Database Connection Wizard, 606

database connections, **607–611**

 creating in FrontPage, **611–614**

 creating system DSN on Web server,
 608–611

 options for, **607–608**

Database Designer, InterDev, 729

Database Results Wizard, **614–619**

 creating database connection with, 611

 functions of, **614**

 modifying database properties with,
 621–622

 steps in the use of, **614–619**, *615–616*,
 618–619

database schema, 714

Database Web Wizard, 39

Database wizards, InterDev, 729

databases, **708–718**

 choosing ISPs and, 194

 client/server RDBMSs, **713–714**

 IBM DB2, **713**

 Oracle8i and Oracle9i, **713**

 Sybase Adaptive Server Enterprise, **714**

 concepts, **715–717**

 data relationships, **716–717**

 normalization of data, **715–716**

 creating, **607**

 defined, **604**, **714**

 file server databases, **711–712**

 online resources for, 718

 optimizing performance, **717–718**

 caching, **717**

 hardware configuration, **717–718**

 overview of, **709–711**

 software for, 607

 structure of, **714–715**

 types of, 709

 using ASP with, 695

 using single system for server and
 database software, 603

 using Visual InterDev for designing, 729

 using with large scale sites, 821

databases, adding to Web sites, **603–624**

 changing properties, **621–622**

 creating connections, **607–611**

 creating database connection in
 FrontPage, **611–614**

 creating system DSN on Web server,
 608–611

 options for, **607–608**

 creating the database, **607**

 Database Results Wizard, **614–619**

 functions of, **614**

 steps in the use of, **614–619**

 database software, 607

 databases defined, **604**

 maintaining, **623**

 overview of, **604–606**

 functions of, **605–606**

 relational databases, **605**

 terminology, **604–605**

 saving created Web page, **619–621**

 viewing created Web page, **622–623**

- Date and Time Properties dialog box, *414*
- DBAs (database administrators), *623*
- DeBabelizer Pro, **497**
- declarations, style sheets, *330*
- decorative type, *153*. *see also* typography
- Decrease Indent button, *92*
- Default Web Site Properties dialog box
 - default document settings, *857, 857–858*
 - FTP server settings, *859–861*
 - FTP Site tab, *859*
 - General Properties tab, *866, 866*
 - Log Format drop-down list, *865, 865*
 - Web server settings, *852, 852–855*
 - welcome message, *861–862, 862*
- definition lists, **146**
- Delete Cells button, Tables toolbar, *281*
- demographics. *see also* audience, target
 - resources for, *9*
 - surveys, **8–9**
- Despeckle command, Effects menu, *224*
- Details view
 - keywords and, *893*
 - standard toolbar, *892*
- development practices, RAD and, **723–725**
- Development Team Model, Visual InterDev, **731–732, 732**
- DHTML. *see* Dynamic HTML (DHTML)
- DHTML Effects toolbar, *64, 64*
- dial-up connections, NetBEUI and IPX/SPX and, *874*
- digest authentication, *855*
- directional type, *491*
- Director, Macromedia, *496*
- directories
 - listing Web sites with, **643–647**
 - setting up for community Web site, **799**
 - setting up for large-scale sites, **825**
 - setting up for small-business Web sites, **772–773**
- discussion groups, *38, 797–799*
- Discussion Web Wizard
 - function of, *38*
 - setting up discussion page, *796–799, 797–799*
- disk space, offered by ISPs, *194*
- Displayed Fields dialog box, *616*
- DNS (Data Source Name), **608–611**
- Doctor HTML, checking links with, *632*
- documents
 - converting into Web pages, *63*
 - converting Word documents to HTML, **534–535**
 - default document settings, *857, 857–858*
 - saving Word documents as Web pages, *534–535, 535*
- domain names
 - choosing ISPs and, *194*
 - registering, **195–197**
 - small-business Web sites and, **763–764**
- domains, network connections and, *880–881*
- drag and drop
 - dragging files into Clip Organizer, *898*
 - moving text, *68*
- Draw Table button, Tables toolbar, *266*
- Drawing toolbar, **225–229**
 - adding background colors or borders, **228**
 - changing shape, size, or location of objects, **227**

- creating shadow and 3D effects, **228**
 - drawing lines or shapes, **226**
 - overlapping objects, **228, 228–229**
 - selecting objects, **227**
 - drawing tools, FrontPage. *see* FrontPage drawing tools
 - Dreamweaver, Macromedia, **496**
 - Drop-Down Box Properties, **372**
 - Drop-Down Box Validation dialog box, **374**
 - drop-down menus, **371–375**
 - creating, **372–374**
 - using validation with, **374–375**
 - drop shadows, **490**
 - DSL connections, **848**
 - dynamic date and time, site management effects, **414–415**
 - Dynamic HTML (DHTML), **566–574**
 - animating images, **570–573, 572**
 - animating text, **566–570, 569–570**
 - compared with ASP, **693**
 - online resources for, **574**
 - setting transitions between pages, **573**
 - shapes and, **479**
 - style sheets and, **336**
 - dynamic text, **463**
- E**
- e-mail
 - e-mailing form results, **385–387**
 - links to e-mail addresses, **124–125**
 - using for traffic building, **650–653**
 - ECMA (European Computer Manufacturers Association)
 - 262 language specification, **554**
 - ECMAScript, **556, 557**
 - online resources for, **557–558**
 - standards of, **559**
 - Edge command, Effects menu, **224**
 - Edge theme, **668**
 - Edit Hyperlink dialog box, **634, 753, 784, 784**
 - editor options, FrontPage configuration, **843–845**
 - editorial tone and conventions, in style guides, **629**
 - Effects menu, commands in, **223–224**
 - embedded files, saving, **75, 75**
 - embedded fonts
 - defined, **155**
 - overview of, **159**
 - resources for, **159**
 - embedded sound, **246–249**
 - embedded style sheets, **339–342**
 - controlling all page elements with, **337**
 - managing margins in, **457–460**
 - embedded video, **239–244**
 - ems, CSS units, **332**
 - encryption systems, **768**
 - Eraser button, Tables toolbar, **266**
 - escape characters, **86**
 - European Computer Manufacturers Association. *see* ECMA (European Computer Manufacturers Association)
 - ex-height, CSS units, **332**
 - Excel. *see* Microsoft Excel
 - executable folders, for database-based Web pages, **620**
 - Export to dialog box, **546**

external (linked) style sheets, **342–345**

adding to Web sites, **344–345**

controlling page elements, 337

managing margins, 457, 460–461

structuring, **342–344**

Extranet, Web sites, 191

Eyewire, online resources for stock art, 502

F

Favorites, copying multimedia files to, **896–897**

Feedback Form template, 829, 830

feedback forms

customizing, **777–779**, 778

for large scale sites, 821, **829–830**

for small business site, 767

fields

databases, **604**

forms, 349, 349

file-server databases

compared with RDBMS, 710

defined, **709**

list of, 711

Microsoft Access as, **711–712**

File Transfer Protocol. *see* FTP (File Transfer Protocol)

Fill Color button, Tables toolbar, 286

Fill Down/Fill Right buttons, **269**

filters, **498–500**

Alien Skin Software, **499**, 499

Auto F/X, **500**, 500

functions of, 498–499

removing HTML tags, **535–536**

resources for, 500

Find and Replace dialog box

finding text, **71–72**, 72, 636, 636–637

replacing text, **73**, 73, 637, 637–638

finger program, UNIX, 652–653

Fireworks. *see* Macromedia Fireworks

fixed-width fonts, 133–134

flame wars, 803

Flash, Macromedia, 492, 496

folder structure (site mapping), **9–11**, 10

folders

creating executable folders for database-based Web pages, 620

creating for clip art, sound, and multimedia files, **897–898**

setting up for personal Web pages, **745–746**

setting up in production phase, **519–521**

sharing

setting up, **855–857**, **863–864**

stopping, **858**, **864**

Folders view, **46–48**, 47, 519

creating pages for large scale sites, 825, 825–826

management tasks in, 48

opening Web sites in, 37

setting up tasks in, 744

Font Color button, 168

Font dialog box, 138, 138, 154

Font menu, 154

fonts. *see also* typography

adding to Web pages, **153–154**

care in mixing, 161–162

changing size, **163–166**

- choosing colors, **167–171**
 - changing font colors, **170–171**
 - choosing for hyperlinks, **171**
 - defaults for Web pages, **168**
- creating effects by manipulating size, **166**
- managing Web fonts, **155–160**
 - embedding fonts, **159**
 - font stacking in FrontPage, **158–159**
 - font stacking in HTML, **156–158**
 - Microsoft Core fonts, **160**
- native Windows and Macintosh fonts, **157–158**
- proportional and fixed-width, **133**
- resources for, **162**
- tips and tricks, **160–162**
 - in Web site design, **14**
- footnotes, using frames for, **295**
- form handlers
 - defined, **351**
 - e-mailing form results, **385–387**
 - saving results to a file, **382–385**
 - working with custom scripts, **380–382**
- Form Page Wizard, **352–358**
 - creating new form page with, **352–358**
 - field options, **353**
 - form description, **355**
 - Input Field Types, **354–355**
 - output options, **357**
 - presentation options, **357**
- Form Properties dialog box, **381**
- Form toolbar, displaying, **359**
- form validators, **351**
- Formatting toolbar, **64**
 - alignment buttons on, **270**
 - formatting text for emphasis, **135**
 - modifying ruled lines, **112**
 - using paragraph styles, **139–141**
 - using with Web pages, **64**
- forms, **348–391**
 - CGI scripts and, **671**
 - confirmation fields
 - having forms call up confirmation pages, **389–390**
 - setting up confirmation pages, **388–389**
 - constructing with Form Page Wizard, **352–358**
 - creating new form page, **352–358**
 - form description, **355**
 - Input Field Types, **354–355**
 - output options, **357**
 - presentation options, **357**
 - displaying results in frames, **320–322**
 - editing, **359–380**
 - adding hidden fields, **375–376**
 - adding submit and reset buttons, **376–379**
 - copying, cutting, and pasting, **360**
 - creating check boxes, **368–369**
 - creating one-line text box, **360–366**
 - creating scrolling text box, **366–368**
 - turning on option (radio) buttons, **369–371**
 - using drop-down menus, **371–375**
 - using pictures as buttons, **379–380**
 - form handlers
 - e-mailing form results, **385–387**
 - saving results to a file, **382–385**
 - working with custom scripts, **380–382**

- form validators, **351**
- overview of, **348–352**
 - definition, **349**
 - functions of, **350**
 - how forms work, **351–352**
- preventing failures, **366**
- forums
 - customizing, **802**
 - online communities and, **790**
 - setting up, **794**
- Frame Properties dialog box, **305**
 - adjusting size and position of inline frames, **317, 317–318**
 - entering/editing frame names, **319, 319–320**
 - scroll bar settings, **318**
- frames, **292–323, 293**
 - browser support for, **437–438**
 - creating from templates, **297–300**
 - creating inline frames, **316–318**
 - displaying form results in, **320–322**
 - editing, **300–316**
 - altering layout, **300–303**
 - attaching initial page to a frame, **304–306**
 - attaching new pages to frame, **304–306**
 - choosing frame borders, **314–316**
 - choosing how individual frames look and act, **309–314**
 - editing pages in frameset, **308–309**
 - resizing, **302**
 - saving framesets, **306–308**
 - splitting into two frames, **303**
 - naming frames in frameset, **318–319**
 - navigational, **296**
 - overview of
 - functions of, **295**
 - planning a frames page, **296**
 - pros/cons, **294–295**
 - target settings for, **320–322**
- frames pages
 - creating, **298–299**
 - defined, **293**
 - editing, **308–309**
 - embedding in frames, **306**
 - planning, **296**
 - template layout for, **296**
- Frames Properties dialog box, **309–314, 310**
 - adjusting frame spacing or borders, **315–316**
 - allowing/not allowing visitors to resize frames, **313**
 - choosing frame size, **310–312**
 - choosing look and action of frames, **309–314**
 - choosing scroll bar settings, **313–314**
 - setting frame margins, **312–313**
- Frames tab, of Page Templates dialog box, **298**
- framesets
 - columns and rows in, **312**
 - defined, **293**
 - frame names in, **319**
 - saving, **306–308**
 - templates for, **297**
- Freehand, Macromedia, **492**
- FrontPage, configuring, **838–846**
 - editor options, **843–845**

- general options, **838–840**
 - proxy server options, **840–843**
 - report options, **845**
- FrontPage drawing tools, **225–229**
 - adding background colors or borders, **228**
 - changing shape, size, or location of objects, **227**
 - creating shadow and 3D effects, **228, 228**
 - drawing lines or shapes, **226**
 - overlapping objects, **228, 228–229**
 - selecting objects, **227**
- FrontPage, integration with Microsoft Office.
 - see* Microsoft Office, integration with FrontPage
- FrontPage, overview, **28–58**
 - adding pages to Web sites, **52–56**
 - creating blank Web pages, **52–53**
 - creating pages from templates, **53–54**
 - importing pages, **54–56**
 - building large and small sites with, **32**
 - collaboration with other Microsoft applications, **33**
 - deleting Web sites, **57–58**
 - getting help, **35**
 - opening page of, **34**
 - opening Web sites, **56–57**
 - quitting, **57–58**
 - start-up, **34**
 - views, **43–52**
 - Folders view, **46–48, 47**
 - Hyperlinks view, **50–52, 51**
 - Navigation view, **49–50, 50**
 - Page view, **43–46, 44, 46**
 - Reports view, **48–49, 49**
 - Tasks view, **52**
 - Web-building basics in, **33–42**
 - creating empty Web sites, **40**
 - creating sites with a wizard, **38–38**
 - creating sites with templates, **35–38**
 - importing existing Web sites, **40–42**
- FrontPage Server Extensions, **659–668**
 - choosing ISPs and, **194**
 - compared with CGI scripts, **673**
 - compatibility of Web components with, **410**
 - features requiring, **198–199**
 - installing for Windows, **662–664**
 - languages supported, **660**
 - online resources for, **659**
 - publishing Web pages to Servers with, **200–201**
 - supported servers, **660–661**
 - types of, **659**
 - UNIX versions, **660–661**
 - upgrading Windows NT for, **868**
 - Windows versions, **661**
- FrontPage TCP/IP test program, **883–884**
- FrontPage Test dialog box, **882**
- FrontPage, working with
 - community Web sites, **796–803**
 - adding chats, **802**
 - creating welcome page, **800–801**
 - customizing forum pages and table of contents, **802**
 - setting up directories, **799**
 - setting up discussion Web page, **797–799**
 - setting up tasks, **799–800**
 - large-scale sites, **824–830**
 - adding feedback page, **829–830**

- building individual pages, **825–826**
- creating site map, **827–828**
- creating welcome page, **826–827**
- setting up directories, **825**
- setting up tasks, **826**
- setting up Web sites, **824–825**
- personal Web sites
 - creating splash page, **747–748**
 - customizing the Guestbook, **751–752**
 - designing internal pages, **748–751**
 - setting up folders, **745–746**
 - setting up tasks, **746–747**
- small-business Web sites, **772–783**
 - adding JavaScript, **779–783**
 - customizing Feedback Form, **777–779**
 - designing internal pages, **775–777**
 - designing splash page, **774–775**
 - setting up directories, **772–773**
 - setting up tasks, **773–774**
- FTP (File Transfer Protocol)
 - FTP clients, **682–684**
 - publishing Web pages to FTP Servers, **202–203**
 - server configuration, **858–864**
 - folder sharing, **863–864**
 - server settings, **859–861**
 - stopping folder sharing, **864**
 - welcome messages, **861–862**
- G
 - Gamelan, Java applets, 593
 - gamma settings, of graphic images, 222–223
 - Geocities, free Web hosting service, 193
 - GIF Construction Set, animation programs, 503
 - GIF Movie Gear, animation programs, 503
 - GIFs (Graphics Interchange Format), **213–215**
 - ad banners and, 396
 - animation and, 237, **503–504**
 - creating transparent and interlaced GIFs with Photoshop, 490
 - using single-pixel GIFs, 468–472
 - goal setting, **507–509**
 - community Web sites, **792**
 - large-scale Web sites, **818**
 - long-term, 509
 - personal Web sites, **739**
 - short-term, 508
 - Web design and, 5–7
 - graphic design, **212–233**
 - FrontPage drawing tools, **225–229**
 - adding background colors or borders, **228**
 - changing shape, size, or location of objects, **227**
 - creating shadow and 3D effects, **228, 228**
 - drawing lines or shapes, **226**
 - overlapping objects, **228, 228–229**
 - selecting objects, **227**
 - GIFs and JPEGs and, **213–215**
 - image maps, **229–233**
 - adjusting hot spots, **232**
 - creating, **230–232**
 - overview of, **229–230**
 - tips for, **232–233**
 - Microsoft Photo Editor, **216–225**
 - adjusting overall appearance, **222–223**

- changing texture, **224–225**
 - choosing corners and mat styles, **221–222**
 - creating graphics and scanning, **218**
 - opening files, **216–218**
 - resizing, rotating, and cropping, **219–221**
 - saving and closing files, **218**
 - tools, Zoom command and ruler, **222**
 - touch up, **223–224**
 - use of imaging programs, **213**
 - graphic filters. *see* filters
 - graphic images, **96–106**
 - adding to tables, **268–273**
 - aligning images in cells, **269–271**
 - using Fill Down/Fill Right buttons, **269**
 - animating with DHTML, **570–573**, *572*
 - changing image size, alignment, and spacing, **102–106**
 - choosing for backgrounds, **114–115**
 - file formats of, **96**
 - generating site graphics, **521–523**
 - getting images from Clip Organizer, **96–99**
 - importing images, **100–102**
 - optimizing layer by layer, *522*
 - personal Web pages and, **744–745**
 - space and, **462–466**
 - crowded page elements, *462*
 - example with more space added, *465*
 - flow of text around a graphic image, *463–464*
 - using drag and drop to position, *466*
 - using graphics to add shape, **479–480**
 - using images from other sources on your computer, **99–100**
 - using pictures as buttons, **379–380**
 - Graphics Interchange Format. *see* GIFs (Graphics Interchange Format)
 - graphics programs, **486–504**
 - Adobe Illustrator, **491–492**
 - Adobe Photoshop, **488–489**
 - layering with, **489**
 - overview of, *488*
 - specialty features of, **490**
 - compression utilities, **497–498**
 - DeBabelizer Pro, **497**
 - Ulead SmartSaver, **497**
 - downloading stock materials from Web, **502**
 - filters, **498–500**
 - Alien Skin Software, **499**, *499*
 - Auto F/X, **500**, *500*
 - GIF animation programs, **503–504**
 - Macromedia Fireworks, **493–496**
 - incorporating into FrontPage, *493–494*
 - viewing code, *495–496*
 - optimization tools, **498**
 - raster graphics and, **487**
 - scanning techniques and, **500–501**
 - vector graphics and, **487**
- gridlines, adding color to, **271**
- GroundZero, **22–23**, *23*
- guestbooks
 - customizing for personal Web pages, **751–752**, *752*
 - using frames for, *295*

H

hardware configuration, databases, **717–718**

headers. *see* table headers

headings, text, **146–147**

Help system, FrontPage, **35**

hexadecimal measurement, of color, **473–474**

hidden fields, adding to forms, **375–376**

hierarchy, of Web structures, **812–813**

Hit Counter Properties dialog box, **398**

hit counters, **397–399**

hits. *see* traffic building

Holzschlag, Molly E., **817–818**

home pages, **737**

Horizontal Line Properties dialog box,
107–108

horizontal rules, ruled lines, **106**

horizontal/vertical spacing

 for sound controls, **249**

 for video controls, **241**

hotspots

 adjusting, **232**

 drawing on image maps, **231**

 hyperlinks between, **229, 229**

Hover Button Properties dialog box, **400**

hover buttons

 changing size, **401**

 choosing background image, **400**

 creating, **399–400**

 using sound effects with, **401–402**

hspace="", IMG tag attribute, **463**

HTML (Hypertext Markup Language)

 ASP and, **694**

 checking validity of HTML tags, **632**

 converting Word documents to, **534–535**

 creating HTML versions of Access
 datasheets, **545**

 developing CSS to overcome limitations
 of, **327**

 filtering to remove HTML tags, **535–536**

 font sizes used by, **163**

 lack of shape handling capacity in, **479**

 META tags, **644–646**

 as native format of Office files/documents,
 532

 overview of, **29–31**

 Page view option for, **44–45, 45**

 pointing to CGI script from, **688–689**

 reference for tags and attributes, **900–921**

 saving Excel spreadsheets as, **538**

 style guide for, **629**

 tags

 for fonts, **153**

 for horizontal rules, **109**

 for line breaks, **88**

 for paragraph breaks, **87**

 using to define how Web pages look, **29**

 as underlying structure of Web pages, **30**

 understanding, **94–96, 95**

 using blockquote tags with, **450**

 viewing code, **17**

Hyperlink Properties, **320**

hyperlinks, **118–125**

 bookmarking specific locations, **121–122**

 broken links, checking for, **630–632**

 broken links, fixing, **633–635**

 changing links, **633–635**

 editing links, **635**

creating, **118–120**, *119*
 frame targets and, **318**, **320–322**
 linking to e-mail addresses, **124–125**, *125*
 linking to Internet pages, **123–124**
 linking to Office documents, **547–548**
 linking to other pages, **122–123**
 linking to sounds, **252**
 linking to video, **244**
 linking within pages, **122**
 linking within sites, **120**
 relative and absolute addresses and, **124**
 style guide for, **629**
 testing in preparation for publication, **524**
 Hyperlinks view, **50–52**, *51*
 Hypertext Markup Language. *see* HTML
 (Hypertext Markup Language)

I

IBM DB2, client/server databases, **713**
 IDE (Integrated Development Environment), **721**
 IETF (Internet Engineering Task Force), **558**
 IIS (Internet Information Services) 5.0,
848–868
 FTP server configuration, **858–864**
 folder sharing, **863–864**
 server settings, **859–861**
 stopping folder sharing, **864**
 welcome messages, **861–862**
 installing Web services, **849–850**
 logging access to servers, **864–867**
 online resources for, **849**
 server configuration, **852–858**
 folder sharing, **855–857**
 server settings, **852–855**
 setting default document, **857–858**
 stopping folder sharing, **858**
 SharePoint Team Services and, **662–663**
 starting, stopping, and pausing servers,
 850–852
 Illustrator. *see* Adobe Illustrator
 Image (IMG) tag attributes, **463**
 image maps, **229–233**
 adjusting hot spots, **232**
 creating, **230–232**
 drawing hotspots, **231**, *231*
 hotspots in, **229**
 hyperlinked hotspots in, **229**
 overview of, **229–230**
 tips for, **232–233**
 ImageReady, Adobe, **213**, *496*
 images. *see* graphic images
 imaging programs, **213**
 IMG tag attributes, **463**
 Import dialog box
 importing documents, **102**
 importing graphic images, **101**, *101–102*
 Import Web Wizard
 function of, **39**
 importing Web sites with, **41–42**
 importing graphic images, **100–102**
 importing Web pages, **54–56**
 importing Web sites, **40–42**
 Include Page Web component, **403–405**
 Increase Indent button, **91**
 indentation, of paragraphs, **91–93**
 indexes, database
 defined, **714**
 optimization and, **717**

- information, vs. data in databases, 604
- inheritance, CSS, **333–334**
- initial page, frames pages, 304
- inline chats, 802
- inline frames, *316*, **316–318**
 - adjusting size and position of, *317*, 317–318
 - defined, **300**
- inline scripting, vs. server-side programming, 673–674
- inline styles, **329**, **337–339**
- Input Field Types, Form Page Wizard, **354–355**
- Insert Clip Art task pane, 890
- Insert Hyperlink dialog box, *304*, 304–305
- Insert Rows or Columns dialog box, *277*
- Insert Table button, **263**
- Insert Table dialog box, *264*, **264–265**, 749–750, 826–827
- Insert Web Component dialog box, *240*, 247, 395, 585
- Integrated Development Environment (IDE), 721
- integration. *see* Microsoft Office, integration with FrontPage
- interactive media, 812
- interactivity, of Web, 811
- InterDev. *see* Visual InterDev
- internal pages
 - designing, 748–751
 - laying out, 742–744, 744
 - small-business Web site and, **775–777**
- International Organization for Standardization (ISO), 558
- Internet, accessing Web servers across, **887–888**
- Internet connections, 848
- Internet Engineering Task Force (IETF), 558
- Internet Explorer. *see* Microsoft Internet Explorer
- Internet Information Services. *see* IIS (Internet Information Services) 5.0
- Internet Presence Providers (IPPs), 195
- Internet Properties dialog box, *841*, 841
- Internet Relay Chat (IRC), 789
- Internet Server Application Programming Interface (ISAPI) scripts, 380–381
- Internet service providers. *see* ISPs (Internet service providers)
- InterNIC, *196*, 196–197
- Intranet connections, **885–886**
- Intranets
 - publishing Web pages to, **203**
 - types of Web sites, 191
- IP addresses, 882, 886
- ipconfig, 887
- IPPs (Internet Presence Providers), 195
- Ipswitch, FTP clients from, 682
- IPX/SPX, dial-up connections and, 874
- IRC (Internet Relay Chat), 789
- IRS newsletter, **16–17**, 24
- ISAPI (Internet Server Application Programming Interface) scripts, 380–381
- ISO (International Organization for Standardization), 558
- ISPs (Internet service providers), **193–195**
 - access to programming languages, 678
 - choosing, 193–194
 - finding, 679
 - interactive Web pages and, 621
 - list of factors to use in evaluating, 194–195

J

- Jamba tool, for Java, 592–593
- .jar files, 598
- Jasc's PaintShop Pro
 - as imaging program, 213
 - layering with, 489
 - online resources for, 490
- Java
 - archived applets, **598–599**
 - browser-specific problems, 439
 - browser support, 438
 - changing applet properties, **597–598**
 - comparing with JavaScript and JScript, 554–555
 - creating applets, **592–593**
 - finding applets, **593–594**
 - inserting applets, **594–597**
 - overview of, 591–592
 - setting applet parameters, 596–597
 - Web components and, 395
- Java Applet Properties dialog box, 595
- Java development environments, 592
- JavaScript. *see also* Dynamic HTML (DHTML)
 - adding to small-business Web site, **779–783**
 - browser-specific problems, 439
 - browser support, 438
 - comparing with Java and JScript, **554–555**
 - mouseovers, 767, 821
 - overview of, **553–554**
 - Web components and, 395
- JPEGs (Joint Photographic Experts Group), **213–215**, 396
- JScript, 554–555. *see also* Dynamic HTML (DHTML)

K

- kerning, typography and, 169
- keyboard options
 - Ctrl+A, selecting graphics, 220
 - Ctrl+C, copying, 360
 - Ctrl+F, finding text, 71, 636–637
 - Ctrl+G, inserting bookmarks, 121
 - Ctrl+H, replacing text, 73, 636–637
 - Ctrl+M, indenting paragraphs, 91
 - Ctrl+P, printing, 80
 - Ctrl+S, saving text, 74
 - Ctrl+Shift+M, decreasing indentation, 92
 - Ctrl+V, pasting, 360
 - Ctrl+X, cutting, 360
 - Ctrl+Z, undoing edits, 73
- keys, database, **714**
- keywords
 - Details view and, 893
 - Substitution Web component, 407–408
 - list of FrontPage defaults, 408
 - updating sites with, 407–408
 - use by search engines, 644–646
- Kook's Museum, **20–21**, 21

L

- Landor Associates, product branding by, 765
- language-dependence, ASP scripts, 695
- large-scale sites, **810–833**
 - managing growth, **831**
 - online resources for, 813
 - planning, **817–819**
 - audience demographics and site intent, **818**

- goal setting, **818**
- site structure, **818–819**
- pre-production planning, **819**
 - look and feel of Web site, **820**
 - technology, **821**
- preparing for publication, **830**
- production phase, **822–824**
- structure of
 - linearity, **812–813**
 - overview of, **811–812**
- tier-based models, **814–817**
 - complex tier models, **814–815**, *815*
 - shared tier models, **816–817**, *817*
 - simple tier models, **814**, *814*
- working with FrontPage, **824–830**
 - adding feedback page, **829–830**
 - building individual pages, **825–826**
 - creating site map, **827–828**
 - creating welcome page, **826–827**
 - setting up directories, **825**
 - setting up tasks, **826**
 - setting up Web sites, **824–825**
- layers
 - adding design layer by layer, *742–743*, *743*
 - Adobe Photoshop, **489**, *489*
 - creating, *516*
- Layout Alignment, Picture Properties dialog box, *104–105*
- leftmargin, IE margin attributes, *455*
- legal resources, *7*
- line breaks, *88*, **88–90**
- linearity, of Web structures, *812–813*
- lines, drawing, **226**
- Link Bar Properties dialog box, *422*
- link bars, *294*
- Link Style Sheet dialog box, *345*, *461*, *461–462*
- linked style sheets. *see* external (linked) style sheets
- linked tasks
 - creating, *175–177*
 - defined, **175**
- links. *see* hyperlinks
- List Properties dialog box
 - changing style of numbering, *145*
 - choosing new kind of bullet, *143*
- List view, standard toolbar, *891*
- lists, **142–146**
 - bulleted lists, **142–143**
 - definition lists, **146**
 - numbered lists, **143–145**
- localhost, *884–885*, *885*
- logging server access, **864–867**
- logical text styles, **137–139**
- login dialog, usernames and, *187*
- logos
 - adding to Web pages, *769*
 - product branding and, *766*
 - style guides for use of, *630*
- look and feel, of Web sites
 - content design and, **513–514**
 - developing, **13–15**
 - large-scale sites, **820**
 - personal Web sites, **739–740**
 - small-business Web sites, **765–767**
 - in style guides, *629*
- loopback address, *883–884*
- lossy compression, **214**
- Lotus 1-2-3, *63*

Lynx browser

- downloading, 434
- example of page viewed with, 430
- popularity of, 437

M

machine names, network connections and, 880–881

Macintosh

- native fonts, 157–158
- sound files (.snd/.mac), 245

macro viruses, 548

Macromedia Authorware, 496

Macromedia Director, 496

Macromedia Dreamweaver, 496

Macromedia Fireworks, 213, **493–496**

- incorporating into FrontPage, 493–494
- sliced areas in, 494
- viewing code in, 495–496

Macromedia Flash, 492, 496

Macromedia Freehand, 492

magazines, getting listed in, **649–650**

mailing lists, using for promotion, 651–652

maintenance. *see* Web sites, maintaining

many-to-one relationships, databases, 717

maps, links to, 423

margin attributes, **455–457**

margin-left, style sheet property, 458

margin-right, style sheet property, 458

margin-top, style sheet property, 458

margins, **449–462**

- changing, 141
- of frames, 312–313

- setting with blockquote tags, **449–454**
- setting with margin attributes, **455–457**
- setting with style sheets, **457–462**
- text with, 451
- text without, 450

typography and, 169

marketing. *see also* traffic building

- broad and deep techniques for, 640
- competitors and, 759

Marquee Properties dialog box, 403

Marquee tags, **440**

marquees, **402–403**

Mastering Photoshop 6 (Romaniello), 488

Matthew George, typography, 481–482, 482

Matt's Script Archive, 680

maximum connections, configuring for IIS, 853–854

Merge Cells button, Tables toolbar, 281

META tags, 644–646

- adding, 754, 784–785

- inserting, 645–646

- preparing for publication and, 524

- types of, 644

method attribute, HTML, 688

Microsoft Access

- creating databases with, 607

- cutting, copying, pasting to Web pages, 532

- displaying Access data on Web pages, **545–547**

- as file server database, **711–712**

- online resources for, 547, 712

- previewing files with Web browsers, 531

- Table Wizard, 712

- Microsoft applications, 33
- Microsoft Chat, ActiveX control, 583
- Microsoft Clip Organizer, **889–898**
 - Collection List view and Search view, 891
 - finding files, **892–895**
 - getting from Collection List, **895**
 - searching for, **893–894**
 - getting images from, **96–99**
 - getting ruled line from, 109–110, 110
 - organizing files, **895–898**
 - cataloging, **895–896**
 - copying to Favorites or other folders, **896–897**
 - creating new folders for, **897–898**
 - overview of, 890–892
 - storing files, **898**
- Microsoft Core fonts, **160**
- Microsoft Excel, **536–540**
 - converting documents into Web pages, 63
 - converting worksheets to Web pages, 537, **537–539**
 - inserting live worksheets, **539–540**, 540
- Microsoft Internet Explorer. *see also* Web browsers
 - ActiveX and, 581
 - background sounds for, **249–252**, 252
 - borrowing Internet graphics with, 100
 - compatibility of scripting languages and, 560–561
 - CSS support in, 327
 - displaying PowerPoint presentations, 542
 - downloading, 79, 434
 - embedding sound, **246–249**
 - embedding video, **239–242**, **242–244**
 - features of, **435–436**
 - FrontPage features supported by, 433–434
 - FrontPage’s IE only features, **438–439**
 - margin attributes, 455, 457
 - vs. Netscape Navigator, 436
 - page viewed with, 429
 - using in collaboration with FrontPage, 33
 - version 6, 427
- Microsoft Office, integration with FrontPage, **529–549**
 - Access, **545–547**
 - copying and pasting files, **532–533**
 - Excel, **536–540**
 - converting worksheets to Web pages, **537–539**
 - inserting live worksheets, **539–540**
 - linking to Office documents, **547–548**
 - macro viruses and, 548
 - PowerPoint, **541–544**
 - previewing files with Web browsers, **531**
 - Word, **534–536**
 - converting documents to HTML, **534–535**
 - filtering to remove HTML tags, **535–536**
- Microsoft Office, integration with SharePoint, 662
- Microsoft Office XP
 - SharePoint Team Services and, 662
 - using in collaboration with FrontPage, 33
- Microsoft Peer Web Services (PWS), 867–868
- Microsoft Photo Editor, **216–225**, 217
 - adjusting overall appearance, **222–223**
 - changing texture, **224–225**

- choosing corners and mat styles, **221–222**
- creating graphics and scanning, **218**
- Drawing tools of, 213
- graphics formats supported, 216
- opening files, **216–218**
- resizing, rotating, and cropping, **219–221**
- saving and closing files, **218**
- tools, Zoom command and ruler, **222**
- touch up, **223–224**
- Microsoft PowerPoint
 - converting presentations into Web pages, **541, 541–544**
 - cutting, copying, pasting to Web pages, 532
 - online resources for, 544
 - previewing files with Web browsers, 531
- Microsoft Project, 188. *see also* Tasks view
- Microsoft Script Editor, **574–578**
 - advanced coding with, 575
 - context-sensitive help, 576
 - help resources of, **575–577**
 - overview of, 574–575
- Microsoft Video for Windows files (.avi), 238
- Microsoft Visual Basic, 555, 590–591
- Microsoft WAV files (.wav), to 47–248
- Microsoft Windows
 - native fonts, 157–158
 - Web Publishing Wizard, 203
- Microsoft Windows 2000
 - identifying computers on a network, **880–881**
 - installing and binding TCP/IP for, **871–873**
 - setting TCP/IP properties for, **876–877**
 - Web server options for
 - Professional version, 848
 - Server version, 848
- Microsoft Windows 98, Web server options for, 868
- Microsoft Windows ME
 - identifying computers on a network, **881**
 - installing and binding TCP/IP for, **873–875**
 - setting TCP/IP properties for, **878–879**
 - Web server options for, 868
- Microsoft Windows NT, option packs/upgrades for Web servers, 867–868
- Microsoft Word, **534–536**
 - converting documents into Web pages, 63
 - converting documents to HTML, **534–535**
 - cutting, copying, pasting to Web pages, 532
 - filtering to remove HTML tags, **535–536**
 - limitations as HTML editor, 534
 - previewing files with Web browsers, 531
 - using as HTML editor, 536
- Microsoft Works, converting documents into Web pages, 63
- MIDI files (.mid/.midi), 245–246
- mission statements, **5–6**, 629
- moderated forums, **803–804**
- Modify Style dialog box
 - applying inline styles, 339
 - managing margins, 458–459, 459
- monospaced type, 152
- More Colors dialog box, 287, 287, 475–476, 476
- More Options dialog box, 617
- Morton, J.L., on use of color, 468–472
- multimedia, **236–254**

- adding video to Web sites, **237–244**
 - embedding video for IE and Navigator, **239–242**
 - embedding video for IE only, **242–244**
 - linking to video, **244**
 - video formats, **238**
 - browser support for, 438
 - playing sound/music on Web sites, **244–252**
 - embedding sound for IE and Navigator, **246–249**
 - linking to sounds, **252**
 - setting background sound for IE and Navigator, **249–251**
 - setting background sound for IE only, **251–252, 252**
 - sound formats, **245–246**
 - streaming video and sound, **253–254**
 - using frames for, 295
 - Museum of Modern Art (MoMA), Web site of, 129
 - music. *see* sound, adding to sites
 - My Collections
 - creating new folders, 897–898
 - Office Collections, 893
 - storing multimedia files in, 896, 897
- N**
- Name and Password Required dialog box, 202
 - Name/Value Pair dialog box, 376
 - navigation
 - adding navigational elements to Web pages, 517
 - guidelines for, 630
 - tools for, 294
 - using frames for, 23, **296**
 - navigation bars (link bars), **420–422**
 - Navigation view, 38, **49–50, 50**
 - Neelen, Joel, 482–483, 483
 - Negative command, Effects menu, 223
 - nesting tables, 279
 - nesting tags, 453
 - NetBEUI, dial-up connections and, 874
 - Netscape Navigator. *see also* Web browsers
 - background sounds for, **249–251**
 - borrowing Internet graphics, 100
 - compatibility of scripting languages and, 560–561
 - CSS support, 327
 - downloading, 79, 434
 - embedding sound for, **246–249**
 - embedding video for, **239–242**
 - features of, **435**
 - FrontPage features supported by, 433–434
 - vs. Microsoft Internet Explorer, 436
 - page viewed with, 429
 - Netscape Server Application Programming Interface (NSAPI) scripts, 380–381
 - network connections, **870–888**
 - accessing Web servers across Internet, **887–888**
 - FrontPage TCP/IP test program, **881–884**
 - identifying computers on a network
 - Windows 2000, **880–881**
 - Windows ME, **881**
 - TCP/IP, **870–879**
 - installing and binding, Windows 2000, **871–873**

- installing and binding, Windows ME, **873–875**
 - setting properties, Windows 2000, **876–877**
 - setting properties, Windows ME, **878–879**
 - testing intranet connections, **885–886**
 - Network dialog box, Configuration tab, **875**
 - New Database Connection dialog box, **612**
 - New dialog box, **515–518**
 - adding navigational elements, **517**
 - creating background color or design, **516**
 - creating new layer, **516**
 - New Task dialog box, **176, 521**
 - setting up tasks on personal Web sites, **744, 744**
 - setting up tasks on small-business Web sites, **773, 773**
 - newsgroups
 - for getting help with scripts, **689**
 - online communities and, **789, 790**
 - site announcements in, **648–649**
 - newspapers, getting listed in, **649–650**
 - newsreaders, **648**
 - NNTP (News) servers, **849**
 - nonbreaking spaces, **93**
 - Normal style, paragraph styles, **139–140**
 - normalization of data, **715–716**
 - NSAPI (Netscape Server Application Programming Interface) scripts, **380–381**
 - numbered lists, **143–145**
 - changing style of, **145**
 - creating, **144**
 - renumbering, **144**
- O**
- Object tab, ActiveX Control Properties dialog box, **587, 588–589**
 - ODBC (Open Database Connectivity), **607**
 - Office. *see* Microsoft Office
 - Office Collections, **893**
 - one-line text boxes, **360–366**
 - editing the text box, **361–363**
 - making text box for, **361**
 - validation rules, **363, 363–366**
 - one-to-many relationships, databases, **716**
 - online communities, **789, 792**. *see also* community Web sites
 - online forms, examples of, **350**
 - online services, **789**
 - online shopping, using databases for, **606**
 - online transactions support, **194**
 - Open Database Connectivity (ODBC), **607**
 - Open File dialog box, **62**
 - Open Web dialog box, **56**
 - Opera browser
 - compatibility of scripting languages and, **560**
 - downloading, **434**
 - optimization tools. *see* compression utilities
 - Option Button Properties dialog box, **370**
 - Option (radio) buttons, **369–371**
 - Options dialog box
 - Configure Editors tab, **843, 843–844**
 - customizing FrontPage, **838–840, 839**
 - Proxy Setting button, **841**
 - Options For Custom Form Handler dialog box, **382**
 - Oracle databases

- online resources for, 713
- Oracle8i and Oracle9i, 713
- Order toolbar, 229
- Ordering dialog box, 618
- ordering methods, for small business site, 767
- output options, Form Page Wizard, 357
- Oval option, cropping graphic objects, 221, 221

P

- Page Based On Schedule Web component, 405–407
- page-by-page design, 523–524
- page-creation tasks, 178–179
- page layout
 - community Web sites, 795–796
 - large-scale sites, 822–824
 - personal Web sites, 741–744
 - small-business Web sites, 769–772
- Page Options dialog box, 559
- Page Properties dialog box
 - Background tab of, 113
 - changing default font colors, 168
 - Colors section of, 474–475, 475
 - controlling page settings with, 65
 - Frames tab of, 315, 315
 - inserting META tags into Web pages, 645
 - Margins tab of, 456
 - tabs of, 65–66
 - titling Web sites, 84–85, 85
- Page Templates dialog box, 261, 261–262
 - building table of contents, 413
 - Frames tab of, 298
 - managing margins, 460, 460–461
- Page Transitions dialog box, 573
- Page view, 43–46, 60–80
 - HTML option, 44
 - opening Web pages, 60–62, 62
 - previewing Web pages, 46, 77–79
 - using Preview tab, 77–78
 - using Web browsers, 78, 78–79
 - printing Web pages, 79–80
 - saving Web pages, 74, 74–77
 - overview of, 74
 - saving embedded files, 75, 75
 - saving pages as a template, 76, 76–77
- text editing tools, 66–73
 - checking for spelling errors, 68–70
 - finding text, 71–72, 72
 - moving and copying text, 66–68
 - replacing text, 73, 73
 - using thesaurus, 70, 70
- toolbars for entering text or formatting pages, 63–64
 - Web page properties, 64–66, 65
- palette of colors. *see* colors
- Paragraph dialog box, 92, 92–93
- paragraphs, 87–94
 - indentation, 91–93
 - line breaks, 88, 88–90
 - multiple paragraph breaks, 94
 - nonbreaking spaces, 93
 - paragraph breaks, 87
 - styles, 139–141
 - text alignment, 90–91, 91
- <PARAM> tags, 597

Parameter tab, ActiveX Control Properties dialog box, 589, 590

pasting. *see* copying, cutting, and pasting

Peer Web Services (PWS), 867–868

percentages

adjusting frame size by, 311

as relative units, 332

sizing Web page elements, 108

Perl language, 676–677

online resources for, 677

overview of, 676–677

personal Web sites, 736–755

content guidelines, 737–738

Navigation view of, 38

overview of, 32, 737–738

planning, 738–739

intended audience, 738

short- and long-term goals, 739

post-production phase, 755

production phase, 740–745

generating graphics, 744–745

page layout, 741–744

production preparation, 739–740

look and feel, 739–740

technology, 740

publication, 753–754

working with FrontPage

creating splash page, 747–748

customizing the guestbook, 751–752

designing internal pages, 748–751

setting up folders, 745–746

setting up tasks, 746–747

Philip and Alex's Guide to Web Publishing (Greenspun), 606

Photo Editor. *see* Microsoft Photo Editor

Photodisc, online resources for stock art, 502

photographs

getting from Clip Organizer, 96–99, 97

online resources for, 502

using your own, 99, 99–100

Photoshop. *see* Adobe Photoshop

physical text styles, 136–137

Picture dialog box

inserting images with, 747

selecting image with, 464, 464

Picture Properties dialog box, 102–106, 103, 244

aligning images, 464, 464–465

Appearance tab, 781

modifying ruled lines, 111–112

opening, 102

tabs of, 103–106

using pictures as buttons, 379

Pictures toolbar, 64

Position Absolutely button, 99

using with Web pages, 64

pinging loopback address, 884

pixels

adjusting frame size by, 311

defined, 92–93

as measurement unit for style sheets, 457

as relative units, 332

sizing Web page elements, 108–109

plain-text files. *see* ASCII text files

plan file, promotion with, 652–653

planning, pre-production, 507–518

- content design, **512–518**
 - look and feel, **513–514**
 - site structure, **512–513**
 - sketches and mock ups, **514–518**
 - technology planning, **518**
- knowing your audience, **509–510**
- setting up schedules, **510**
- site intent and goals, **507–509**
- working with clients, **510–511**
- planning process
 - community Web sites, **790–794**
 - audience and site intent, **791–792**
 - goal setting, **792**
 - look and feel, **793**
 - site structure, **790–791**
 - technology, **794**
 - effectiveness of, **722**
 - large-scale sites, **817–819**
 - audience and site intent, **818**
 - goal setting, **818**
 - look and feel, **820**
 - site structure, **818–819**
 - technology, **821**
 - personal Web sites, **738–740**
 - audience and site intent, **738**
 - goal setting, **739**
 - look and feel, **739–740**
 - technology, **740**
 - small-business Web sites
 - business plan, **760–761**
 - goal setting, **761–764**
- Plug-In Properties dialog box
 - embedding sound files, **247**
 - embedding video files, **240**
- point size, of fonts, **133**
- port settings, configuring for IIS, **853**
- Position Absolutely button, Pictures toolbar, **99**
- post-production phase
 - personal Web sites, **755**
 - small-business Web site, **785–786**
 - tasks of, **525**
- Posterize command, Effects menu, **224, 224**
- PowerPoint. *see* Microsoft PowerPoint
- pre-production planning. *see* planning, pre-production
- preferences, Web page design and, **431**
- presentation options, Form Page Wizard, **357**
- Preview button, standard toolbar, **358**
- Preview in Browser button, standard toolbar, **440**
- Preview in Browser dialog box, **78, 79, 358, 441**
- Preview option, of Page view, **46**
- Preview tab, **77–78**
- printing, Web pages, **79–80**
- production phase, **518–525**
 - community Web sites, **794–796**
 - generating site graphics, **521–523**
 - large-scale sites, **822–824**
 - page-by-page design, **523–524**
 - personal Web sites, **740–745**
 - generating graphics, **744–745**
 - page layout, **741–744**
 - preparing for publication, **524–525**
 - setting up folders, files, and tasks, **519–521**
- production plan, forgetting tasks in, **722**
- products
 - business plans and, **760–761**
 - product branding, **764–765**

programming

- CGI options, **676–677**

- AppleScript, **677**

- C, **677**

- Perl, **676–677**

- TcL and Python, **677**

- Visual InterDev and, **730**

project management. *see also* Tasks view

- InterDev and, **731**

- Microsoft Project, **188**

- RAD and, **721**

promotion, **525, 755**. *see also* traffic building

- properties, Web pages, **64–66**

- proportional fonts, vs. fixed-width, **133**

- proxy server options, **840–843**

- Proxy Setting button, **842**

- public domain, Web content and, **7**

- Publish as Web Page dialog box, **542**

- Publish Destination dialog box

- first-time publishing, **200, 200–201**

- publishing to FTP servers, **202–203**

- Publish Web dialog box, **204, 204–207**

- publishing. *see* Web publishing

- PWS (Peer Web Services), **867–868**

- Python language, **677**

Q

- queries, databases, **604–605**

- QuickTime files (.mov/.qt), **238**

R

- RAD (Rapid Application Development), **721–726**

- avoiding known mistakes with, **722–723**

- following good development practices with, **723–725**

- online resources for, **726**

- risk management with, **725–726**

- radio buttons, **369–371**

- RAID (Redundant Array of Inexpensive Disks), **717**

- Rapid Application Development. *see* RAD (Rapid Application Development)

- raster graphics, **487**. *see also* Macromedia Fireworks

- RDBMS (Relational Database Management System), **713–714**

- compared with file-server database systems, **710**

- IBM DB2, **713**

- Oracle8i and Oracle9i, **713**

- Sybase Adaptive Server Enterprise, **714**

- readability, of Web content, **130**

- Recent Files button, **121**

- records, databases, **604**

- rectangular shapes, **479**

- Redundant Array of Inexpensive Disks (RAID), **717**

- Register.com, researching availability of domain names, **197**

- registered mark ®, **86**

- registering users, site management effects, **416–418**

Relational Database Management System. *see*
RDBMS (Relational Database Management
System)

relational databases, **605**

relative addresses, 124

relative units, CSS, 331–332

Remote file permissions dialog box, *chmod*
and, 687

remote management of Web servers, 729

replication, RDBMS, 717

report options, configuring FrontPage, **845**

Reports view, **48–49**, 49, 845, 845–846, 846

request objects, ASP, 694

Reset buttons

 automatically adding to forms, 377

 making, **378–379**

resolution settings

 Picture Properties dialog box, 103

 previewing Web pages and, 78

 Web page design and, 431

response objects, ASP, 694

retroactive linking, 639, **647**

RGB color values, 332, 473

Rich Text Format (.rtf), 63

rightmargin, IE margin attributes, 455

risk management, RAD and, **725–726**

root directory

 for large scale sites, 825

 setting up, 773

rows

 inserting into tables, **276–277**

 removing from tables, **281**

RSA encryption, 768

.rtf file format, 63

ruled lines, **106–112**

 changing look of, **107–109**

 inserting, **107**

 modifying, 111–112

 sparing use of, 107

 using graphics as, **109–112**

 using your own, 111

ruler, Microsoft Photo Editor, **222**

rules

 for community sites, 805–807

 for style sheets, 331

S

San Francisco Exploratorium, **19–20**, 19–20

san serif type, 152

Save As dialog box, 74

 saving Excel spreadsheets as HTML tables,
 538

 saving framesets, 307, 307

 saving Word documents as Web pages,
 534–535, 535

 titling Web sites, 83, 83

Save As Template dialog box, 76

Save Embedded Files dialog box, 75

Saving Results dialog box

 deciding which parts of forms to save, 385

 form handlers and, 383

 having results e-mailed, 386

scanning techniques, **500–501**

Scheduled Include Page Properties dialog
box, 406

Scheduled Picture Properties dialog box, 406

schedules

 including pages/pictures based on,
 405–407

 setting up, **510**

- scripts, **552–578**. *see also* Dynamic HTML (DHTML)
 - browser-detection scripts, **432–433**
 - choosing a scripting language, **559–561**
 - choosing ISPs and, **194**
 - compatibility issues with, **560**
 - downloading, **564**
 - ECMAScript, **557–558**
 - inserting into Web pages, **561–565**, **565**
 - JavaScript
 - comparing with Java and JScript, **554–555**
 - overview of, **553–554**
 - Microsoft Script Editor, **574–578**
 - online resources for, **565**
 - standards for, **556–557**
 - take-over scripts, **804**
 - types of, **152**
 - VBScript, **555**
 - working with custom, **380–382**
- scripts, CGI, **681–690**
 - changing permissions (chmod), **686–688**
 - getting help, **689**
 - placing on servers, **686**
 - pointing to CGI script from HTML, **688–689**
 - resources for, **680–681**
 - testing, **690**
 - working with, **681–685**
 - FTP client, **682–684**
 - Telnet, **684–685**
- scroll bars, frame settings for, **313–314**
- scrolling, chat hosts and, **804**
- scrolling text boxes, **366–368**
- SDK (Software Development Kit), **586**
- Search Engine Watch, **647**
- search engines
 - CGI scripts as component of, **671**
 - as examples of database-backed Web site, **603**
 - listing Web sites with, **643–647**
 - online resources for, **647**
 - update frequency of, **644**
 - use of spiders by, **644**
 - using frames for, **295**
- Search For text box, **893**
- Search Form Properties dialog box, **411**
- search forms, adding to Web pages, **410–412**
- Search view, Microsoft Clip Organizer, **891**
- Secure Electronic Transaction (SET), **768**
- Secure Sockets Layer (SSL), **768**
- Secure Transaction Technology (STT), **768**
- secure transactions, **768**
- security issues, server-side programming and, **705**
- Select Place in Document dialog box, **123**
- Select Plug-In Data Source dialog box, **248**
- selectors, style sheets, **330**
- selection handles, **227**, **227**
- sequences, databases, **715**
- serif type, **151–152**
- server configuration, **852–858**
 - default document settings, **857–858**
 - folder sharing
 - setting up, **855–857**
 - stopping, **858**
 - server settings, **852–855**

- server extensions. *see* FrontPage Server Extensions
- server objects, ASP, 695
- server selection, CGI and, **678–679**
- server-side programming, **673–676**
 - features of, 674–675
 - vs. inline scripting, 673–674
 - security issues and, 705
- session objects, ASP, 694
- Session Properties dialog box, WS_FTP, 683, 683
- SET (Secure Electronic Transaction), 768
- SGML (Standard Generalized Markup Language), 577
- shadow effects, FrontPage drawing tools, **228, 228**
- shapes, **478–480**
 - drawing with FrontPage drawing tools, **226**
 - primary shapes, **479**
 - using graphics to add shape, **479–480**
 - in Web site design, 14
- shared borders, **418–420**
 - adding elements to, **420**
 - creating, 418
 - enabling/disabling, **419**
 - not using with frames, 294
- Shared Borders dialog box, 419
- shared tier models, **816–817, 817**
- SharePoint Team Services, **662–668**
 - Administration page, 663
 - configuring, **664–666**
 - customizing, **666–668**
 - edge theme applied, 668
 - home page, 664
 - installing for Windows, **662–664**
 - overview of, **662**
 - Settings page, 665
 - Site Administration page, 666
- Sharpen command, Effects menu, 223
- Shift+Tab, moving insertion point back one cell, 268
- shopping carts
 - CGI scripts and, 671
 - small-business Web sites and, **768**
- Siegel, David, 25
- signature file, 650–651
- Simple Mail Transfer Protocol (SMTP), 849
- simple tier models, **814, 814**
- single-pixel GIFs, **468–472**
- site management effects, **413–418**
 - adding dynamic date and time, **414–415**
 - including comments, **415–416**
 - registering users, **416–418**
- site maps
 - creating, **9–11, 10**
 - large-scale sites, **827–828**
 - site organization and, 816, 816
- Site search feature, 821
- size
 - fonts
 - changing size, **163–166**
 - creating effects by manipulating size, 166
 - point size, **133**
 - frames
 - adjusting size of inline frames, 317, 317–318

- allowing/not allowing visitors to resize, 313
- choosing size, 310–312
- hover buttons, 401
- objects, 227
- sound controls, 248
- tables, 274–275
- small-business Web sites, 758–786
 - audience and site intent, 759
 - branding a product, 764–765
 - business plan, 760–761
 - domain names, 763–764
 - goal setting
 - long-term goals, 762–763
 - short-term goals, 761–762
 - look and feel of, 765–767
 - page layout, 769–772
 - post-production phase, 785–786
 - preparing for publication, 783–785
 - use of technology, 767–768
 - secure transactions, 768
 - shopping cart technologies, 768
 - working with FrontPage, 772–783
 - adding JavaScript, 779–783
 - customizing Feedback Form, 777–779, 778
 - designing internal pages, 775–777
 - designing splash page, 774–775, 775
 - setting up directories, 772–773
 - setting up tasks, 773–774
- SMTP (Simple Mail Transfer Protocol), 849
- Software Development Kit (SDK), 586
- sound, adding to sites, 244–252
 - embedding sound for IE and Navigator, 246–249
 - linking to sounds, 252
 - setting background sound for IE and Navigator, 249–251
 - setting background sound for IE only, 251–252, 252
 - sound formats, 245–246
- sound effects, using with hover buttons, 401–402
- sound formats, 245–246
- space, 449–472
 - and balance in Web site design, 14
 - graphic images and, 462–466
 - margins, 449–462
 - margins, setting with blockquote tags, 449–454
 - margins, setting with margin attributes, 455–457
 - margins, setting with style sheets, 457–462
 - tables, 466–472
 - tables, cell padding and spacing, 466–468
 - tables, using single-pixel GIFs, 468–472
- spamming, guidelines for avoiding, 648–649
- special characters, 86–87
- special effects, 394–424
 - adding search forms to Web pages, 410–412
 - building a table of contents, 412–413
 - navigation bars (link bars), 420–422
 - shared borders, 418–420
 - adding elements to, 420
 - enabling/disabling, 419
 - in site design, 14–15
 - site management effects, 413–418

- adding dynamic date and time, **414–415**
 - including comments, **415–416**
 - registering users, **416–418**
- specified information throughout site, **407–410**
- Web components, **395–407**
 - adding hit counters, **397–399**
 - adding marquees, **402–403**
 - creating hover buttons, **399–402**
 - extra options, **423**
 - including page within a page, **403–405**
 - including pages/pictures based on schedules, **405–407**
 - placing ad banners, **396–397**
- specified information, **407–410**
- spell checking
 - creating spell-check tasks, **178–179**
 - preparing for publication and, 524, 753
 - text, 132
 - Web pages, **68–70**, 69
 - Web sites, 179
- Spelling dialog box, 69, 753, 783, 783
- spiders, use by search engines, 644
- splash pages
 - creating, **747–748**, 748
 - laying out, 741–742, 742
 - personal Web sites, 737
 - setting tone with, 514
 - small-business Web sites, 774–775, 775
- Split Cells dialog box, 279
- Split Frame dialog box, 301
- SSL (Secure Sockets Layer), 768
- stacking fonts
 - defined, **155**
 - in FrontPage, 158–159
 - in HTML, **156–158**
- Standard Generalized Markup Language (SGML), 577
- standard toolbar, 63
 - Details view, 892
 - Drawing button on, 225
 - List view, 891
 - Preview button, 358
 - Preview in Browser button, 440
 - Thumbnails view, 891
 - using with Web pages, 63
- standards, for scripting languages, **556–557**
- standards organizations
 - ECMA, 559
 - IETF, 558
 - ISO, 558
 - W3C, 558
- start-up, FrontPage, **34**
- static IP addresses, 848
- static maps, 423
- static Web pages, 811
- stored procedures, databases, **715**
- storyboards, creating, *11*, **11–12**
- streaming video and sound, **253–254**
- structure
 - of community sites, **790–791**
 - folder structure (site mapping), **9–11**, *10*
 - guidelines for directory structure, 630
 - hierarchy of Web structures, 812–813
 - HTML, *30*

- of large-scale sites
 - linearity, **812–813**
 - overview of, **811–812**
- site structure, **512–513**
- STT (Secure Transaction Technology), 768
- Style button, Picture Properties dialog box, 104
- Style dialog box, *340–341*
- style guides
 - example of, 630
 - managing Web site style with, 629–630
- style rules, **329**
- style sheet rules, controlling margins, 461–462
- style sheets. *see also* Cascading Style Sheets (CSS)
 - advantages of, 334
 - applying embedded style sheets, **339–342**
 - applying external style sheets, **342–345**
 - applying inline styles, 337–339, 339
 - browser support for, **437–438**
 - color templates, 477–478
 - components of, 330–331
 - controlling color with, **477–478**
 - defined, **329**
 - disadvantages of, 335
 - setting margins with, **457–462**
 - types of, 336–337
- styles, defined, **329**
- Styles dialog box, 329
- Submit buttons
 - automatically adding to forms, 377
 - making, **377–378**
- Substitution Web component, **407–410**
- Sun Audio sound files (.au), 245
- Sun Microsystems, 554
- supporting files, of Web pages, 532–533

- surveys, using databases for, 605–606
- Sybase Adaptive Server Enterprise, **714**
- Symbol dialog box, 86, 86–87
- synonyms, finding in thesaurus, 70
- System DNS, **608–611**, 609
- Systems Administrator, 833

T

- T1 lines, 848
- Tab key, moving between table cells with, 268
- Table AutoFormat dialog box, 282, 282–283
- table captions, creating, **272–273**, 273
- table headers
 - creating, **272**
 - defined, **258**
- table of contents
 - customizing for community Web site, **802**
 - site organization and, 816, *816*
 - using frames for, 295
- Table of Contents component, **412–413**
- Table Of Contents Properties dialog box, 413
- Table of Contents template, 827–828, 828
- Table Properties dialog box
 - adjusting cell padding and cell spacing, 467–468, 468
 - assigning color to gridlines and borders, 288
 - changing table alignment, 275–276, 276
 - changing table size, 274, 274–275
 - using background images in tables, 289
 - using single-pixel GIFs, 468–470, 469
- Table toolbar, **266**
- Table Wizard, Microsoft Access, 712
- tables, **256–290**

- adding text and images, **268–273**
 - aligning text and images in cells, **269–271**
 - creating captions, **272–273**
 - creating headers, **272**
 - using Fill Down/Fill Right buttons, **269**
 - using no wrap option, **271**
- browser support for, **437–438**
- creating
 - with Tables toolbar, **266**
 - from templates, **259–262**
 - using Insert Table button, **263**
 - using Insert Table dialog box, **264–265**
- databases and, **714**
- editing, **273–281**
 - adding cells, **277–278, 278**
 - changing alignment, **275–276**
 - changing size, **274–275**
 - inserting rows and columns, **276–277**
 - merging cells, **280–281**
 - one cell at a time, **283**
 - removing rows and columns, **281**
 - splitting cells, **278, 278–279**
 - splitting tables in two, **280**
- nesting tables, **279**
- overview of tables, **257–259**
- planning, **749, 749–750, 801**
- in relational databases, **605**
- resizing, **263**
- space and, **466–472**
 - cell padding and spacing, **466–468**
 - using single-pixel GIFs, **468–472**
- special options
 - adding color, **286–288**
 - cell padding, cell spacing, and border width, **284–286**
 - coloring borders and gridlines, **288**
 - using AutoFormat command, **282–283**
 - using background images, **289**
 - Web layout with borderless tables, **22**
- Tables toolbar, **267–268**
 - Delete Cells button, **281**
 - Draw Table button, **266**
 - Eraser button, **266**
 - features of, **266–268**
 - Fill Color button, **286**
 - inserting rows and columns, **276–277**
 - Merge Cells button, **281**
 - using with Web pages, **64, 64**
- target audience
 - browser design for, **428–430**
 - identifying, **7–9, 640**
- Target Frame dialog box, **321, 321–322**
- target settings, frames, **293, 294, 320–322**
- Task Details dialog box
 - assigning tasks, **187**
 - modifying tasks, **183, 183**
 - selecting tasks, **182**
- tasks
 - for community Web site, **799–800**
 - defined, **174**
 - for large-scale sites, **826**
 - for personal Web pages, **746–747**
 - setting up in Folders view, **744**
 - setting up in production phase, **519–521**

- for small-business Web sites, **773–774**
- tracking with InterDev, **727**
- types of, **175**
- Tasks list, **181**
 - deleting tasks from, **185**
 - marking completed tasks, **184–185**
 - modifying task descriptions, **183**
 - reading, **180–182**
 - selecting task from, **182**
 - tracking modifications, **188**
- Tasks view, **174–188**
 - creating new tasks, **175–180**
 - linked tasks, **175–177**
 - spell-check and page-creation tasks, **178–179**
 - unlinked tasks, **177–178**
 - using wizards for, **179–180**
 - organizing and tracking maintenance, **627**
 - overview of, **52**
 - Tasks list in
 - deleting tasks from, **185**
 - marking completed tasks, **184–185**
 - modifying task descriptions, **183**
 - reading, **180–182**
 - selecting task from, **182**
 - using in team setting, **186–187**
 - using with large scale sites, **826**
- TcL language, **677**
- TCP/IP (Transmission Control Protocol/Internet Protocol), **870–879**
 - defined, **870**
 - FrontPage TCP/IP test program, **881–884**
- Windows 2000
 - installing and binding, **871–873**
 - setting properties, **876–877**
- Windows ME
 - installing and binding, **873–875**
 - setting properties, **878–879**
- Tea Shop, **16–17, 18, 23–24**
- team members, selecting, **723**
- technology
 - community Web sites, **794**
 - inappropriate use, **722–723**
 - large-scale Web sites, **821**
 - personal Web sites, **740**
 - small-business Web sites, **767–768**
 - secure transactions, **768**
 - shopping cart technologies, **768**
- Telnet
 - accessing servers with, **685**
 - CGI and, **684–685**
- templates
 - controlling color, **477–478**
 - creating forms, **352**
 - creating frames, **297–300**
 - creating sites, **35–38, 36**
 - creating style sheets, **344**
 - creating tables, **259–262, 260**
 - creating Web pages, **53–54, 54**
 - Feedback Form template, **829, 830**
 - look and feel of sites and, **13, 13**
 - saving Web pages as, **76, 76–77**
 - Table of Contents template, **827–828, 828**

- testing browsers, **440–444**
 - previewing in different browsers, **440–443**
 - testing in other environments, **443–444**
- text, **128–148**
 - adding to tables, **268–273**
 - aligning text in cells, **269–271**
 - creating captions, **272–273**
 - creating headers, **272**
 - using Fill Down/Fill Right buttons, **269**
 - using no wrap option, **271**
 - animating with DHTML, **566–570**, *569–570*
 - changing font color, *170*, **170–171**
 - communicating with, **129–131**
 - dynamic text, *463*
 - entering into Web pages, **85–86**
 - including headings, **146–147**
 - maintaining Web sites and
 - finding, **636–637**
 - replacing, **637–638**
 - purpose of, **131–132**
 - using browser defaults for, **132–134**
 - using lists, **142–146**
 - bulleted lists, **142–143**
 - definition lists, **146**
 - numbered lists, **143–145**
 - using text and paragraph styles, **134–141**
 - formatting for emphasis, **135**
 - logical text styles, **137–139**
 - paragraph styles, **139–141**
 - physical text styles, **136–137**
- text alignment, **90–91**, *91*
- Text Box Properties dialog box, *362*
- Text Box Validation dialog box, *363*
- text boxes, one-line, **360–366**
 - creating
 - making text box for, *361*
 - validation rules, *363*, *363–366*
 - editing, *361–363*
- text boxes, scrolling, **366–368**
- text editing tools, **66–73**
 - finding text, **71–72**, *72*
 - moving and copying text, **66–68**
 - replacing text, **73**, *73*
 - spell checking, **68–70**
 - using thesaurus, **70**, *70*
- text files (ASCII), *63*
- text-only browsers, *430*
- text styles
 - formatting for emphasis, **135**
 - logical text styles, **137–139**
 - physical text styles, **136–137**
- TextArea Box Properties dialog box, *367*
- textures, in Web site design, *14*
- themes
 - applying to SharePoint sites, *667*
 - background colors and, *112*
 - creating your own, *117*
 - ruled lines and, *108*
 - using with Web pages, **115–117**, *116*
- thesaurus, **70**, *70*
- Thumbnails view, standard toolbar, *891*
- tier-based models, **814–817**
 - complex tier models, **814–815**, *815*
 - shared tier models, **816–817**, *817*
 - simple tier models, **814**, *814*
- tiled images, using as background, *114*, *114–115*

Tiro Typeworks, 480–481, 481

titles, of Web pages, **83–85**

topic drift, moderated forums and, 803

topmargin, IE margin attributes, 455

tracking, typography and, 169

traffic building, **639–655**

- announcing site in selected newsgroups, **648–649**
- getting listed in magazines and newspapers, **649–650**
- identifying target audience, **640**
- listing with directories and search engines, **643–647**
- other media for, **653**
- planning campaign for, **640–643**
- retroactive linking and, 639, **647**
- using e-mail publicity, **650–653**

traffic levels, choosing ISPs and, 194

Transmission Control Protocol/Internet Protocol (TCP/IP). *see* TCP/IP (Transmission Control Protocol/Internet Protocol)

triangular shapes, 479

triggers, database, **715**

TWAIN-compliant scanners, 218

typography, 150–172. *see also* fonts

- adding fonts to Web pages, **153–154**
- changing font size, **163–166**
- choosing colors, **167–171**
 - changing font colors, **170–171**
 - choosing for hyperlinks, **171**
 - defaults for Web pages, **168**
- creating look and feel with, 740, 767, 793, 820

- font tips and tricks, **160–162**
- managing Web fonts, **155–160**
 - embedding fonts, **159**
 - font stacking in FrontPage, **158–159**
 - font stacking in HTML, **156–158**
 - Microsoft Core fonts, **160**
- online resources for, 502
- tour of examples, **480–483**
- typeface categories, **151–153**

U

Ulead GIF Animator, 503

Ulead SmartSaver, **497–498**, 498

unicast technology, 254

units of measurement, CSS, **331–332**

UNIX

- case sensitivity of, 679
- finger program, 652–653
- FrontPage Server Extensions for, 679

unlinked tasks

- creating, 177–178
- defined, **175**

updates, CGI scripts and, 671–672

URLs

- common use of, 653
- promoting, 650–651

usage reports, Web sites, **638–639**

User Registration Web component, 416–418

usernames, login dialog and, 187

V

validation

- drop-down menus, 374–375
- one-line text boxes, 363, 363–366

values, keywords and, 407–408

VBScript. *see also* Dynamic HTML (DHTML)

- browser-specific problems of, 439
- example ASP written in, 696–699
- scripting tools and, 555

vector graphics. *see also* Adobe Illustrator;

Adobe Photoshop

defined, 487

programs using, 492

vertical spacing, typography and, 169

video, 237–244

- downloading, 237
- embedding video for IE and Navigator, 239–242
- embedding video for IE only, 242–244
- linking to video, 244
- video formats, 238

Video dialog box, 243

View menu, changing views with, 43

viewers, Office, 547

Views bar, changing views with, 43, 43

views, FrontPage, 43–52

- Folders view, 46–48, 47
- Hyperlinks view, 50–52, 51
- Navigation view, 49–50, 50
- Page view, 43–46, 44, 46
- Reports view, 48–49, 49
- Tasks view, 52

Virtual Directory Creation Wizard

- Access Permissions pane of, 856, 863
- sharing folders with FTP server, 863–864
- sharing folders with server, 855–857

viruses, macro, 548

Visual Basic, 555, 590–591

Visual C++, 590–591

Visual InterDev, 721–732

- as ASP tool, 699–700, 700
- database design features of, 729
- Development Team Model, 731–732, 732
- features of, 727–729
 - development-oriented interface, 728–729
 - remote management of Web servers, 729
 - tracking tasks, 727
 - works in tandem with FrontPage, 728
- interface of, 726–727, 727
- online resources for, 730
- overview of, 721
- programming support in, 730
- RAD and, 726
- using in collaboration with FrontPage, 33

Visual Studio, 721

vspace="", IMG tag attribute, 463

W

W3C Extended log file format, 867

W3C (World Wide Web Consortium), 328, 558

Web Archive format, 533

Web authoring. *see* Web publishing

Web browsers. *see also* cross-browser design

- ability to display justified text, 90
 - accessing Web servers with, 29
 - compatibility of scripting languages and, 560–561
 - downloading, 79, 434
 - embedding fonts and, 159
 - features of, 435–437
 - frame-compliance of, 294–295
 - previewing Office files, 531
 - previewing Web pages with, 78, 78–79
 - style sheet support, 327, 336
 - support for JavaScript, 555
 - translating HTML tags with, 30
 - types and extent of use, 430
 - use of fonts by, 133–134
 - using defaults for text, 134–141
 - Web page design and, 431
- Web Collections, 893–894
- Web components, 395–407
- adding hit counters, 397–399
 - adding marquees, 402–403
 - creating hover buttons, 399–402
 - defined, 395
 - extra options, 423
 - including page within a page, 403–405
 - including pages/pictures based on schedules, 405–407
 - placing ad banners, 396–397
- Web content, 790. *see also* content
- Web Content Developer, 832
- Web Database Engineer, 833
- Web design, advanced, 448–483
- color, 472–478
 - controlling with style sheets, 477–478
 - intelligent choices, 476–477
 - overview of Web color, 473–474
 - using safe colors, 474–476
 - shapes, 478–480
 - primary shapes, 479
 - using graphics to add shape, 479–480
 - space, 449–472
 - graphics, 462–466
 - margins, 449–462
 - margins, setting with blockquote tags, 449–454
 - margins, setting with margin attributes, 455–457
 - margins, setting with style sheets, 457–462
 - tables, 466–472
 - tables, cell padding and spacing, 466–468
 - tables, using single-pixel GIFs, 468–472
 - typography, 480–483
- Web design, introduction, 4–25
- designs that don't work, 12
 - resource toolbox for, 15
 - site planning, 5–15
 - creating folder structure, 9–11
 - creating storyboard, 11–12
 - defining target audience, 7–9
 - developing look and feel, 13–15
 - setting goals, 5–7
 - Web sites dos and don'ts, 16–17
 - successful examples
 - Addicted 2: Stuff, 21–22
 - GroundZero, 22–23
 - IRS newsletter, 23–24
 - Kook's Museum, 20–21

- San Francisco Exploratorium, **19–20**
- Tea Shop, **16–17**
- Web designer's toolbox, **15**
- Web fonts, managing
 - embedding fonts, **159**
 - font stacking in FrontPage, **158–159**
 - font stacking in HTML, **156–158**
 - fonts, **155–160**
 - Microsoft Core fonts, **160**
- Web Graphic Designer, **832**
- Web layout view, **531**
- Web Options dialog box, **543**
- Web pages
 - adding, **52–56**
 - creating blank Web pages, **52–53**
 - creating pages from templates, **53–54**
 - importing pages, **54–56**
 - adding fonts to, **153–154**
 - adding sound to, **246**
 - adding video to, **239**
 - converting documents into, **63**
 - creating multiple versions of, **432–433**
 - default font colors for, **168**
 - defined, **29**
 - editing text, **66–73**
 - checking for spelling errors, **68–70**
 - finding text, **71–72**
 - moving and copying, **66–68**
 - replacing text, **73, 73**
 - using thesaurus, **70**
 - opening, **60–62, 62**
 - previewing, **77–79**
 - using Preview tab, **77–78**
 - using Web browsers, **78, 78–79**
 - printing, **79–80**
 - properties of, **64–66, 65**
 - saving, **74, 74–77**
 - overview of, **74**
 - saving embedded files, **75, 75**
 - saving pages as a template, **76, 76–77**
 - testing prior to publishing, **524–525**
 - viewing HTML coding of, **17**
- Web pages, basics, **82–126**
 - backgrounds, **112–117**
 - choosing color, **112–113**
 - choosing graphic for, **114–115**
 - entering text, **85–86**
 - graphics, **96–106**
 - changing image size, alignment, and spacing, **102–106**
 - getting images from Clip Organizer, **96–99**
 - importing images, **100–102**
 - using images from other sources on your computer, **99–100**
 - hyperlinks, **118–125**
 - bookmarking to specific locations, **121–122**
 - creating, **118–120**
 - to e-mail addresses, **124–125**
 - to Internet pages, **123–124**
 - to other pages, **122–123**
 - within page links, **122**
 - within site links, **120**
 - paragraphs, **87–94**
 - indentation, **91–93**
 - line breaks, **88, 88–90**

- multiple paragraph breaks, **94**
- nonbreaking spaces, **93**
- paragraph breaks, **87, 88**
- text alignment, **90–91, 91**
- ruled lines, **106–112**
 - changing look of, **107–109**
 - inserting, **107**
 - using graphics as, **109–112**
- themes, **115–117**
- titles, **83–85**
- understanding HTML, **94–96, 95**
- using special characters, **86–87**
- Web Programmer, **832–833**
- Web Project Manager, **832**
- Web publishing, **191–208**
 - community Web sites, **803**
 - deleting Web pages, **207–208**
 - first-time publishing, **197–203**
 - features, **198–199**
 - publishing on Intranet, **203**
 - publishing to FTP Servers, **202–203**
 - publishing to Servers with FrontPage Server extensions, **200–201**
 - FrontPage and, **31**
 - large-scale sites, **830**
 - options, **193–197**
 - ISPs, **193–195**
 - registering domain names, **195–197**
 - personal Web pages, **753–754**
 - production phase and, **524–525**
 - re-publishing, **204–207**
 - small-business Web site, **783–785**
 - stages of, **191–192**
- Web Publishing Wizard, Windows, **203**
- Web servers
 - accessing across Internet, **887–888**
 - accessing with Web browsers, **29**
 - connection requirements for, **848**
 - sharing system with database software, **603**
- Web servers, setting up, **848–868**
 - alternatives to IIS, **867–868**
 - FTP server configuration, **858–864**
 - folder sharing, **863–864**
 - server settings, **859–861**
 - stopping folder sharing, **864**
 - welcome messages, **861–862**
 - installing Web services, **849–850**
 - logging access to servers, **864–867**
 - server configuration, **852–858**
 - folder sharing, **855–857**
 - server settings, **852–855**
 - setting default document, **857–858**
 - stopping folder sharing, **858**
 - starting, stopping, and pausing servers, **850–852**
- Web Settings dialog box
 - creating database connection with, **611–612, 612**
 - specifying keywords and values, **408**
- Web Site Templates dialog box, **772–773, 824**
- Web sites, **33–42**
 - community. *see* community Web sites
 - corporate, **32**
 - creating empty, **40**
 - creating sites with a wizard, **38–38**
 - creating sites with templates, **35–38, 36**
 - defined, **29**
 - deleting, **57–58**
 - designing for browsers, **428–430, 432–433**

- importing existing, **40–42**
- intranets, **32**
- large-scale. *see* large-scale sites
- opening, **37, 56–57**
- personal. *see* personal Web sites
- promoting. *see* traffic building
- pros/cons for businesses, **762**
- small-business. *see* small-business Web sites
- types of, **32, 191**
- Web sites, building, **506–525**
 - post-production phase, **525**
 - pre-production phase, **507–518**
 - content design, **512–518**
 - content design, look and feel, **513–514**
 - content design, site structure, **512–513**
 - content design, sketches and mock ups, **514–518**
 - content design, technology planning, **518**
 - knowing your audience, **509–510**
 - setting up schedules, **510**
 - site intent and goals, **507–509**
 - working with clients, **510–511**
 - production phase, **518–525**
 - generating site graphics, **521–523**
 - page-by-page design, **523–524**
 - preparing for publication, **524–525**
 - setting up folders, files, and tasks, **519–521**
- Web sites, maintaining, **627–655**
 - functions of, **628**
 - guidelines, **525, 755**
 - organizing and assigning maintenance tasks, **627–630**
 - site promotion and traffic building, **639–655**
 - announcing site in selected newsgroups, **648–649**
 - getting listed in magazines and newspapers, **649–650**
 - identifying target audience, **640**
 - listing with directories and search engines, **643–647**
 - other media for, **653**
 - planning campaign, **640–643**
 - retroactive linking, **647**
 - using e-mail publicity, **650–653**
 - text
 - finding, **636–637**
 - replacing, **637–638**
 - usage reports, **638–639**
 - verifying hyperlinks, **630–634**
 - checking for broken links, **630–632**
 - fixing broken links, **633–635**
- Web users, profile of, **427**
- Webmasters, **785–786**
- WebTV, **561**
- welcome messages, FTP server configuration, **861–862**
- welcome pages
 - creating with FrontPage, **800–801**
 - generating graphics for, **795–796**
 - large-scale sites, **823, 826–827**
 - layout of, **795, 796**

- white space
 - defined, **449**
 - page layout and, 141
 - using cell padding and spacing to enter, 468
 - Windows. *see* Microsoft Windows
 - Windows Components Wizard dialog box, 850
 - Windows Socket (Winsock), 883
 - wizards
 - creating new tasks, **179–180**
 - creating sites with, **38–38**
 - Word. *see* Microsoft Word
 - WordPerfect, converting documents into Web pages, 63
 - workgroups, network connections and, 880–881
 - Works, Microsoft, 63
 - World Wide Web Consortium (W3C), 328, 558
 - wrapping, no wrap option in tables, **271**
 - Wrapping Style, Picture Properties dialog box, 104
 - WS_FTP
 - FTP clients, 682, 682
 - publishing Web site with, 203
 - setting up, 683–684
 - WYSIWYSG (What-You-See-Is-What-You-Get), 328, 559
- ## X
- XHTML (eXtensible HyperText Markup Language), 577
 - XML (eXtensible Markup Language), 577
- ## Z
- Zoom command, Microsoft Photo Editor, **222**