

# Index

- Acoustic intensity, 149
- Active sensing, 8, 10, 148, 159, 164, 179, 333, 338, 369, 376
- Actuator, 8, 146, 159–162, 289, 340, 343, 350, 360, 375
- Adhesives, 137. *See* Attachments.
- Aircraft systems, 18
  - Alaska Airlines, 3, 280
- Aliasing, 176, 185, 220
- Aluminum beam, 293, 295
- Aluminum plate, 364, 371
- Amplitude distortion, 142, 181
- Analog to digital converter (ADC), 171, 172, 174
- AND operation, 251–253
- Applications, 16, 44, 159, 198, 201
  - commercial, 3, 4
  - defense, 4
- Area reduction, 109
- Array gain factor, 200, 366, 367
- Attachments, 141, 272
  - adhesive, 138, 141, 143
    - epoxy, 29, 137, 138, 329
    - glue, 29, 137, 139
  - strap, 139
  - stud mount, 143
- Auto-correlation, 206, 209
- Automotive systems
  - passenger cars, 4
  - suspensions, 4
  - tires, 4, 114
  - trucks, 3, 4
- Autonomic logistics, 3, 5
- Autoregressive, 72
- Averaging, 222, 234, 236, 237, 241, 242
  - asynchronous, 234, 299
  - cyclic, 234, 235, 240, 241
  - synchronous, 234, 237, 299
- Ball joint, 319. *See* Fastener.
- Bearings, 1, 3, 322
- Bilinear stiffness, 111
- Bispectrum, 224, 225
- Bit dropout, 174
- Body armor, 26
- Bolt, 30, 107, 108, 319, 322, 350
- Broadband excitations, 93, 159
- Buckling, 50, 52, 116, 211
- Cables, 129, 155, 159
- Calibration, 152, 162
- Central limit theorem, 269
- Ceramic tile, 94, 356
- Charge amplifier, 157
- Chasle's theorem, 309
- Chirp, 226
- Clearance, 11, 14, 109
- Clevis, 110, 262
- Coherence function, 239
- Cold welding, 13, 14, 318
- Combined loading, 322, 323
- Compliance method, 42
- Composite materials
  - constitutive law, 118
  - cylinder, 115, 118, 126, 283, 297, 379
  - plate, 62, 64, 254, 275, 367

- Condition-based maintenance, 3, 24
- Conferences, 23
- Continuous parameter, 31
- Control charts, 270
- Controllability, 166, 167
- Convolution, 218, 219
- Corrosion, 116, 117, 120, 311
- Coulomb friction, 48–50, 69
- Coupling, 40, 88, 126
- Cracks, 109–111, 115, 117, 121, 354
  - link up, 20
  - models, 109
- Creep, 94, 115, 123, 124
- Curvature, 76, 116, 245, 360
- Damage
  - accumulation, 2, 23, 383, 393
  - definition, 12, 13
  - global, 12, 24
  - local, 24
  - models
    - dynamic, 125
    - static, 124, 125
- Damage identification, 7, 9, 10, 24, 257, 263, 287, 299, 371
  - detection, 9, 13, 161, 222, 264, 287, 288, 373, 374
  - vibration-based, 329
  - wave propagation-based, 375
  - location, 10, 290, 367
  - quantification, 10, 292, 293, 333
- Damage growth, 7, 121, 391, 392
- Damping, 31, 36, 60, 70, 76, 85, 100, 113, 243, 336
- Data analysis, 21, 24, 187, 189, 208, 298
- Degrees of freedom (DOF), 31, 375
- Delamination, 11, 39, 50, 108, 113
- Detection. *See* Damage identification, detection.
- Diagnostics, 9, 16, 24
- Digital to analog converters (DAC), 129, 159
- Dimensionality, 263
- Direct parameter models, 101
- Discrete Fourier transform, 220.
  - See* Fourier analysis.
- Discrete frequency model, 349
- Discrete time models, 71, 101, 212
- Dispersion
  - meaning, 59, 64, 101
  - relation, 53
- Drop tower, 341
- Durability, 17, 24, 137, 138, 164
  - suspensions, 4
  - tires, 4
- Dye penetrant, 16, 26
- Eddy current, 16, 147, 159
- Eigenvalue problem, 33
- Embedded sensitivity, 78, 79, 101, 258, 274, 293, 296, 333
- Embedded sensors, 350
- Engine valve, 12, 13, 316
- Equations of motion, 32, 33, 45, 48, 68, 84, 309
- Equilibrium, 31
- Erosion, 11, 112
- Evanescent wave, 60
- Excitation, 31
- Extrapolate, 325–327
- Failure
  - definition, 15
  - models, 18, 122, 125
- False alarms, 10
- Fast Fourier transform (FFT), 219
- Fastener, 48
  - bolt, 30, 107, 108, 319, 322, 350
  - rivet, 313, 314
- Fatigue test, 391
- Faults, 9, 20, 287. *See* Damage.
- Feature extraction, 9, 24, 257, 258, 358
- Features, 129, 257, 260, 263, 265, 280, 299
- Fiber breakage, 90, 118, 124, 292
- Fiber pullout, 108, 117, 118
- Filters, 129
  - frequency-domain, 193, 194, 298
    - bandpass, 193
    - finite impulse response (FIR), 193, 194
    - high-pass, 156, 193
    - infinite impulse response (IIR), 193, 194
    - low-pass, 192, 312
  - spatial, 187, 194, 196, 298
    - beamformer, 197–199
  - temporal, 200
- Finite element model, 56, 60, 209, 351
  - beams, 62
  - mass matrix, 33, 56
  - nodes, 55, 254, 255
  - plates, 64
  - rods, 55, 62, 208
  - stiffness matrix, 33, 55, 110, 351

- Fourier analysis, 10
  - discrete Fourier transform, 218, 219
  - Fourier integral transform, 91
- Free body diagrams, 32
- Free response, 35, 36, 100, 161
- Frequency response function (FRF), 37, 44, 101, 177
- Frequency spectrum, 60, 75, 90, 189
  - power spectral density (PSD), 132, 226
  - power spectrum, 224, 225
- Functional degradation, 14, 25
  
- Gas turbine engine, 7, 344. *See* Wire harness and connector.
- Gaussian distribution, 96
- Grating lobes, 200
- Group velocity, 62, 63, 100
  
- Harmonic response, 176
- Health and usage monitoring (HUMS), 16
- Health monitoring, 19, 23, 24, 111, 266, 334, 344, 367
  - definition, 1
  - process, 94, 297
- Higher order spectra (HOS), 224, 225, 228, 298
- Humidity, 95, 136, 271, 274
- Hypothesis testing, 266, 299, 315
  
- Impact hammer, 159, 166, 275, 283, 311, 323, 333
- Impedance method, 41
- Impulsive load, 305, 306
- Inertia, 31, 100, 110, 111, 116, 152, 280
- Integrated systems health management (ISHM), 16
- Intelligent maintenance, 16
- Interference, 100, 163, 196
- Interpolate, 192
- Inverse problems, 282, 299
  
- Lamb waves, 64
- Laser ultrasound, 149
- Launch environments, 249
- Leakage, 178, 179, 189, 191, 219, 234, 298
- Least squares solution, 101, 281, 309, 312, 327
- Loads
  - cyclic, 18
  - interaction effects, 4, 18, 287
  - redistribution, 2
  - transient, 316, 328
- Loads identification, 7, 8, 24, 266, 280–282, 299, 313, 327
  - location, 380, 381
- Location, 327, 363, 366, 367. *See* Damage identification, location.
- Longitudinal waves, 60, 62, 208. *See* Wave propagation.
- Lumped parameter, 80, 100, 187
  
- Mass, 337, 363, 375. *See* Inertia.
- MATLAB<sup>®</sup>
  - ‘adccerrors.m’, 172
  - ‘aliasdemo.m’, 174
  - ‘attachtrans.m’, 142, 184
  - ‘averagingdemos.m’, 234, 235
  - ‘bbandpdf.m’, 93
  - ‘beamsteer.m’, 200, 301
  - ‘frfestimation.m’, 239, 302
  - ‘filterdemo.m’, 193, 301
  - ‘onedofesens.m’, 79, 105
  - ‘ninedofdata.m’, 183, 184, 303, 328, 377, 394
  - ‘ninedofenviron.m’, 136, 184, 328
  - ‘ninedoffeature.m’, 263, 264
  - ‘ninedofselect.m’, 165, 168, 185
  - ‘ninedofspatial.m’, 243, 244
  - ‘panelsimpretemp.m’, 98
  - ‘piezoaccelfrf.m’, 153
  - ‘piezosensorfrf.m’, 156
  - ‘platefemsim.m’, 254, 303, 328, 377, 378, 394
  - ‘rod1dtranswave.m’, 60, 112
  - ‘rod1dwave.m’, 104
  - ‘rodtemporal.m’, 209, 301, 302
  - ‘thermalobserver.m’, 202, 301
  - ‘threedofesense.m’, 81, 106
  - ‘threedoffrfload.m’, 74
  - ‘threedofmodal.m’, 86, 87
  - ‘threedoftrans.m’, 46
  - ‘threedofvforce.m’, 82
  - ‘timefreqanalysis.m’, 228, 302, 378
  - ‘twodofdfm.m’, 220, 302
  - ‘twodofdpe.m’, 67
  - ‘twodofdtm.m’, 73, 74
  - ‘twodofeig.m’, 33, 34, 36
  - ‘twodofembed.m’, 215, 302
  - ‘twodoffree.m’, 36
  - ‘twodoffrf.m’, 38, 103
  - ‘twodoffhos.m’, 225
  - ‘twodoffr.m’, 69
  - ‘twodoftemporal.m’, 206, 212, 301–303
  - ‘twoDshapesensor.m’, 144, 184
  - ‘windowdemo.m’, 189
- Matrix cracking, 119
- Measurement degree of freedom, 163

- Measurements, 127
  - channel, 127
  - errors, 127, 145
  - variability, 271, 272
- Membranes, 62
- Metallic materials, 122
- Microstructural changes, 119, 120
- Missile casings, 20
- Modal curvatures, 245, 262
- Modal deflection shapes, 33, 244
- Modal matrix, 84
- Modal modeling, 243
- Mode of vibration, 36
- Modeling, 21, 24, 29, 31, 84, 108
  - data-driven, 325
  - physics-based, 293, 310
- Moving average, 72
- Multiplexer, 179
- Multi-site damage, 367
  
- Narrowband excitation, 60
- Natural frequencies, 33, 34
- Neural network models, 88
- Newton's laws, 32
- Nodes, 55. *See* Finite element model.
- Nodes of vibration, 164
- Noise, 14, 73, 74
  - 60 Hz, 172, 174
- Noncontact sensors, 149. *See* Sensing.
- Nondestructive evaluation, 16
  - offline, 16, 17
  - online, 16, 17
- Nondestructive testing, 16, 17
- Nonlinearity, 48, 292
  - damage detection, 9, 13, 161, 222, 264, 287, 288, 373, 374
  - modeling, 21, 24, 29, 31, 84, 108
- Nonproportional damping, 111. *See* Proportional viscous damping.
- Nonstationary, 133, 135, 136, 181
  
- Observability, 167
- One-dimensional waves. *See* Wave propagation.
- OR operation, 251
- Overdetermined measurements, 281
- Overload, 112, 177
- Oxidation, 39
  
- Paris' law, 120–123
- Passive sensing, 146
  
- Peak pick, 85
- Penetration, 112
- Performance prediction, 11, 379
- Phase distortion, 142, 181
- Phase plane, 68, 70, 101, 344, 347
- Phase velocity, 53, 63
- Phased arrays, 196, 298
- Phasors, 37
- Phenomenological damage
  - models, 379
- Pipe, 125
- Plane wave, 197, 198
- Plastic deformation, 112
- Poincare sections, 216
- Polymer beam, 166
- Power spectral density (PSD), 226. *See* Fourier analysis.
- Preamplifier, 157
- Prediction, 210, 213, 379
- Principal coordinates, 84
- Probability density function, 93
- Probability of detection, 287
- Product life-cycle management, 16
- Prognostic health management, 16
- Prognostics, 16, 19
- Proportional viscous damping, 55
- Pseudo-inverse, 67
  
- Quadratic stiffness, 51, 70
- Quantification, 292. *See* Damage quantification.
- Quantization, 174
  
- Rayleigh waves, 64, 65
- Rayleigh's criterion, 179, 181
- Readiness, 4, 5, 7, 20
- Regression analysis, 295
- Reliability forecasting, 16
- Residual strength, 382, 383
- Residual stress, 116, 253
- Resonant frequencies, 38, 100. *See* Natural frequencies.
- Response, 35, 37
- Restoring force models, 68, 101
- Return map(s), 213, 215. *See* Fastener.
- Rivet, 313, 314
- Rotating machines, 133

- Sampling, 171, 174, 181
- Sandwich panel, 115, 322, 369
- Seismic loads, 246
- Self loosening, 107, 329
- Sensors, 1, 8, 9
  - acceleration, 12
  - contact, 149
  - durability, 137, 164
  - footprint, 138
  - frequency range, 279
  - models, 29
  - noncontact, 149
  - piezoelectric, 155, 157, 181
  - robustness, 151, 181
  - sensitivity, 8, 151
  - stability, 139
  - strain, 137, 166
- Separation of variables, 100
- Shannon's sampling criterion, 176, 181
- Ships, 5
- Shock, 8, 9, 116, 129
- Signal processing, 9, 24
- SIMULINK<sup>®</sup>
  - 'two\_dof\_model\_nl.mdl', 49, 69
- Sine sweep, 262, 296, 384
- Singular value decomposition (SVD), 168
- Smart materials, 146
- Solenoid, 13, 317, 318
- Sonic fatigue, 94
- Spectrogram, 176, 226, 228
- Spectrum, 75. *See* Frequency spectrum.
- Speed of sound, 100
- Spindle, 7, 110, 272, 351–355
- Stabilizer bar, 260
- State awareness, 9
- State inference, 201
- State–space model, 167, 169
- Stationary data, 130, 133
- Statistical analysis, 205
- Statistical model, 29
- Stiffness, 32, 41
- Strain gauge, 150
- Structural health monitoring, 16.
  - See* Health monitoring.
- Structures
  - parasitic, 12
  - unitized, 12
- Suspensions, 4
- Tank, 12, 13, 371
- Temperature effects, 1, 116
- Thermal protection systems, 329
  - ceramic, 26
  - metallic, 12, 305, 329
- Thermocouple, 146
- Thermography, 16
- Thermo-mechanical loads, 21
- Threshold, 151, 267, 287, 290, 364
- Time delay embeddings, 213, 298
- Time–frequency analysis, 226
- Tires, 4, 114
- Transducers, 127, 137, 146, 181, 356
  - orientation, 163
  - placement, 163, 166
  - types, 146, 147
- Transmissibility, 44, 222, 258, 273–275, 279, 289
- Transverse waves, 58, 254. *See* Wave propagation.
- Triangulation, 243, 254, 299
- Trispectrum, 224, 225
- Trucks, 3, 4. *See* Automotive systems.
- Two-dimensional waves, 64. *See* Wave propagation.
- Ultraviolet radiation, 95, 271
- Uncertainties, 18
- Underdetermined, 282, 312, 327
- Unmanned aerial vehicle, 1, 2, 126
- Unsupervised, 288
- Variability, 21, 27, 270, 271, 273, 274, 279, 299, 327
- Vibration, 31, 36, 51, 95, 129
- Vibration modeling. *See* Modeling and Vibration.
- Virtual force model, 82, 83
- Wave equation, 52, 54, 64, 65, 100
- Wave number, 53, 59, 100, 198
- Wave propagation, 52, 57, 63, 64, 109, 148, 351, 376
  - bulk waves, 62
  - guided waves, 62
  - one-dimensional, 52
    - longitudinal, 54, 64, 228
    - transverse, 59, 254
  - shear waves, 62
  - two-dimensional, 62

- Wavelet transform, 231  
Weld, 11, 119  
Wheel end, 351. *See* Spindle and Tires.  
Windmill, 27, 91  
Windows, 191, 219, 298  
    boxcar window, 191, 218  
    flattop (P301) window, 191  
    Hanning window, 191, 222, 235, 330, 356  
Wire harness and connector, 20,  
    132, 344  
Wireless sensing, 163  
Wound composite, 288, 297  
X-ray tomography, 16  
Yield strength, 123