

Index

- absorption coefficient, 15
- activation energy
 - definition, 78
 - typical values, 79
- adiabatic furnace, 128
- America Burning*, xiv, 1, 9
- autoignition
 - calculation of, 105–106
 - temperatures, 84
 - theory of, 80–85
 - wood data, 182–184
- Avogadro's number, 22

- B number, Spalding, 8, 242
- Biot number, 121, 172
- BLEVE, 140–141
- blocking factor, 248
- boundary layer thickness, 236
- Boussinesq assumption, 300, 302
- Buckingham pi method, 378–379
- burning velocity, *See* flame speed
- burning rate
 - alternative control volume theory, 269–277
 - asymptotic values, 259
 - char effect, 230
 - chemical kinetic effects, 277–282
 - complex materials, 267
 - convective, 248–252
 - definition, 227
 - extinction behavior, 282–285
 - mass flux, 228
 - radiation effects, 255–259
 - stagnant layer theory, 233–242
 - water effects, 262–267
 - wood cribs, 268, 353, 362–364
- ceiling jet, 395, 406
- Center for Fire Research (CFR), xiv, 9
- chemical equilibrium, 19
- chemical reaction
 - complete, 20
 - stoichiometric, 21
- Clausius-Clapeyron equation
 - derivation, 141–143
 - use in burning rate, 240
- compartment fires
 - burning rate for, *See* burning rate
 - developing fires, 358–361
 - fluid dynamics of, 342–347
 - fuel interaction, 351–355
 - fully developed, 340–341, 360–364
 - heat transfer for, 347–352
 - pool fires, 353, 364
 - smoke filling, 396
 - temperatures, 358–364, 398–399
- Conseil International du Batiment (CIB), 362
- conservation equations
 - compartment fires, 356–357
 - control volume formulation, 54–67
 - dimensional analysis, 381–384
 - energy, 61–67
 - mass, 54
 - momentum, 59
 - plumes, 302–306, 312–313
 - species, 56–57
- control volume
 - description, 49
 - relationship to system, 54

- Dalton's law, 25, 139
- Damkohler number
 - in burning, 234

- with conduction, 121
- critical values, 123
- in flame spread, 210–211
- uniform system, 83, 88
- deflagration, 77, 88
- detonation, 77, 88
- Denmark Technical University (DTU), xv, 11
- diffusion coefficient, 16
- diffusion velocity, 16, 56
- dimensionless groups, 377, 392–394
- educational institutions, 11
- emissivity
 - in compartment fires, 349–351
 - definition, 15
- enthalpy, 28
- equivalence ratio, 21
- Error function, 178–179
- evaporation
 - description, 137–140
 - dimensionless groups, 386–388
 - flash evaporation, 140
 - rates, 146–148
 - temperature distribution, 149
 - of water sprays, 400–401
- evaporative cooling, 137
- FM Global, *See* Factory Mutual
- Factory Mutual, xiv, 10
- Fick's law, 8, 16.56, 236
- fire
 - cost, 2
 - definition, 3–6
 - disasters, 3
 - history, 1–2
 - science of, 6, 8
- fire plumes
 - with combustion, 311–315
 - described, 299
 - eddy frequency, 298–300
 - entrainment fraction, 312
 - entrainment rate, 319–321
 - entrainment velocity, 300
 - Gaussian profile, 298
 - geometric effects, 312–313
 - intermittency, 301
 - line source results, 308–310
 - natural length scale, 307
 - point source results, 308–310
 - radiation fraction, 297, 302, 315–316
 - top hat profile, 300
 - transient effects, 326–329, 405–406
 - virtual origin, 317–318
- Fire Research Station (FRS), xiv, 9
- fireball, 141, 328–332
- firepoint, 136
- firepower
 - compartments, 354
 - described, 8
 - dimensionless, 383
 - plumes, 302
- First law of thermodynamics, 27, 34
- flame definition, 3
- flame heated length, 201, 368
- flame height, *See* flame length
- flame length
 - axisymmetric plume, 322–324
 - ceiling interaction, 325
 - in corner, 325
 - jet, 323–324
 - line plume, 325
 - wall fire, 207, 326
 - against wall, 326
- flame propagation, *See* flame speed
- flame sheet
 - description, 244
 - location, 247
 - temperature, 247
- flame speed
 - in houses, 217–219
 - on liquids, 216–217
 - porous media, 215–216
 - pre-mixed flames
 - ideal, 88
 - limiting value, 93–95
 - measurement techniques, 89–90
 - theory, 90–93
 - solid surface
 - effect of Damkohler number, 211–212
 - effect of orientation, 213–215
 - effect of velocity and oxygen, 212–213
 - exact solutions, 211
 - opposed flow, 192–193
 - thermally thick theory, 200–202
 - thermally thin theory, 194–196
 - transient effects, 198–200
 - wind-aided, 192–193
- flame temperature
 - adiabatic, 29, 93, 103–104
 - critical for extinction, 95, 103, 264, 277–278, 281
 - maximum in turbulent plumes, 316

- flammability limits
 - description, 98–102
 - diluent effect, 102
 - for fuel mixture, 104
 - lower, 95
 - pressure effect, 101
 - stoichiometric relations, 102–103
 - upper, 95
- flashback, 90
- flashover, 340–342, 365–367
- flashpoint
 - description, 98, 135
 - open, closed cup, 135
- fluid mechanics
 - review, 14–15
 - dimensionless flows, 386
- Fourier's law, 8, 15
- Froude number
 - defined, 377
 - plume invariant, 377
- fuel-controlled, 341

- gas mixtures, 23–25
- Gibbs function, 141–142
- Grashof number
 - in burning, 249
 - definition, 16
 - in pressure modeling, 397
- heat flux
 - asymptotic for flames, 431
 - in burning, 228, 257
 - critical in flame spread, 198
 - critical in ignition, 174, 413–415
 - in fire, 166
 - for ignition, 171
 - measurement of, 170
 - in opposed flow flame spread, 202–203
 - in scaling inconsistencies, 389–392
 - surface re-radiation in burning, 412
 - for wall flames, 207–208
- heat of combustion
 - definition, 28
 - by heat of formations, 33
 - ideal, 36
 - liquids, 430
 - per oxygen, 36
 - polymers, 424–430
 - values in fire, 37, 228
 - vehicles components, 423
- heat of formation
 - definition, 30
 - values, 31
- heat of gasification
 - liquids, 150
 - modified for radiation, 256
 - modified for water, 263
 - polymers, 412
 - solids, 231–233
- heat of vaporization, 135
- heat release rate, (HRR), *See* firepower
- heat transfer
 - in compartments, 347–351
 - conduction, 15
 - convection, 15, 167
 - definition, 8
 - dimensionless, 384–386
 - radiation, 15, 167, 169–170
 - review, 15–16
- heat transfer coefficient
 - compartment fires, 348
 - definition, 15
 - effective for radiation, 173
 - total, 173
- humidity, relative, 143

- ideal gas equation of state, 14, 24
- ignition, *See* also autoignition, piloted ignition, spontaneous ignition
 - glowing, 160, 183
 - liquids, 135
 - solids, 159
 - thermally thick theory, 176–180
 - thermally thin theory, 171–174
 - properties for common materials, 184–187
 - of wood, 181–184
- internal energy, 26

- jet flames, 308

- Lewis number, 16, 239
- limiting oxygen limit (LOI), 432
- lower flammability limit, *See* flammability limit

- mass fraction, 23
- mass transfer coefficient, 16
- mixture fraction, 243, 301
- mole, 21
- mole fraction, 23
- molecular weight, 21

- National Bureau of Standards (NBS)
See NIST
- National Commission of Fire Prevention and Control, 1
- National Fire Protection Association (NFPA), 8
- National Institute of Standards and Technology (NIST)
 early program, xiv
 founding, 8
 WTC investigation, 10–11
- National Science Foundation Research for National Needs (NSF RANN), xiv, 9
- Newton's second law, 26, 59
- partial pressure, 25
- perfect gas, *See* ideal gas
- piloted ignition
 in liquids, 135–136
 minimum energy for, 86
 in solids, 160–161
 theory, 85–86
- Planck's law, 15
- Prandtl number, 16
- pre-exponential coefficient, 79
- pressure, 13
- pressure modeling
 description, 392
 burning rate, walls, 398
 burning rate, tubes, 397
- properties
 in burning, 253
 extensive, 13, 26
 flammability data, 409–433
 ignition, 165
 intensive, 13, 26
 opposed flow flame spread, 204
- pyrolysis, 20, 163–164
- quenching diameter
 calculations, 108–109
 definition, 95
 theory, 95–97
- radiation, *See* heat transfer
- reaction rate, 78–79
- Reynolds number
 chemical, 235, 261
 definition, 15, 377
- Reynolds transport theorem, 50
- saturation pressure, 139
- saturation states, 139
- saturation temperature
 definition, 135
 function of pressure, 139
- scale modeling
 described, 401
 Froude modeling, 402–403
 saltwater modeling, 403–406
- Schmidt number, 16
- self-heating, 118
- Semenov diagram
 autoignition, 81, 106
 burning rate, 279–281
 compartment fires, 365–369
 piloted ignition, 87, 107
 propagation, 94, 108, 280
 quenching diameter, 96, 109
- shear stress, 14
- Sherwood number, 16
- Shvab-Zeldovich variable, 241
- Society of Fire Protection Engineers, (SFPE), xv
- spontaneous ignition
 adiabatic ignition time, 129
 approximate time for, 130
 description, 117–119
 experimental methods, 124–127
 theory, 119–124
- stoichiometric coefficient, 22
- system, 25
- temperature
 glass transition, 410
 ignition, 137, 164, 413
 melt, 410
 thermodynamic definition, 13
 vaporization, 242, 411
- time scales
 burning, 198
 chemical reaction, 85, 161–162
 flow, 382
 ignition, 161
 thermal diffusion, 85
 mixing, 162–163
 pyrolysis, 163–164
 spontaneous ignition, 127–130
- thermal penetration depth
 in ignition, 176, 178
 in flame spread, 201
- thermochemistry, 19
- thermodynamics, 13–14

- Universal gas constant, 24
- ventilation-limited, 21, 341
- Weber number, 392–393
- wood cribs, *See* burning rate
- work, 27
- World Trade Center (WTC), 2, 10–11
- yield
 - definition, 35, 228
 - for liquids, 430
 - maximum possible, 427–429
 - for polymers, 424
 - smoke, 425–426, 433
 - for vehicle components, 423
- zone model
 - compartments, 355
 - described, 49
- Zukoski number
 - ceiling jet, 395
 - general, 383
 - heat losses, 385
 - mass number, 386
 - plume, 319

