

INDEX

A

A connection 18
ABCD parameters 166
active power 10
alarm processor 309
alternating current systems 9
alternators 16
aluminum conductors 129
amplitude comparison 290
apparent power 11
armature reaction 73
automatic data collection 309
automatic generation control 310
autotransformer 115

B

bad data detection 343
balanced three-phase fault 271
base conversions 27
base functions 308
B-H loop 100
Biot-Savart law 29
Buchholz protection 282
bundle circle 135
bundle conductors 135
bundle-conductor line 135
busbar voltage angles approximation
327
busbar voltage magnitude approximation
327

C

capacitive susceptance 149
capacitor-start motors 226
clapper unit 274
complex power 11
compounding curve 77
computer relaying 297
conductor 129
contingency analysis 314

control houses 6
control transformers 119
core faults 277
core type winding 100
core-loss component 101
corona 135
current grading 282
current operating plan 312
current relays 274
current tap settings 286
cylindrical rotor 71

D

data acquisition 308
delta configuration 140
delta-connected windings 246
delta-delta bank 248
differential relays 274
direct axis 87
directional relays 274
dispatcher power flow 312
distance protection 294
distance relays 274
distribution subsystem 5
double line-to-ground fault 264
double-circuit line 161
dynamic security analysis 362

E

earth faults 277
economic dispatch 311
eddy-current loss 100
eddy-current phenomenon 38
effect of earth 153
electromechanical energy conversion 28
electromechanical relays 274
energy control center 7, 305
energy flow approach 40
equal-area criterion 338
equal-area method 336
equivalent circuits 193

exciter 69
external network modeling 343

F

Faraday's law of electromagnetic induction 34
field energy 42
flexible ac transmission systems 316
formulation 319
four-pole network 165

G

generation functions 310
generation subsystem 3
generator 4
generator failure 237
geometric mean radius 132

H

historical database 309
H-type configuration 141
hybrid form 324
hysteresis loop 36
hysteresis loss 100

I

impedance relay 292
induction disc unit 275
induction machines 53
inductorem 1
infinite bus 81
Interchange transaction scheduling function 311
interturn faults 277
inverse-time overcurrent relaying 282

L

line capacitance 149
line inductance 131
line resistance 130
line voltages 17
line-to-ground fault 261
line-to-line fault 268
load factor 6
load forecasting 310

load shedding function 310
load subsystem 6
load tap changing 119
load-flow equations 322
load-flow solution 327
logical alarming 309
Lorentz force law 29
lumped parameter representations 176

M

magnetic field intensity 31
magnetizing inrush current 277
magnetizing reactance 75
magnetomotive force 72
maximum demand 6
Mercury Arc valves 2
mho relay 292
motor torque 194

N

n-dimensional case 328
negative sequence impedance 252
network analysis functions 312
network nodal admittance formulation 319
network parameter adaptation function 312
network sensitivity function 313
neutral point 16
Newton-Raphson method 328
non-salient pole machine 71

O

observability 342
ohm relay 292
one-dimensional case 328
operating training simulator 314
optimal power flow function 314
optimal power flow program 360
order rotation 16
order sequence 16

P

parallel-series connection 113
per unit system 25
percentage voltage regulation 109
permanent-split capacitor motors 226

- permeability 31
- phase comparison 293
- phase rotation 16
- phase sequence 15
- phase voltages 17
- phase-to-phase faults 277
- pickup current 283
- pilot-wire feed protection 289
- plunger unit 274
- polar form 323
- polar unit 275
- positive sequence impedance 251
- positive sequence networks 245
- power factor 10
- power factor correction 14
- power flow 319
- power flow control 315
- power flow problem 324
- power relationships 20
- power relays 274
- power system state estimation 340
- power-line carrier protection 297
- p-pole machines 55,70
- protection studies 237
- protective relays 273
- proximity effect 131
- pull-out power 81

- Q

- quadrature axis 87

- R

- reactive power 10
- rectangular form 323
- relay comparators 290
- relay coordination 282
- repulsion-type motors 228
- rotor current 195

- S

- safety management 310
- salient-pole machines 47
- salient poles 71
- security analysis 347
- security analysis function 313
- security assessment 346
- security dispatch function 313

- sequence of events functions 310
- series-parallel connection 113
- series-series connection 113
- shaded-pole induction motors 228
- shell type winding 101
- short-circuit fault 237
- shunt admittance 149
- single-line diagram 59
- single-phase induction motor 205
- single-phase line 149
- sinusoids 73
- skin effect 131
- slip 191
- slip frequency 192
- smooth air gap 50
- solid-state unit 275
- split-phase motors 224
- squirrel-cage rotor 191
- stability assessment 336
- stable equilibrium point 336
- star point 17
- state estimation function 312
- steady-state stability limit 81
- steel conductors 129
- subtransmission subsystem 4
- supervisory control 309
- swing equation 333
- switchboard 6
- switchgear 6
- symmetrical bundle 136
- symmetrical components 240
- synchronous impedance 75
- synchronous machines 52
- system protection 272

- T

- tank faults 277
- three-phase systems 15
- three-winding transformers 114
- time dial 283
- time grading 282
- time variable 359
- topology processing (model update)
 - function 312
- transformer 4, 99
- transformer protection 276
- transient stability 334
- transient stability analysis 332
- transmission problem 165

transmission subystem 4
transposition 142
two-phase induction machine 206
two-phase machines 51
two-port networks 165
two-terminal pair 165
two-value capacitor motors 228

U

unit commitment 311
unstable equilibrium point 336

V

voltage control function 313
voltage relays 274

W

wound rotor motor 191

wye-connected windings 246
wye-delta bank, grounded wye 248
wye-delta bank, ungrounded wye 248
wye-wye bank, one neutral grounded
250
wyw-wye bank, both neutrals grounded
251

X

x-r diagram 289

Y

Y connection 17

Z

zero sequence equivalents 248
zero sequence impedance 252
zero sequence networks 246