

# Index

**Note to the Reader:** Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

## A

- AAC (Advanced Audio coding) format, 425
- AbiWord program, 565
- About command, 110
- About This Mac command, 45, 698
- About windows, 110
- absolute paths, 616
- Access Control tab, 252, 693
- access\_log file, 659–660, 768
- accessory applications, 235
  - Address Book, 235–240, 236–240
  - Applet Launcher, 258
  - Calculator, 258–259, 258
  - Chess, 259
  - ColorSync utility, 259
  - Console, 259
  - Grab, 260
  - iCal, 240–246
  - Image Capture, 260
  - Keyboard Viewer, 260–261, 260–261
  - Keychain Access, 248–254, 249–253
  - Preview, 261
  - Stickies, 261–263, 262–263
  - System Profiler, 246–248, 247
  - TextEdit, 254–257, 255, 258
- Account Directory option
  - for IMAP accounts, 413
  - for POP accounts, 413
- account IDs for e-mail accounts, 384
- Account Information tab, 411, 411
- Account Name setting
  - for Mac.com, 348
  - for PPP, 292
- accounts
  - e-mail, 383–386, 384, 411–414, 411–412, 829
  - user. *See* users
- Accounts pane, 155–157, 156
  - for e-mail, 411, 411
  - for logins, 277, 277
  - for users, 272–276, 273
- actions
  - for folders, 577–580, 577–579
  - recording, 580–582, 581
- activate command, 594–595
- activating icons, 32
- active Dock items, 43
- active ports, 308–310
- Active Screen Corners setting, 109
- active windows, 38–39, 38
- Activity Viewer window, 386
- ADB (Apple Desktop Bus) keyboards, 687
- Add Application dialog box, 97
- Add Device window, 696
- Add Network Place Wizard, 558
- Add Password to Keychain option, 506
- Add Printer sheet, 192–194, 193–194
- Add Scaled command, 442
- Address Book, 235–237, 236
  - cards for
    - adding and editing, 237–238, 237–238
    - deleting, 238
    - with composition window, 404–405
    - groups for, 238–239, 239
    - importing contacts for, 239–240, 240
- addresses
  - for e-mail accounts, 384–385
  - IP. *See* IP addresses
- Admin Utility, 691–693, 692
- administrators, 265–268
  - accounts for, 23, 269–271
  - for home folders, 270–271, 271
  - for installing applications, 279–282, 280, 282
  - passwords for, 810–811
  - permissions for, 270–272, 270
  - root-level access by, 268–269, 269
  - settings for, 154–155, 155
  - for system-level preferences, 282–286, 285
  - for user accounts, 272–273
    - creating, 273–276, 274
    - deleting, 278–279
    - editing, 278
    - login options, 277, 277
    - for volumes, 271–272, 272
- Adobe Type Manager Lite utility, 229
- Advanced Audio coding (AAC) format, 425
- Advanced Encryption Standard (AES-128), 151
- Advanced preferences for Finder, 88
- Advanced screen, 525
- Advanced Settings tab, 415
- advertising on web, 345
- AES-128 (Advanced Encryption Standard), 151
- AFP (Apple Filing Protocol), 501–505, 502–505, 512
- AIFF (Audio Interchange File Format), 425
- AirPort
  - Base Station in, 304–306, 305, 515, 534
    - Admin Utility for, 691–693, 692
    - Setup Assistant for, 689–691, 690
  - computer-to-computer networks, 535–536, 536
  - configuring, 523–524, 524
  - connections in, 304–306, 305, 498–500, 498–499, 514–515
  - energy use by, 546
  - security in, 525

- AirPort tab, 523–524, 524, 692, 692
- alarms in calendars, 244
- albums, photo, 487–489
- alert boxes, 37, 37
- Alert Sound setting, 163
- Alert Volume setting, 163
- Alerts tab, 317
- alias command, 609, 610, 621
- aliases, 142–143, 143
  - broken, 144, 145
  - in command line, 609, 610, 621
  - creating, 142–144, 143
  - on Dock, 41
  - icons for, 30
  - for launching applications, 92
  - original file location of, 144
  - for remote file services, 506
  - on toolbars, 70
- alignment in TextEdit, 255
- Allow Clear Text Password option, 506
- Allow Secure Connections Using SSH option, 506
- Allow This Computer to Create Networks option, 524
- Allow User to Administer This Computer option, 275
- alpha channels, 476
- Alternate Number setting, 293
- Always Open Folders in a New Window option, 87, 148
- Always Show File Extensions option, 833
- analog.cfg file, 639
- analog.html file for log access, 660
- analog program, 602, 639–641, 639–640
- and keyword, 171, 403
- Animate Opening Applications option, 146
- anonymous FTP servers, 372
- Antivandal screen, 317
- AntiVirus program, 735
- apache.conf file, 661–662
- Apache server, 602
  - CGI scripts for, 655–657, 656
  - configuration files for, 660–662
  - for CGI scripts, 662–664
  - for default page name and block indexes, 664–666, 664, 666
  - for server-side includes, 666–667, 668
  - language pages in, 653
  - logs in, 658–660, 659
  - services for, 672–674, 673–674
- API calls in log files, 766
- APIs (application programming interfaces)
  - for native applications, 110
  - for operating systems, 550
  - in QuickTime, 422
- Appearance pane, 157
- Apple Desktop Bus (ADB) keyboards, 687
- Apple Events, 572
- Apple Filing Protocol (AFP), 501–505, 502–505, 512
- Apple Guide system, 175–176, 176
- Apple key, symbol for, 27
- Apple mail. *See* e-mail
- Apple Mail client, 381
- Apple menu, 44–45, 45
  - in Classic applications, 124–125, 124
  - Force Quit command, 46
  - for launching applications, 92
  - Log Out command, 49
  - migration issues with, 834–837, 834, 836
  - preference settings on, 45–46
  - Recent Items on, 46, 46
  - Restart command, 47
  - Shut Down command, 48, 48
  - Sleep command, 47
  - top of, 45
- Apple Type Services, 221
- AppleFileServiceError.log file, 769
- AppleScript. *See* scripts and scripting
- AppleScript folder, 573, 578
- AppleScript Studio, 573
- AppleShare over IP, 512
- Applet Launcher utility, 258, 563
- AppleTalk protocol, 512, 516–518, 517
  - printer connections in, 190, 193
  - remote connections in, 844
- AppleTalk tab, 772
- applets
  - AppleScript, 580, 583
  - launching, 258
- AppleTypeServer (ATS) log entry, 766
- Application menu
  - in Classic applications, 124–125, 125
  - migration issues with, 837–838, 838
  - for native applications, 110–112, 111
- Application option in Script Editor, 583
- application programming interfaces (APIs)
  - for native applications, 110
  - for operating systems, 550
  - in QuickTime, 422
- Application Specific panel, 201, 209
- Application Support folder, 136, 840
- applications, 91
  - accessory. *See* accessory applications
  - aliases for, 41, 92
  - Classic. *See* Classic applications and environment
  - compatibility in, 551
  - dictionaries for, 596–597
  - Force Quit command for, 741–742, 741
  - icons for, 29, 92
  - improvements in, 17
  - installing, 279–282, 280, 282
  - Java, 14, 119, 342, 562–564, 563
  - launching, 91–93, 92
  - multiple, 94–95
  - native. *See* native applications
  - permissions for, 60
  - script commands for, 596–598, 597
  - scripts as, 574, 580, 583
  - scripts with, 574–576, 576
  - support for, 13–14
  - on toolbars, 70
  - Windows, 560–561, 561
  - X Windows, 564–566, 565
- Applications folder
  - for Address Book, 236
  - Admin account for, 269–270, 270

- contents of, 54
    - dragging files to, 279–280, 280
    - in Finder, 53
    - for Print Center, 185
    - for Printer Setup Utility, 203
    - for printers, 192
    - problems with, 794
    - for system-level preferences, 283
  - Aqua interface, 5, 602–603
  - AquilaCalendar application, 148
  - archives
    - backups for, 724, 727–729
    - in FTP, 370–372
    - opening, 140–141, 141
    - paperless, 219
  - arguments
    - in command line, 606
    - in shell scripting, 636
  - Arrange tab, 543, 544
  - Arrangement tab, 160
  - artifacts from compression, 423
  - ascii command, 373–374
  - ASM program, 838
  - aspect ratio, 428
  - assigning passwords, 276
  - associations for documents, 93, 96–97, 96–97
  - asterisks (\*)
    - in command line, 617
    - in comments, 586
    - in remote access, 365
  - ATA drives
    - in installation, 827
    - troubleshooting, 701, 701
  - ATI extensions, 756
  - ATS (AppleTypeServer) log entry, 766
  - attachments
    - missing, 554
    - receiving, 410
    - sending, 409–410, 410
    - viruses in, 415
  - AU format, 425
  - audio CDs, 450–453, 451–453, 456–457, 456–457
  - audio chatting, 379, 379
  - Audio Interchange File Format (AIFF), 425
  - Audio Video Interleaved (AVI) format, 424
  - Audion application, 452–453, 453
  - authentication
    - for Admin accounts, 272
    - for AirPort Base Station, 693
    - for IMAP accounts, 413
    - for POP accounts, 414
    - for SMB servers, 508, 508
  - Authentication dialog box, 508, 508
  - Authentication tab, 693
  - autocomplete feature, 405
  - AutoFill browser command, 327
  - automatic e-mail filing, 398–400, 398–400
  - automatic logins, stopping, 798
  - Automatic option for Airport, 523
  - Automatic Task window, 485–486
  - Automatically Hide and Show the Dock option, 146
  - automount folder, 794
  - AVI (Audio Video Interleaved) format, 424
- ## B
- Back browser command, 326
  - background applications
    - Classic printing, 208, 210–211, 210–211
    - displaying, 751
    - migration issues with, 838
  - Background Printing panel, 208
  - background windows, 38–39, 38
  - backslashes (\) in tesh, 615
  - backups, 723–724
    - disk images for, 717–718
    - file selection for, 726–727
    - iDisk for, 348
    - for installation, 819
    - personal, 729–730, 730
    - for problem avoidance, 760
    - requirements for, 724–726, 725
    - rotating and archiving, 727–729
  - badges, 653
  - Balloon Help, 176, 176
  - Banner tab, 317
  - Base Station, AirPort, 304–306, 305, 515, 534
    - Admin Utility for, 691–693, 692
    - Setup Assistant for, 689–691, 690
  - Base Station Password screen, 691
  - bash shell, 602, 613
  - battery life, 546–547
  - BBEdit application, 553, 626
  - /bin directory, 761
  - binary command, 373–374
  - binary file transfer protocol, 370, 373–374
  - binary installations, 639–641, 639–640
  - Bindings tab, 557
  - bitmapped fonts, 221, 227–228
  - bitmapped images, 473
  - Black and White option, 491
  - blind courtesy copies, 405, 405
  - blinking question mark, 793
  - block indexes, 664–666, 664, 666
  - Blue appearance setting, 157
  - blue screens, 797
  - Bluetooth Serial Utility, 695
  - Bluetooth Setup Assistant, 693–695, 694
  - Bluetooth wireless devices, 693–695, 694
  - bookmarks, 328–330, 328–330
  - books in iPhoto, 491–492, 492
  - Boolean searches
    - for e-mail, 403
    - for help, 171–172, 171
  - Boot Picker, 792
  - booting
    - dual. *See* dual-booting
    - options for, 795–796
    - trouble in, 792
  - BootP protocol, 521
  - bouncing e-mail, 400–401
  - brackets ([]) in scripts, 637
  - Brightness setting
    - in iPhoto, 491
    - for monitor, 232
  - broadband connections. *See* high-speed connections
  - broken aliases, 144, 145
  - broken folders, 793–795
  - browsers, 320
    - caches for, 344
    - commands for, 326–328, 326
    - for downloading files, 332–333, 333

- favorites and bookmarks for, 328–330, 328–330
- helper applications for, 335–336, 336
- history for, 330–331
- iCab, 322–323, 322
- Internet Explorer, 331–332
- Mozilla, 324
- Netscape, 323, 332, 332
- OmniWeb, 320–322, 321
- Opera, 324–325, 325
- operation of, 325–326
- plug-ins for, 334–335, 335
- security loopholes in, 341–342
- shortcuts for, 333–334, 334
- browsing
  - in Finder windows, 55–56, 56
  - in iTunes, 457–458, 457–458
- BSD Package, 771
- Buddy Lists, 376–377, 376
- bugs, 738
  - diagnosing, 743
  - reports for, 764, 778
- built-in commands, 606
- Burn Disc dialog box, 489
- burning CDs
  - data, 16, 84
  - disk images, 718–720
  - in iPhoto, 489
  - in iTunes, 459–460, 684
- buttons in dialog boxes, 36–37, 40
- bye command, 374
- C**
- cable modem speed, 351
- Cabrio application, 452
- caches
  - for browsers, 344
  - corruption in, 745
  - for movies, 446
- Calculate All Sizes option, 69
- Calculator, 258–259, 258
- calendars, 240–241, 241
  - alarms in, 244
  - creating and deleting, 244
  - events in, 242–244, 242–244
  - sharing, 244–246
- showing and hiding, 241–242, 242
- views for, 241, 241
- calibration of display color, 232–233, 233–234
- cameras, capturing images from, 483–485, 483–484
- Captain FTP client, 369
- capturing digital images, 483–485, 483–484
- Carbon applications, 13, 120
- Cardbus technology, 540
- cards for Address Book
  - deleting, 238
  - editing, 237–238, 237–238
- caret (^) symbol for Control key, 27
- case sensitivity
  - in command line, 622
  - in Unix, 605
- cat command, 607
- Category 5 cable, 513
- Cc line, 387
- CD Burning tab, 460
- cd command
  - in command line, 607, 619
  - in FTP, 372
  - in Terminal, 605
- CD-R and CD-RW drives, external, 684
- CDDB database, 456
- .cdr filename extension, 717
- CDs
  - audio, 456–457, 456–457
  - burning
    - data, 16, 84
    - in iTunes, 459–460, 684
  - for images, 718–720
  - importing from, 460–462, 461
  - music, 450–453, 451–453, 456–457, 456–457
  - for photos, 489
  - platform compatibility with, 554
- CDs & DVDs pane, 157
- certificates, 338–339
- CF (CoreFoundation) log entry, 766
- CG (CoreGraphics) log entry, 766
- CGI (Common Gateway Interface)
  - scripts, 649
  - storing, 662–664
  - for web serving, 655–657, 656
- CGI-Executables folder, 655–657, 662
- Change Keychain Password dialog box, 249, 250
- Change Keychain Settings dialog box, 253–254, 253
- Change Password dialog box, 506–507, 507
- Change Passwords tab, 556
- channels
  - for audio, 440
  - for computer-to-computer networks, 535
  - with Sherlock 3, 352–355, 352–354
- Character palette, 116–117, 117
- characters, keystrokes for, 260–261, 260–261
- chat. *See* iChat application
- Chatzilla component, 324
- check boxes, 40
- Check Spelling tools, 117–119, 118
- checking for e-mail, 411, 411
- checking spelling
  - in e-mail, 404, 407–408, 407
  - in native applications, 117–119, 118
- Chess game, 259
- chgrp command
  - in command line, 620
  - in remote access, 365
- child folders, 54
- chmod command
  - in command line, 620
  - in remote access, 365
- Choose a Folder dialog box, 142, 179, 462
- Choose Object dialog box, 454
- Choose Other Application dialog box, 97
- Chooser, 845
  - migration issues with, 836
  - for printing, 204–206, 205
- chown command, 620, 804–805
- Classic applications and environment, 91, 119–120
  - Application and Apple menus in, 124–125, 124–125
  - compatibility with, 14–15, 14

- dialog boxes in, 125–129, 126, 128
  - in dictionaries, 596
  - environment for, 120–124, 121–122
  - fonts in, 227–229, 227–228
  - Help documents in, 174–176, 175–176
  - in installation decisions, 817–819
  - migration from. *See* migration from Classic Mac OS, considerations in
  - printing in. *See* printing support for, 11
  - TCP/IP in, 307–308, 308
  - troubleshooting, 746
    - conflicts, 752–757, 753–755
    - crashes and freezes, 747–749, 748
    - memory issues, 749–751, 749, 751
  - Classic pane, 157–158
  - clear images, 345
  - client code page in Samba, 677
  - client/server networks, 527
  - clients
    - for FTP, 369–370, 370
    - as security risk, 311–312
    - for Windows, 555–559, 556–557
    - in Windows File Sharing, 558
  - Clock tab, 283
  - Close buttons, 33
  - close command, 374
  - closing documents, 104, 104
  - cloverleaf symbol, 27
  - CMMs tab, 231–232
  - CMYK (cyan-magenta-yellow-black) color system, 229
  - coaxial standard, 513
  - Cocoa applications, 119
  - Code Snippets, 574
  - codocs, 422–423
  - coercion for script variables, 591
  - collections for fonts, 115–116, 224–225, 224
  - Collisions entry, 772
  - colons (:)
    - in command line, 616
    - in scripts, 589  - color, 159
    - calibrating, 232–233, 233–234
    - in digital images, 475–476
    - for e-mail, 407
    - for icons, 68
    - in native applications, 114–115, 114
    - in printing, 208
    - in scripts, 586
  - Color Matching panel, 208
  - Color Palettes button, 115
  - Color Sliders button, 115
  - Color Sync panel, 200
  - Color tab, 232
  - color wheel, 114
  - Colors menu, 159
  - Colors palette, 114–115, 114
  - ColorSync feature and utility, 229–230, 231, 259
    - for CMMs, 231–232
    - default profiles for, 230–231, 230–231
    - for display calibrations, 232–233, 233–234
  - Columns view in Finder, 61–63, 61–62, 69, 69, 148, 149, 832
  - combo boxes, 40
  - command buttons, 40
  - Command key, symbol for, 27
  - command line, 357, 601
    - aliases in, 609, 610, 615
    - case sensitivity in, 622
    - commands in, 606, 607
      - advanced, 611
      - basic, 607–609, 608
      - complex, 609–610, 610
    - compiling code for, 641–642
    - file forks in, 621–622
    - file paths in, 606
    - Fink for, 643–644, 643–644
    - installing programs in, 639–641, 639–640
    - invisible items in, 622–623
    - PATH variable in, 617–618
    - permissions and ownership in, 618–621, 619
    - scheduled tasks in, 628–631, 629–631
  - in shell scripting, 636
  - in tcsh, 614
  - text editors in, 626–628, 627–628
  - types of programs in, 625–626
  - Unix philosophy in, 612–613
  - working with, 605–606
- commands
  - for browsers, 326–328, 326
  - in command line, 606, 607
    - advanced, 611
    - basic, 607–609, 608
    - complex, 609–610, 610
  - in FTP, 373–376, 375
  - invoking, 26
  - on menus, 26–27
  - for remote access, 363–365, 363
  - in scripts, 594–600, 597
  - in tcsh, 614
- commas (,) in scripts, 591
- comments
  - in Apache files, 661
  - in scripts, 585–586, 632
- Common Gateway Interface (CGI) scripts, 649
  - storing, 662–664
  - for web serving, 655–657, 656
- CommuniGate Pro application, 675
- Compact Mailboxes Automatically option, 413
- comparison operators, 592, 637–638
- compatibility
  - with Classic versions, 14–15, 14
  - platform. *See* platform compatibility
- compiling code for command line, 641–642
- Composer in Netscape, 323
- composition window, 404, 404
  - for Address Book, 404–405
  - for blind courtesy copies, 405, 405
  - Reply To in, 406, 406
- compressed files, 370–371
- compression
  - of digital images, 475–476
  - of disk images, 718, 731
  - for exported movies, 437–438, 438
  - for QuickTime, 423
- Compression Settings dialog box, 438, 438

- CompuServe Graphic Interchange Format (GIF), 475–476
  - Computer level in Finder, 53, 53
  - computer-to-computer networks, 535–536, 536
  - concatenation symbol (&), 587
  - Conclusion screen, 691
  - conditional tests in scripts, 591–594, 637–638
  - Configurations tab, 676
  - Confirm Access to Keychain dialog box, 252, 252
  - conflicts, 738
    - in Classic applications, 752–757, 753–755, 776
    - diagnosing, 746
  - connect messages, 362
  - Connect To dialog box, 502, 506
  - Connect to File Server dialog box, 349
  - Connect to Server window, 500–501
    - for AFP servers, 501–503, 505
    - Go menu for, 73
    - for iDisk, 349
    - for keychains, 250, 252
    - in Personal File Sharing, 530
    - for shared volumes, 509
    - for SMB servers, 508
    - for WebDAV servers, 505
  - Connect Using Terminal Window option, 293
  - Connection tab, 446
  - connections
    - to AFP servers, 501–505, 502–505
    - for dial-up Internet access
      - making, 296–297, 296–297
      - troubleshooting, 298–299
    - Ethernet, 301–302, 301, 513–514
    - high-speed. *See* high-speed connections
    - for networks, 496–500, 496–499
    - to NFS servers, 509–510, 509
    - for printers, 190–191, 191
    - to QuickTime, 446
    - to Samba, 676
    - to SMB servers, 507–508, 507–508
    - to WebDAV servers, 505
  - Connections tab, 676
  - console, logging in as, 798–799
  - Console utility, 259, 764–767, 765
  - Constrain option, 490
  - contacts for Address Book, 239–240, 240
  - containers, 588–589
  - containment operators, 592
  - Content Index area, 181
  - content of files
    - remote access to, 363, 363
    - searching for, 180–181, 181
  - Content search option, 182
  - context index, 82
  - context menus, 28, 28
  - contextual help, 169
  - continuation symbols, 587
  - Contrast setting
    - in iPhoto, 491
    - for monitor, 232
  - Control-click menu, 326, 326
  - Control key, carets for, 27
  - control panels, 840–842, 841–842
  - Control Strip, 843–844, 844
  - controllers
    - for DVD Player, 465
    - for QuickTime Player, 429–430, 430
  - controls in windows, 39–40, 39–40
  - Conversions Plus tool, 553
  - Convert Image dialog box, 717–718
  - converting
    - disk images, 718
    - TCP/IP hostnames to IP addresses, 774
  - cookies, 342–343, 345
  - cooperative multitasking, 6
  - Copies & Pages panel, 199
  - copy command in scripts, 594–595
  - copying items, 75, 77–78, 77–78
    - in QuickTime Pro Player, 441–442
    - in remote access, 364–365
  - copyright laws, 450
  - CoreFoundation (CF) log entry, 766
  - CoreGraphics (CG) log entry, 766
  - /cores directory, 761
  - corruption, 738
    - diagnosing, 743–746, 744
    - of files and fonts, 806–808
  - Country Setting option, 296
  - courtesy copies, 387, 405, 405
  - Cover Page panel, 208
  - cp command
    - in command line, 608
    - in remote access, 364–365
  - CPU Monitor, 779, 779
  - CPU tab, 782
  - crashes, 737
    - causes of, 738–739, 738
    - in Classic applications, 747–749, 748
    - recovering from, 739–741, 747–749, 748
  - Crayons tool, 115
  - Create FontSync Profile.scpt script, 225
  - Create Your Account screen, 828
  - criteria for searches, 181–184, 182–183
  - cron program
    - for backups, 728
    - in command line, 628–631, 629–631
  - crontab file, 628–631, 629–631
  - Crop option, 490
  - cropping images, 476
    - in iPhoto, 490
    - in QuickTime Pro Player, 442
  - cross-platform compatibility. *See* platform compatibility
  - cross-platform file sharing, 649
  - crossover cables, 514
  - curly brackets ({} in scripts, 591
  - current directory in Darwin, 616
  - cursor in Terminal, 603
  - Customize My Sidebar window, 332
  - Customize Search Settings dialog box, 331
  - Customize Toolbar screen, 70–71, 70
  - cyan-magenta-yellow-black (CMYK) color system, 229
- ## D
- daemons, 768
  - Darwin program, 601. *See also* command line
    - vs. Aqua, 602–603
    - compiling code for, 642–643
    - file paths in, 616–617

- dashes (-)
  - in command line, 618
  - in scripts, 585–586
  - in search phrases, 182
- data CDs, burning, 16, 84
- data forks in Darwin, 621–622
- Data tab, 317
- databases
  - corruption in, 744–745
  - NetInfo, 809
- DataViz application, 553
- Date & Time tab, 283
- Date Created search option, 183
- Date Modified search option, 183
- dates
  - in log files, 765
  - settings for, 161
  - system-level preferences for, 283
- Dave program, 560
- dead keys, 261
- default answer attribute, 593
- default.hints file, 808–809
- default.html file, 665
- Default Voice tab, 164
- defaults
  - ColorSync profiles, 230–231, 230–231
  - pages in Apache, 664–666, 664, 666
  - printers, 195
- defragmenting disks, 723
- delete command, 374
- Deleted Users folder, 279
- Delete Tracks dialog box, 443
- deleting
  - from Address Books
    - cards, 238–239
    - groups, 239
  - AirPort port configurations, 526
  - aliases, 144
  - attachments, 410
  - caches, 745
  - calendars, 244
  - Dock items, 146–147, 146
  - e-mail, 393–395, 394
  - fonts, 222–223
  - history entries, 331
  - iTunes Library songs, 455
  - kernel extensions, 802
  - Keychain Access items, 253
  - mailboxes, 398
  - Netscape sidebar tabs, 332
  - partitions, 712
  - playlist songs, 459
  - playlists, 459
  - print queue jobs, 204
  - printers, 195
  - in QuickTime Pro Player, 442
  - remote access files and folders, 365
  - Scrapbook items, 331
  - security certificates, 339
  - signatures, 409
  - Stickies, 262
  - toolbar items, 70
  - Trash for, 85–86, 85
  - users, 278–279
- delimiters in Darwin, 617
- descriptions for scripts, 584
- desktop
  - migration issues with, 835, 835
  - in workspace, 24
- Desktop & Screen Saver pane, 158
- Desktop folder, 135
- desktop printers
  - printing with, 202
  - setting up, 196
- /dev directory, 761
- df command, 610
- DHCP (Dynamic Host Configuration Protocol), 521, 534
- diacritics, 261
- diagnosing applications, 742. *See also*
  - troubleshooting
    - bugs, 743
    - conflicts, 746
    - corruption, 743–746, 744
    - Network Utility for. *See* Network Utility
    - System Profiler for, 769–770, 770
- dial tone problems, 298–299
- dial-up Internet access, 290
  - connections for
    - high-speed. *See* high-speed connections
    - making, 296–297, 296–297
    - troubleshooting, 298–299
  - modem and TCP/IP setup for, 290–296, 291–293, 295
  - PPP disconnections for, 297
- Dialing option, 296
- dialog boxes
  - in Classic applications, 125–129, 126, 128
  - items in, 36–37, 36–37
- dialog sheets, 36–37, 36–37
- dictionaries
  - in scripts, 596–597, 597
  - for spell checking, 117–118
  - Standard Additions, 597, 598–599
- digital images, 473–474
  - capturing, 483–485, 483–484
  - color in, 475–476
  - compression of, 475–476
  - file formats for, 474–476
  - iPhoto for, 486–492, 486–490
  - resolution of, 477
  - screenshots, 480–483, 482–483
  - size of, 476
  - translating, 479–480, 479–480
  - viewing, 477–478, 477
- digital music
  - Internet radio, 462–463, 463
  - iTunes for. *See* iTunes application
  - MP3, 450–453, 451–453
- digital video (DV) camcorders, 443–444
- dir command, 374
- direct Ethernet connections, 301–302, 301
- directories. *See* folders
- Directory Services, 191–192
- DirectoryService.error.log file, 769
- DirectoryService.server.log file, 769
- Disc Burner program, 684
- disclosure triangles, 40, 40, 121
- disconnections
  - in dial-up Internet access, 297–298
  - from shared volumes, 508–509, 509
- Discribe program, 684
- discussion boards, 789
- Disk Activity tab, 783
- disk doctor applications, 720–722, 721–722, 807
- disk icons in Dock, 147
- disk images, 83, 713–714
  - CDs and DVDs for, 718–720
  - compressing, 718, 731
  - converting, 718

- creating, **714–718**
    - for floppies, 685–686
    - icons for, 140–141, *141*
    - mounting, **714**, *714*
    - opening, 280
    - volumes for, **718**
  - Disk Usage tab, 783
  - Disk Utility, **706**
    - for disk images and encryption, **713–720**, *714–716*
    - for erasing disks, **709**, *710*
    - for First Aid, **706–709**, *707–708*
    - for partitioning disks, **710–713**, *711–712*, 819–821, *820*
    - for permissions, 800, 803
  - DiskExpress Pro, 723
  - disks, **682**, **705**
    - adding, **697–698**
    - backing up. *See* backups
    - disk doctor applications for, **720–722**, *721–722*
    - ejecting, **83**, *83*
    - erasing, **709**, *710*
    - external, **682–684**
    - floppy, **685–686**, *686*
    - formats for, 551
    - formatting, 550, 709
    - icons for, 29, *29*
    - images of. *See* disk images
    - iPod as, **695**, *695*
    - maintaining, **723**
    - partitioning, **710–713**, *711–712*, **819–821**, *820*
    - security for, **730–732**, *731–732*
    - virus detection and avoidance, **732–736**, *735*
    - volumes, troubleshooting, **700–702**, *700–701*
  - DiskWarrior application, 720–721
  - Display Adjustments screen, 232
  - Display Calibrator assistant, 232, 233
  - display dialog command, 593
  - Display pane, **158–160**, *159*
  - displays
    - adding, **542–543**, *544*
    - color calibrations for, **232–233**, *233–234*
  - Displays pane, 543, *544*
  - .dmg filename extension, 280, 714
  - DNS (Domain Name Service)
    - need for, 306
    - in TCP/IP, **521–522**
    - in Windows File Sharing, 558
  - DNS Configuration tab, 558
  - do shell script command, 599–600
  - Dock, **41–42**, *41–42*, **144**
    - adding and removing items in, **146–147**, *146*
    - improvements in, 16
    - for launching applications, 92, 837
    - minimizing windows to, 42, **44**, *44*
    - preferences for, 46, **145–146**, *145*
    - startup problems from, 798–799
    - using, **42–44**, *43*
  - Dock Extras folder, 42–43
  - Dock Hiding option, 149
  - Dock pane, 160
  - Dock Preferences dialog box, 46, 145, *145*
  - Documentation folder, 172–173
  - documentation.html file, 644
  - documenting scripts, 584
  - documents
    - associations for, 93, **96–97**, *96–97*
    - on Dock, 41
    - icons for, 29
    - launching, **93–94**, *94*
    - migration issues with, **839**
    - in native applications, 97
      - opening, **98–100**, *99–100*
      - saving, **101–104**, *101–104*
    - windows for, **104–105**
  - platform compatibility with, **552–554**, *553*
  - recognition of, **95–96**, *95*
  - web serving for, **652–654**, *653*
- Documents folder, 135
  - in iDisk, 350
  - migration issues with, **839**
  - purpose of, 54
- dollar signs (\$) for variable substitution, 636
- Domain Name Service (DNS)
  - need for, 306
  - in TCP/IP, **521–522**
  - in Windows File Sharing, 558
- dot files, 622
- dot-slash (./) combinations, 617
- double-clicking
  - for launching documents, 93
  - settings for, 162
- Download Manager, 333, *333*
- downloading files
  - browsers for, **332–333**, *333*
  - FTP for. *See* FTP (File Transfer Protocol)
- downstream speed, 351
- drag-and-drop method
  - for copying, 77
  - in Dock, 837
- dragging
  - to Finder toolbar, **69–70**, *69*
  - icons, 31
  - for installing applications, **279–281**, *280*
- Drive 10 application, 720, 722
- drivers, 682
  - for CD-R and CD-RW drives, 684
  - for floppy drives, 686
  - for input devices, 687
  - for modems, 688
  - for PC Cards, 541
  - for PCI cards, 698
  - for printers, 185, **187–190**, *188–189*
- DriveSavers company, 807
- Drop Box folder, 136, *136*, 271, 504, *578*
- droplets, 580
- DropStuff program, **370–371**
- du command, 610
- dual-booting
  - decisions for, 817
  - installation for, **829–830**, *830*
  - partitions for, 820
  - System folders in, 123
- dual monitors, 160
- duplicating items, **75**, *77–78*, *77–78*
- DV (digital video) camcorders, 443–444
- DV Stream format, 425
- DVD Player, 464, *464*
- DVDs
  - for disk images, **718–720**
  - platform compatibility with, 554
  - playing, **464–465**, *464*
  - support for, 16

Dynamic Host Configuration Protocol (DHCP), 521, 534  
 dynamic IP addresses, 650  
 dynamic RAM allocation, 7, 7

## E

### e-mail

- accounts for, 383–386, 384, 411–414, 411–412, 829
  - applications for, 381–382
  - attachments in
    - receiving, 410
    - sending, 409–410, 410
  - automatic filing for, 398–400, 398–400
  - bouncing, 400–401
  - checking options for, 411, 411
  - composition window for, 404–406, 404–406
  - creating, 389, 389
  - formats for, 406–409, 407
  - forwarding, 388
  - In window for, 390–393, 390–393
  - junk, 400, 400
  - Mac.com Email for, 347–348
  - Mail client, 10
  - marking and deleting, 393–395, 394
  - multiple mailboxes for, 396–398, 396–397
  - reading, 386–387, 387
  - redirecting, 388
  - replying to, 387–388, 388, 406, 406
  - retrieving, 386, 386
  - saving, 390, 390
  - searching for, 401–403, 401–403
  - security for, 415–417
  - sending, 389–390, 389
  - server addresses for, 384–385
  - threads in, 395–396, 395
  - viruses in, 416–417
- E-Mail Address setting, 347
- e-mail addresses
- in anonymous FTP, 372
  - for Mac.com e-mail, 347
- Easy Install screen, 825
- eBay channel, 353
- Ed editor, 626
- Edit File Helper dialog box, 336
- Edit Signature dialog sheet, 408
- editing
- Address Book cards, 237–238, 237–238
  - Darwin text, 626–628, 627–628
  - e-mail accounts, 411–414, 411–412
  - iMovie 3 for, 443–445, 444–445
  - in iPhoto, 490–491, 490
  - in QuickTime Pro Player, 441–442, 441–442
  - security certificates, 339
  - signatures, 408
  - users, 278
- 8 Way Random Write Format option, 709
- ejecting disks, 83, 83
- elif statement, 638
- ellipsis (...) for commands, 27
- else statement, 593, 638
- eMac, VGA ports in, 543
- Emacs editor, 626
- Email To option for faxes, 214
- emptying Trash items, 86
- Enable Error Correction and Compression in Modem option, 295–296
- Enable Kiosk Mode option, 446
- Enable menu, 99, 99
- Enable This Account option
- for IMAP accounts, 413
  - for POP accounts, 412
- Enable Tracks dialog box, 443
- encoding
- for attachments, 409
  - in FTP, 370–372
- encryption
- in AirPort, 525
  - for disk images, 716
  - for e-mail, 415
  - for volumes, 730–731, 731
  - for web, 337–340
- end if statement, 592
- end tell statement, 595
- endless loops, 739
- Energy Saver, 284
- Enhance option, 491
- Entourage application, 382
- entry boxes, 40
- environment variables, 635–636, 636
- Erase tab, 709, 710
- erasing disks, 709, 710
- Error Handling panel, 201
- error\_log file, 659–660, 662, 768
- error messages, 738
- errors. *See* crashes
- escaping in tcsh, 615
- /etc directory, 762
- Ethernet networks, 496–497
- connections for, 301–302, 301, 513–514
  - printers for, 186
- Eudora e-mail client, 382
- Event Log in scripts, 588, 588
- events in calendars, 242–244, 242–244
- exclamation points (!) in Boolean searches, 171
- ExecCGI option, 662
- exit command
- in command line, 606, 609
  - in Telnet, 366–367
  - in Terminal, 604
- exit repeat command, 593
- exit status in shell scripting, 636
- Expert QuickTime Settings dialog box, 445
- Export Movie dialog box, 445
- Export Photos dialog box, 490, 490
- exporting
- camcorder movies, 445, 445
  - photos, 489–490, 490
  - QuickTime Pro Player files, 436–439, 437–439
- Expose feature, 18, 19, 105–110, 106–109
- Expose pane, 161
- Extension Overload tool, 752
- Extension search option, 183
- extensions
- in booting, 796
  - conflicts in, 752–757, 753–755, 776

- filename. *See* filenames
  - kernel panics from, 802
  - migration issues with, 846–847
  - sluggishness from, 801
  - Extensions Manager, 753–756, 754
  - Extensis Suitcase application, 223
  - external devices, 681–682
    - AirPort Base Station, 689–693, 690, 692
    - Bluetooth wireless, 693–695, 694
    - CD-R and CD-RW drives, 684
    - disks, 682–684
    - energy use by, 546
    - floppy drives, 685–686, 686
    - input, 686–687
    - iPod, 695, 695
    - iSync, 695–696, 696
    - modems, 687–688
    - monitors, 543, 697
    - serial devices and adapters, 688–689
    - USB and FireWire issues, 684–685
  - Extract Tracks dialog box, 443
  - eZedia program, 562, 563
- F**
- Fast User Switching, 19, 152–154, 153
  - FAT (File Allocation Table) format, 550, 554
  - Favorites
    - for browsers, 328–330, 328–330
    - in Classic applications, 127
    - for fonts, 116
    - migration issues with, 835
  - Favorites folder, 60
  - Fax Cover Page panel, 212
  - Fax sheet, 212, 212
  - faxes, 211
    - changes in, 19
    - managing, 213, 213
    - receiving, 213–214, 213
    - sending, 211–212
    - system-level preferences for, 284
  - .fcache filename extension, 225
  - feedback page, 789
  - Fetch FTP client, 369
  - fi statement, 637–638
  - File Allocation Table (FAT) format, 550, 554
  - File and Printer Sharing, 9
  - file forks in Darwin, 621–622
  - File menu, 834
  - File System Check (fsck) command, 723, 807, 810
  - File Transfer Protocol. *See* FTP (File Transfer Protocol)
  - File Vault technology, 19
  - filenames
    - in Classic environments, 128–129
    - extensions for
      - in Classic environments, 129
      - for documents, 95
      - in Finder, 833
      - in Info window, 82
      - in renaming files, 75
      - for SSIs, 667
    - filename completion, 615
    - in saving documents, 102–103
  - files
    - for backups, 726–727
    - corruption in, 743–744, 806–808
    - encoding in FTP, 370–372
    - formats for, 551
      - for digital images, 474–476
      - for QuickTime, 424–426
      - for QuickTime Pro Player, 435–440, 436–439
    - hidden, 761–762
    - ownership of, 83, 618–621, 619, 804–805
    - paths for. *See* paths
    - redirecting, 635
    - in remote access, 364–365
    - searching for, 176–179, 177–179
    - searching for contents of, 180–181, 181
    - securing, 151–152, 152
    - sharing. *See* sharing
    - synchronizing, 544–545, 545, 730
    - transferring
      - browsers for, 332–333, 333
      - FTP for. *See* FTP (File Transfer Protocol)
  - filesystem formats, 550, 622–623
  - FileVault feature, 151–152, 152, 275
  - filters in shell scripting, 634–635
  - Find File program, 176
  - Find Panel, 401, 401
  - Find window
    - custom search phrases for, 181–184, 182–184
    - for file contents, 180–181, 181
    - for files and folders, 176–179, 177–179
    - results in, 179–180, 180
  - Finder and Finder windows, 51–52
    - behavior of, 71–72, 71
    - browsing in, 55–56, 56
    - for burning CD data, 84
    - changes in, 10, 16, 18
    - Columns view in, 61–63, 61–62, 69, 69, 148, 149, 832
    - crashes at login, 798
    - for ejecting disks, 83, 83
    - for folders
      - creating, 74
      - spring-loaded, 78
    - for FTP, 368–369, 369
    - Go menu in, 72–73, 72–73
    - hierarchy in, 52–54, 53
    - icons in, 29, 65–68, 65–67, 832, 833
    - for items
      - copying, 75, 77–78, 77–78
      - information about, 81–83, 81
      - moving, 75–77, 75–76
      - renaming, 74–75
    - for labels, 79–80, 79
    - List view in, 63–65, 63–64, 68–69, 68, 832, 833
    - migration issues with, 832–834, 833–834
    - for music files, 450–451, 451
    - opening, 55, 55
    - for permissions, 803
    - preferences for, 86–88, 86, 88, 832–833
    - for QuickTime, 422, 423
    - scripts for, 573–574
    - for searching, 80–81, 80
    - Sidebar in, 56–59, 57–58, 149–150, 150

- startup problems from, 798–799
  - status bars in, 60–61, 60
  - toolbars in, 59–60, 59, 69–72, 69–71
  - for Trash, 85–86, 85
  - for Undo, 78–79
  - view options in, 66–69, 66–69
  - working with, 148–151, 149–150
  - Zip format in, 371, 371
- Finder Preferences dialog box, 86–87
- finger command, 606
- Finger tab, 775
- Fink system, 643–644, 643–644
- Firewalk X firewall, 314–315, 315
- Firewall screen, 316
- firewalls, 313
- Firewalk X, 314–315, 315
  - Firewall tab, 313–314, 314
  - NetBarrier X, 315–318, 316–317
  - Norton Personal Firewall, 318
  - with Remote Login, 360
  - for servers, 671–672
- FireWire
- for external devices, 684–685
  - Target Disk Mode, 544–545, 545
  - troubleshooting, 701, 701
- firmware updates, 821–822
- First Aid tab, 800
- First Aid utility, 706–709, 707–708, 800, 807
- fixed IP addresses, 520
- fixed-pitch fonts, 221, 227–228
- Flash animations, 334
- flipping images, 478
- floppy drives, 685–686, 686
- flow control in scripts, 591–594, 637–638, 637
- Folder Actions, 577–580, 577–579
- Folder Actions Setup application, 579, 579
- Folder Background settings, 68
- folders
- aliases for, 41
  - broken, 793–795
  - corrupted, 806
  - creating, 74
  - on Dock, 41, 147
  - finding, 176–179, 177–179
  - hidden, 761–762
  - icons for, 29, 29, 78, 147
  - names for, 74, 135, 268
  - preferences for, 66
  - presets for, 72
  - remote access to, 363, 363, 365
  - spring-loaded, 78, 832
- FoldersSynchronizer X program, 730
- font families, 116
- Font panel, 115–116, 116, 223–226, 224
- Font Reserve application, 223
- Font Settings panel, 208
- font suitcases, 228, 228
- Fontbook program, 226, 226
- fonts, 220–221
- changes in, 19
  - in Classic environment, 227–229, 227–228
  - collections of, 115–116, 224–225, 224
  - corruption in, 745–746, 806–808
  - for e-mail, 406–407
  - Fontbook, 226, 226
  - installing and uninstalling, 221–223, 223
  - in printing, 208
  - profiles for, 225
  - size of, 225–226
  - in Terminal, 604, 615
- Fonts folder, 136, 222–223, 223, 227, 227, 229
- FontSync feature, 225
- Force Quit command, 46, 123, 741–742, 741, 747
- foreground windows, 38–39, 38
- Format For menu, 113
- formats
- for digital images, 474–476
  - for disk images, 716
  - for disks and files, 551
  - for e-mail, 406–409, 407
  - for QuickTime, 424–426
  - for QuickTime Pro Player, 435–440, 436–439
- Formats tab, 161
- formatting
- disks, 550, 709
  - external drives, 683
  - in scripts, 586, 586
- Forward browser command, 327
- Forward button, 455
- forward slashes (/)
- in command line, 616–617
  - in filenames, 102, 128
  - in paths, 73
  - for root levels, 268
- forwarding e-mail, 388
- fps (frames per second), 424
- fragmentation
- disks, 723
  - memory, 751
- frames per second (fps), 424
- freezes, 739, 747–749, 748, 801
- FruitMenu application, 150
- fsck command, 723, 807, 810
- FTP (File Transfer Protocol), 368, 368, 512
- clients for, 369–370, 370
  - commands in, 373–376, 375
  - file encoding and archiving in, 370–372
  - Finder for, 368–369, 369
  - for platform compatibility, 566
  - servers for, 372, 373, 667–668
  - logs for, 670–671, 670
  - security in, 669–670
  - turning on and off, 668–669, 669
- ftp command, 606, 611
- ftp.log file, 768
- Full Keyboard Access option, 163
- ## G
- games
- Chess, 259
  - support for, 12
- gamma settings, 232–233
- gamut of colors, 229
- general information, Info window for, 81–82, 81
- general preferences
- for Finder, 86, 87
  - for NetBarrier, 316
- Geometry tab, 160

Gestures tab, 470  
 Get Apple ID screen, 828  
 get command  
   in FTP, 374  
   in scripts, 594–595  
 Get Info windows, **81–83**, 81  
   for document associations, 96  
   for indexes, 181  
   for memory, 7, 7, 749, 749  
   for ownership, 805  
 Get Internet Ready screen, 828  
 Get Mac OS X Software command, 45  
 Ghostscript tool, 602  
 GIF (CompuServe Graphic Interchange Format), **475–476**  
 GIMP (GNU Image Manipulation Program), 564  
 GIMP to Darwin program, 565  
 global history, 344  
 Global tab, 677  
 Globals tab, 676  
 GnomePIM program, 565  
 GNU-Darwin site, 565  
 GNU Image Manipulation Program (GIMP), 564  
 GNU Privacy Guard (GnuPG) program, 415–416  
 Gnumeric program, 565  
 Go link for help, 172  
 Go menu, **72–73**, 72–73  
 Go to Folder dialog sheet, 73  
 GPGKeys tool, 416  
 Grab application, 260, **480–483**, 482–483  
 Graphic Interchange Format (GIF), **475–476**  
 GraphicConverter application, **481**  
 graphics, file formats for, 552  
 graphics architecture, **10**  
 graphics pads, 469  
 graphics tablets, 470  
 Graphite appearance setting, 157  
 grayed menu commands, 26  
 grayscale, 491  
 greeting cards, 346  
 grep command, 609, 635  
 groups for Address Book, **238–239**, 239

guest access, 528  
 Guide system, 175–176, 176  
 gzip command, 611

## H

handwriting recognition, **469–471**, 470–471  
 hangs. *See* crashes  
 Hard Disk Toolkit, 697  
 hard disks. *See* disks  
 hard links in Darwin, 621  
 hardware  
   drivers for, 682  
   external. *See* external devices  
   internal  
     hard disks, **697–698**  
     memory, **698–699**, 699  
     PCI cards, **698**  
   in kernel panics, 802  
   operating system support for, **551**  
   in startup problems, 791  
   support for, 12  
   in System Profiler, 247, 247  
   troubleshooting, **699–700**  
 Hardware Address entry, 771  
 head command, 609  
 Hearing tab, 164  
 Hello World script, 584–585  
 help command in FTP, 376  
 Help documents, **167–168**, 168  
   alternatives, **173–174**, 173–174  
   in Classic applications, **174–176**, 175–176  
   Help Viewer for  
     accessing, **168–169**, 169  
     for keywords, **170–172**, 170–172  
     links in, 172  
     for topics, **169–170**, 170  
   installing, **172–173**  
 Help folder, 172  
 helper applications, **335–336**, 336  
 HFS and HFS+ filesystem and partitions  
   case sensitivity of, **622**  
   installation on, 816, 818, 821  
 hidden files and folders, **761–762**

Hide commands, **111–112**  
 hiding  
   calendars, **241–242**, 242  
   Dock, 148–149  
 hierarchical menus, 26, 26  
 hierarchy in Finder, **52–54**, 53  
 high-speed connections, **299–300**, 312  
   AirPort, **304–306**, 305  
   in Classic environment, **307–308**, 308  
   direct Ethernet, **301–302**, 301  
   PPPoE, **302–304**, 303–304  
   troubleshooting, **306–307**  
 highlighted icons, 31  
 hinted movies, 434  
 hinted Type 42 fonts, 208  
 hints for passwords, 274  
 history  
   for browsers, **330–331**  
   preferences for, 330–331, 344  
 history command, 614  
 History tab, 330  
 HoaxBusters site, 734  
 hoaxes, **734**  
 Home browser command, 327  
 home folder, 23, 54, **134–135**, 134  
   administrator permissions for, **270–271**, 271  
   in command line, 617  
   Desktop folder in, **135**  
   Documents folder in, **135**  
   Library folder in, **136–137**  
   permissions in, **137–139**, 138  
   personal applications in, **139–142**, 141–142  
   Public folder in, **135–136**, 136  
   Shared folder in, 139  
   Sites folder in, 137  
 home pages in browsers, 325  
 HomePage tool, **351**  
 hostnames  
   converting to IP addresses, 774  
   in log files, 766  
 hot points in QuickTime Player, 430–431  
 Hotlists, 322  
 HotSync feature, 542  
 How Do You Connect screen, 828

HTML documents, 648–649  
 HTTP (Hypertext Transport Protocol), 512  
 httpd.conf file, 661  
 httpd folder, 658–659, 661  
 https protocol, 338–339  
 hubs, 496, 513, 515  
 human-readable languages, 572  
 hybrid applications, 119  
 Hypertext Transport Protocol (HTTP), 512  
 hyphenation in TextEdit, 256  
 hyphens (-)  
   in command line, 618  
   in scripts, 585–586  
   in search phrases, 182

## I

iBook  
   AirPort support by, 514  
   FireWire connections to, 544–545  
   VGA ports in, 543  
 iCab browser, 322–323, 322  
 iCal application, 240–241, 241  
   alarms in, 244  
   creating and deleting calendars in, 244  
   events in, 242–244, 242–244  
   sharing calendars in, 244–246  
   showing and hiding calendars in, 241–242, 242  
   To Do items in, 246, 247  
   views in, 241, 241  
 iCards, 346  
 iExcel application, 553  
 iChat application, 376  
   for audio and video chatting, 379, 379  
   changes in, 19–20  
   for file sharing, 378, 378  
   for online chatting, 376–377, 376–377  
   for Rendezvous chatting, 377–378  
 iClean program, 345  
 icon toolbar, 40  
 Icon view, 832, 833  
 Iconfactory site, 147

icons, 24, 28–29  
   activating, 32  
   behavior of, 67–68  
   for burning CD data, 84  
   for creating folders, 74  
   for disk images, 140–141, 141  
   in Dock, 147  
   for ejecting disks, 83, 83  
   in Finder, 29, 65–68, 65–67, 832, 833  
   for items  
     copying, 75, 77–78, 77–78  
     information for, 81–83, 81  
     moving, 75–77, 75–76  
     renaming, 74–75  
     searching for, 80–81, 80  
   for launching applications, 92  
   menu bar, 148, 148  
   selecting, 30–31, 31  
   for spring-loaded folders, 78  
   types of, 29–30, 29–30  
   for Undo, 78–79  
 icWord application, 553  
 Identification tab, 558–559, 559  
 iDisk tool, 348–351  
   changes in, 19  
   improvements in, 16  
 IE (Internet Explorer) browser, 319–320, 331–332presets for, 72  
 IEEE 802.11b standard, 514  
 if statements, 637–638  
 if...then statements, 592–593  
 Ignore Ownership option, 272  
 Ignore Ownership on this Volume option, 805–806  
 iMacs  
   AirPort support by, 514  
   VGA ports in, 543  
 Image Capture application, 260, 483–485, 483–484  
 Image Palettes button, 115  
 ImageMagick program, 564  
 images, 83  
   digital. *See* digital images  
   disk. *See* disk images  
   displaying, 261  
   on web, 345  
 Images folder, 641

IMAP (Internet Message Access Protocol) accounts, 381, 383  
   information for, 383–384  
   options for, 413–414  
 IMAP Path Prefix setting, 414  
 .img filename extension, 280, 714  
 iMovie 3 editor, 443–445, 444–445, 451, 452  
 Import dialog box, 487  
 Important Information screen  
   in Mac OS 9 installation, 823  
   in Mac OS X Installer, 825  
 importing  
   Address Book contacts, 239–240, 240  
   camcorder movies, 444  
   from CDs, 460–462, 461  
   MP3 files, 451  
   photos, 487, 487  
   QuickTime Pro Player files, 435–436, 436  
 Importing tab, 461, 461  
 In window, 390–391, 390  
   message list in, 391–393, 391–393  
   toolbar for, 391, 391  
 Include When Automatically Checking for New Mail option  
   for IMAP accounts, 413  
   for POP accounts, 412  
 Incoming Mail Server setting, 384–385  
 incremental backups, 728–729  
 index.html page, 664–665  
 indexes for text searches, 181  
 inetd server, 626  
 Info drawer, 243, 243  
 Info tab in Network Utility, 771–772  
 Info window, 81–83, 81  
   for document associations, 96  
   for indexes, 181  
   for memory, 7, 7, 749, 749  
   for ownership, 805  
 initializing disks, 709, 819–821, 820  
 InkPad window, 469–471  
 input devices, 686–687  
 Input Menu tab, 162  
 Input/Output Kit (IOKit) log entry, 766  
 Input technologies, improvements in, 17

- inspectors, 37
- Install Software window, 703, 703, 823, 823
- InstallAnywhere tool, 562
- installation
  - applications, 279–282, 280, 282
  - command line programs, 639–641, 639–640
  - fonts, 221–223, 223
  - Help documents, 172–173
  - MySQL, 674
  - OS X
    - backups for, 819
    - Classic environment decisions in, 817–819
    - for dual-booting, 829–830, 830
    - firmware updates for, 821–822
    - Mac OS 9 in, 822–824, 823
    - Mac OS X Installer for, 823–827
    - partitioning and initializing for, 819–821, 820
    - preparations for, 816–817
    - requirements for, 815–816
    - Setup Assistant for, 827–829
  - printer drivers and PPDs, 187–190, 188–189
- Installed Updates tab, 704
- installer applications, 141–142, 142
- Installer Vise application, 142
- Instant Message window, 377, 377
- integrated e-mail client, 10
- Integrated Services Digital Network (ISDN), 300
- interactive programs, 626
- Interarchy FTP client, 369
- interface, 21
- interlaced image option, 480
- internal devices
  - hard disks, 697–698
  - memory, 698–699, 699
  - PCI cards, 698
- internal variables, 635–636, 636
- International pane, 161–162, 161
- Internet
  - access to, 289
  - configurations for, 308–311, 309–310
  - dial-up. *See* dial-up Internet access
  - high-speed. *See* high-speed connections
  - security for, 311–318, 314–317
  - and cache corruption, 745
  - digital media on, 433–435, 434
  - FTP. *See* FTP (File Transfer Protocol)
  - iChat, 376
    - for audio and video chatting, 379, 379
    - for file sharing, 378, 378
    - for online chatting, 376–377, 376–377
    - for Rendezvous chatting, 377–378
  - .Mac tools, 345–347
    - HomePage, 351
    - iDisk, 348–351
    - Mac.com Email, 347–348
  - Personal File Sharing with, 531–535, 533, 535
  - remote access
    - commands for, 363–365, 363
    - logging out, 366
    - Remote Login for, 357–359, 358, 360
    - SSH for, 361–362
    - Telnet. *See* Telnet
  - Sherlock 3 for, 352–355, 352–354
  - web. *See* web
- Internet Connect window
  - in modem setup, 296–297
  - for PPPoE connections, 304
- Internet Explorer (IE) browser, 319–320, 331–332
- Internet Message Access Protocol (IMAP) accounts, 381, 383
  - information for, 383–384
  - options for, 413–414
- Internet pane, 325
- Internet radio, 462–463, 463
- Internet Relay Chat (IRC) client, 324
- Internet Scrapbook, 331
- Internet service providers (ISPs), 290, 301
  - Internet Serving technology, 9
  - Internet Sharing, 532–535
  - Internet tab, 533, 533, 692
  - interpreters
    - in Darwin, 604
    - shells as, 612
  - intranet servers, 649
  - invisible items, 622–623
  - invoking commands, 26
  - IO log entry, 766
  - IOKit (Input/Output Kit) log entry, 766
  - IP Address tab, 558
  - IP addresses
    - in AirPort, 499
    - converting TCP/IP hostnames to, 774
    - in Ethernet, 497
    - for Personal File Sharing, 535
    - in TCP/IP, 520, 520
    - with web servers, 650–653
    - in Windows File Sharing, 558
  - IP Printing, 191, 193–194, 194
  - iPhoto, 486–487, 486
    - books in, 491–492, 492
    - editing in, 490–491, 490
    - exporting photos with, 489–490, 490
    - importing photos with, 487, 487
    - organizing in, 488–490, 488–490
  - IPNetShareX router, 534
  - iPod devices, 695, 695
  - iPod MP3 player, 462
  - IRC (Internet Relay Chat) client, 324
  - IrDA Modem tab, 542
  - IrDA ports, 541–542, 542
  - ISDN (Integrated Services Digital Network), 300
  - ISPs (Internet service providers), 290, 301
  - iSync, 695–696, 696
  - iTools application, 675
  - iTunes application, 453–454, 454
    - CD burning in, 459–460, 684
    - importing from CDs in, 460–462, 461
    - Library in, 454–455
    - playing songs in, 455–457, 455–457

playlists in, **458–459**, 459  
 scripts for, 577  
 sorting, searching, and browsing in,  
**457–458**, 457–458  
 iTunes Music folder, 462

## J

Jaguar operating system, 16  
 Java applets, launching, 258  
 Java applications, 14, 119  
   running, **562–564**, 563  
   security in, 342  
 Java Review Service, 562  
 Job Logging panel, 208, 208  
 JPEG (Joint Photographic Experts  
 Group) format, **474**, 476, 479–480,  
 479  
 junk e-mail, **400**, 400

## K

Keep Arranged By option, 68  
 Keep Copies of Messages for Offline  
   Viewing option, 413  
 kernel extensions, 682  
   in booting, 796  
   conflicts in, **752–757**, 753–755, 776  
   kernel panics from, 802  
   migration issues with, **846–847**  
   sluggishness from, **801**  
 kernel panics, **801–802**, 803  
   .kext filename extension, 682, 847  
 key commands at startup, 796  
 Keyboard & Mouse pane, **162–163**  
 Keyboard setting in Expose, 110  
 Keyboard tab, **162–164**  
 Keyboard Viewer application,  
**260–261**, 260–261  
 keyboards  
   crashes from, 740  
   drivers for, 687  
   in installation, 827  
   settings for, **162–164**  
 Keychain Access, **248–249**, 249  
   adding to, **250–251**, 251  
   deleting items from, **253**  
   locking and unlocking, **253–254**,  
   253

multiple keychains in, **254**  
 for passwords, 252, 340–341  
 passwords for, **249–253**, 250  
 keyframes in compression, 423  
 Keyspan drivers, 688  
 keywords  
   in e-mail rules, 398–399  
   for help, **170–172**, 170–172  
   in scripts, 586  
 kill tool, **784**  
 killing processes, 784  
 Kind search option, 183  
 Knowledge Base, 788

## L

Label search option, 183  
 labels, **79–80**, 79, 87  
 Language screen, 825  
 languages  
   Info window for, **82**  
   in installation, 825  
   user settings for, 161, 161  
 Languages for Searching File Contents  
   option, 88  
 LANs (local area networks), 511  
 LaTeX standard, 602  
 launch command, 594  
 launchers  
   Dock as, 42  
   migration issues with, **837**, 837  
   shells as, 612  
 launching  
   applications, **91–93**, 92  
   documents, **93–94**, 94  
   Java applets, 258  
   migration issues with, **837**, 837  
 LaunchServices (LS) log entry, 766  
 layering windows, **38–39**, 38  
 Layout panel, 199  
 lcd command, 374  
 LDIF (LDAP Interchange Format),  
 239–240  
 less than (<) characters for file  
 redirection, 635  
 libraries  
   in command line, 626  
   in iPhoto, **488–490**, 488  
   in iTunes, **454–455**  
   for printer drivers, 189  
 library catalogs, Telnet for, 367  
 Library folder, **136–137**, **762–763**  
   Admin account for, 269–270  
   for ColorSync, 230  
   in Finder, 53–54  
   for fonts, 222–223  
   for help documents, 172–173  
   for history, 330  
   permissions for, 60  
   for PPDs, 187  
   problems with, 794  
 Limitations tab, **275**  
 Line Printer (LPR) connections,  
 190–192, 194  
 Link Speed entry, 771  
 Link Status entry, 771  
 links  
   in command line, 621  
   in Help Viewer, 172  
 List view, **63–65**, 63–64, **68–69**, 68,  
 832, 833  
 lists, 40, 591  
 live webcasts, 434  
 local area networks (LANs), 511  
 local browser history, 344  
 Local domain, 762  
 local users, multiple, 267  
 locate command, 609–610  
 Location Manager, 537  
 Location menu, 46, **537**  
   adding locations to, **539–540**, 539  
   multihoming vs. locations,  
   **537–539**, 538  
 locking Keychain Access, **253–254**,  
 253  
 Log tab, 316  
 login items  
   migration issues with, **847**  
   stopping, **799–800**, 799  
 Login Options section, 277  
 logins, **22–23**  
   to FTP servers, **372–373**, 373  
   options for, 277, 277  
   with remote file services, **506–507**,  
   507  
   trouble in, **798–799**, 799

loginwindow.plist file, 799–800  
 logout command, 366–367  
 logouts after hangs, 740  
 logs  
   for FTP serving, 670–671, 670  
   in scripts, 588, 588  
   for system-level problems,  
     764–769, 765, 767  
   in System Profiler, 248  
   in web serving, 658–660, 659  
 Logs folder, 767–769, 767  
 Lookup tab, 774  
 lookupd.log file, 768  
 loops in scripts, 591–594  
 lossy compression schemes, 423  
 LPR (Line Printer) connections,  
   190–192, 194  
 lpr.log file, 768  
 lpwd command, 374  
 ls command  
   in command line, 617–620, 619, 623  
   in Darwin, 606–607  
   in remote access, 363, 363  
 LS (LaunchServices) log entry, 766

## M

.Mac accounts, 383–384, 828–829  
 Mac.com Email tool, 347–348  
 MAC option in Script Editor, 583  
 Mac OS 9  
   dual-booting with, 817  
   in installation, 822–824, 823  
 Mac OS X Installer  
   running, 823–827  
   troubleshooting with, 808–809  
 Mac OS X Server, 9, 11  
 Mac over TCP/IP, 556  
 .Mac pane, 155  
 .Mac tools, 345–347  
   HomePage, 351  
   iDisk, 348–351  
   Mac.com Email, 347–348  
 Mac-Upgrade.com site, 789  
 MacDrive utility, 554  
 MacFixIt.com site, 789  
 MacGIMP program, 565  
 Mach 3.0 microkernel, 8

mach\_kernel file, 793–794  
 machine language, 551  
 MacJanitor application, 660  
 MacLinkPlus tool, 553  
 MacOpener utility, 554  
 Macosxhints.com site, 789  
 macro viruses, 733  
 MacTelnet client, 366  
 Magnification option, 146  
 magnifying glass, 114  
 mail. *See* e-mail  
 Mail browser command, 327  
 Mail client, 10  
 Mail folder, 136–137, 727  
 mail.log file, 768  
 Mail Preferences dialog box, 386, 398,  
   410, 411  
 mail-serving capabilities, Communicate  
   Pro for, 675  
 mailbox list, 386  
 mailboxes, 390  
   deleting, 398  
   multiple, 396–398, 396–397  
   rebuilding, 395  
   searching in, 401–403, 401–403  
 MailSmith e-mail client, 382  
 make command, 641  
 man command  
   in command line, 608  
   in remote access, 365  
   in Terminal, 605  
 managed hubs, 513  
 marking e-mail, 393–395, 394  
 Match FontSync Profile.scpt script, 225  
 Maximize buttons, 34  
 MaxMenus application, 150  
 mdelete command, 375  
 media, platform compatibility in, 554, 554  
 Media Keys tab, 447  
 media skins, 432, 452–453  
 memory  
   adding, 698–699, 699  
   for Classic environments, 120,  
     749–751, 749, 751  
   dynamic allocation of, 7, 7  
   Info window for, 82  
   for multiple applications, 94–95  
   in performance, 777–778, 800

  for PrintMonitor, 209  
   protection of, 6  
   requirements for, 815  
   and swap files, 546  
 memory leaks, 781  
 Memory panel, 7, 7  
 Memory/Versions tab, 750–751, 751  
 menu bar clock tab, 283  
 menu bar icons, 15, 148, 148  
 menus and menu bars, 25–27, 26  
   Apple. *See* Apple menu  
   context, 28, 28, 169  
   vs. Control Strip, 843–844, 844  
   menu extras, 27, 27  
   pop-up, 40  
 message area for e-mail, 386  
 Message field in log files, 767  
 message lists in In window, 391–393,  
   391–393  
 messages, e-mail. *See* e-mail  
 Messenger mail, 323  
 meta information, 95  
 mget command, 374  
 microkernel architecture, 8  
 microphones, 466, 469  
 MIDI (Musical Instrument Digital  
   Interface) format, 426  
 migration from Classic Mac OS,  
   considerations in, 831–832  
   Apple menu, 834–837, 834, 836  
   control panels, 840–842, 841–842  
   Control Strip, 843–844, 844  
   Desktop, 835, 835  
   documents, 839  
   Finder, 832–834, 833  
   kernel extensions, 846–847  
   launching, 837, 837  
   login items, 847  
   minimizing windows, 839  
   networking, 844–845, 845  
   preferences, 840, 840  
   printing, 845–846, 846  
   switching applications, 837–838,  
     838  
 MIME format, 406  
 Minimize buttons, 33–34  
 Minimize Using option, 146  
 minimizing windows, 42, 44, 44, 839

- Minimum Size memory setting, 750
  - Mint Audio application, 452, 453
  - minus signs (-)
    - in command line, 618
    - in scripts, 585–586
    - in search phrases, 182
  - mkdir command
    - in command line, 609
    - in remote access, 364
  - mobile phones with Bluetooth, 694, 694
  - modal dialog boxes, 36, 98, 206
  - Model entry in Network Utility, 772
  - modeless dialog boxes, 36
  - Modem panel, 212
  - Modem Scripts folder, 295, 688
  - Modem tab, 295–296, 295, 688
  - modems
    - external, 687–688
    - high-speed, 300
    - setup for, 290–296, 291–293, 295
  - modifiers with icons, 32
  - Monitoring screen in NetBarrier, 318
  - monitors
    - dual, 160
    - external, 543
    - video cards for, 697
  - more command
    - in command line, 607, 608
    - in remote access, 365
  - mounted disks, icons for, 29
  - mounting disk images, 714, 714
  - mouse
    - crashes from, 740
    - drivers for, 687
    - in Expose, 110
    - settings for, 162–164
  - Mouse Keys feature, 164
  - Mouse tab, 162–164
  - mouseover names, 43, 43
  - .mov file extension, 422
  - Move Deleted Mail option, 394
  - Movie Settings dialog box, 437–438, 438
  - Movie To options, 436
  - movies
    - caches for, 446
    - DVD, 464–465, 464
    - iMovie 3 for, 443–445, 444–445
    - playing, 426–429, 427–429, 431
  - QuickTime, 422–424, 423, 437–438, 438
    - selecting portions of, 440–441, 441–442
  - Movies channel, 353
  - Movies folder, 350
  - moving
    - Dock, 148–149
    - files, 364
    - Finder items, 75–77, 75–76
  - Moving Picture Experts Group (MPEG) format, 424
  - Mozilla browser, 324, 382
  - .mp3 (MPEG-3) format, 425
  - MP3 technology, 450–453, 451, 453
  - MPEG (Moving Picture Experts Group) format, 424
  - MPEG-3 (.mp3) format, 425
  - MPEG-4 format, 434
  - mput command, 375
  - mrtg program, 602
  - multihoming, 308, 537–539, 538
  - multiple applications, 94–95
  - multiple icons, selecting, 31
  - multiple keychains, 254
  - multiple local users, 267
  - multiple mailboxes, 396–398, 396–397
  - multiple ports
    - for Personal File Sharing, 532–533, 533, 535
    - with TCP/IP, 844
  - multiprocessing, symmetrical, 8
  - multitasking, 6, 94
  - multithreading, 7–8
  - multiuser support, 10, 23, 267
  - music
    - Internet radio, 462–463, 463
    - iTunes for. *See* iTunes application
    - MP3, 450–453, 451–453
  - Music folder
    - in iDisk, 350
    - for imported songs, 462
  - Music tab, 447
  - Musical Instrument Digital Interface (MIDI) format, 426
  - mv command, 608
  - MySQL, 674
- ## N
- Name search option, 182
  - Name setting, 273
  - names
    - AirPort Base Station, 691
    - collections, 224
    - files. *See* filenames
    - folders, 74, 135, 268
    - Info window for, 82
    - keychains, 254
    - in Personal File Sharing, 530, 530
    - root-level folders, 268
    - in speech recognition, 469
    - user. *See* usernames
    - user accounts, 828
    - workgroups, 559
  - NAT (network address translation), 534, 672
  - native applications, 11, 13, 91, 119
    - Application menu for, 110–112, 111
    - Colors palette for, 114–115, 114
    - documents in, 97
      - opening, 98–100, 99–100
      - saving, 101–104, 101–104
    - windows for, 104–105
  - Font panel for, 115–116, 116
  - page setup for, 112–114, 112–113
  - special characters for, 116–117, 117
  - spell checking in, 117–119, 118
  - switching, 105–110, 106–109
- Native Gamma page, 232
- natural-language queries, 172
- navigating, 23–25, 24–25
- Navigation Scripts menu, 574
- Navigation Services, 126
  - Open dialog box, 126–128, 126
  - Save dialog box, 128, 128
- near-line solutions, 725
- NetBarrier X firewall, 315–318, 316–317
- NetBoot, 9
- netinfo.log file, 768
- NetInfo Manager, 786–788
  - database for, 809
  - for user information, 787

- NetInstall, 9
  - Netscape browser, 323, 332, 332, 382
  - Netstat tab, 772
  - network address translation (NAT), 534, 672
  - Network domain, 762
  - Network File Services (NFS), 512
    - connecting to servers, 509–510, 509
    - problems with, 778
  - Network Name and Password screen, 690
  - network neighborhoods, 500
  - Network pane, 291, 291, 309–311, 309, 496–498, 496–498
  - Network Port Configurations screen, 309, 309, 525–526, 526
  - Network section in System Profiler, 247
  - Network Setup Wizard, 557
  - Network Status screen, 515–516, 515
  - Network tab
    - for AirPort Base Station, 692
    - in NetBarrier, 318
    - in performance, 783
  - network users, 267
  - Network Utility, 771, 771
    - AppleTalk tab, 772
    - Finger tab, 775
    - Info tab, 771–772
    - Lookup tab, 774
    - Netstat tab, 772
    - Ping tab, 773, 773
    - Port Scan tab, 775–776
    - for testing connections, 307
    - Traceroute tab, 774
    - Whois tab, 774–775
  - networks, 495, 511. *See also* Internet
    - AirPort. *See* AirPort
    - AppleTalk, 516–518, 517
    - building, 512
    - connections for, 496–500, 496–499
    - Ethernet, 513–514
    - improvements in, 16
    - migration issues with, 844–845, 845
    - new features for, 11
    - port configuration, 525–527, 526
    - remote file services. *See* remote file services
    - security for, 671–672, 671
    - servers for, 500–501, 500
    - sharing
      - AirPort
        - computer-to-computer networks, 535–536, 536
        - Personal File Sharing for. *See* Personal File Sharing
        - status of, 515–516, 515
        - system-level preferences for, 284
        - TCP/IP protocol for. *See* TCP/IP (Transmission Control Protocol/Internet Protocol)
        - troubleshooting, 700
    - New Blank Image dialog box, 715, 715
    - New Connection dialog box, 369–370, 370
    - New Finder Windows Open option, 87
    - New Mailbox window, 397, 397
    - New Message window, 389, 389
    - New Password Item window, 251, 251
    - newer command, 375
    - Next help link, 172
    - NextStep (NS) log entry, 766
    - NFS (Network File Services), 512
      - connecting to servers, 509–510, 509
      - problems with, 778
    - niel command, 811
    - No Access for home folder, 137–138
    - No icon, 793–795
    - No Limits option, 275
    - non-contiguous icon selection, 31
    - Norton AntiVirus program, 735
    - Norton Disk Doctor, 721, 721
    - Norton Internet Security, 345
    - Norton Personal Firewall, 318
    - Norton SpeedDisk 7.0, 723
    - Norton Utilities, 720–721
    - not keyword, 171, 403
    - notes, Stickies, 261–263, 262–263
    - Now You're Ready to Connect screen, 829
    - NS (NextStep) log entry, 766
    - nslookup, 307
    - numbers, settings for, 161
- O**
- objects in scripts, 588–590, 598
  - OMF (Open Media Format)
    - specification, 424
  - OmniWeb browser, 320–322, 321
  - open command, 375, 596
  - Open dialog box
    - for Address Book, 240
    - for Applet Launcher, 563
    - for attachments, 410
    - in Classic applications, 126–128, 126
    - for documents, 99–100, 99
    - in iChat, 378
    - modal, 98
  - Open Dictionary dialog box, 596, 598–599
  - Open Extensions Manager option, 753–754
  - Open...For Me help link, 172
  - Open Firmware Password utility, 545, 732, 732
  - Open Media Format (OMF)
    - specification, 424
  - Open New Windows in Columns View option, 87
  - open ports as security risk, 312
  - open-source operating systems, 601
  - Open With options, 96
  - opening
    - archives, 140–141, 141
    - documents, 98–100, 99–100
    - Finder windows, 55, 55
  - OpenOffice for Darwin program, 565
  - Opens With, Info window for, 82
  - OpenStep operating system, 4
  - OpenType fonts, 221
  - Opera browser, 324–325, 325
  - operating systems (OSs), 3–4
    - APIs for, 550
    - open-source, 601
    - startup troubles in, 792–795, 792
  - Option key
    - for blinking question mark, 793
    - symbol for, 27
  - Option+Drag keys with icons, 32

- Options dialog box for remote file services, 506
  - Options tab
    - in Energy Saver, 284
    - in NetBarrier, 317
  - or keyword, 171, 403
  - order of Finder columns, 65
  - Orientation option, 197, 197
  - .osax filename extension, 599
  - OSXFAQ.com site, 789
  - out of spec RAM, 699
  - Outgoing Mail Server setting, 384–385
  - outline fonts, 221
  - Outlook Express, 382
  - Output Options panel, 200
  - Output Volume setting, 164
  - ownership of files, 804–805, 806
    - in command line, 618–621, 619
    - Info window for, 83
- P**
- package installers, 141–142, 281–282, 282
  - page attributes, 112–113, 129, 197, 207
  - Page Holder tab, 331
  - Page Setup dialog box and page setup
    - in Classic applications, 129–130, 129, 206–207, 206–207, 210
    - for PDF files, 220
    - for printing, 112–114, 112–113, 196–198, 196–197
  - palette windows, 114, 114
  - palettes, 37–38, 37, 476
  - Palm connections, 542
  - panoramic views, 430–431
  - Paper Feed panel, 200, 200
  - Paper Handling panel, 200, 208
  - Paper Size options, 113, 197
  - paperless archives, 219
  - Parameter RAM (PRAM), 822
  - parent folders, 54
  - parentheses ( ) in Boolean searches, 171
  - Partition tab, 711–712, 711, 819–820, 820
  - partitions, disk, 710–713, 711–712, 818–821, 820
  - Password Hint setting, 274
  - Password setting
    - for e-mail, 348
    - for PPP, 292
  - Password tab, 155
  - passwords, 254
    - administrators, 810–811
    - AirPort, 499, 525, 690–691
    - assigning, 276
    - CGI scripts, 657
    - disk images, 716–717
    - e-mail, 384–385, 415
    - FTP, 372–373, 669–670
    - hard disks, 730–732, 731–732
    - Keychain Access for. *See* Keychain Access
    - logins, 22
    - Personal File Sharing, 528
    - PPPoE connections, 303
    - remote file services, 506–507
    - resetting, 810–811
    - Samba, 676
    - SMB servers, 507
    - Software Update, 703
    - Telnet, 362
    - user accounts, 273–274, 828
    - users, 155
    - web, 339–341, 340
    - Windows, 555–559, 556
    - Windows File Sharing, 559
  - Passwords Properties window, 556, 556
  - pasting in QuickTime Pro Player, 441–442
  - PATH variable, 617–618
  - paths
    - in command line, 606
    - in Darwin program, 616–617
    - in Finder, 54
    - for folders, 73
  - Pause button, 455
  - PC Cards, 540–541, 546
  - PC-Mac-Net Fileshare program, 560
  - PCI cards, 698
  - PCL (Printer Control Language) printers, 186
  - PCMacLAN utility, 513, 560
  - PCMCIA standard, 540
  - PDF (Portable Document Format) files, 215, 475
    - creating, 216–219, 216–219
    - platform compatibility with, 552
    - printing, 219–220
    - for Quartz, 10, 216
  - peer-to-peer networks, 527
    - measuring, 779–784, 779–780, 783
    - performance, 776–777
    - problems in, 777–778
    - spinning cursor, 778–779, 800–801
  - Perl scripts, 655
  - permissions
    - for administrators, 270–272, 270
    - for CGI scripts, 657
    - in command line, 618–621, 619
    - for folders, 60
    - in home folder, 137–139, 138
    - Info window for, 83
    - problems with, 803–806, 806
    - in Samba, 677
    - sluggishness from, 800
  - personal applications in home folder, 139–142, 141–142
  - personal backups, 729–730, 730
  - Personal File Sharing, 527
    - with Internet, 531–535, 533, 535
    - over IP, 531, 531
    - Mac names in, 530, 530
    - ports for, 532–533, 533, 535
    - routers for, 533–535, 535
    - security issues in, 528
    - turning off, 530–531, 531
    - turning on, 529–530, 529
    - for user access, 527–529
  - personal management applications, 17
  - Personal Web Sharing, 566, 567
  - personalization, 133–134
    - aliases, 142–144, 143–145
    - Dock, 145–147, 145–147
    - for Fast User Switching, 152–154, 153
    - Finder, 148–151, 149–150
    - home folder for. *See* home folder
    - menu bar icons, 148, 148
    - for securing files, 151–152, 152
    - user preferences. *See* user preferences

- PGP (Pretty Good Privacy) program, 415, 730
- Photo Library, 488
- photos, digital. *See* digital images
- PHP (PHP Hypertext Protocol), 672–673, 673–674
- phpinfo.php file, 673
- pico command, 611
- Pico editor, 626–628, 627–628
- PICT format, 474, 476, 480
- picture elements, 159, 473
- Picture setting
  - for icons, 68
  - for user accounts, 274
- Picture tab, 156
- Pictures folder, 350
- pictures for users, 156
- PIDs (process IDs) in log files, 766
- Ping tab in Network Utility, 773, 773
- ping utility, 307
- pipe character (|)
  - in Boolean searches, 171
  - in shell scripting, 635
- pixel tags, 345
- pixelated movies, 428
- pixels, 159, 473
- .pkg filename extension, 281
- plain-text documents
  - for e-mail, 406
  - platform compatibility with, 553
  - TextEdit editor for, 256–257, 258
- platform compatibility, 549
  - documents, 552–554, 553
  - Java applications, 562–564, 563
  - media, 554, 554
  - TCP/IP solutions, 566, 567
  - Windows and Unix, 550–552
  - Windows applications, 560–561, 561
  - Windows file sharing, 555–560, 555–557
  - X Windows applications, 564–566, 565
- platform-independent applications, 562
- Play Feedback When Volume Keys Are Pressed option, 163
- Play Movies Automatically option, 446
- Play User Interface Sound Effects option, 163
- playheads in QuickTime Player, 428, 428
- playlists in iTunes, 458–459, 459
- .plist files, 257, 799–800
- Plug-In tab, 446
- plug-ins
  - for browsers, 334–335, 335
  - for QuickTime, 446
- plus signs (+) in searches, 171, 182
- PNG (Portable Network Graphic), 475–476, 479–480, 479
- Point-to-Point Protocol (PPP), 290–294, 297
- Point-to-Point Tunneling Protocol (PPTP), 509
- POP (Post Office Protocol) accounts, 381, 383
  - information for, 383–384
  - settings for, 412–413
- POP Server setting, 348
- pop-up advertising, 345
- pop-up menus, 40
- Port\_ setting
  - for IMAP accounts, 413
  - for POP accounts, 413
- Port Mapping tab, 693
- Port Scan tab, 775–776
- portability, 8
- portable computers, 537–538
  - battery life in, 546–547
  - displays for, 542–543, 544
  - FireWire Target Disk Mode for, 544–545, 545
  - IrDA ports for, 541–542, 542
  - Location menu for, 537–540, 538–539
  - PC Cards for, 540–541
- Portable Document Format (PDF) files, 215, 475
  - creating, 216–219, 216–219
  - platform compatibility with, 552
  - printing, 219–220
  - for Quartz, 10
- Portable Network Graphic (PNG), 475–476, 479–480, 479
- ports
  - configuring, 525–527, 526
  - for Internet access, 308–311, 309
  - for Location menu, 539
  - for Personal File Sharing, 532–533, 533, 535
  - in server security, 671
  - for TCP and UDP, 776
  - for TCP/IP, 518–519, 519, 844
  - video, 542–543
- Position On command, 46
- Position On Screen option, 146
- Post Office Protocol (POP) accounts, 381, 383
  - information for, 383–384
  - settings for, 412–413
- poster frames, 430
- PostScript fonts, 228–229
- PostScript Options, 207
- PostScript Printer Description File dialog box, 206
- PostScript Printer Descriptions (PPDs), 187–190, 188–189, 206
- PostScript printers, 187, 207–209, 207–208
- pound signs (#)
  - in Apache configuration files, 661
  - in scripts, 632
- Power Macintosh
  - AirPort support by, 514
  - operating systems for, 12
- PowerBooks
  - AirPort support by, 514
  - displays for, 543
  - FireWire connections to, 544–545
  - operating systems for, 11–12
- PowerMail program, 382
- PPDs (PostScript Printer Descriptions), 187–190, 188–189, 206
- PPDs folder, 187
- PPP (Point-to-Point Protocol), 290–294, 297
- PPP tab, 291–294, 292
- PPPoE connections, 302–304, 303–304
- PPPoE tab, 302–304, 303

- PPTP (Point-to-Point Tunneling Protocol), 509
- PRAM (Parameter RAM), 822
- preemptive multitasking, 6
- PreferencePanes folder, 842
- Preferences dialog box and preferences
  - on Apple menu, 45–46
  - for Chess, 259
  - for cookies, 343
  - corruption in, 743–744, 744
  - for Expose, 109–110
  - for Finder, 86–88, 86, 88, 832–833
  - for folders, 66
  - for history, 330–331, 344
  - in iTunes, 460–461
  - migration issues with, 840, 840
  - in Opera, 335–336
- Preferences folder, 330–331, 840, 840
- Preferred Size memory setting, 750
- Preserve Line Endings option, 583
- Preset menu, 199
- Pretty Good Privacy (PGP) program, 415, 730
- Preview feature and windows, 261
  - in Classic applications, 127
  - for images, 477–478
  - Info window for, 82
  - in printing, 113, 201, 202
- Print & Fax pane, 213–214, 213
- Print browser command, 327
- Print Center, 185
- print command, 596
- Print dialog box, 113, 113, 198–202, 198
  - in Classic applications, 130, 130, 207–209, 207–208, 210
  - for faxes, 211–212
  - for PDF files, 218–219, 219
  - in scripts, 596
- Print on Printer option, 214
- Printer Control Language (PCL) printers, 186
- Printer Features panel, 212
- Printer Setup Utility, 192, 845, 846
  - for adding printers, 192–194, 193–194
  - for desktop printers, 196
  - migration issues with, 836
  - for print jobs, 203–204, 203
  - for printer lists, 194–195, 195
  - for printer setup, 195, 195
- printers
  - adding, 192–194, 193–194
  - connection types for, 190–191, 191
  - desktop, 196, 202
  - drivers and PPDs for, 185, 187–190, 188–189
  - lists of, 194–195, 195
  - setup for, 195, 195
  - support for, 186
- Printers folder, 187, 189
- printing, 185–186
  - from browsers, 327
  - changes in, 19
  - in Classic applications, 129–131, 129–130, 204
    - background, 208, 210–211, 210–211
    - changing printers in, 210
    - Chooser for, 204–206, 205
    - page setup for, 206–207, 206–207
    - Print dialog box for, 207–209, 207–208, 210
  - migration issues with, 845–846, 846
  - page setup for, 112–114, 112–113, 196–198, 196–197
  - PDF files, 219–220
  - Print dialog box for, 198–202, 198
  - print job management, 203–204, 203
  - Stickies, 263
  - system-level preferences for, 284
- PrintMonitor application
  - for background printing, 210–211, 211
  - in Classic applications, 130–131, 131
  - memory for, 209
- privacy
  - firewalls for. *See* firewalls
  - Keychain Access for. *See* Keychain Access
  - on web, 343–345, 343
- Privacy screen, 317
- /private directory, 762
- private folder, 767–769, 767
- privileges. *See* permissions
- process IDs (PIDs) in log files, 766
- process names in log files, 766
- Process Viewer, 780–782, 780
  - kill tool, 784
  - top tool, 783–784, 783
- processes
  - killing, 784
  - in multithreading, 7–8
  - processors for, 8
  - sluggishness from, 801
  - stopping, 740
- profiles
  - color, 229
  - for ColorSync, 230–231, 230–231
  - for fonts, 225
  - System Profiler for, 246–248, 247
- progress command, 375
- Progress dialog box, 78, 78, 489
- Prompt Me to Skip Messages Over\_KB setting, 413
- prompts in Terminal, 603
- properties in scripts, 588–590
- Proxies tab, 294–295
- proxy servers, 294, 306
- public encryption keys, 339
- public folder, 135–136, 136, 271
  - for Folder Action scripts, 578
  - in iDisk, 350
  - permissions for, 60
  - in remote file services, 503–504
- public FTP servers, 372
- public-key encryption, 415
- put command, 375
- PuzzlePalace program, 731
- pwd command
  - in command line, 607
  - in FTP, 375
  - in Terminal, 606

**Q**

- .qt file extension, 422
- Quality or Print Modes panel, 200
- Quartz and Quartz Extreme technology
  - benefits of, 697
  - support for, 10, 18, 216
- question marks (?)
  - blinking, 793
  - in command line, 617
- queues, printer, 203–204, 203
- QuickTime, 10, 421
  - exporting photos to, 489–490, 490
  - facets of, 422
  - file formats for, 424–426
    - and iMovie, 443–445, 444–445
    - for movies, 422–424, 423
    - for music, 450–451, 451
    - plug-ins for, 334, 335
    - preferences for, 446
    - streaming, 433–435, 434
    - support for, 18
  - QuickTime Broadcaster, 9
  - QuickTime pane, 163
  - QuickTime Player
    - controller for, 429–430, 430
    - playing movies with, 426–429, 427–429, 431
    - preferences for, 429
  - QuickTime Pro Player
    - editing commands in, 441–442, 441–442
    - file formats with, 435–440, 436–439
    - registering, 431–432, 432
    - selecting movie portions in, 440–441, 441–442
    - selecting tracks in, 443, 443
  - QuickTime Streaming Server (QTSS), 9
  - quit command, 112
    - in FTP, 375
    - in scripts, 596

**R**

- radio, Internet, 462–463, 463
- radio buttons, 40
- Radio Tuner feature, 462–463

- RAM. *See* memory
- rasterizers, 221, 229
- Read & Write access, 137
- Read Me file, 173
- Read Only access, 137
- read-only documents, 81
- reading e-mail, 386–387, 387
- REALBasic program, 173–174, 174
- RealPlayer, 435
- rebuilding mailboxes, 395
- Received (Recv) Errors entry, 772
- Received (Recv) Packets entry, 772
- receiving faxes, 213–214, 213
- Recent Folders menu, 73
- Recent Items menu, 46, 46, 93
- recompiled applications, 551
- recordable applications, 581
- recording actions, 580–582, 581
- recovering from crashes, 739–741, 747–749, 748
- Red-Eye option, 491
- red-green-blue (RGB) color system, 229
- redirection
  - of e-mail, 388
  - in shell scripting, 635
- references in scripts, 588–590
- Refresh browser command, 327
- Refresh Rate menu, 159
- Registration dialog sheet, 431–432, 432
- Registration Information screen, 827
- relative paths, 616
- remote AppleTalk connections, 844
- remote file services, 501
  - AFP servers, 501–505, 502–505
  - aliases for, 506
  - login options and security for, 506–507, 507
  - NFS servers, 509–510, 509
  - shared volume disconnections, 508–509, 509
  - SMB servers, 507–508, 507–508
  - WebDAV servers, 505
- Remote Login, 357–359, 358
  - for platform compatibility, 566
  - turning on, 359–361, 360
- remote users, 267, 669
- removable backup media, 724
- removable drives, 682
- Remove Copy from Server After
  - Retrieving a Message option, 412–413
- removing. *See* deleting
- renaming
  - collections, 224
  - folders, 135, 268
  - items, 74–75
- Rendezvous
  - for chatting, 377–378
  - names for, 530
  - printers for, 191
  - for TCP/IP, 521
- Repair Permissions utility, 803
- repairing
  - hard disks, 706–709, 707–708
  - profiles, 231, 231
- Repeat All command, 457
- Repeat One command, 457
- repeat rate, keyboard, 162
- repeat statements, 593–594
- repeat until statements, 593
- replacing corrupted files, 807
- Reply To setting, 406, 406
- replying to e-mail, 387–388, 388, 406, 406
- reports
  - for bugs, 764, 778
  - in System Profiler, 248
- reproducible symptoms, 742, 764
- resetting passwords, 810–811
- resize controls, 35, 35
- resolution
  - of digital images, 477
  - with iPhoto, 487
  - screen, 159
- resource forks, 621–622
- Restart button, 747
- Restart command, 47
- restarting in Classic environments, 122
- restoration, disk images for, 717–720
- result variable, 591
- Result window, 587, 587
- Retouch option, 491
- retrieving
  - e-mail, 386, 386
  - Trash items, 86

- Retrospect backup tools, 725
  - Rewind button, 455
  - RGB (red-green-blue) color system, 229
  - Rich Text format
    - for e-mail, 406
    - TextEdit editor for, **254–257**, 255
  - RJ-45 connectors, 513
  - rm command, 804
    - in command line, 609
    - in remote access, 365
  - rmdir command
    - in command line, 609
    - in remote access, 365
  - root account, 23, 268, **784–785**
    - alternatives to, **785**
    - enabling, **786**
    - in FTP, 669
    - need for, **785**
  - root-level access, permissions for, **268–269**, 269
  - rotating
    - backups, **727–729**
    - images, 478, 485, 488
  - routers
    - addresses for, 523
    - entries for, 306
    - for Personal File Sharing, **533–535**, 535
  - rsync command, 728
  - .rtf filename extension, 255–256
  - rulers in TextEdit, 256
  - rules for e-mail, **398–400**, 398–400
  - Rules window, 398, 398, 400
  - run command, 594, 596
  - Run Only option in Script Editor, 584
  - running applications
    - on Dock, 42, 43
    - Java, **562–564**, 563
    - from Windows, **560–561**, 561
- S**
- Safe mode, 802
  - Samba program, 602
  - Samba Sharing, 676
    - managing, 676
    - users and shares in, **676–678**, 677
  - samples for audio, 439
  - Save as Draft feature, 390, 390
  - Save As File panel, 208–209
  - Save As option, 715
  - Save dialog box
    - in Classic applications, **128–129**, 128
    - for documents, 101–104, *101–103*
    - with QuickTime Pro Player, 436
    - for scripts, 582, 585
  - Save Disk Image As dialog box, 686, 686
  - Save Exported File As dialog box, 436
  - Save Movies in Disk Cache option, 446
  - Save to File dialog box, 218, 218
  - Save To option for faxes, 214
  - saving
    - documents, **101–104**, *101–104*
    - e-mail, **390**, 390
    - after hangs, 740
    - QuickTime Pro Player files, **435–436**, 436
    - scripts, **582–584**, 582–583
    - System Profiler reports, 248
  - /sbin directory, 762
  - Scale option, 197
  - scanners, drivers for, 687
  - Scheduler panel, 200
  - schedules
    - for Darwin tasks, **628–631**, 629–631
    - for Software Update, 704
  - Scrapbook tab, 331
  - Screen option, 482
  - screen real estate, 159
  - Screen Saver tab, 158
  - screenshots, 260, **480–483**, 482–483
  - Script Bundles, 583
  - Script Editor, 578, 581–584, 581
  - Script menu, **573–576**, 573, 575
  - scriptable applications, 581
  - scripting additions, 584, 597, **598–599**
  - Scripting Additions folder, 599
  - Scripting and scripting, **571–572**
    - as applications, 574, **580**
    - with applications, **574–576**, 576
    - commands for, **594–600**, 597
    - comments in, **585–586**, 632
    - entering, **584–585**, 584–585
  - Event Log in, **588**, 588
  - Folder Actions in, **577–580**, 577–579
  - formatting in, **586**, 586
  - improvements in, 16
  - loops and conditionals in, **591–594**, 637–638
  - for modems, 295, 688
  - objects, references, and properties in, **588–590**
  - recording actions in, **580–582**, 581
  - results from, **587**, 587
  - saving, **582–584**, 582–583
  - Script menu, **573–576**, 573, 575
  - in shells. *See* shells
  - variables in, **590–591**
  - viruses in, 415, 733
  - for web serving, **655–657**, 656
- Scripts folder, 230, 576–577
  - scroll arrows, 35
  - scroll bars, 34, 34
  - scrollers, 34–35, 35
  - scrolling in Terminal, 604
  - scrolling lists, 40
  - scrubber bars, 428, 428
  - SCSI hard disks, 682–683, 697–698, **701**, 701
  - Search Assistant, 331
  - search domains, 522
  - Search entry box for Address Book, 237
  - Search Results window, 80
  - Search tab, 331
  - searching
    - for e-mail, **401–403**, 401–403
    - for file contents, **180–181**, 181
    - for files and folders, **176–179**, 177–179
    - in Finder, **80–81**, 80
    - in Internet Explorer, 331
    - in iTunes, **457–458**, 457–458
    - search phrases for, **181–184**, 182–184
    - with Sherlock 3, **352**, 352
  - Secure Empty Trash feature, 19
  - secure.log file, 768
  - Secure Sockets Layer (SSL) technology, 337, 415

- security
  - in AirPort, 525
  - for e-mail, 415–417
  - with FireWire, 545
  - in FTP serving, 669–670
  - for hard disks, 730–732, 731–732
  - improvements in, 16
  - for Internet access, 311–318, 314–317. *See also* firewalls
  - Keychain Access for. *See* Keychain Access
  - for networks, 671–672, 671
  - in Personal File Sharing, 528
  - personalization for, 151–152, 152
  - for remote file services, 506–507, 507
  - in Sherlock 3, 354
  - in Software Update, 702
  - system-level preferences for, 285
  - on web, 336–339, 337–338
    - browser loopholes, 341–342
    - cookies, 342–343
    - passwords, 339–341, 340
- security certificates, 338–339
- Security pane, 151–152, 152, 163
- Security tab, 156, 275
- Seeing tab, 164
- Select Destination screen
  - in Mac OS 9 installation, 823
  - in Mac OS X Installer, 825
- Select dialog box, 349
- Select New Original dialog box, 144
- Select Signature menu, 408
- Select the Source Disk dialog box, 686
- Select Time Zone page, 829
- selecting
  - icons, 30–31, 31
  - movie portions, 440–441, 441–442
  - screenshots, 481–482
  - tracks, 443, 443
- Send Errors entry, 772
- sending
  - e-mail, 389–390, 389
  - e-mail attachments, 409–410, 410
  - faxes, 211–212
- Sent Packets entry, 772
- serial devices and adapters, 688–689
- serial port printers, 186
- server-side includes (SSIs), 666–667, 668
- Server tab, 676
- server users, 267
- servers
  - in command line, 626
  - in DNS, 522
  - for e-mail accounts, 384–385
  - for FTP, 372, 373
    - logs for, 670–671, 670
    - security in, 669–670
    - turning on and off, 668–669, 669
  - for networks, 500–501, 500
  - QuickTime, 9
  - in remote file services. *See* remote file services
  - in Samba, 676
  - as security risk, 312
  - in Windows File Sharing, 559–560, 559
- Service Provider setting, 292
- Services menu, 111, 111
- Services tab
  - in Personal File Sharing, 529
  - in Windows File Sharing
    - for workgroup names, 559
- set command, 594
- Set Up Mail screen, 829
- setenv command, 618
- Settings tab, 471
- Setup Assistant
  - for AirPort Base Station, 689–691, 690
  - for installation, 827–829
- share points for SMB servers, 507
- Shared folder, 139, 271
- shared volumes, disconnecting from, 508–509, 509
- SharePoints utility, 528
- shares in Samba Sharing, 676–678, 677
- Shares tab, 677, 677
- shareware applications, 150
- sharing
  - AirPort networks, 535–536, 536
  - calendars, 244–246
  - documents, 552–554
  - in iChat, 378, 378
  - in iPhoto, 489–490, 490
  - with Personal File Sharing. *See* Personal File Sharing
  - Public folders for, 135
  - system-level preferences for, 285
  - viruses from, 732
  - with Windows, 513, 555–560, 555–557
- Sharing pane, 555
  - for firewalls, 313–314, 314
  - in Personal File Sharing, 530, 531
- shebangs, 632
- sheets, 36–37, 36–37
- shell commands, 599–600
- shell interpreters, 604
- shells, 612
  - scripting in, 631–632, 633. *See also* scripts and scripting
    - creating scripts, 633–634, 634
    - file redirection in, 635
    - filters in, 634–635
    - flow control in, 637–638, 637
    - pipes in, 635
    - variables in, 635–636, 636
  - in Unix, 613–615, 614
- Sherlock tool, 176–177, 352–355, 352–354
  - improvements in, 16
  - migration issues with, 836
- Shift+Click with icons, 32
- Short Name setting, 273
- shortcut keys, 27, 163
- shortcuts for browsers, 333–334, 334
- Show AirPort Status in Menu Bar option, 524
- Show All File Extensions option, 88
- Show Columns option, 69
- Show commands, 111–112
- Show Deleted Messages option, 394
- Show Displays in Menu Bar option, 160
- Show Icon Preview option, 67
- Show Item Info option, 67
- Show menu, 127
- Show Modem Status in Menu Bar option, 296

- Show Modes Recommended by Display option, 160
- Show These Items on the Desktop option, 87
- Show Volume in Menu Bar option, 164
- Show Warning Before Emptying the Trash option, 88
- .shtml filename extension, 667
- Shuffle command, 457
- Shut Down command, 48, 48
- shut down in Classic environments, 122, 122
- Sidebar
  - for favorites, 60
  - in Finder, 56–59, 57–58, 149–150, 150
  - Finder preferences for, 87–88, 88
- sidebar tabs in Netscape, 323, 332, 332
- signature technologies, 551
- signatures for e-mail, 408–409, 409
- SilverKeeper program, 730, 730
- Silverlining utility, 697
- Simple Finder option, 275–276
- Simple Mail Transport Protocol (SMTP), 348, 384–385
- single-user mode, 796
- Sites folder, 137, 350
- size
  - disk images, 716, 716
  - Dock, 146, 149
  - DVD Player window, 465
  - Finder columns, 64
  - fonts, 225–226
  - icons, 24, 67
  - images, 476, 478
  - paper, 113, 197
  - partitions, 712, 820
  - QuickTime Player video, 428
  - Terminal windows, 604–605
- size command, 375
- Size option in searches, 183
- skins, media, 432, 452–453
- slashes (/)
  - in command line, 616–617
  - in filenames, 102, 128
  - in paths, 73
  - for root levels, 268
- slave mode for ATA drives, 827
- Sleep mode, 47, 284
- sliders, 40
- SMB servers
  - connecting to, 507–508, 507–508
  - for sharing with Windows, 513, 555
- .smi filename extension, 714
- SMTP (Simple Mail Transport Protocol), 348, 384–385
- Snap to Grid option, 67
- SnapzPro application, 483
- sniffer applications, 671
- soft breaks in scripts, 587
- Software Base Stations, 688
- software license agreements
  - in Mac OS 9 installation, 823
  - in Mac OS X Installer, 825
- Software section in System Profiler, 247
- Software Update control panel, 824
- Software Update tool, 163, 702–704, 703
  - in installation, 829
  - security issue in, 702
- Some Limits option, 275
- sort command, 635
- sorting
  - in iTunes, 457–458, 457–458
  - in List view, 64, 64
  - message list, 393, 393
- sound
  - in exported movies, 436–437, 439
  - in modem setup, 296
  - quality of, 439–440
  - in QuickTime Player, 428, 428
  - settings for, 163–164, 439, 439
- Sound Designer II format, 426
- Sound option, 296
- Sound pane, 163–164
- Sound Settings dialog box, 439, 439
- Sound To options, 436–437
- Source Editor, 321, 322
- spaces in Darwin, 617
- Sparse Disk Images, 716
- Speakable Items, 467–469
- Speakable Items folder, 467–468
- speakers, volume, 27
- special characters
  - for native applications, 116–117, 117
  - in tesh, 615
- Special Mailboxes tab, 394, 412
- Special menu, 834, 834
- Specific Network option, 524
- Specific Places pane, 179
- Spectrum tool, 115
- Speech Commands window, 468, 468
- Speech pane, 164
- Speech Recognition technology, 164, 466–469, 467–468
- speed, upstream and downstream, 351
- spell checking
  - for e-mail, 404, 407, 407
  - in native applications, 117–119, 118
- Spelling dialog box, 117–119, 118
- Spelling Panel, 407, 407
- spinning cursor, 778–779, 800–801
- splitting partitions, 712
- spool files, 210Spoken User Interface technology, 466, 466
- spring-loaded folders, 78, 832
- Spring-Loaded Folders and Windows option, 88
- SQL (Structured Query Language), 674
- square brackets ([]) in shell scripting, 637
- SSH, 358, 361–362
- ssh command, 611
- SSIs (server-side includes), 666–667, 668
- SSL (Secure Sockets Layer) technology, 337, 415
- stand-alone daemons, 626
- Standard Additions, 598
- standard error (stderr), 635
- standard input (stdin), 635
- standard output (stdout), 635
- Start/Stop tab, 747
- startup, 22–23
- startup disks
  - settings for, 792, 830, 830
  - system-level preferences for, 285–286, 285

startup items, migration issues in, **847**  
 Startup Items tab, 156  
 Startup Manager, 792  
 startup trouble, 791  
   booting, 792  
   key commands in, 796  
   logins, 798–799, 799  
   OS, 792–795, 792  
   stalls, 796–797  
 static IP addresses  
   as security risk, 311–312  
   with web servers, 650  
 status bars, 60–61, 60  
 status of networks, 515–516, 515  
 status variable, 637  
 Stickies application, 261–263, 262–263  
 Sticky Keys feature, 164  
 Stocks page, 353  
 Stop browser command, 327  
 Stop button, 747  
 Stop List tab, 317  
 stored video, 434  
 streaming QuickTime, 433–435, 434  
 streaming servers, 9  
 Streaming Transport Setup dialog sheet, 435  
 Structured Query Language (SQL), 674  
 StuffIt Expander utility, 140, 554  
 StuffIt format, 371  
 subnet masks, 522–523  
 subscribing  
   to calendars, 245–246, 245  
   to sites, 332  
 sudo command, 602, 610, 627, 801  
 suites in scripts, 597  
 Summary panel, 201  
 Super Get Info program, 96  
 superuser account. *See* root account  
 Support site, 788  
 Surf tab, 317, 317  
 swap files, 546  
 switches in networks, 496  
 switching  
   applications, 105–110, 106–109, 837–838, 838  
   users, 49–50, 49  
   windows after hangs, 740

symbolic links, 621  
 symmetrical multiprocessing, 8  
 symptoms, 742, 763–764  
 synchronization files  
   in backups, 730  
   in FireWire, 544–545, 545  
   iSync for, 695–696, 696  
 Synk 4 program, 730  
 syslogd process, 768  
 System domain, 763  
 System folder, 225  
   Admin account for, 269  
   in Classic environments, 123  
   in Finder, 53  
   for fonts, 222, 229  
   Library folder in, 763  
   in Mac OS 9 installation, 824  
   problems with, 794  
 system-level files, icons for, 30  
 system-level preferences, 282–283  
   for date and time, 283  
   for Energy Saver, 284  
   for networks, 284  
   for sharing, 285  
   for startup disks, 285–286, 285  
 system-level problems, 759–760  
   avoiding, 760–761  
   hidden files and folders in, 761–762  
   library folders in, 762–763  
   logs for, 764–769, 765, 767  
   NetInfo Manager for, 786–788, 787  
   Network Utility for, 771–776, 771, 773  
   performance, 776–778  
     measuring, 779–784, 779–780, 783  
     spinning cursor, 778–779  
   resources for, 788–789  
   root, 785  
   symptoms of, 763–764  
   System Profiler for, 769–770  
 system.log file, 768  
 System Memory tab, 782, 782  
 System Picker, 792  
 System Preferences application  
   for crashes, 747

for Exposé, 109–110  
 improvements in, 16  
 launching, 45  
 migration issues with, 840–842, 841–842  
 for user preferences, 153, 154–155  
 System Profiler, 246–248, 247, 699  
 for disks and volumes, 700–702, 700–701  
 for hardware, 699–700  
 for networks, 700  
 for system-level problems, 769–770, 770

## T

tabs, 40  
 Tagged Image File Format (TIFF), 474, 480  
 tail command, 609  
 tape drives, 725  
 TAR archives, 140  
 tar command, 611  
 tar format, 372  
 Target Disk Mode, 544–545, 545  
 Target Gamma page, 233  
 Target White Point page, 233  
 TCP/IP (Transmission Control Protocol/Internet Protocol), 290, 512, 516–518, 517  
   for AirPort connections, 523–524, 524  
   in Classic environment, 307–308, 308  
   configuring, 518  
     addressing in, 519–523, 520  
     DNS in, 521–522  
     manual, 522–523  
     ports for, 518–519, 519  
   for dial-up Internet access, 290–296, 291–293, 295  
   hostname conversions to IP addresses, 774  
   multiple ports with, 844  
   ping for, 773  
   for platform compatibility, 566, 567  
   for Windows, 556–559, 556–557

- TCP/IP tab, 519, 519, 523
  - for AirPort, 498
  - for dial-up Internet access, 294
  - for Ethernet, 497, 497
  - for Personal File Sharing, 535
- tcsh shell, 602, 613–615, 614
- Tech Tool Deluxe, 722, 722
- technology compatibility, 552
- Telephone Number setting, 292
- Tell Me More link, 172
- tell statement, 595
- Telnet, 358, 358
  - accessing applications for, 366–368, 367–368
  - graphical, 366
  - logging in with, 361–362, 361–362
- telnet command, 358, 606, 611
- TelnetLauncher client, 366
- Terminal application, 358–359, 361, 601, 603, 603
  - benefits of, 602–603
  - for freezes, 801
  - help system in, 174
  - for permission problems, 804–805
  - preferences in, 615, 616
  - quitting, 604
  - scrolling in, 367
  - window size in, 604–605
- terminal emulation, 358
- TermXL client, 366
- test-cgi script, 656
- testing
  - connections, 307
  - servers for, 649
- text and text documents
  - for e-mail, 407–408
  - platform compatibility with, 553
  - in remote access, 365
  - for scripts, 583
  - searching for, 180–181, 181
- text editors in Darwin, 626–628, 627–628
- Text-to-Speech technology, 164
- TextEdit editor, 254–255
  - for plain-text documents, 256–257, 258
  - for Rich Text documents, 255–256, 255
- TextWrangler application, 553, 553
- 3GPP (Third Generation Partnership Project) format, 425
- thrashing, 778
- threads in e-mail, 395–396, 395
- thumbnail views
  - for images, 478
  - Info window for, 82
- TIFF (Tagged Image File Format), 474, 480
- tildes (~)
  - in command line, 617
  - for home folders, 74, 364
- Timbuktu application, 561, 561
- time outs
  - for Folder Actions, 578–579
  - in shutdown process, 49
- time settings, 161
- Time Zone tab, 283
- time zones, 283, 829
- timebased data, 422
- Timed Screen option, 482
- times
  - in log files, 765
  - system-level preferences for, 283
- title bars, 34
- /tmp directory, 762
- To Do items, 246, 247
- Toast program, 684
- Toolbar Favorites folder, 329
- toolbars, 30
  - in Finder, 59–60, 59, 69–72, 69–71
  - icons on, 30, 30
  - in In window, 391, 391
  - InkPad, 471
- top tool, 783–784, 783
- topics, Help Viewer for, 169–170, 170
- Traceroute tab, 774
- traceroute utility, 307, 774
- Tracking Speed slider, 162
- tracks
  - in QuickTime, 422
  - in QuickTime Pro Player, 443, 443
- Traffic tab, 318
- transferring
  - e-mail messages, 397
  - files
    - browsers for, 332–333, 333
    - FTP for. *See* FTP (File Transfer Protocol)
- translating
  - digital images, 479–480, 479–480
  - file formats, 435–439, 436–439
  - network addresses, 534, 672
- Transmission Control Protocol/Internet Protocol. *See* TCP/IP (Transmission Control Protocol/Internet Protocol)
- Trash, 85–86, 85
  - migration issues with, 835
  - permissions for, 805
- Trash mailbox folder, 394–395
- Trojan horses, 732
- Trojans tab, 316
- troubleshooting. *See also* diagnosing applications
  - Classic applications, 746
  - conflicts, 752–757, 753–755
  - crashes and freezes, 747–749, 748
  - memory issues, 749–751, 749, 751
  - dial-up connections, 298–299
  - disks and volumes, 700–702, 700–701
  - hardware, 699–700
  - high-speed connections, 306–307
  - with Mac OS X Installer, 808–809
  - networks, 700
- TruBlueEnvironment process, 782
- TrueType fonts, 222, 228
- TrueType suitcases, 223
- Trusted Group tab, 317
- Turn Hiding On/Off command, 46
- Turn Magnification On/Off command, 45

Turn Off Extensions option, 753  
 twisted-pair cabling, 513  
 .txt filename extension, 255, 257  
 Type 1 fonts, 221  
 Type 42 fonts, 208  
 Type search option, 183  
 typefaces, 116

## U

UFS (Unix File System) format, 550, 816  
 Undo feature, 78–79  
 Uniform Resource Locators (URLs)  
   for AFP server connections, 505, 505  
   for browsing, 325–326  
   for calendars, 244  
 uninstaller for kernel panics, 802, 803  
 uninstalling fonts, 221–223, 223  
 Universal Access pane, 164  
 Universal Serial Bus (USB)  
   for external devices, 684–685  
   hard disks, installation on, 816  
   modems, 688  
   printers, 186, 190, 193  
   troubleshooting, 700–701, 700  
 Unix  
   compatibility with, 550–552  
   shells in, 613–615, 614  
 Unix-based operating systems, 4, 5  
 Unix File System (UFS) format, 550, 816  
 UNIX option in Script Editor, 583  
 Unix philosophy in Darwin, 612–613  
 unlocking Keychain Access, 253–254, 253  
 unshielded twisted-pair (UTP)  
   standard, 513  
 Update tab, 447  
 updating  
   firmware, 821–822  
   QuickTime, 447  
   software, 163, 702–704, 703, 829  
 uplink ports, 534  
 uploading files, 368  
 upstream speed, 351  
 urban legends, 734  
 URL dialog box, 244  
 URLs (Uniform Resource Locators)  
   for AFP server connections, 505, 505  
   for browsing, 325–326  
   for calendars, 244  
 USB (Universal Serial Bus)  
   for external devices, 684–685  
   hard disks, installation on, 816  
   modems, 688  
   printers, 186, 190, 193  
   troubleshooting, 700–701, 700  
 Use Key Combination option, 754  
 Use Relative Dates option, 69  
 user access, Personal File Sharing for, 527–529  
 User domain, 762  
 user preferences, 153, 154–155  
   administrator settings, 154–155, 155  
   user settings, 155  
     Accounts pane, 155–157, 156  
     Appearance pane, 157  
     CDs & DVDs pane, 157  
     Classic pane, 157–158  
     Desktop & Screen Saver pane, 158  
     Display pane, 158–160, 159  
     Dock pane, 160  
     Exposé pane, 161  
     International pane, 161–162, 161  
     Keyboard & Mouse pane, 162–163  
     .Mac pane, 155  
     QuickTime pane, 163  
     Security pane, 163  
     Software Update pane, 163  
     Sound pane, 163–164  
     Speech pane, 164  
     Universal Access pane, 164  
 User Profiles tab, 556  
 user sites, 657–658, 658  
 usernames  
   for e-mail, 384, 415  
   in FTP, 372–373, 669–670  
   for logins, 22  
   in Personal File Sharing, 528  
   for SMB servers, 508  
   in Telnet, 362  
   in Windows File Sharing, 559  
 users  
   accounts for, 272–273  
     creating, 273–276, 274  
     deleting, 278–279  
     editing, 278  
     in installation, 828  
     login options for, 277, 277  
     multiple, 23, 267  
     problems with, 809  
   names for. *See* usernames  
   NetInfo Manager for, 787–788, 787  
   preferences for. *See* user preferences  
   in Samba Sharing, 676–678, 677  
   switching, 49–50, 49  
   in Windows File Sharing, 555  
 Users folder  
   backing up, 727  
   in Finder, 53–54  
   problems with, 794  
   for Shared folder, 139  
 Users pane, 278  
 /usr directory, 762  
 Utilities folder, 185, 192, 203  
 UTP (unshielded twisted-pair)  
   standard, 513

## V

/var directory, 762  
 var folder, 767–769, 767  
 variable substitutions, 636  
 variables in scripts, 590–591, 635–636, 636  
 vCards, 240  
 vector graphics, 474  
 Vendor entry, 772  
 verbose mode, booting in, 796  
 Verify setting, 274  
 versions  
   compatibility of, 14–15, 14  
   OS, 11–13

version 10.1, 15–16  
 version 10.2, 16–18, 17  
 version 10.3, 18–20, 19  
 vertical lines (|)  
   in Boolean searches, 171  
   in shell scripting, 635  
 Vi editor, 626  
 video cards, 697  
 video chatting, 379, 379  
 video ports, 542–543  
 View Options dialog box, 68, 68  
 Viewer window, 386, 387  
 views  
   for calendars, 241, 241  
   in Finder windows, 66–69, 66–69  
 VINC application, 553  
 Virex program, 735, 735  
 virtual machine environments, 119, 562  
 virtual memory  
   for multiple applications, 95  
   in performance, 777–778  
 Virtual PC, 561  
 Virtual Private Network (VPN)  
   connections, 509  
 virtual servers, 534  
 virtual volumes, 713  
 VirusBarrier program, 735  
 viruses, 732–733  
   avoiding, 733–734  
   in e-mail, 416–417  
   hoaxes, 734  
   identifying and removing,  
     734–736, 735  
 Visibility option, 183  
 volume, speakers, 27  
 Volume icon, 27, 27  
 Volume Scheme area, 821  
 volumes  
   administrator permissions for,  
     271–272, 272  
   for disk images, 718  
   vs. disks, 706  
   encrypted, 730–731, 731  
   in installation, 818  
   in partitioning, 711–712, 712  
   selecting, 826–827

shared, disconnecting from,  
   508–509, 509  
 troubleshooting, 700–702,  
   700–701  
 virtual, 713  
 VPN (Virtual Private Network)  
   connections, 509  
 VR movies, 430–431, 431

## W

Wait for Dial Tone Before Dialing  
   option, 296  
 WANs (wide area networks), 511  
 Warn When Sending Password in Clear  
   Text option, 506  
 Watson tool, 354  
 WAV format, 425  
 WaveLAN cards, 541  
 WDS tab, 693  
 web, 319–320  
   browsers for. *See* browsers  
   privacy on, 343–345, 343  
   security on, 336–339, 337–338  
   browser loopholes, 341–342  
   cookies, 342–343  
   passwords, 339–341, 340  
 Web-based Distributed Authoring and  
   Versioning (WebDAV) servers,  
   505  
 Web Documents folder, 653–654  
 web pages, 485–486  
 web serving, 647–648  
   with Apache. *See* Apache server  
   documents, 652–654, 653  
   schemes for, 649–651  
   turning on web server, 651–652,  
     652  
   user sites in, 657–658, 658  
 webcasts, 434  
 WebDAV (Web-based Distributed  
   Authoring and Versioning) servers,  
   505  
 WebObjects, 9  
 Welcome to Mail Setup dialog box,  
   384, 384  
 well-known ports, 776  
 wheel groups, 270  
 White icon option, 68  
 white point setting, 233, 234  
 Whois tab  
   in NetBarrier, 318  
   in Network Utility, 774–775  
 wide area networks (WANs), 511  
 width of Finder columns, 64  
 WiFi standard, 514, 693  
 wildcard characters  
   in command line, 617  
   in remote access, 365  
 Window option for screenshots, 482  
 window shade controls, 263, 263  
 windows, 33  
   controls in, 39–40, 39–40  
   for documents, 104–105  
   layering, 38–39, 38  
   minimizing, 42, 44, 45, 839  
   parts of, 33–35, 33–35  
   switching, 105–110, 106–109  
   in Terminal, 604–605  
   types of, 35–38, 36–38  
 Windows File Sharing, 555  
   server access in, 559–560, 559  
   turning on, 555, 555  
   Windows client setup, 555–559,  
     556–557  
 Windows Media Player, 435  
 Windows operating system, 24–25  
   compatibility with, 550–552  
   file sharing with, 513, 555–560,  
     555–557  
   running applications from,  
     560–561, 561  
   servers in, 16, 564  
 WINDOWS option in Script Editor,  
   583  
 Windows Services for Macintosh, 513  
 WINS Configuration tab, 558  
 wireless networking  
   Bluetooth devices for, 693–695,  
     694  
   connections for, 498–500,  
     498–499  
 workspace, 23  
 worms, 732



wrap to page approach, 256  
Write Only access, 137  
wtmp file, 769

## **X**

X Windows applications, 564–566,  
565

X11 implementation, 564, 565  
XDarwin application, 564  
XRrouter Pro application, 534, 535

## **Z**

Zero All Data option, 709  
ZeroConf specification, 191

Zip format, 371, 371  
zones  
    AppleTalk, 517  
    in printing, 193  
Zoom buttons, 34  
zooming images, 478

