

Index

- Accuracy, 45, 47
- Adjustment
 - cell, 132
 - for nonresponse, 51
- Administrative register, 6, 109, 187;
see also Register
- Auxiliary information, 19, 20, 53
 - uses of, 1, 27, 45
- Auxiliary variable(s), 19
 - inventory of, 117
 - selection of, 129, 132
 - transformed, 115
- Auxiliary vector, 34, 53
 - combined, 81
 - search for, 123

- Basic question method, 56
- Bias ratio, 137
- Bias, 91, 98
- Births, 9
- Business register (BR), 11

- Calibrated weights, 22, 44, 57, 74, 81,
105, 110
- Calibration
 - on margins, 55
 - single-step, 98
 - two-step, 81, 142
- Calibration approach, 2, 17, 43, 53, 57,
67
- Calibration equation, 58
- Calibration estimator, 57, 68–74, 81–86,
188
 - item imputed, 158
- Categorical variable, 20, 29, 41, 73, 127,
147, 159, 189
 - 'data missing' category, 175
- Census, 6
- Chi-square Automatic Interaction
Detection, 90
- Classification
 - one-way, 41, 68, 83, 92, 94,
116, 119
 - two-way, 39, 77, 130
- Coding error, 6
- Combined approach, 17, 155, 158, 172
- Complete response, 29, 44, 156
- Completed data set, 44, 155, 157
- Computational aspects, 135, 149
- Confidence interval, 12, 36, 110
 - design-based, 167
- Confidence level, 137
- Cost of information, 100
- Coverage error, 5, 179
- Coverage rate of confidence
interval, 137, 146, 147, 167
- Cross-classification, 26, 40

- Data collection, 1, 5
- Data set
 - completed, 44, 155, 157
 - for study variable, 49
 - rectangular, 155
- Deaths, 9
- Degrees of freedom, 37, 170
- Derived value, 154
- Design stage, 29
- Design weight, 7, 30, 43
- Design-based theory, 49, 105

- Dichotomous
 - predictor variable, 90
 - study variable, 24, 29
- Distortion
 - of the distribution, 176
 - of the relationship, 176
- Domain, 6, 21, 26, 31, 38, 59, 130, 182
 - estimation for, 170, 176
 - identifying, 39
 - indicator, 32
- Donor, 153, 160
- Duplicate listings, 9

- Effective sample size, 170
- Estimation stage, 29
- Estimator
 - calibration, 57
 - complete response, 157
 - expansion (EXP), 111, 119, 124
 - generalized regression (GREG), 12, 33, 39
 - Horvitz-Thompson (HT), 12, 33, 56
 - imputed, 157
 - nonresponse, 45
 - nonresponse-adjusted, 67
 - poststratified, 39, 69
 - population weighting adjustment (PWA), 69, 93, 111, 124, 145
 - ratio (RA), 42, 72, 111, 119, 124, 145
 - regression (REG), 42, 72, 111, 124, 145
 - separate ratio (SEPR), 73, 111, 124, 145
 - separate regression (SEPREG), 74, 111, 124, 145
 - single-step (SS:WC/REG), 124, 145
 - traditional, 111
 - two-phase, 150
 - two-way classification (TWOWAY), 111, 124, 145
 - weighting class (WC), 93, 111, 124, 145
- Expected value, 45

- Final weights, 62
- Frame imperfections, 179
- Frame population, 7, 180
- Frame, 5, 180, 184
- Full imputation approach, 167
 - Full imputation, 155
 - Full weighting approach, 159
 - Full weighting, 154

- Generalized inverse, 64
- Group identifier, 73, 94
- Grouping, 92, 94, 119
 - g-weight, 12

- Ideal conditions, 29
- Ignorable, 50
 - Bayesianly, 103
 - mechanism, 103
 - nonresponse, 104
- Imported total, 54
- Imputation error, 153
- Imputation groups, 160, 162
- Imputation, 3, 17, 43, 44, 153
 - by expert judgement, 165
 - by historical information, 165
 - by logistic regression, 164
 - combined with weighting, 155, 158
 - deterministic, 153, 160
 - for cross-classification, 159
 - hierarchical, 160, 163
 - hot deck, 162
 - multiple, 164
 - nearest neighbour, 161
 - random, 160
 - ratio, 161
 - regression, 161, 169, 170, 174
 - respondent mean, 155, 161, 168
- Inclusion probability, 7, 136
- Indicator, 117–124
- Influence, 101, 141
- Information input
 - at sample level (InfoS), 54
 - at population level (InfoU), 54
 - combined (InfoUS), 54, 81
 - for calibration, 2
- Initial weights, 62
- Instrument vector, 62, 71, 99, 102, 110, 116, 135, 169
- Item nonresponse, 15, 154, 156, 157, 175
- Item response set, 156

- Large elements, 165
- Level of confidence, 144

- Linearization, 36, 107, 140, 150
- Linking of registers, 19
- Logistic model, 13
- Logistic regression
 - stepwise, 90

- Main component of weight, 64
- Marginal counts, 27, 40
- Mass imputation, 153
- Matching registers, 109
- Matrix
 - inversion, 58, 122, 138
- Mean squared error (MSE), 45, 47, 48, 110
- Measurement error, 6, 55
- Missing
 - at random (MAR), 50, 103
 - completely at random (MCAR), 50, 103
- Missing data, 15
- Model fitting, 88
- Model, 52, 89, 114
 - deterministic, 49
 - Response homogeneity groups (RHGs), 52, 53
- Modelling (of the response mechanism)
 - logistic, 52
 - exponential, 53
- Monte Carlo simulation, 75, 87, 123, 144
- Moon vector, 55, 143, 144

- Nearbias, 98, 101, 108, 113
- Noncontact, 13
- Non-ignorable mechanism, 103
- Non-ignorable nonresponse, 50, 105
- Nonresponse analysis, 14, 23
- Nonresponse bias, 3, 96, 98
 - given the sample, 45
 - unconditional, 46
- Nonresponse error, 6, 45
- Nonresponse rate, 13
- Nonresponse variance, 46, 136, 150
- Nonresponse, 50
 - prevention of, 1
 - hardcore, 52
- Nonsampling error, 1
- Normal distribution, 36, 144, 146
- Normally distributed, 137

- Order sampling, 31
- Overcoverage, 9, 187

- Parameter, 6
 - complex, 32, 149
- Pareto sampling, 31
- Partial correlation coefficient, 116
- Partition, 31
- Perfect linear relationship, 61
- Permanent random numbers, 8
- Persister, 180
- Personal identification number, 22, 188
- π -estimator, 33
- π ps, 31
- Poisson sampling, 31
- Poststratification, 12, 69
- Principles for auxiliary vectors, 22, 110
- Professional judgement, 181
- Prototype, 167, 174
- Proxies, 141, 142

- Quadratic form, 36
- Quantitative variable, 113
 - imputation for, 163
- Quasi-randomization theory, 50
- Questionnaire
 - item(s), 43
 - variable(s), 15

- Raking ratio method, 75
- Random imputation procedure, 153
- Randomization theory, 49
- Rectangular data matrix, 175
- Reference time point
 - for target population, 9
 - for frame population, 9
- Refusal, 13
- Register
 - business, 11, 184
 - linking of, 19
 - updating of, 10, 11, 182
 - total population, 10, 184
- Register variable, 15, 19
- Regression
 - nonparametric, 34
- Regression adjustment, 34
- Relative bias, 91, 93, 125
- Remainder component of weight, 64

- Residual(s)
 - randomly selected, 163
 - for variance estimation, 136
- Response burden, 8
- Response distribution, 18, 141
 - increasing exponential, 77
- Response homogeneity groups (RHGs), 52, 53
- Response influence, 101, 111
- Response mechanism, 52
 - unconfounded, 103, 105
- Response probability, 50
- Response propensity weighting, 106
- Response rate, 14, 138
- Response set, 49
- Response stratum, 49

- Sample survey, 6
- Sampling
 - simple random (SI), 7, 30, 173
 - stratified simple random (STSI), 7, 21, 30, 38, 65, 70, 137
 - cluster, 7
 - two-stage, 7
 - probability-proportional-to-size (π ps), 7
 - coordinated, 8
- Sampling bias, 46
- Sampling design, 7, 12
- Sampling error, 5, 45
- Sampling variance, 46, 136, 150
- School Survey, 186
- Segmentation method, 90
- Set
 - overcoverage, 180
 - undercoverage, 180
 - persister, 182
- Single step procedure, 81
- Software, 12, 22, 37, 57, 61, 75, 149, 174
- Standard choice, 63
- Standard Industrial Classification (SIC), 11
- Standard specifications, 62
- Standard weighting, 59
- Star vector, 55, 144
- Strata,
 - construction of, 19
- Stratification
 - gains of, 14
- Stratification variable, 132
- Study variable(s), 5, 17, 29
- Subgrouping, 88
- Survey
 - design, 5
 - design stage, 29
 - estimation stage, 29
 - of businesses, 8
 - of individuals and households, 8
 - on Life and Health, 23, 126
 - Household Budget, 89
 - Labour Force, 22, 88
 - School, 186

- Take-all stratum, 7
- Target population, 6, 8, 29, 179
- Time lag, 10
- Total population register (TPR), 10, 180
- Two-phase approach, 50, 51
- Two-phase estimator, 51
- Two-step procedure, 81, 88

- Undercoverage, 9, 187
- Underestimation
 - in Labour Force Survey, 47
 - of variance, 169, 172
- Understatement, 169
- Unit nonresponse, 15, 43, 157, 175

- Variance estimation, 12, 144
- Variance estimator, 37, 57, 150, 170
- Variance, 12, 35, 45
 - reduction of, 129
 - estimate of, 136, 149
 - computation of, 136
 - conditional, 151
 - underestimation, 139

- Weight system, 58
 - calibrated, 35
 - consistent, 35, 57
 - unique, 57
- Weighting, 2, 17, 43

- classes, 131
- response propensity, 106
- standard calibrated, 62
- Weights
 - excessive variability of, 132
 - g*-weight, 35
 - intermediate, 82, 142
 - inspection of, 133
 - negative, 59
 - restricted, 59
 - trimming, 133
 - undesirable, 59, 138