

Index

- Access ISP, 15, 16
- ACK, *see* Acknowledgement
- Acknowledgement, 52
- Active Queue Management, 85
- Admission Control, 84, 113, 122, 134, 183
 - Contingent-based, 126
 - Diffserv, 165
 - Edge-based, 125
 - Endpoint, 124
 - Hop-by-hop, 124
 - Intserv, 88, 163
 - Measurement Based, 127
 - Network-based, 124
- AdSpec, 87
- AISP, *see* Access ISP
- Akamai, 24
- Amazon, 25
- America Online (AOL), 25
- Anycast, 50
- Application Layer, 48
- Application Service Provider, 19
- Applications
 - Elastic, 65, 133, 144, 149, 177, 290
 - Inelastic, 65, 133, 143, 149, 177
- ARPANET, 47
- Arrival Process, 30
- AS, *see* Autonomous System
- Assured Forwarding, 100, 164
- Authentication Header, 122
- Autonomous System, 195, 198
- Backbone Service Provider, 15, 17
- Bandwidth Broker, 102, 159, 165
- Best-Effort
 - Alternative Best-Effort, 107, 111
 - Architectures, 103
 - Lower than Best-Effort, 106
 - Model, 144
 - Overprovisioning, 103, 111, 134, 160, 170
 - Price-Controlled, 103, 111
- Blue, 85
- Boomerang Protocol, 120
- Border Gateway Protocol, 118
- Bounding, 44
- Branch & Bound, 44
- Branching, 44
- BSP, *see* Backbone Service Provider
- Capacity Expansion, 276, 293
 - Costs, 277
 - Performance Evaluation, 283
 - Process, 276
 - Strategies, 277
 - Threshold, 278
- Class Based Queueing, 84
- Classless Inter-Domain Routing, 114
- Colocation Provider, 22
- Commodity, 237
- Communication Service Provider, 20
- Computer Games, 71
 - QoS, 73
 - Traffic, 73

- Congestion, 54
- Congestion Avoidance, 53
- Congestion Control, 53
- Congestion Costs, 250, 264
- Congestion Window, 53
- Consulting Service Provider, 22
- Content Delivery Network, 17
- Content Provider, 19
- Core-Jitter-Virtual-Clock, 93
- Core-Stateless Fair Queueing, 84
- CPLEX, *see* Ilog CPLEX
- CR-LDP, 120
- CSMA/CD, 61
- Cutting Plane Method, 45
- cwnd, 53

- Data Forwarding Architecture, 113
- Data Link Layer, 48
- Datagram Congestion Control Protocol, 51
- Decision Variables, *see* Variables
- Deutsche Telekom, 25
- DFN, 26
- Differentiated Services, *see* Diffserv
- Diffserv, 159, 164
 - Admission Control, 102
 - Assured Forwarding, 100, 164
 - Assured Rate, 101
 - Bandwidth Broker, 102, 159
 - Bulk Handling, 101
 - Byte, 49, 95
 - Class Selector, 97
 - Classification, 111
 - Codepoint, 86, 95
 - Description, 95
 - Domain, 96
 - Expedited Forwarding, 98, 164
 - Marking Algorithm, 100
 - Olympic Service, 100, 160, 170
 - Per-domain Behaviour, 101
 - Premium Service, 101
 - Router, 96
 - Service Level Agreement, 101
 - Virtual Wire, 101
- DUPACK, 54
- Dynamic Packet State, 93

- Ebay, 25
- EDF, 84
- Effective Bandwidth, 129
- Encapsulating Security Payload, 122
- End-to-end Principle, 48
- End-user, 23
- End-user Network Operator, 14, 16
- ENO, *see* End-user Network Operator
- Ethernet, 60
 - 1 Gigabit, 60
 - 10 Gigabit, 60
- EURO-IX, 203
- Expedited Forwarding, 98, 164
- Explicit Routing, *see* Traffic Engineering

- Fast Recovery, 54
- Fast Retransmit, 54
- FilterSpec, 88
- Financial Service Provider, 22
- First Person Shooter, 71
- Five Layer Reference Model, 47
- Flow, 86
- Flow Control, 53
- Flow Label, 50
- FlowSpec, 87

- GMX, 26
- Google, 27

- HDLC, 60
- High-level Data Link Control, *see* HDLC
- Homing, 195
- Hosting Service Provider, 18
- HTML, 65
- HTTP
 - Traffic, 65
- Hypertext Transfer Protocol, *see* HTTP

- ILEC, *see* Incumbent Local Exchange Carrier
- Ilog CPLEX, 45
- Incumbent Local Exchange Carrier, 20
- Information Provider
 - Definition, 13
- Input Parameters, *see* Parameters

- INSP, *see* Internet Network Service Provider
- Integer Programming Problem, *see* Mixed Integer Programming Problem
- Integrated Services, *see* Intserv
- Interconnection, 195
 - Changes, 227
 - Costs, 210
 - Method, 200
 - Negotiation, 205
 - Peering, 201
 - QoS, 224
 - Reliability, 218
 - Taxonomy, 199
 - Transit, 202
- Interconnection Method, 203
- Internet
 - History, 47
 - Traffic, 65
- Internet Exchange Point, 22, 203
- Internet Key Exchange Protocol, 122
- Internet Network Service Provider
 - Definition, 13
- Internet Service Provider
 - Definition, 11, 13
- Internet Stream Protocol, 120
- Intserv, 86, 159, 162
 - Classification, 111
 - Controlled Load, 92
 - Guaranteed Service, 89, 129
 - Router, 88
 - Scalability, 92
 - TSpec, 163
- IP
 - Description, 48
 - Header, 49
 - History, 47
 - Routing, 114
- IPng, *see* IPv6
- IPsec, 121
- IPv4, *see* IP
- IPv6, 50
- ISP, *see* Internet Service Provider
- IXP, *see* Internet Exchange Point
- Kendall's Notation, 30
- Label Distribution Protocol, 120
- Label Switching, 116
- Lagrangian Approach, 45
- Layer, 48
- Layer Model, *see* Five Layer Reference Model
- Linear Programming Problem, 41
 - Simplex, 43
 - Solution, 42
- LINUX, 203
- Little's Law, 31
- Long-Distance Carrier, 21
- Longest-prefix Matching, 114
- LP, *see* Linear Programming Problem
- LP Relaxation, 44
- lp_solve, 43, 45
- M/G/1, 34, 341
- M/G/1-PS, 35
- M/G/1/B, 342
- M/M/1, 32
- M/M/1/B, 33, 339
- Massive Multiplayer Online Role Playing Games, 71
- Maximum Transmission Unit, 49
- MIP, *see* Mixed Integer Programming Problem
- Mixed Integer Programming Problem, 42
 - Solution, 44
- MMORPG, *see* Massive Multiplayer Online Role Playing Games
- MPLS
 - Description, 116
 - Forwarding Equivalence Class, 116
 - Generalised, 62
 - Lambda Switching, 62
- Multicommodity Flow Problem, 241
- Network Architecture, 81
 - Classification, 110
- Network Calculus, 90, 127
 - Deterministic, 36
 - Statistical, 39

- Network Component Service Provider, 23
- Network Design, 238
- Network Edge, 195
- Network Engineering, 239, 273
 - Capacity Expansion, *see* Capacity Expansion
- Network Layer, 48
- Network Model, 339

- Objective Function, 40
- OC-X, 60
- Olympic Service, 100, 160, 170
- Online, 25
- Optimality Gap, 45
- Optimisation
 - Model, 40
 - Problem, 40
 - Techniques, 40
- Other Local Operator, 21
- Overbooking, 169, 180
- Overprovisioning Factor, 134, 138, 150, 170, 189

- P2P
 - QoS, 69
 - Traffic, 69
- Packet Marker, 86
- Parameters, 40
- Paris Metro Pricing, 110
- PASTA, 34
- PATH Message, 87
- Path Selection, *see* Traffic Engineering
- PDH, 59
- Peer-to-Peer, *see* P2P
- Peering, 201
- Per-domain Behaviour, 95, 101
- Per-hop Behaviour, 95
- PGPS, 84
- Physical Layer, 48
- Plesiochronous Digital Hierarchy, *see* PDH
- Point-to-Point Protocol, *see* PPP
- Policing, 85, 169
- Policy, 131

- Pollaczek–Khinchin Formula, 35, 341
- Port
 - Classification, 76
 - TCP, 52
 - UDP, 51
- PPP, 60
- Priority Scheduler, 84
- Proportional Integrator, 85
- Protocol Field, 49

- QoS
 - Declarations, 84
 - Network Model, 145
 - Procedures, 84
 - Signalling, 84, 119
 - System, 273
- QoS Architecture, 82
 - Classification, 110
- QoS Strategy, 83
- QoS System, 82, 83, 159
- Queue Management, 84
- Queueing Delay
 - Queueing Theory, 31
- Queueing Networks, 36
- Queueing Theory, 29, 127

- Random Early Detection, 36, 85, 169
- Random Exponential Marking, 85
- Real-time Strategy Game, 71
- Relaxation, 44
- Resource Reservation Protocol, *see* RSVP
- RESV Message, 87
- Retail Provider, 19
- Retransmission Timeout, 54
- Round Robin, 84
- Route Advertisement, 199
- Routing
 - BGP, 118, 198
 - Exterior Routing Protocols, 118
 - Interior Routing Protocols, 118
 - IP, 114
 - IS-IS, 118
 - Lookup, 114
 - Multipath, 237, 242

- OSPF, 118
- RIP, 118
- Singlepath, 237, 242
- RSpec, 88
- RSVP, 86, 119, 162
- RSVP-TE, 120

- Scheduling, 84, 164, 168, 179
- Scope Field, 50
- SCORE, 93
 - Classification, 111
- SDH, 59
- Security Architecture, 121
- Self-similarity, 343
- Sequence Number, 52
- Server Service Provider
 - Definition, 13
- Service Differentiation, 143
- Service Discipline, 30
- Service Level Agreement, 101, 202
- Service Level Specification, 101, 203
- Service Process, 30
- Session
 - Intserv, 86
- Settlement, 200
- Shaper, 85
- Signalling Architecture, 118
- Signature Detection, 77
- Simplex, 43
- Single Rate Three Colour Marker, 100
- SLA, *see* Service Level Agreement
- Slow Start, 53
 - Threshold, 53
- Smart Market, 103
- Soft State, 88, 120
- Sojourn Time, 31
- SONET, 59
- Sprint, 27
- ssthresh, 53
- Stateless Core, *see* SCORE
- Stateless Edge and Core Architecture, 109
- Synchronous Digital Hierarchy, *see* SDH
- Synchronous Optical Networking, *see* SONET

- TCP
 - Congestion Control, 53
 - Description, 51
 - Flavour, 55
 - Flow Control, 53
 - Formula, 55
 - Header, 53
 - History, 47
 - Long-lived, 55
 - Short-lived, 57
- Ternary Content Addressable Memories, 116
- Tier 1, 197
- Tier Structure, 196
- Time Sliding Window Three Colour Marker, 100
- Time to Live, 49
- Token Bucket, 37, 163
- Topologies, 174, 265, 292, 297
- TOS Byte, 49
- Traffic, 171
 - Elastic, 65, 133, 144, 149, 177, 290
 - Inelastic, 65, 133, 143, 149, 177
- Traffic Class Field, 50
- Traffic Classification, 76
- Traffic Conditioning Specification, 101
- Traffic Engineering, 241
 - Equal Cost Multipath, 252
 - Explicit Routing, 242, 252
 - Multipath, 269
 - Path Selection, 242, 254, 259
 - Performance Evaluation, 260
 - Performance Metrics, 248
 - Shortest Path Routing, 252
 - Singlepath, 269
 - Strategies, 241, 251
- Traffic Matrix
 - Elasticity, 290
 - Estimation, 244
 - Network Model, 339
- Transit, 202
- Transmission Control Protocol, *see* TCP
- Transport Layer, 48
- Trie, 114

- TSpec, 37, 87, 90, 163
- Two Rate Three Colour Marker, 100
- Type of Service, 49
- UDP
 - Description, 50
 - Header, 51
- University Network Centres, 27
- User Datagram Protocol, *see* UDP
- Utilisation, 249
- Utility Function, 65, 149, 176
- Variables, 40
- Virtual Clock, 84, 93
- Virtual Queue, 85
- Voice over IP
 - QoS, 73
 - Traffic, 74
- VoIP, *see* Voice over IP
- Waiting Time, 31
- Wavelength-Division Multiplexing, *see* WDM
- WDM, 61
- Weighted Fair Queueing, *see* WFQ
- WFQ, 84, 90, 164
- Window Size, 52
- World Wide Web
 - History, 47
 - Qos, 66
 - Traffic, 66
- WWW, *see* World Wide Web
- YESSIR, 120