

Index

- AASHTOWare PONTIS bridge
 - management program, 181
- Acceleration, 443
 - decay method, 481
 - sensors, 306
 - signal, 243
- Accelerometer, 221, 443
- Acceptable comfort, 521
- Accounted truth, 443
- Acoustic
 - emission, 443
 - method, 411
 - monitoring system, 369
- Acting mass, 201
- Action on structures, 402
- Active dampers, 520
- Adaption, 76
- Additional forced vibration testing, 306
- Adequate model, 420
- Advanced composite materials, 444
- Aeolian oscillation, 567
- Aerodynamic
 - admittance, 444, 555
 - damping, 33
 - instability, 444
- Alarming system, 55, 57
- Alert cases, 272
- Alert system, 144
- Aliasing, 499
- Allowable stress design, 444
- Ambiance, 24
- Ambient
 - excitation, 263
 - influences, 235
 - vibration survey, 444
- Ambient vibration
 - measurements, 235
 - method, 42, 46
 - monitoring, 12, 263, 387
 - technology, 306
 - test, 265, 413
- Analogous signal, 415
- Analogue-digital conversion, 415
- Analytical technique, 424
- ANSYS, 204, 219, 222, 232, 233
- Appearance of cracks, 419
- Application of artificial excitation, 425
- Approximation, 235
- ArcGIS, 51
- Archduke Karl memorial, 275
- ArcView GIS, 51
- Area mapping, 240
- Artificial dampers, 515
- Artificial intelligence (AI), 445
- Aspect ratio, 565
- Assessment, 445
 - criterion, 240
 - of stresses, 244
 - reliability based, 130
 - values, 427
- Associated hot spots, 87
- Attendant monitoring, 298
- Attenuation function, 53
- Austria, 228
- Autocorrelation, 486
- Automatic alarm system, 280
- Automatic data import, 269
- Average daily traffic volume, 110
- Averaged normal power spectral density, 445
- Axial force reduction, 227
- Axle load, 406

- Baseline, 125
- Bayes' theorem, 484

- Bayesian statistics, 445
BBRV, 233
BEAM3 element, 219
 Beam, 222
 model, 217, 219, 313
 theory, 250
 Bearing friction, 189
 Beating, 446
 Beaufort scale, 446
 Behavior of structure, 413
 Belgium, 225
 Bending mode, 310
 Bending stiffness, 232, 250
 Bernoulli trials, 493
 Bias error, 499
 Bilfinger Berger, 211
 Binomial distribution, 493
 Blast mitigation research, 61
 Boundary conditions, 193, 217, 229,
 291, 581
 Boundary layer wind tunnels, 446
 Box
 beam, 383
 girder, 308
 monocellular, 308
 section, 565
 Bracing's joints, 81
 Bridge
 aerodynamics, 531
 design codes, 201
 management, 446
 management process, 54
 management system, 7, 13
 four modules, 13
 monitoring system, 23
 retrofitting, 39
 Bridge's basing point, 387
 Bridges, 531
 Akashi, 543
 Årsta, 335
 Aschach Danube, 236
 BE 109/21, 322
 Berbke, 231
 Berliner Brücke, 120
 Bolshoj Moskvoretsky, 361
 Bronx-Whitestone, 532
 BW91, 370
 Commodore Barry, 320
 Deibuel, 268
 Donnergraben, 285
 ESK551, 332
 Europabrücke, 68, 181, 287,
 289, 385
 Great Belt, 16
 Gurk River, 282
 Herrenbrücke, 372
 Huntingdon Railway Viaduct, 368
 I40, 381
 Källösund, 383
 Kao Ping Hsi, 283
 Krems, railway-bridge, 55, 292
 Lanaye, 225
 Lillebælt, 541
 Melk, 281
 Melkbridge *M6*, 305
 Messina, 543
 New Svinesund, 338
 Olympic Grand, 141, 295
 Øresund, 16, 348
 Pasir Panjang Semi Expressway, 375
 Pioneer, 377
 Porr, 308
 Putlitz, 313
 Rümmecke, 231
 RAMA IX, 325
 Regau, 121
 Roberval, 344
 Rosen, 278
 Saint-Jean, 346
 Severn, 541
 Silver, 19
 Skovdiget, 355, 358
 St. Marx, 290, 388
 Storebælt, 543
 Széchenyi, 329
 Tacoma Narrows, 532, 541
 Taichung, 279, 391
 Ting Kau, 351
 Titulcia, 327
 Tsing Ma, 366
 Tuas Second Link, 379
 Tulln Danube, 228
 Versoix, 363
 Voest, 274
 Warth, 310
 Westend, 315
 Z24, 341
 Zittau Viaduct, 318
 BRIDGIT, 19
 BRIMOS, 68, 231, 235, 385

- database, 23, 148
- knowledgebase, 23
- rating, 23, 144
- recorder, 231, 245
- recorder 800, 56
- software, 231
- technology, 263
- Buckling, 446
- Buffeting, 446
- Bulk modulus of elasticity, 447
- Cable, 225, 447
 - aerodynamics, 567
 - evaluation software, 285
 - force determination, 250
 - stayed bridge, 225
 - supported structures, 198
 - vibrations, 350
- Calibration, 26, 92, 421
 - of load model, 408
- Cantilever, 91
 - arm, 308
 - eigenmodes, 197
 - method, 283, 284
- Carbonization, 253
- Cauchy number, 583
- Cepstral analysis, 447
- Chaotic vibration, 475
- Characteristic duration, 407
- Charpy test, 447
- Chemical process, 407
- Chi-square distribution, 497
- Chloride sensor, 356
- Chlorite, 253
- Chronological pre-stress sequence, 285
- Civil monitoring system, 349
- Clamped end, 229, 232
- Classification, 126, 264
- Climatically influences, 416
- Close-to-reality simulation, 421
- Co-spectrum, 492
- Coarse shell element mesh, 71
- Coherence, 489
- Collision load, 406
- COMBIN*14, 222
- Comfort, 447
- Compensation of live load, 110
- Complex eigenvalue problems, 477
- Composite effect, 196
- Composite materials, 512
- Comprehensive analysis, 401
- Computational result, 408
- Concrete box-girder bridge, 198
- Concrete drying process, 225
- Condition
 - assessment, 10, 272
 - compensation, 110
 - factor, 130
 - index, 7
 - monitoring, 276, 414, 433
 - state, 424
- Confidence level, 73
- Conservative bridges, 187
- Conservative environment, 261
- Constrained minimization, 209
- Constrained problem, 210
- Constructional ascertainment, 408
- Consuming events, 286
- Control, 566
- Convergence criterion, 207
- Convolution, 448
- Cooling period, 189
- Correlation, 448
- Corrosion, 182, 226, 253, 448
 - potential, 356
 - sensor, 418
- Cost effective information system, 50
- Coulomb damping, 448
- Covariance, 488
- Crack sensors, 316
- Creep, 448
- Critical
 - damping, 448
 - length, 202
 - Reynolds number, 448
 - structural state, 419
- Cross
 - correlation, 486
 - sectional behavior, 68, 91
 - spectral density, 492
- Cumulative distribution function, 484
- Curve fitting, 119
- Cut-off limits, 96
- Cycle counting, 508
- Daily cycles, 102
- Damage, 1, 448
 - accumulation, 68, 422
 - assessment, 427

- Damage (*Continued*)
 - calculation, 107
 - causes for, 422
 - detection, 203, 448
 - distribution, 215
 - function, 222
 - identification, 422
 - indicator, 441
 - limits, 147
 - local monitoring of, 424
 - location, 217
 - matrix, 76, 288
 - oriented structural model, 354
 - per-year effect, 107
 - stage, 310
 - visible, 152
- Damaged state, 217
- Damaged zones, 219
- Damping, 29, 117, 266, 449
 - aerodynamic damping, 33
 - evolution, 124
 - functions, 33
 - impact damping, 32
 - matrix, 275
 - modal damping, 30
 - patter, 273
 - progression, 123
 - properties, 236
 - ratios, 336
 - system damping, 31
 - values, 244
- DANPRO, 10
- DANPRO+, 7, 16
- Data
 - acquisition, 135, 416, 449
 - evaluation, 290
 - fusion, 136
 - management, 420
 - mining, 449
 - processing, 136, 416
 - recording equipment, 268
 - storage, 148
 - treatment, 147
- Database
 - external, 138
 - history, 139
 - knowledge, 138
- Dead load, 86, 403
- Decision support, 3
 - system, 133, 140, 449
- Decision tree, 37
- Decommission bridges, 183
- Defective spots, 248
- Deflection, 251
 - of a bridge, 251
 - theory, 531
- Deformation scenario, 324
- Degree
 - of exploitation, 237
 - of fixation, 190
- Degrees-of-freedom (DOF), 449
- Demolition, 298
- Den Hartog's criterion, 546
 - refined form, 547
- Density ratio, 582
- Depth of investigation, 262
- Derivative, 210
- Design assumptions, 192, 265
- Design of bearings, 191
- Detail assessment, 10
- Detailed measurements, 269
- Deterioration, 449
 - process, 422
- Diagnosis systems, 67
- Digital
 - database solution, 263
 - elevation model, 51
 - evaluation models, 49
 - filter, 501
 - Hamming window, 501
 - Hanning window, 501
 - image processing technique, 51
 - terrain models, 49
- Dimensionless parameters, 581
- Disaster management, 53
- Disaster risk reduction activities, 50
- Discrete fourier transform, 450
- Discrete time series, 489
- Displacement, 143, 190, 198, 252
 - sensor, 417
 - transducer, 323
 - values, 419
- Distorsion of similitude requirements, 587
- Distribution
 - Type I, 505
 - Type II, 506
 - Type III, 506
- Disturbance of traffic, 253
- Divergence, 541
- Drag instability, 567

- Drift, 25
- Drifting, 252
- Dry inclined cable galloping, 567
- Ductility, 86, 450
- Duhamel integral, 540
- DYGES algorithm, 91
- Dynamic
 - amplification, 201
 - factors, 318, 346
 - behavior, 264
 - characteristics, 265, 341
 - compliance, 513
 - data acquisition, 376
 - data analysis, 350
 - effect, 404
 - examinations, 270
 - excitation, 450
 - factor, 201, 430
 - investigation, 295
 - load, 402
 - factor, 472
 - test, 412
 - test procedure, 215
 - tests, 212
- Dynamic amplification, 93
- Dynamical incidents, 334
- Earth pressure model, 404
- Earthquake, 39, 450
 - hazard information system, 53
 - loads, 39
- Effect coherences, 420
- Effective
 - axial force, 102
 - degradation, 102
 - dynamic stiffness, 236
- Efficient
 - design, 247
- Eigenform, 34
- Eigenfrequency, 236, 450
- Eigenmode, 450
- Elastic hysteresis, 450
- Elastic modulus distribution, 222
- Elasticity, 450
- Elastomeric bearing, 191, 252
- Electric method, 412
- Electro-slag welding process, 321
- Electromagnetic field, 416
- Elongation, 252, 451
- Energy, 147
 - content, 24
 - dissipation, 266
 - supply, 250
- Ensemble, 484
- Envelope function, 92
- Environmental
 - conditions, 35, 399
 - data, 135
 - influences, 110, 248, 294
 - loadings, 403
 - noise, 451
- Episensor, 231
- Equation of motion, 470
- Ergodic, 484
- Euler theory, 213
- Euler's constant, 557
- Eurocode 8, 40, 248
- Evaluation of the randomness, 90
- Excitation mechanism, 405
- Exciter system, 413
- Existing procedures, 401
- Existing traffic data, 107
- Expansion joints, 191
- Expected values, 81
- Experimental
 - data, 203
 - investigation, 423
 - modal data, 343
 - procedures, 401
- Expert report, 272
- Expert system, 451
- Exponential distribution, 494
- Extensometer, 451
- External
 - cables, 187
 - database, 138
 - input, 26
 - pre-stressing, 188
 - pre-stressing tendons, 285
 - sensor, 248
- Extraordinary event, 111
- Extraordinary stress, 303
- Extrapolation, 76
- Extreme value analysis, 504
- Extreme value distributions, 451
- Failure, 451
- Fairings, 567
- Fast Fourier transform, 451

- Fatigue, 182, 451
 - assessment, 252, 387
 - crack, 79
 - life assessment, 68
 - multi-axial, 71
 - relevance, 109
 - resistance, 73
- FBG arrays, 377
- FBG systems, 376
- FE model, 352
- FE model updating, 378
- Feature extraction, 126
- Federal Highway Agency, 1
- Feedback, 399
- FEM-calculations, 360
- FEM-modeling, 358
- FEMTools, 212
- Fiber bragg grating, 366, 417
- Fibre optic sensor, 336, 338, 418, 452
- Fibre stress, 452
- Field testing, 412
- Fifth European framework program, 226
- File category, 147
- Filter, 452
 - butterworth, 120
 - Kalman, 455
- Finite element, 203
 - analysis, 387
 - approach, 420
 - method, 452
 - model updating, 203, 342, 390
- Fire, 54
- First order optimization method, 209, 233
- First-passage failure, 508
- Flexural rigidity, 113
- Flexural stiffness, 240
- Flood, 55
- Flutter, 541
- Force balance accelerometer, 91, 452
- Forced vibration, 471
 - technique, 42, 46
 - technology, 306
 - test, 413
 - testing, 265, 312
- Forensic engineering, 181
- Forward difference, 206
- Foundation stiffness, 435
- Foundations in seawater, 253
- Fourier series, 452
- Fourier transform, 453
- Fracture toughness, 453
- Free decay, 118
- Free oscillations, 235
- Free vibration, 470
- Freight traffic, 68, 290
 - classification, 98
- Frequency, 204
 - distribution, 105, 407
 - domain analysis, 453
 - of the total structure, 250
 - ratio, 590
 - response function, 441, 453
 - separation problem, 120
- Frequent stress tests, 235
- FRF measurements, 426
- Friction effects, 213
- Froude number, 453
- Full bridge model tests, 589
- Functional efficiency, 275
- Functions of the expected values, 86
- Fundamental frequencies, 336
- Future maintenance expenditures, 241
- Fuzzy logic, 453
- Galloping, 545
- Galvapulse equipment, 360
- Gamma distribution, 495
- Gaussian distribution, 495
- Geographic information system, 47, 136
- Geometric stresses, 70
- Geomorphologic setting, 53
- Geophone, 26, 46
- Gerber joints, 254
- Global
 - behavior, 68, 87
 - impact, 87
 - mode shapes, 256
 - positioning system (GPS), 454
 - procedures, 424
 - stress condition, 241
 - vibration characteristics, 424
- Goodman and Gerber theory, 71
- GPS based displacement sensor, 417
- Gradient, 211
- Ground motion force, 41
- Ground response, 303
- Ground spectrum, 248
- Guideline, 262
 - for SHM, 401

- for the monitoring and checking of road bridges, 245
- Gust factor, 454
- H/V
 - ratio, 40
 - spectral ratio technique, 40
 - technique, 43
- Half power bandwidth, 32
 - method, 118, 481
- Hamming window, 501
- Hanger intrinsic strains, 322
- Hanning window, 501
- Hardness, 454
- Hardware, 261
- Harmonic analysis, 485
- Hazard risk maps, 48
- Health monitoring, 294, 454
- Heating period, 189
- Heritage buildings, 433
- High
 - cycle fatigue, 95
 - theory, 73
 - frequent ultrasonic technology, 411
 - precision sensor data, 394
 - rise buildings, 296
 - speed vortex excitation, 567
 - static loads, 299
- Hilbert transform, 480
- Hinged end, 229
- History database, 139
- Homogeneous cycle, 189
- Horizontal component noise spectra, 303
- Horizontal reaction forces, 46
- Horizontal wind rope, 202
- Hot spot, 70, 152
 - analysis, 102
 - areas, 71
 - associated, 87
 - designer's guide, 71
 - stress, 71
- Human comfort, 147
- Human sensitivity, 520
- Humidity pickup sensor, 334
- Humidity sensor, 356, 418
- Hydraulic jacks, 284
- Hydraulic shakers, 235
- Hydrostatic leveling system, 417
- Hysteresis phenomenon, 475
- Ill-conditioning, 206
- Image enhancement, 49
- Impact energy, 454
- Impact load, 406
- Impulse excitation, 413
- Impulse response function, 454
- In-plane, 102
- In-situ measurements, 42
- In-situ transverse diaphragm, 377
- Inclination sensor, 334, 427
- Inclinometer, 418
- Independent pre-fabricated elements, 253
- Index, condition, 7
- Indications of irregularity, 197
- Indicial response function, 454
- Individual structural members, 243, 248
- Information system, 48
- Infrastructure, 454
 - aging of, 203
- Initial conditions, 471
- Initial FE model, 217
- Initial measurement, 79
- Inspection, 454
 - rating, 19
- Instability, 455
- Integrated monitoring and assessment of cables, 226
- Intensity, 455
 - chart, 240
- Intervention points, 244
- Inverse problem, 455
- Investigation, 455
- Iterative procedures, 204
- Jensen number, 455
- Joint acceptance, 549
- Joint committee on structural safety, 130
- Joint cumulative distribution function, 487
- Joint probability density function, 487
- Kalman filter, 455
- Kármán vortices, 455
- Kinematics episensor, 231
- Knowledge database, 138
- Kolmogorov's micro-scale, 588
- Küssner function, 539
- Kurtosis, 485
- Lag windows, 500
- Landslides, 54

- Laplace transform, 539
- Laser
 - calibration, 269
 - detector, 418
 - Doppler vibrometer, 455
 - scanning, 152
 - supported measurement, 90
 - vibrometer, 253
- Lateral mode shapes, 256
- Leakage, 499
- Least square method, 456
- Least squares fitting, 209
- Length, 23
- Life cycle, 151, 456
 - cost, 272
 - management, 272
- Lifeline infrastructure, 45
- Lifetime, 151
 - assessment, 286
 - prediction, 10, 68
 - prediction methodologies, 203
 - remaining, 287
- Lift-off test, 244
- Lift-up test, 231
- Limit state, 456
- Limit strength, 281
- Limitations, 416
- Line-like structures, 549
- Lineament analysis, 48, 52
- Linear elastic field, 236
- Linear variable differential transformer, 456
- Lines of the strains, 430
- Liquid damper, 202
- Live load, 86, 403
 - imaging, 321
- Load, 182, 456
 - bearing behavior, 60, 419
 - bearing capacity, 255, 410
 - cell, 312
 - combination, 407
 - effect, 403
 - model, 408
 - observation, 246
 - testing, 456
- Loading cycle, 73
- Loading scenarios, 105
- Loading transfer, 256
- Local
 - behavior, 68
 - bending, 202
 - monitoring of damage, 424
 - notches, 73
 - procedure, 424
 - soil parameter, 43
 - systems, 102
- Localization of damage, 272
- Locked-in phenomenon, 564
- Log-decrement method, 480
- Logarithmic decrement, 118
- Logic tree, 37
- Long-run-behavior, 191
- Long-term monitoring, 319
 - system, 353
- Long-term shrinkage, 365
- Longitudinal laser-displacement sensor, 195
- LRFR evaluation code, 130
- LTBP, 181
- LTBP program, 181, 182
- MACEC, 310, 312
- Magnetic flux leakage, 326
- Mahalanobis distance, 177
- Main speed distribution, 584
- Maintenance, 456
 - costs, 246
 - work, 281
- Markov chain approach, 8
- Markov process, 456
- Mass
 - distribution of self weights, 404
 - forces, 404
 - parameter, 456
- Mass-spring-system, 299
- Material
 - fatigue, 414
 - properties, 258, 456
 - property database, 258
- MATLAB, 374, 456
- Maximum likelihood method, 31, 457
- Mean, 484
- Mean stress, 71
- Measurand, 404
- Measurement
 - equipment, 418
 - grid, 102
 - section, 93
 - unit, 57
 - value, 404
- Measuring technology, 235
- Mechanical admittance function, 472

- Melting point, 457
- Mesh, 220
 - grid, 440
- Meshing procedure, 71
- Metadata protocol, 136
- Metrological investigation, 408
- MFL sensor, 326
- Microzonation, 39
- Miner's rule, 457
- Miner-rule, modified, 73
- Mobile monitoring unit, 135
- Modal
 - analysis, 475
 - assurance criterion, 207
 - mass, 457
 - parameters, 264, 312, 457
 - scale factor, 206
 - strain energy, 425
 - test, 413
- Mode of vibration, 265
- Mode shape, 204, 236, 425
 - curvature, 425
- Mode shapes, 336
- Model
 - based, 203
 - configuration, 421
 - updating, 117, 270
 - methods, 426
- Modeling errors, 221
- Modified Mercalli intensity scale, 457
- Moment magnitude scale, 458
- Moment of inertia of a cable, 227
- Monitoring, 322, 458
 - campaign, 252
 - conditions, 27
 - equipment, 262
 - hardware, 262
 - layout, 27
 - of load effects, 413
 - pattern, 404
 - results, 190
 - system, 386
 - type, 26
- Monte Carlo method, 458
- Motion induced forces, 565
- Multi-channel measurement systems, 271
- Multi-strand systems, 326
- Multiple successive measurements, 419
- Nakamura's method, 303
- Narrow-band, 564
 - envelope, 507
- National bridge inspection standards, 181
- National Bridge Inventory, 19, 181
 - program, 21
 - ratings, 20
- Natural frequency, 264, 265, 425, 458
- Natural hazard, 39
 - scenarios, 291
- Natural wind, 533
- NBI ratings, 20
- Neural network, 144, 352, 459
- Newmark algorithm, 123
- Noise, 25, 299, 459
 - floor, 147
 - to signal ratio, 127
- Nomenclature, 236
- Nominal stress approach, 70
- Non model based recognition methods, 426
- Non proportional loading, 71
- Non-destructive
 - evaluation, 325
 - testing, 152, 182
 - equipment, 356
 - inspections, 356
 - mapping, 356
 - method, 411
- Non-periodic loading, 74
- Non-slender cables, 230
- Non-welded details, 71
- Nonlinear
 - behavior, 253
 - static procedure, 47
 - vibration, 459
- Nonparametric density estimators, 77
- Normalized modal difference, 207
- Notch class, 73, 76
- Numerical
 - dam model, 291
 - framework, 204
 - methods, 203
 - modal data, 343
- Nyquist frequency, 120, 459
- Objective function, 208
- Observation
 - online, 3
 - periodic, 3
 - permanent, 3
 - spot, 3

- Occurrence of damage, 422
- Offset, 459
- Online model, 263
- Online monitoring, 263
- OpenSees, 204, 212, 217, 221, 232
- Operation mode, 133
- Operational lifetime, 246
- Optical fiber sensor, 348
- Optimization, 203
- Orthotropic deck, 392
 - plate, 314
- Out of plane, 102
- Over-determined system of equations, 426
- Overall loading capacity, 107

- Palmgren-Miner concept, 73
- Parameter estimation, 459
- Parameter-based, 203
- Parametric excitation, 202, 250, 460
- Parent distribution, 505
- Partial damages, 73, 76
- Participating mass, 460
- Passive dampers, 516
- Pattern recognition, 68, 126, 147, 460
- Peak
 - counting, 460
 - factor, 460, 556
 - ground acceleration, 53
 - picking, 226
- Pedestrian bridge, 195
- Penalty function, 207, 210
- Penalty method, 205, 212, 233
- Performance assessment, 10
- Performance prediction, 103
- Periodic measurements, 270
- Periodic topographic measures, 328
- Permanent
 - installation, 135
 - measuring system, 385
 - monitoring, 263, 270
 - system, 68, 392, 419
 - process, 253
- Phase space, 475
- Photogrammetric methods, 152
- Physical
 - model, 153
 - process, 407
 - reality, 234
- Piezoelectric accelerometer, 460
- Piezofilm sensor, 417

- PLANE42* element, 219
- Plane model, 219, 222
- Plastic buckling, 79
- Plastic hinges, 219
- Plasticity, 460
- Plausibility check, 136
- Poisson distribution, 493
- Poisson process, 494
- Poisson's ratio, 460
- PONTIS, 7, 10, 19–21
- Position sensitive detectors, 315
- Position stability, 409
- Post reinforcement yielding, 217
- Power spectra, 434
- Power spectral density, 461
- Predictive estimation, 461
- Preliminary examinations, 427
- Pressure gradient, 581
- Prestressed reinforced concrete
 - beam, 211, 215
- Prestressing axial force, 213
- Prestressing tendons, 308
- Preventive maintenance, 151
- Primary superstructure, 86
- Principle stress range, 71
- Probabilistic approaches, 244
- Probabilistic seismic hazard analysis, 37
- Probability
 - density function, 484
 - distribution, 461
 - mass function, 490
 - of error, 91
- Progressive damage test, 341
- Progressive lifetime assessment, 181
- Proof test, 412
- Proper orthogonal decomposition, 461
- Proportional limit, 461

- Quad-spectrum, 492
- Quality control, 283
- Quality of individual structural
 - members, 245
- Quasi-steady aerodynamics, 535
- Quasi-steady assumption, 548

- Radar, 411
- Radiation damping, 513
- Radiographic methods, 409
- Radiometrical method, 412
- Rail roughness, 302

- Rain-wind induced vibration, 567
- Rainfall analysis, 461
- Rainflow
 - algorithm, 74, 287, 290
 - analysis, 387
 - counting, 68, 98
 - matrix, 75, 288
- Random
 - decrement technique, 30, 118, 461
 - signature, 118
 - process, 462
 - sample, 90
 - vibrations, 462
- Rating, 10
- Rating value, computation of, 36
- Rayleigh distribution, 497
- Rayleigh waves, 303
- Realistic load models, 403
- Realistic loads, 399
- Recommendations, 262
- Recordlength, 23
- Rectangular pulse window, 500
- Reduced frequency, 462
- Reduced velocity, 463
- Redundancy, 35, 86
- Reference data set, 270
- Reference period, 463
- Regional analysis, 47
- Registered truck's weight, 96
- Rehabilitation, 463
 - planning, 281
 - reasons, 298
- Reinforced concrete beam, 220
- Reinforced yielding, 215
- Reliability, 463
- Remaining
 - lifetime, 146
 - service lifetime, 107
 - working life, 463
- Remote sensing data, 135
- Remote sensing technology, 50
- Removal of pavement, 298
- Repair, 463
- Reproduced cantilever
 - displacements, 97
- Residual life expectancy, 60
- Residual stresses, 73, 463
- Resistance parameter, 414
- Resonance, 187, 472
 - frequency, 118, 303
- Response, 246
 - spectra, 197
- Restraints in the expansion joint, 191
- Reynolds number, 463
- Richter scale, 463
- Rinterzelt, 292
- Risk assessment, 291
- Risk level, 23, 144
 - rating, 146
- Risk rating, 463
- Robustness, 463
- Roger's formulation, 539
- Rule, 140
- S-N curve, 466
- Safe load-carrying capacity, 412
- Safety, 463
 - assessment, 129
 - level, 203, 291
- SAMCO, 183, 297
 - association, 183
 - guideline, 130
 - network, 13, 349
- Sampling rate, 23
- Satellite image interpretation
 - technology, 53
- Scales of turbulence, 585
- Scaling, 206
- Schlegeis dam, 291
- Scilab, 204
- Scour, 55
- Scruton number, 464
- Search direction, 210
- Sears function, 540, 555
- Secondary effects, 48
- Sectional model tests, 590
- Security check, 248
- Sedimentary deposits, 303
- Segment-construction, 308
- Seismic
 - demand, 47
 - hazard analysis, 44
 - hazard prevention, 40
 - waves, 464
- Seismics, 303
- SEISMID
 - measurements, 38
 - technology, 40, 42
- Sensitivity analysis, 205, 421
- Sensitivity matrix, 205

- Sensor, 215, 464
 - accelerometer, 221, 443
 - chloride, 356
 - CorroEye, 360
 - corrosion, 418
 - corrosion risk, 356
 - displacement sensor, 417
 - displacement transducer, 323
 - epi-sensor, 231
 - extensometer, 451
 - fiber bragg grating, 366, 417
 - fibre optic, 373, 418, 452
 - force balance accelerometer, 91, 452
 - geophone, 26
 - humidity, 356, 418
 - Kinematics episensor, 231
 - laser Doppler vibrometer, 455
 - laser vibrometer, 253
 - linear servo accelerometers, 340
 - optical fiber sensor, 348
 - piezoelectric accelerometer, 460
 - piezofilm, 417
 - piezo electric, 26
 - SOFO, 362
 - strain gauges, 102
 - temperature, 418
 - thermistors, 380
 - thermocouples, 362
 - vibration wire sensor, 348
 - weight-in-motion, 353
 - WIM system, 345
 - wind, 393
- Sensor layout, 29
- Sensor types, 26
- Service life, 464
- Serviceability, 409, 465
 - limit state, 73, 86
- Servo-hydraulic exciter, 268
- Shear modulus, 465
- Shear wave velocity, 44
- Shell model, 313
- SHM
 - axioms, 9, 125
 - periodic report, 5
 - probabilistic approach, 36
 - system training, 376
- Short term actions, 291
- Shortening, 252
- Shrinkage effect, 109
- SI units, 465
- Side lobes, 501
- Signal processing, 465
- Signal quality, 23
- SIMCES, 310
 - project, 341
- Similitude requirements, 465
- Simple harmonic excitation, 471
- Simulation, 465, 510
 - technique, computer aided, 203
- Site
 - effect, 39, 40
 - frequency, 248
 - response, 303
- Skewness, 485
- Skoenergo smokestack, 274
- Slender cables, 230
- Smart materials, 465
- Smart structure, 465
- Smoothing, 91
- SMS, 263
 - alarming, 56
- Snapshots of structural integrity, 235
- Socio-economic impacts, 525
- Span-wise correlation, 565
- Spatial resolution for measurement, 427
- Spectral
 - analysis, 466
 - density function, 492
 - windows, 466
- Speed effects, 201
- Spike, 25
- Spiral rope, 202
- Spot observation, 263
- Stability of material quantities, 258
- Standard deviation, 485
- Standards, 303
- Static
 - effect, 404
 - field test, 412
 - loads, 402
 - measurements, 427
- Stationary process, 466
- Statistical scatter, 73
- Statistical value identification, 407
- Steel box-girder superstructure, 339
- Steel girders, 392
- Stiffness degradation, 127
- Stiffness of a cable, 250
- Stochastic subspace
 - identification, 119, 466

- Strain
 - distribution, 376
 - energy, 466
 - gauges, 102, 309, 315, 416
 - transducers, 337
 - variation, 381
- Strategic planning, 248
- Stratigraphy, 303
- Stress
 - characteristic, 247
 - concentration, 466
 - history test, 412
 - life approach, 69
 - range-level, 73
 - redistribution, 228
- Strip theory, 534
- Strouhal number, 466
- Structural
 - damage analysis, 401
 - health monitoring, 1, 9, 203
 - system, 388
 - identification, 421
 - identification principle, 410
 - integrity, 78
 - load bearing capacity, 403
 - maintenance, 391
 - members, 245
 - model, 234
 - parameters, 203, 264
 - performance, 405
 - safety, 245
 - stresses, 70, 100
- Structure-related damage
 - analyzes, 413
- Subproblem approximation
 - method, 209
- Subsurface conditions, 48
- Success of the rehabilitation, 248
- Sun-radiation, 109
- Superposition, 76
- Supervised learning, 126
- Supply of energy, 250
- Supporting conditions, 82
- Suppression, 566
- Suspended beam, 254
- Sustainable bridges, 183
- Swell load, 405
- Symmetry, 466
- Synchronous measurements, 263
- System behavior, 415
- System identification, 264, 270, 306,
 - 312, 467
 - technique, 310, 313
- Tailor-made loading model, 103
- Target reliability level, 130, 467
- Taut strip model tests, 591
- Temperature
 - dependence, 112
 - effect, 188
 - load, 189, 406
 - sensor, 323, 418
- Temporary fixation, 198
- Tendon force, 285
- Tendon stress, 285
- Tendons, 212, 231
- Tensile forces, 244
- Theodorsen function, 539
- Thermal effect, 404
- Thermal expansion, 406, 467
- Thermistors, 380
- Thermo-graphic procedure, 406
- Thermocouples, 362
- 3D-acceleration transducer, 194
- Three point bending configuration, 220
- Three-cell box girder, 316
- Three-character nomenclature, 236
- Three-dimensional space, 198
- Threshold crossing, 507
- Threshold value, 405, 409, 414
- Through-truss structure, 320
- Tilting, 252
- Time
 - domain analysis, 467
 - series, 467
 - variant damage, 422
- Timely rehabilitation, 242
- Tolerance criteria, 521
- Tollbooth, 100
- Tonnage classification, 98
- Tools of health monitoring, 264
- Torsion, 547
- Torsional
 - bracings, 78
 - overstressing, 79
 - resistance, 256
- Total damage per year, 76
- Toughness, 467
- Tower vibrations, 351
- Traditional instrument, 252

- Traffic
 - analysis, 288
 - load, 399, 405
 - volume, 288
- Trains operating, 438
- Transducer, 252
- Transformation into
 - business, 261
- Transient forces, 538
- Transmissibility, 426
- Transversal loads, 305
- Transversal prestressing, 255
- Trend card, 197, 235
- Trend line, 84
- Trend of deviation, 86
- Trend removal, 467
- Trigger condition, 118
 - level crossing, 120
 - positive point, 120
- Truck loading impact, 103
- Truck passages, 88
- Truss bridge, 328
- Tuned mass dampers, 517
- Turbulence, 534
- Turbulence intensities, 584

- Ultimate strength, 467
- Unbalance exciter, 235
- Unconstrained problem, 210
- Undamaged state, 217
- Unintentional fastening, 248
- Universal set, 90
- Unsteady aerodynamic
 - force, 536
- Unsupervised learning, 126
- Unwelded zone, 71
- Updating parameter, 233
- Updating procedure, 203
- Upgrading, 467
- Utilization plan, 467

- Valuable indicators, 251
- Vandalism, 416
- Variance, 485
 - error, 499
- Varying effective tonnage, 77
- Varying traffic volume, 77
- VCDECIS, 133
- VCE, 269

- VCE_ Kabel, 227
- VCUPDATE, 204
- Vehicle-track-soil system, 302
- Velocity
 - classification, 98
 - correlations, 584
 - spectra, 584
 - transducer, 312, 315
- Vertical component noise
 - spectra, 303
- Vibrancy, 299
- Vibrating wire strain gauges, 417
- Vibration, 467
 - acceleration sensor, 418
 - control, 515
 - intensity, 34, 147, 195, 267
 - intensive areas, 243
 - measurements, 332, 341
 - monitoring, 312
 - velocity sensor, 418
 - wire sensor, 348
- Vibrational signature, 265
- Victoria, 306
- Video control system, 290
- Video images, 146
- Video monitoring, 289
- Video supported validation, 101
- Vienna basin transform fault, 39
- Viscoelastic materials, 512
- Viscosity, 588
- Visible damage, 152
- Visual inspection, 262
 - report, 262
- Volumetric changes, 406
- Vorspann-Technik, 232
- Vortex shedding excitation, 468
- Vulnerability, 47
 - analysis, 44, 47

- Wagner function, 539
- Wake interference, 567
- Waste treatment plant
 - Rinterzelt, 292
- Waterproofing, 196
- Wave, 468
 - load, 405
- Wavelet
 - analysis, 502
 - theory, 203
 - transform, 468

- Weak
 - areas, 86
 - point, 86
 - determination, 78
 - speak, 152
- Weather exposure, 182
- Weibull distribution, 497
- Weight load, 406
- Weighted averaging, 91
- Weighting matrices, 207
- Weld toe, 71
- Welded zone, 71
- White noise, 484
- Widening of the structure, 248
- WIM system, 345
- Wind, 567
 - and structural health monitoring system, 353
 - gust, 568
 - load, 405
 - power input, 469
 - sensor, 393
 - tunnel, 469
 - velocities, 296
- Windows, 469
- Wöhler curve, 73, 288, 469
- Yield point, 469
- Young's modulus, 469

