

Index

In this index, please note that any page references to letter and number combinations, such as H-2 or E-7, point to material that can found in correspondingly lettered appendixes available on the book's Web site at www.wiley.com/go/swishmax

SYMBOLS AND NUMERICS

- () (brackets) in SWiSHscript syntax, 372
- { } (curly braces) in SWiSHscript syntax, 372
- ; (semicolon) in SWiSHscript syntax, 372
- 3D effects. *See also* Camera settings for effects
 - 3D Spin, 309–310
 - 3D Wave, 310–311

A

- Accelerator keys
 - customizing, 42
 - Edit menu, 619–620
 - File menu, 619
 - Help Keyboard for, 42–43
 - Help menu, 621
 - Insert menu, 620
 - for menu commands, 32
 - Modify menu, 620
 - startup options, 61
 - View menu, 620
 - for zooming, 105
- accuracy of preloaders, 510–512
- Acrobat (Adobe), SWF movies in, 489–490
- actions
 - adding to projects, 396–397
 - browser/network actions, 424–427
 - categories of, 405–406
 - for conditional expressions, 415–416
 - for controlling SWF movies in Flash MX, 480–482
 - defined, 4, 369
 - defining for buttons, 363–366
 - expressions for, 406
 - frame actions, 398–399
 - for hotspots, 531–533
 - importing sound files as, 239–240
 - included when importing from Flash MX 2004, 203
 - loading and unloading movie level actions, 412–413
 - mouse dragging actions, 419–420
 - movie control actions, 364–366, 409–414
 - physics properties, 427–429, 459
 - removing from Script panel, 376
 - for shopping cart project, 562, 563
 - sound actions, 363–364, 424
 - sprite actions, 420–422
 - statements as, 422–423
- adjustment handles, 115–117, 118
- Adobe Acrobat, SWF movies in, 489–490
- Align panel
 - applying Align commands, 136
 - overview, 40
 - relativity options, 137–138
 - sizing objects using, 139
 - tools, 136–137
- aligning objects
 - Align panel for, 40, 136–139
 - HTML export options for, 463–464
 - relative to stage, 15, 137–138
- Alpha channel. *See* transparency
- Alternate effects, 303–304
- anchor points, 126–128, 133–134
- animated GIF files, importing, 191–195
- Appear into Position effects, 20, 624–629
- archiving movies, 435–436
- arguments, 369
- arrays
 - creating, 582–583
 - displaying random entries, 585–586
 - populating, 583–585
- arrow tools, 99
- aspect ratio, 130, 468–469
- assembling content, 56
- audience for movies, defining, 49–50
- audio. *See* sound files
- Authored effects. *See also* effects
 - color settings, 287–288
 - coordinating multiple effects, 296–298
 - custom folder for, 281–282
 - motion settings, 284–286
 - overview, 255, 280
 - saving effects files, 280–281
 - setting options, 283–284
 - speed settings, 288–289
 - transparency settings, 286–287
 - using, 282
- authoring effects
 - adding formulas to fields, 319
 - elements involved, 316
 - modifying existing formulas, 319–320
 - setting values for custom variables, 318
 - writing custom variables, 316–317
- autorun CDs
 - creating for movies, 473–474
 - SWiSHstudio publication, E-19–E-21
- AutoShape tool
 - drawing shapes with, 11–12, 97–98
 - reshaping AutoShapes, 98–101
- AutoShapes. *See* shapes
- AVI video
 - checking codec information, 471–472
 - codecs for, 470–471
 - compressing, 469–471
 - exporting, 467–468
 - setting movie dimensions, 468–469
- Ayers, Brian (contributor), 577, 591

B

background
 color, 7–8, 64–65
 fading, 17–19
 image as, 175–177
 for menus, 500–501
 movie size and, 441

Basic effects. *See also* effects
 Blur, 274–276, 624
 Fade, 17–19, 272–273, 623
 overview, 255, 272
 Repeat Frames, 276–278, 624
 Revert, 278–279, 624
 Slide, 273–274
 Zoom, 273, 624

Beveled button tool, 101

Bézier tool, 102–104

bit depth
 audio, 238
 color, 143–144

bitmaps. *See* raster images

blank objects
 buttons, inserting, 346
 movies, starting, 58
 scenes, adding, 78
 sprites, creating, 327
 sprites, working with, 334

Blur effect, 274–276, 624

bomb effects, 307–309

brackets [()] in SWiSHscript
 syntax, 372

Break into Pieces dialog box,
 125, 256–257

breaking
 objects into pieces, 256–257
 shapes into sections, 125
 text into letters, 233–234
 text into multiple shapes,
 235–236, 442

brightness, changing for raster
 images, 179

browser/network actions
 adding JavaScript to movies, 426
 Flash Player and browser
 commands, 425–426
 loading a Web page, 424–425
 overview, 424
 sending e-mail, 427

building menus. *See also* Web site
 interface project
 background for, 500–501
 basic rules, 495

buttons for, 357–359
 dimming and brightening
 items, 501
 dynamic menu using sprite
 method, 496–497
 dynamic menu with rollover
 effects, 499–500
 Flash Player for menus, 502–503
 followers for mouse selection,
 501–502
 HTML export option for
 menus, 462
 onRelease event for effects, 498
 simple text menu, 495–496

button events
 available events and triggers,
 360–361
 choosing triggers, 361–362
 defined, 360
 defining actions for, 363–366
 key trigger for, 362–363
 using in movies, 401–402

buttons
 adding to projects, 346–348
 blank, inserting, 346
 building, 350–357
 choosing event triggers, 361–362
 converting objects to, 347–348
 creating button events, 360–363
 creating menus using, 357–359
 defining actions for, 363–366
 defining states for, 348–350
 disjointed rollovers and, 359
 editing content, 348
 grouping objects as, 347
 hotspots for, 531–533
 importing SWF movies contain-
 ing scripts for, 205–207
 key triggers for, 362–363
 overview, 345–346
 scripts for, 361–366, 557–558
 for shopping cart project,
 553–554, 557–558
 sprites in, 356–357
 states of, 345–346
 testing, 354–355
 text buttons, 227–228, 356–357
 tracking settings, 357
 transforming content, 353–354
 uses for, 345
 for Web site interface, 529–531
 working with states, 350–353

C

calculation scripts, 556, 560

Camera settings for effects
 camera position, 295
 camera type, 292–294
 overview, 284, 292
 rotation and zoom, 294–295
 target focus, 296

Cascade options for effects, 290–291

case sensitivity of SWiSHscript, 371

CDs, autorun
 for movies, 473–474
 SWiSHstudio publication,
 E-19-E-21

cell phones, Flash Player versions
 and, 456

Cinepak codec, 470

circular preloader, 513–517

classes, 370

clipped fills. *See* image fills

codecs
 for AVI video, 470–471
 checking for movies, 471–472

Color Selector
 for background color, 64–65
 creating custom colors, 147
 sampling color from scene, 148
 saving colors for projects, 149
 for shapes, 12
 using standard palette, 145–146
 using Windows Color dialog box
 with, 149–151, 152–153

colors
 for adjustment handles, 118
 for animating text, 20–21
 Authored effect settings,
 287–288
 background, 7–8, 64–65
 bit depth, 143–144
 changing for raster images, 180
 custom, creating, 147
 filling objects, 156–164
 for grid, 111
 for guides, 110
 hexadecimal values for, 144, 146
 HSL color, 151
 importing movies with color
 changes, 200–201
 methods of choosing, 144–145
 RGB color, 141–142, 146
 RGBA color, 142, 151
 sampling from scene, 148

- for shapes, 12
 - standard palette, 145–146
 - strokes, 153–155
 - transparency, 151–153
 - vector versus raster images and, 168
 - Web-safe, 141, 144, 147–148
 - Windows system colors, 149–151
 - comments
 - adding to scripts, 384–385
 - archiving movies and, 435–436
 - SWiSHscript syntax, 372
 - complex effects, 254, 270
 - complex objects
 - breaking objects into pieces for, 256–257
 - complex shapes versus, 94
 - grouping objects as, 255
 - types usable for effects, 254
 - compliance, configuring content for, 56
 - compressing files
 - AVI video files, 469–471
 - image files, 447–449
 - sound files, 239, 444
 - SWF files during export, 457
 - conditional expressions, 415–416
 - conditional statements (PHP), F-10–F-12
 - constants, 370, 407
 - container sprites, 552–553, 578
 - content object description, 52–54
 - content pages for Web site
 - creating a page, 543
 - modifying and constructing, 544–546
 - overview, 542
 - PHP page for e-mail form, 546–547
 - scripting navigation for, 543–544
 - Content panel
 - adding sprite instance from, 336
 - cleaning up projects, 89–90
 - importing objects, 87–89
 - overview, 40, 86–87
 - reloading images, 91–92
 - uses for, 87
 - viewing object properties, 90–91
 - content window for Web site, 528, 539
 - contrast, changing for raster images, 179
 - Control menu
 - overview, 30, 613
 - Preview Frame command, 262
 - Control toolbar, 33, 617
 - converting objects
 - to buttons, 347–348
 - to sprites, 326
 - converting SWF files. *See* importing SWF files
 - coordinating multiple effects, 296–298
 - copying
 - HTML to clipboard, 465–467
 - sprites, 334, 337–338, 496–497
 - Core effects. *See also* effects
 - Alternate, 303–304
 - Explode, 307–309
 - overview, 255, 301–302
 - programming custom effects using, 316–320
 - setting options, 302
 - Snake, 305–307
 - Squeeze, 302–303
 - table summarizing, 648–649
 - 3D Spin, 309–310
 - 3D Wave, 310–311
 - Typewriter, 314–315
 - Vortex, 311–312
 - Wave, 312–314
 - Cube tool, 100–101
 - curly braces ({ }) in SWiSHscript syntax, 372
 - curved paths, drawing, 103–104
 - Cusp vertex, 118, 119
 - Customize dialog box, 41–42, 43
 - customizing. *See also* Preferences dialog box
 - Accelerator keys, 42
 - Alternate effects, 304
 - authoring effects, 316–320
 - Blur effect, 275–276
 - creating custom colors, 147
 - effect settings and preferences, 270–272
 - Explode effect, 308–309
 - grid, 111
 - guides, 109–110
 - menus, 43
 - Script panel, 373–374
 - Snake effects, 306–307
 - startup options, 60–61, 62
 - Timeline appearance, 35–36
 - toolbars, 41
- D**
- daily horoscope project
 - array creation and population, 582–585
 - checking for loaded variables, 581–582
 - container sprite, 578
 - displaying random array entries, 585–586
 - dynamic text field, 578–580
 - load movie preferences, 587–588
 - loading variables, 580–581
 - text file for, 577–578
 - data rate for AVI video, 470
 - data types, 403
 - Debug panel
 - Echo bytecodes - Detailed option, 380–381
 - Echo bytecodes - Summary option, 380
 - Echo script option, 380
 - overview, 40, 378
 - testing scripts using, 379
 - Trace action and, 381–383
 - Debugging log, 374–375
 - deleting. *See* removing or deleting
 - designing movies or projects
 - choices to consider, 50–51
 - planning on paper, 51–54
 - Disappear from Position effects, 629–633
 - disjointed rollovers with buttons, 359
 - displaying. *See* playing; previewing; viewing
 - Distort tool, 129, 135
 - dot syntax in SWiSHscript, 371–372
 - Down state. *See* states of buttons
 - drawing
 - AutoShapes, 11–12, 97–98
 - basic shapes, 95–97
 - free-form shapes, 102–104
 - paths with Bézier tool, 102–104
 - reshaping AutoShapes, 98–101
 - viewing drawings on stage, 105–107
 - Dreamweaver (Macromedia), 482–484

`duplicateSprite()` method, 496–497

dynamic menus. *See* building menus; XML (eXtensible Markup Language) menus

dynamic text. *See also* text advanced options, 231 for daily horoscope project, 578–580 defined, 215 embedding text characters, 229–230 formatting options, 230–231 setting height and lines, 230

E

Edit menu

Accelerator keys, 619–620
grayed-out commands on, 27
overview, 27–28, 603–605
Preferences command, 61, 77, 118, 271, 373, 374

Effect Settings dialog box

Alternate tab, 303–304
Author tab, 316–317
Camera tab, 284, 292–296
Cascade tab, 283, 290–291
Custom tab, 316, 318
Easing tab, 283, 288–289
Explode tab, 307–309
Motion tab, 283, 284–288
overview, 283–284
settings common to all effects, 270–271
settings for Core effects, 302
Snake tab, 305–307
Squeeze tab, 302–303
3D Spin tab, 309–310
3D Wave tab, 310–311
Transforms tab, 283, 289–290
Vortex tab, 311–312
Wave tab, 312–314

effects. *See also specific types*

adding to objects in movies, 257–258
adjusting, 258–259
Appear into Position effects, 20, 624–629
applying to movie layers, 15–20
applying to sound files, 246–248
Authored effects, 255
Blur effect, 274–276, 624

for circular preloader, 513–514
coordinating multiple effects, 296–298
Core effects, 255, 301–321, 648–649
defined, 4
determining when an object appears, 84–85
Disappear from Position effects, 629–633
Fade effects, 17–19, 272–273, 623
fading in and out, 17–19
Flash versus SWiSHmax and, 385
flying, 16–17
folder for, 270, 280, 281–282
keyframes with, 260–261
Looping effects, 634–641
One off effects, 641–642
`onRelease` event for initiating, 498
optimizing, 443
overview, 253–255
Place effects, 85–86, 254, 259–266, 623
preferences, 271–272
for preloader (text effect), 508
previewing, 258
removing object from stage, 85–86
Repeat Frames effect, 276–278, 624
Return to Start effects, 643–648
Revert effect, 278–279, 624
saving effects files, 280–281
settings common to all, 269–271
for shopping cart project, 562–563
simple versus complex, 253–254
sprites and, 333
starting, settings for, 297
types of, 254–255
Zoom effects, 273, 624

effects folder, 270, 281–282

Ellipse tool, 96–97

e-mail
action for sending, 427
PHP page for form, 546–547
valid, F-12

e-mail object, 554

e-mail object, shopping cart, 561

embedding text characters, 229–230

erasing. *See* removing or deleting

error handling for scripts, 383–384

event handlers

adding to projects, 396–398
defined, 370
for frame events, 396
for preloader, 509
for self events, 400
types of, 395

events
button events, 360–363, 401–402
defined, 4, 360, 370
expressions for, 406
frame events, 396–399
input text events, 402–403
`onRelease` event for initiating effects, 498
overview, 387
pseudocode for, 394–395
removing from Script panel, 376
self events, 400–401
triggers for, 360–363
variables, 403

.exe files. *See* projectors (self-playing movies)

Expert mode scripting, 377–378

Explode effect, 307–309

export options
for HTML, 461–465
for images, 449–452
for movies and scenes, 449–451
for scripts, 459–460
for sounds, 245–246, 449
for SWF files, 457–458

Export panel, 40

Export toolbar, 34, 618–619

exporting. *See also* export options
AVI video, 467–471
choosing SWF version for, 456
HTML, 460–461
movie and Web page, 22, 460–461
projectors (self-playing movies), 472–475
shopping cart, 566
SWF movies, 456
testing checklist for, 434–435
text, 442

expressions, 370, 406, 415–416

eXtensible Markup Language menus. *See* XML menus

external movie loaders
building, 517–518
with destination sprites, 521–523

- for multiple movies, 523–524
 - scripting, 518–521
 - sprite methods for, 517
- F**
- Fade effects, 17–19, 272–273, 623
 - feature section for Web site, 528, 537–539
 - fields in effects, formulas for, 319–320
 - file formats
 - audio, 238–239
 - for exporting movies, 22
 - for images, 170
 - for raster images, 167
 - .sbk files, 10
 - supported by SWiSHmax, 8, 170
 - SWF (Shockwave Flash), 4
 - File menu
 - Accelerator keys, 619
 - Export submenu, 22
 - Import command, 9, 173, 191, 326
 - overview, 26–27, 602–603
 - Save As Template command, 63
 - Save command, 7, 62
 - in SWiSHstudio, E-3
 - Test submenu, 21, 70
 - Fill Transform tool, 161–162
 - filling objects
 - gradient fills, 157–161
 - images, 182–189
 - options for, 156
 - resizing fills, 163
 - with solid color or no fill, 156
 - transforming fills visually, 161–164
 - Fit Scene in Window tool, 107
 - Flash movies. *See* movies; SWF (Shockwave Flash) movie files
 - Flash MX 2004 (Macromedia)
 - associating SWF movies, 481–482
 - controlling movies with `loadMovie()`, 480–482
 - importing SWF movie into, 478–480
 - libraries, SWF movies in, 478–479
 - movie clips, SWF movies in, 479–480
 - SWiSHmax versus, 385
 - troubleshooting SWiSHmax
 - movies in, 482
 - using SWiSHmax movies with, 477–478
 - Flash Player (Macromedia)
 - `fscommand()` for, 425–426
 - for menus, 502–503
 - popularity of, 455
 - previewing movie in, 21–22
 - Flash Projector files. *See* projectors (self-playing movies)
 - flowchart, process, 52, 53
 - flying effect, 16–17
 - folders for effects, 270, 280, 281–282
 - followers for mouse selection, 501–502, G-12–G-13
 - fonts
 - basic settings, 218
 - changing for text, 14–15
 - exporting HTML and, 462
 - Internet resources, 597
 - movie size and, 442
 - pixel font tips, 219
 - selecting type of, 219–220
 - SWF movies in Flash and, 482
 - using characters as
 - drawings, 236
 - using system fonts, 220
 - footer for Web site, 528, 539–540
 - formulas for custom effects, 319–320
 - frame actions, 398–399
 - frame events, 396–399
 - frame rate
 - changing, 8
 - file size and, 70
 - matching when exporting, 447
 - movie playback quality and, 69, 70
 - optimizing, 441
 - selecting for movie, 69–70
 - frames
 - animated GIF file settings, 194–195
 - importing from SWF file, 198–199
 - importing SWF movies containing scripts for, 204–205
 - modifying size of, 441
 - repeating effects, 276–278
 - report information about, 440
 - free-form shapes, 95, 102–104
 - FrontPage (Microsoft), SWF movies in, 484–485
 - `fscommand()`, 425–426, 465, E-24
 - functions
 - defined, 370
 - in PHP, F-12–F-13
 - in Script Syntax menu, 407
 - working with, 416–419
- G**
- `getURL()` action, 424–425, 463, 465
 - GIF files. *See* animated GIF files; raster images
 - gradient fills
 - adjusting properties
 - numerically, 158–160
 - configuring color for, 157–158
 - linear versus radial, 157
 - moving, 164
 - resetting a gradient, 160–161
 - resizing, 163
 - rotating or skewing, 164
 - transforming, 162–163
 - graphics. *See* images
 - grid
 - customizing, 111
 - defined, 107, 110
 - snap options, 111–112
 - using, 110
 - Group as Group command, 325–326
 - grouped panels, 39–41. *See also specific panels*
 - grouping
 - objects, 255
 - objects as button, 347
 - objects as sprite, 324–326
 - shapes, 139–140
 - sprites within groups, 325–326
 - text, 233
 - Grouping toolbar, 34, 618
 - Guided mode scripting, 376–377
 - guides
 - customizing, 109–110
 - defined, 107
 - displaying, 108–109
 - snap options, 111–112
 - Guides panel, 40, 108
- H**
- header for Web site, 528, 539–540
 - Heart tool, 99
 - Help files, 44–45
 - Help Keyboard, 42–43
 - Help menu
 - Accelerator keys, 621
 - overview, 31–32, 615

Continued

- Help menu (*continued*)
 - SWiSHmax Help Topics command, 44
 - SWiSHmax Help Tutorials command, 45
- hexadecimal color values, 144, 146
- hiding layers, 11
- hierarchical object names, 341–342, 407
- Hinckley, Ian (contributor), 340, 495, 505, 592, G-1
- Hit state. *See* states of buttons
- horoscope. *See* daily horoscope project
- hotspots, 531–533, 534–535, 547–548
- HSL (hue/saturation/luminance) color, 151
- HTML
 - export options, 461–465
 - exporting Web page with movie, 22, 460–461
 - line break tags, 566
 - SWF movie tag examples, 466–467
 - version used by SWiSHmax, 460
- I**
 - if() statement (PHP), 415–416, 558, F-10–F-11
- image fills
 - changing properties, 183–185
 - choosing options, 182–183
 - naming objects to fill, 183–184
 - resetting, 185–187
 - tiled versus clipped, 182, 187–188
- image gallery project
 - creating the sprite, 569
 - finishing the movie, 575–576
 - image loader, 573–574
 - importing and arranging thumbnails, 568–569
 - masking the sprite, 570–571
 - overview, 567
 - preparing images for, 567–568
 - scripting the scroller, 571–573
 - starting, 568–569
- images. *See also* objects; raster images; vector images
 - as background, 175–177
 - choosing type for project, 167–170
 - compressing, 447–449
 - defining quality of, 451–452
 - export options, 449–452
 - fills, 182–189
 - formats supported by SWiSHmax, 169–170
 - importing, 173–174
 - importing, considerations for, 57
 - Internet resources, 597
 - matching resolution to project, 170
 - matching size to project, 170
 - optimizing, 446–447
 - reshaping, 175
 - trimming, 446
 - using characters as drawings, 236
 - vector versus raster, 167–169
- implosion effect, 309
- importing. *See also* importing SWF files
 - animated GIF files, 191–195
 - content into SWiSHstudio, E-6–E-7
 - Content panel for, 87–89
 - Flash Projector files, 212
 - graphics, considerations for, 57
 - Layout panel for, 89
 - movie elements, 8–10
 - project files, 210–211
 - raster images, 173
 - sound files, 239–241
 - sprite content, 326–327
 - SWF movies into Flash MX, 478–480
 - text files, 216–217
 - thumbnails, 568–569
 - vector images, 174
- importing SWF files
 - actions included from Flash MX 2004, 203
 - as animated sprite, 196–197
 - masked animations, 208–209
 - movie as a scene, 197–198
 - movies containing color changes, 200–201
 - movies containing scenes, 201–202
 - movies containing scripts, 202–208
 - options for, 195, 200
 - single frames, 198–199
- Indeo codecs (Intel), 470–471
- input text. *See also* text
 - advanced options, 231
 - creating a text object, 228–229
 - defined, 215
 - embedding text characters, 229–230
 - formatting options, 230–231
 - setting height and lines, 230
- input text events, 402–403
- Insert menu
 - Accelerator keys, 620
 - Button command, 346
 - Content command, 191
 - overview, 29, 607–608
 - Scene command, 78
 - Soundtrack command, 240
 - Sprite command, 327
- Insert toolbar, 33
- instances of sprites
 - adding from Content panel, 336
 - adding to movies, 335
 - copies versus, 334
 - defined, 334
 - modifying, 337
 - swapping, 336
- Intel codecs, 470–471
- interfaces. *See* building menus; Web site interface project
- Internet resources
 - for information and standards, 598–599
 - LAME encoder information, 239
 - for movie content, 597–598
 - MovieClip methods and properties, H-1–H-3
 - PHP scripting tutorial, F-1–F-13
 - SWiSHmax sites in other languages, 596
 - SWiSHmax-centric sites, 595–596
 - SWiSHstudio tutorial, E-1–E-25
 - SWiSHzone site, 595
 - Web-related sites, 596
 - XML menus tutorial, G-1–G-13
- IYUV codec (Intel), 471
- J**
 - JavaScript, adding to movies, 426
 - justifying text, 15, 224
- K**
 - kerning effects, 20–21
 - kerning text, 225–226
 - key trigger for buttons, 362–363
 - keyboard options (SWiSHstudio), E-12

- keyboard shortcuts. *See*
 - Accelerator keys
 - keyframes, 260–261, 469
 - keywords (SWiSHscript), 372–373
 - L**
 - LAME encoder for MP3 files, 239
 - layers, 11, 15–20. *See also* stacking order
 - Layout panel
 - editing sprite on, 328–332
 - hiding layers, 11
 - importing objects, 89
 - locking layers, 11
 - organizing objects on, 135–139
 - overview, 4–5, 37–38
 - sprite layout view, 330–333
 - leading for text, 226
 - letters, breaking text into, 233–234
 - line segments. *See also* paths
 - adding strokes, 153–155
 - adjustment handles, 115–118
 - changing characteristics, 121–122
 - ungrouping AutoShapes and, 116
 - vertices, 118–122
 - Line tool, 96
 - loading. *See also* preloading
 - content based on variables, 410, 413–414
 - effect settings, 270
 - external text file, 537
 - images, loader for, 573–574
 - movie level actions, 412–413
 - movies, 409
 - setting load movie preferences, 587–588
 - sprites, 410
 - variables for daily horoscope, 580–581
 - Web page into browser, 424–425
 - loadMovie() action with Flash MX, 480–482
 - locking
 - guides, 110
 - layers, 11
 - logo project
 - adding text, 13–15
 - aligning objects, 15
 - applying effects, 15–21
 - creating objects, 10–13
 - exporting the movie, 22
 - files for, 6
 - importing elements, 8–10
 - overview, 5–6
 - previewing the movie, 21–22
 - starting the project, 7–8
 - Looping effects, 634–641
 - looping movies, HTML export
 - option for, 462
 - looping sound files, 245, 248, 249
 - Lyon, Stephan (contributor), 240, 567, 591–592
 - M**
 - Macromedia. *See also* Flash Player (Macromedia)
 - Dreamweaver, 482–484
 - Flash MX 2004, 477–482
 - Flash versus SWiSHmax, 385
 - mailto() command, 427
 - margins for text, 223
 - masked animations
 - importing, 208–209
 - sprite objects for, 328, 338–340
 - masking
 - off-stage objects, 457–458
 - sprite for image gallery, 570–571
 - sprite for preloader, 515–516
 - SWF movies in Flash and, 482
 - menu bar for Web site
 - button objects, 529–530
 - buttons, 530–531
 - hotspots, 531–533
 - placeholder, 528, 529
 - menu construction. *See* building menus; XML (eXtensible Markup Language) menus
 - Menus and About option (SWiSHstudio), E-13–E-14
 - menus (SWiSHmax). *See also specific menus*
 - customizing, 43
 - grayed-out commands on, 27
 - keyboard shortcuts for
 - commands, 32
 - overview, 26–32
 - toolbars and, 32
 - using, 25
 - menus (SWiSHstudio), E-2–E-4
 - methods
 - defined, 370, 393
 - of MovieClip objects, 388–391, H-1–H-3
 - object methods, 393–394
 - overview, 393
 - for preloading, 505
- Microsoft
 - FrontPage, 484–485
 - PowerPoint, 486–489
 - Video 1 codec, 470
 - Windows Color dialog box, 149–153
- mode for movie playback, 464–465
- Modify menu
 - Accelerator keys, 620
 - Align submenu, 136
 - Break submenu, 125, 256
 - Grouping submenu, 140, 255, 324
 - overview, 29–30, 608–613
- monitor
 - bit depth, 143–144
 - screen resolution, 67–69
- Motion options for effects, 284–286
- Motion Path tool, 263–264
- mouse dragging actions, 419–420
- mouse options (SWiSHstudio), E-12
- mouse selection, follower for, 501–502, G-12–G-13
- Move effect, 259, 262–266
- movie control actions
 - adding to buttons, 364–366
 - for loading and unloading
 - movie level actions, 412–413
 - for loading and unloading movies, 409, 410
 - for loading and unloading sprites, 410
 - for loading content based on variables, 410, 413–414
 - for playing and stopping, 409
- Movie panel
 - background color, 7–8, 64–65
 - movie dimensions, 65–66
 - overview, 40
- MovieClip methods and properties, 388–391, H-1–H-3
- movies. *See also* projects; sprites; SWF (Shockwave Flash) movie files
 - adding JavaScript, 426
 - archiving, 435–436
 - audience for, defining, 49–50
 - changing properties, 7–8
 - common methods, 393–394

Continued

movies (*continued*)

- controlling behavior with scripts, 414–416
- designing, 50–54
- dimensions, setting, 65–66
- export options, 449–451
- exporting, 22, 455–476
- exporting Web page with, 22, 460–461
- loading movie level actions, 412–413
- loading movies, 409
- methods of controlling, 3–4
- optimizing, 440–452
- options, setting, 64–71
- PHP with, F-7–F-9
- pre-start checklist, 54–57
- properties and methods for preloading, 505
- purpose for, defining, 47–48
- reports, 437–440
- saving, 61–64
- screen resolution for, 67–69
- starting, 57–61
- stopping playback, 70–71
- technical considerations, 50
- testing, 21–22, 433–434
- unloading movie level actions, 412–413
- unloading movies, 410, 411–412
- XML data in, G-3–G-5
- moving objects. *See* positioning
- MP3 files, 238–239, 245. *See also* sound files
- MS Video 1 codec, 470
- music files. *See* sound files

N

naming

- buttons, 349
- effects, 270
- Flash versus SWiSHmax and, 385
- hierarchical object names, 341–342, 407
- project files, 56
- shapes, 96
- sprites, 328
- static text, 227
- navigation for Web site, 542, 543–544, 547–548
- nested animations. *See* sprites

news scroller

- creating the scroll, 533–535
- hotspots, 534–535
- loading the text file, 537
- opening sequence, 535–536
- placeholder, 528, 533

O

- objects. *See also* images; shapes
 - adding effects, 257–258
 - adding strokes, 153–155
 - breaking into pieces, 256–257
 - for circular preloader, 513–514
 - common methods, 393–394
 - complex, 94, 254–257
 - content object description, 52–54
 - converting to buttons, 347–348
 - converting to sprites, 326
 - creating, 10–13
 - defined, 370
 - grouping as a button, 347
 - grouping as a sprite, 324–326
 - removing from stage, 85–86
 - removing when not visible, 442, 457
 - replacing with changed version, 91–92
 - in Script Syntax menu, 407
 - timing appearance of, 85–86
 - types of, 4
- One off effects, 641–642
- onRelease event for effects, 498
- opacity. *See* transparency
- opening. *See* starting
- opening animations. *See also* preloaders
 - news scroller sequence, 535–536
 - for Web site movie, 542
- operators, 370, 407–408
- optimizing movies
 - choosing efficient settings, 440–441
 - compressing files, 444, 447–449
 - defined, 440
 - effects, 443
 - export settings, 449–452
 - images, 446–452
 - preload options, 445–446
 - savings from, 440

- sound files, 443–444
- structuring the movie, 441–442
- text considerations, 442
- optimizing raster images, 171–172
- Options tools, 128–135. *See also specific tools*
- organizational chart, 52
- Outline panel
 - active scene and element in, 76
 - adding event handlers from, 396–397
 - hierarchy in, 78–79
 - icons, 78
 - overview, 37, 76–77
 - stacking order in, 9, 80–82
 - thumbnails in, 77–78
 - Timeline and, 37, 77
- Over state. *See* states of buttons

P

- Pan tool, 105
- Panels menu
 - Guides command, 108
 - overview, 31, 614
 - _parent hierarchical name, 341–342, 372, 392
- paths. *See also* line segments; shapes
 - defined, 103
 - drawing with Bézier tool, 102–104
 - manipulating, 115–125
- PDF documents, SWF movies in, 489–490
- Pencil tool, 102
- performance
 - Debugging log and, 374–375
 - optimizing movies, 440–452
- perspective, camera and, 292, 293–294
- photos. *See* images
- PHP (PHP: Hypertext Preprocessor)
 - application server for, F-2
 - basic syntax and rules, F-3–F-4
 - building a Web page, F-9
 - checking form field content, F-12
 - conditional statements, F-10–F-12
 - for e-mail form, 546–547
 - functions, F-12–F-13

- further information, F-6
 - line break tags, 566
 - overview, F-1–F-2
 - requirements for scripting, F-2–F-3
 - script for order processing, 560–561
 - using with a movie, F-7–F-9
 - variables, F-4–F-6, F-8
 - physics properties, 427–429, 459
 - pictures. *See* images
 - pixel fonts, 219. *See also* fonts
 - Place effect, 85, 259–262, 562–563
 - Place effects category. *See also* effects
 - Move effect, 259, 262–266
 - overview, 254, 259–260
 - Place effect, 85, 259–262, 562–563
 - Remove effect, 85–86, 259, 260
 - table summarizing, 623
 - placeholders for Web site, 528
 - playing. *See also* previewing; viewing
 - effects, 258
 - movies in Web browser, 22
 - sound files, 10, 242–243
 - sprites, 333
 - stopping movie playback, 70–71
 - SWiSHstudio playback control, E-12–E-13
 - `playSound()` action, 243, 246–248
 - Pocket PCs, Flash Player versions and, 456
 - Point of Origin, 292
 - Polygon tool, 100
 - portability of preloaders, 509–510
 - positioning. *See also* aligning objects
 - anchor points for, 126–128
 - Authoried effects, 289–290
 - camera for effects, 295
 - effects, 258
 - gradient fills, 164
 - guides and grid for, 107–112
 - image fills, 188
 - Move effect for, 259, 262–266
 - objects numerically, 128
 - restoring object position on Timeline, 278–279
 - shapes precisely, 13
 - snap options for, 111–112
 - SWiSHstudio settings for, E-11
 - Transform panel for, 125
 - PowerPoint (Microsoft)
 - embedding SWF movies in, 486–488
 - restarting SWF movies in, 488–489
 - Preferences dialog box
 - for adjustment handle color, 118
 - for Debugging log, 374–375
 - for effects, 271–272
 - for movie loading, 587
 - for scripts, 373–374
 - for startup menu, 61, 62
 - for thumbnails, 77
 - PreloadContent action, 399
 - preloaders. *See also* preloading
 - circular, 513–517
 - event handler for, 509
 - external, with destination sprites, 521–523
 - making accurate, 510–512
 - making portable, 509–510
 - for multiple external movies, 523–524
 - progress bar for, 510–512
 - properties and methods for, 505
 - simple example, 506–508
 - for single external movie, 517–521
 - for SWiSHstudio autorun CD, E-20–E-21
 - for Web site interface, 540–541
 - preloading. *See also* preloaders
 - external movies, 517–524
 - options for, 245, 444–446
 - report information about, 439
 - sound files, 245
 - Preview Frame mode, 262–263
 - previewing. *See also* playing; viewing
 - animations in progress, 16
 - completed movie, 21–22
 - effects, 258, 270
 - files before importing, 87, 88
 - process flowchart, 52, 53
 - progress bar for preloaders, 510–512
 - Project menu (SWiSHstudio), E-3
 - projectors (self-playing movies)
 - auto run CD for, 473–474
 - exporting, 472
 - importing Flash Projector files, 212
 - supplying information for, 473–474
 - SWiSHstudio project, E-18–E-19
 - projects. *See also* movies; SWiSHstudio projects; *specific projects*
 - adding event handlers, 396–398
 - audience for, defining, 49–50
 - choosing image type for, 167–170
 - cleaning up, 89–90
 - designing, 50–54
 - importing project files, 210–211
 - pre-start checklist, 54–57
 - purpose for, defining, 47–48
 - saving, 7, 13, 61–64
 - saving colors for, 149
 - starting a new project, 7–8
 - technical considerations, 50
 - Properties for Sound dialog box, 10
 - properties of objects
 - defined, 370
 - MovieClip objects, 388–391, H-1–H-3
 - physics properties, 427–429, 459
 - preloading and, 505
 - script objects, 391–392
 - text field properties, 392–393
 - pseudocode, 394–395
- ## Q
- quality
 - of AVI video compression, 469
 - defining for images and shapes, 451–452
 - frame rate and playback quality, 69, 70
 - HTML export option, 463
 - QuickStart project. *See* logo project
- ## R
- raster images. *See also* images
 - file formats, 167
 - formats supported by SWiSHmax, 170
 - importing, 173
 - modifying appearance, 178–182
 - optimizing, 171–172
 - properties, 177–182

Continued

- raster images (*continued*)
 - resizing, 177–178
 - rotating, 178
 - skewing, 178
 - vector images versus, 167–169
 - Rectangle tool, 96–97
 - Red/Green/Blue (RGB) color, 141–142, 146
 - Red/Green/Blue/Alpha (RGBA) color, 142, 151
 - relativity options for aligning objects, 137–138
 - reloading images, 91–92
 - Remove effect, 85–86, 259, 260, 562–563
 - removing or deleting. *See also* unloading
 - effects, 259
 - events and actions from Script panel, 376
 - files used in movies and, 90
 - guide lines, 109
 - object from stage, 85–86
 - objects not visible, 442, 457
 - unused objects, 89–90
 - vertices, 120
 - renaming. *See* naming
 - Repeat Frames effect, 276–278, 624
 - replacing
 - effects, 259
 - object with changed version, 91–92
 - sprite instances, 336
 - reports
 - reading, 437–440
 - viewing for movies, 70–71
 - Reshape tool, 115, 116
 - reshaping
 - AutoShapes, 98–101, 115–125
 - images, 175
 - Resize tool, 128, 129–130
 - resizing. *See also* scaling
 - Align panel for, 139
 - AVI video when exporting, 468–469
 - fills, 163
 - frames, 441
 - image optimization, 446
 - maintaining aspect ratio, 130
 - matching image size to project, 170
 - movie dimensions, 65–66
 - optimizing raster images, 171–172
 - raster images, 177–178
 - Resize tool for, 128, 129–130
 - Scale tool for, 128, 129–130
 - screen resolution for movies, 67–69
 - shapes precisely, 13
 - sprites, 333
 - stage, 66
 - SWiSHstudio output window, E-11
 - text, 232
 - text margins, 223
 - text object dimensions, 221–224
 - Transform panel for, 130–131
 - vector versus raster images and, 168
 - resolution
 - changing for raster images, 180
 - of images, matching to project, 170
 - screen, 67–69
 - Return to Start effects, 643–648
 - reusing
 - effects, 259
 - material in movies, 54–56
 - sprites, 441
 - Transform panel settings, 133
 - Revert effect, 278–279, 624
 - RGB (Red/Green/Blue) color, 141–142, 146
 - RGBA (Red/Green/Blue/Alpha) color, 142, 151
 - _root hierarchical name, 341, 372, 392
 - Rotate/Skew tool, 129, 131–132
 - rotating
 - Authored effects, 289–290
 - based on anchor points, 133–134
 - camera for effects, 294
 - changing text direction, 225
 - circular preloader, 513–517
 - gradient fills, 164
 - image fills, 183–184, 188–189
 - raster images, 178
 - Rotate/Skew tool for, 131–132
 - sprites, 333
 - text, 232
 - 3D Spin effect for, 309–310
 - Transform panel for, 132–133
 - Vortex effect for, 311–312
 - Rounded button tool, 101
 - Rounded rectangle tool, 98
 - rulers, displaying, 108, 110
- ## S
- sample rate for sounds, 237–238
 - sampling color from scene, 148
 - saturation, changing for raster images, 180
 - saving
 - colors for projects, 149
 - effect settings, 270
 - effects files, 280–281
 - file as template, 63
 - new movie or project, 62–63
 - projects, 7, 13, 61–64
 - .sbk files, 10
 - Scale tool, 128, 129–130
 - scaling. *See also* resizing
 - Authored effects, 289–290
 - HTML export option for, 463
 - Scale tool for, 128, 129–130
 - sprites, 333
 - text, 232
 - Transform panel for, 130–131
 - Scene panel, 41
 - scenes
 - adding new blank scene, 78
 - changing Timelines within, 83
 - export options, 449–451
 - importing SWF files as, 197–198
 - importing SWF movies containing, 201–202
 - movie size and, 441
 - moving between, in Timeline, 82–83
 - report information about, 439
 - sampling color from, 148
 - stacking order, 80–82
 - screen resolution for movie, 67–69
 - screensaver project (SWiSHstudio), E-17–E-18
 - script objects
 - defined, 387–388
 - properties, 391–392
 - text field properties, 392–393
 - Script panel. *See also* scripts; SWiSHscript language
 - Expert mode scripting, 377–378

- Guided mode scripting, 376–377
 - options on Script tab, 375–376
 - preferences, 373–374
 - Target field, 387–388
 - Script Syntax menu, 407
 - scripts. *See also* actions; events;
 - PHP (PHP: Hypertext Preprocessor); SWiSHscript language
 - actions included from Flash MX 2004, 203
 - allowing access in SWF code, 465
 - for buttons, 361–366
 - calculation scripts, 556, 560
 - for checking loaded variables, 581–582
 - for circular preloader sprite, 516–517
 - comments for, 384–385
 - controlling movie behavior, 414–416
 - for daily horoscope project, 580, 581–582, 584–586
 - Debugging log for, 374–375
 - error handling, 383–384
 - Expert mode scripting, 377–378
 - export options, 459–460
 - for external movie loaders, 518–521, 522–523, 524
 - Guided mode scripting, 376–377
 - for image gallery project, 571–575
 - importing SWF movies
 - containing, 202–208
 - for loader sprite, 521–523
 - for loading external text file, 537
 - order of operations, 408
 - for preloader portability, 510
 - for preloader progress bar, 511–512
 - for shopping cart buttons, 557–558
 - for shopping cart sprite, 555–558
 - for simple preloader, 507
 - testing, 378–385, 556–557
 - Trace action and, 381–383
 - for Web site interface preloader, 540–542
- scrollers
- for image gallery, 571–572, 575–576
 - news scroller, 533–537
- Select tool, 95
- selecting objects, 95
- self events, 400–401
- self-playing movies. *See* projectors
- semicolon (;) in SWiSHscript syntax, 372
- sending e-mail, 427
- SetLabel action, 398–399
- Settings dialog box for effects. *See* Effect Settings dialog box
- shapes. *See also* line segments; paths
- adding strokes, 153–155
 - adjustment handles, 115–118
 - breaking into numerous sections, 125
 - breaking text into multiple, 235–236, 442
 - changing text into, 234–235
 - colors for, 12
 - defined, 4, 94
 - defining quality of, 451–452
 - drawing basic shapes, 95–97
 - drawing free-form shapes, 102–104
 - drawing with AutoShape tool, 11–12, 97–98
 - filling, 156–164
 - geometric versus free-form, 95
 - grouping, 139–140
 - hotspots for, 531–533
 - naming, 96
 - open versus closed, 94
 - positioning, 13
 - reshaping AutoShapes, 98–101, 115–125
 - resizing, 13
 - selecting, 95
 - simple versus complex, 4, 94–95
 - slicing, 122–125
 - ungrouping, 116, 140
 - vertices, 118–122
- Sharpen vertex, 119
- Shockwave Flash movies. *See* SWF movie files
- shopping cart project
- basic movie, 552
 - buttons, 553–554, 557–558, 563, 564–565
 - container sprite, 552–553
 - effects, 562–563
 - exporting, 566
 - further possibilities, 566
 - grand total calculation, 559–560
 - labels and actions, 562
 - order processing, 560–561
 - PHP script, 560–561
 - product sprites, 552–559
 - requirements, 551
 - scripting the sprite, 555–558
 - sprite construction, 552–554, 558–559
 - submitting the order, 561–565
 - testing the script, 556–557
 - text for sprite, 554
- shortcut keys. *See* Accelerator keys
- simple preloader, 506–508
- simple text menu, 495–496
- sizing. *See* resizing
- skewing
- gradient fills, 164
 - image fills, 183–184, 188–189
 - raster images, 178
 - Rotate/Skew tool for, 131–132
 - sprites, 333
 - text, 232
 - Transform panel for, 132–133
- slicing shapes, 122–125
- Slide effects, 273–274
- Smooth vertex, 118, 119
- Snake effects, 305–307
- snap options, 111–112
- Snap tools, 111
- sound actions, 363–364, 424
- Sound Effect dialog box, 246–248
- sound files
- adding to SWiSHstudio project, E-8–E-9
 - applying effects to, 246–248
 - audio characteristics, 237–238
 - compressed versus uncompressed, 239
 - compressing, 444
 - encoder selection, 242
 - export settings, 245–246, 449
 - formats, 238–239
 - importing as actions, 239–240
 - importing for later use, 241
 - importing soundtracks, 240–241
 - Internet resources, 598
 - looping, 245, 248, 249
 - modifying, 244
 - pausing music using sprite, 240
 - planning your movie and, 243
 - playing, 10, 242–243

Continued

- sound files (*continued*)
 - playSound() action for, 243
 - Preload options, 245
 - properties, 244–246
 - reducing size of, 443–444
 - stacking order and, 9
- space
 - Move effect and, 264–265
 - SWiSHmax animation and, 75–76
- special characters, 220–221
- speed. *See also* frame rate; performance
 - Authored effect settings, 288–289
 - for Move effect, 264–265
- sprite actions, 420–422
- sprites
 - blank, creating, 327
 - blank, working with, 334
 - in buttons, 356–357
 - changing Timeline for, 83
 - common methods, 393–394
 - converting content to, 326
 - copies, 334, 337–338
 - creating, 323–327
 - for daily horoscope project, 578
 - defined, 323
 - dynamic menu using copies, 496–497
 - editing on Layout panel, 328–332
 - editing sprite objects, 333
 - effects and, 333
 - for external movie loader, 521–523
 - grouping content as, 324–326
 - within groups, 325–326
 - hierarchical names and, 341–342
 - for image gallery project, 569–575
 - importing sprite content, 326–327
 - importing SWF files as, 196–197
 - instances of, 334–337
 - layout view, 330–333
 - loading and unloading, 410
 - masking objects using, 328, 338–340, 515–516, 570–571
 - methods for adding to movies, 324
 - moving to stage, 330
 - news sprite, 533, 534–535
 - pausing music using, 240
 - playing, 333
 - for preloaders, 508, 510, 515–517
 - product sprites for shopping cart, 552–559
 - properties and methods for preloading, 505
 - restoring individual objects, 324
 - reusing, 441
 - setting characteristics of, 328–329
 - as targeted objects, 340–341
- Squeeze effects, 302–303
- stacking order, 9–10, 80–82, 328
- stage
 - aligning objects relative to, 15, 137–138
 - defined, 38
 - moving sprites to, 330
 - organizing objects on, 135–139
 - removing object from, 85–86
 - removing off-stage objects, 442, 457
 - resizing, 66
 - SWF movies in Flash and, 482
 - viewing drawings on, 105–107
- Standard toolbar, 33, 61, 615–616
- standards, Web sites for, 598–599
- Star tool, 99–100
- starting. *See also* loading
 - effects, settings for, 297
 - existing movie, 59–60
 - new empty movie, 58
 - new movie from template, 58–59, 63–64
 - new project, 7–8
 - new Web site, 527–529
 - options for, 57–58, 60–61, 62
 - restarting SWF movies in PowerPoint, 488–489
 - resuming work on last movie, 60
- startup menu dialog box, 60–61
- statements, 370, 422–423
- states of buttons
 - button events for, 360–363
 - defining, 348–350
 - disjointed rollovers and, 359
 - overview, 345–346
 - sprites in buttons and, 356–357
 - testing buttons and, 355
 - transforming button content, 353–354
 - working with, 350–353
- static text, 215, 227–228. *See also* text
- stopping
 - effect playback, 270
 - movie control actions for, 409
 - movie playback, 70–71
- storyboarding, 54, 55
- strokes, 153–155
- substituting code, 498
- swapping. *See* replacing
- SWF (Shockwave Flash) movie files. *See also* importing SWF files
 - in Acrobat, 489–490
 - defined, 4
 - in Dreamweaver, 482–484
 - export options, 457–458
 - export versions, 456
 - exporting movies, 456
 - in Flash MX 2004, 477–482
 - frame rate and size of, 70
 - in FrontPage, 484–485
 - in PowerPoint, 486–489
 - script settings for version 4, 460
- SWiSHscript language. *See also* actions; events; Script panel; scripts
 - ActionScript versus, 385
 - as ECMA-compliant, 371
 - functions, 370, 407, 416–419
 - hierarchical object names, 341–342
 - keywords, 372–373
 - overview, 369–371
 - syntax rules, 371–372
 - variables, 403
- SWiSHstudio projects
 - adding audio, E-8–E-9
 - autorun CD publication, E-19–E-21
 - basic process, E-1–E-2
 - complex publications, E-21–E-22
 - defining dependencies, E-23–E-24
 - fscommand() options, E-24
 - importing content, E-6–E-7
 - Menus and About option, E-13–E-14
 - modifying run times, E-22
 - mouse and keyboard options, E-12

V

variables

- arrays for, 582–586
- checking for loaded variables, 581–582
- for custom effects, 316–318
- for daily horoscope project, 580–582
- data types, 403
- defined, 370, 403
- loading content based on, 410, 413–414
- PHP, F-4–F-6, F-8
- for shopping cart sprite, 555
- using in SWiSHscript, 403

vector images. *See also* images

- formats supported by SWiSHmax, 170
- importing, 174
- preparing for movies, 172–173
- raster images versus, 167–169
- ungrouping, 174

vertices

- adding, 120–121
- changing types, 119–120
- line segment characteristics and, 121–122
- removing, 120
- types of, 118–119

video. *See* AVI video

Video 1 codec (Microsoft), 470

View menu

- Accelerator keys, 620
- overview, 28–29, 605–607
- Show Rulers command, 108
- Toolbars command, 41

View tools, 106–107

viewing. *See also* playing;

- previewing
- effects folder, 270
- guides, 108–109
- movie elements in panels, 37–41

- movie report, 70–71
- object properties in Content panel, 90–91
- SWF movies in Acrobat, 489–490
- testing completed movie, 21–22
- text formatting, 221
- thumbnails in Outline panel, 77–78
- tools for changing views, 105–107

Vortex effect, 311–312

W

Watermark option (SWiSHstudio), E-15–E-17

WAV audio files, 238. *See also* sound files

Wave effects

- 3D Wave, 310–311
- Wave (2D), 312–314

Web browser

- `fscommand()` for, 425–426
- loading a Web page, 424–425
- playing movies in, 22

Web pages. *See also* Internet resources

- building in PHP, F-9
- exporting movie with, 22, 460–461
- Flash versus SWiSHmax and, 385
- loading into target frame of browser, 424–425

Web site interface project

- buttons, 529–531
- content pages, 542–547
- content window, 539
- feature section, 537–539
- header and footer, 539–540
- hotspots, 531–533, 534–535, 547–548
- menu bar, 529–533
- navigation, 542, 543–544, 547–548

- news scroller, 533–537
- opening animation for movie, 542
- placeholders, 528
- preloader, 540–541
- starting the site, 527–529

Web-safe colors, 141, 144, 147–148

Wells, Rob (contributor), 551, 593

window styles (SWiSHstudio), E-9–E-11

Windows Color dialog box

- selecting colors, 149–151
- transparency settings, 152–153

X

XML (eXtensible Markup Language)

- menus
- action attributes, G-2
- adding a follower, G-12–G-13
- basic document, G-1–G-2
- building the menu structure, G-5–G-6
- expanding the menus, G-11–G-13
- multilevel drop-down menus, G-12
- with revised sprite, G-7–G-11
- using XML data in SWiSHmax movies, G-3–G-5

Z

Zoom effects, 273, 624

Zoom Factor tool, 107

Zoom 100% tool, 107

Zoom tool, 105–106

zooming

- camera for effects, 294–295
- effects for, 273, 624
- tools for, 105–106, 107
- vector versus raster images and, 168–169