

# Index

---

## • A •

access, 239  
access cost, 239  
action plan, 178–180  
add-on charges  
  about, 239  
  cost management, 156–157  
adding MAC, 250  
adding VoIP  
  broadband, 96  
  wireless networking, 122–123  
advanced hard phones, 144  
Alcatel, 227, 229  
analog  
  about, 239  
  VoIP, 24–25  
analog modulation, 22–23  
analog phones, 25  
analog telephone circuits, 22–23  
annualized financial analysis, 197  
application layers  
  about, 18–19, 239  
  TCP/IP, 17  
area code, 26, 239  
assumptions, 3–4  
asymmetric transmission  
  about, 240  
  broadband, 94  
asynchronous transfer mode (ATM),  
  73–74  
ATM (asynchronous transfer mode),  
  73–74  
AT&T, 236  
attenuation, signal, 91  
Avaya, 227, 228

Avaya MultiVantage Communications  
  Applications suite, 228  
Axxess, Inter-Tel, 232

## • B •

B channel, 240  
bandwidth  
  about, 240  
  allocation, 240  
  cost management, 170–171  
  dedicated transports, 106  
  home VoIP, 219  
  switching reasons, 215–216  
bandwidth on demand, 170–171  
basic hard phones, 143  
basic rate interface (BRI)  
  about, 240  
  PSTN, 83  
Bell, Alexander Graham, 21–22  
BellSouth, 236  
billing  
  home VoIP, 218  
  single-location companies, 189  
bottom-line analysis, multiple  
  locations, 185  
BRI (basic rate interface)  
  about, 240  
  PSTN, 83  
broadband  
  about, 93, 240  
  adding VoIP, 96  
  asymmetric transmission, 94  
  cable modem, 95–100  
  cable modem setup, 96–98

broadband (*continued*)

cable modem troubleshooting, 98–99

HFC CSI, 95–100

market, 95

network contention, 98–99

network failure, 99

symmetric transmission, 94

television, 95–96

transmission methods, 94–95

users, 95

## • C •

cable modems

about, 93, 95, 100

setup, 96–98

troubleshooting, 98–99

call control

about, 241

PSTN, 87–88

call features, 145

call forwarding, 241

call interception myth, 224

call setup, 86

call support, single-location companies,  
193–194

call tear down, 87

call transfer, 241

caller, 19

calling feature, 241

Carnivore, 224

carrier service providers. *See* carriers

carrier services company. *See* carriers

carrier services infrastructure (CSI)

about, 65, 76–78, 241, 242

DS dedicated, 64, 67, 69–72

HFC CSI, 95–100

HFC dedicated, 64

HFC hybrid fiber-coaxial CSI, 75

optical carrier, 72–74

OS dedicated, 64

PSTN switched, 64, 67–69

switched, 64

wireless, 75–76

carriers

about, 241

home VoIP, 217–218

case studies

cost management, 166–168

savings, 56–59

Central Office Exchange, 241

Centrex

about, 241

cost management, 159, 162–163

telephony model, 34–36

changing MAC, 250

channelizable, 170

channelization, 241

channels

about, 29

B channel, 240

D channel, 242

charges

about, 41

network access, 42–43

recurring costs, 54–55

savings, 52–55

service categories, 43–52

toll-bypass, 54

circuit-switched

about, 29

locations, 184–185

circuit-switched networks, 27–28

circuit-switched telephone service,  
12, 24, 242

Cisco Systems, 227, 228

CLEC (competitive local exchange  
carrier), 235, 242

codec, 23, 24

coder-decoder, 23

Comcast, 236

company use, cost management, 158–162

comparison costs, 201–204

competitive local exchange carrier  
(CLEC), 235, 242

- compression
  - about, 242
  - poor, 90–91
- computers
  - portable, 148–149
  - soft phones, 147
  - stationary, 148
- consumers
  - about, 2
  - VoIP, 79–80
- contention, 70
- contention-based networks, 98–99
- contracts, single-location companies, 188–189
- convergence
  - about, 242
  - cost management, 166
- converging networks, 38–39
- conversions, single-location companies, 193
- convincing management, cost management, 168–169
- corporate sector, VoIP, 79
- corporate users, 2
- cost
  - dedicated transports, 106–108
  - features, 244
  - virtual private network, 137, 139
  - VoIP over DSL transport, 86
- cost management
  - about, 155
  - adding costs, 171
  - add-on charges, 156–157
  - bandwidth, 170–171
  - case study, 166–168
  - Centrex, 159, 162–163
  - changing costs, 171
  - channelizable, 170
  - company use, 158–162
  - convergence, 166
  - convincing management, 168–169
  - deregulating, 157
  - eliminating charges, 155–158
  - eliminating phone lines, 156
  - free call features, 157–158
  - future needs, 170
  - integrated networking, 166
  - interstate access surcharge, 157
  - KTS, 159, 164
  - level three switches, 170
  - moving costs, 171
  - PBX, 159, 165–166
  - POTS, 158–161
  - reducing phone lines, 156
  - scalability, 171
  - taxes, 156–157
  - telecommunications relay surcharge, 157
  - transitions, 169–170
  - unified networks, 166–168
  - universal service fund, 157
- cost-effective designs, 205–206
- costs
  - about, 199
  - comparisons, 201–204
  - cost-effective designs, 205–206
  - evaluating, 199–204
  - gathering cost data, 200–201
  - hardware, 203
  - investments, 204–205
  - keeping current technology, 207–208
  - personnel, 204
  - recurring usage charges, 203
  - support, 206–207
  - switching reason, 212–213, 216
  - transport lines, 202
  - uninterruptible power supply (UPS), 203
- CSI (carrier services infrastructure)
  - about, 64–65, 241, 242
  - DS dedicated, 64, 67, 69–72
  - HFC dedicated, 64
  - HFC hybrid fiber-coaxial CSI, 75
  - optical carrier, 72–74

CSI (carrier services infrastructure)

*(continued)*

OS dedicated, 64

PSTN switched, 64, 67–69

switched, 64

wireless CSI, 75–76



D channel, 242

data, gathering cost, 200–201

data network standards, 73

decisions, single-location companies,  
187–189

dedicated, 29

dedicated access, 242

dedicated carrier services network, 29

dedicated networks, 29–30, 243

dedicated transports

about, 105

bandwidth, 106

cost, 106–108

dedicating channels to  
applications, 114

DS transports, 109–110

DS0, 114

dynamic bandwidth allocation, 114–115

high-quality calls, 109

managing bandwidth, 113–115

network convergence, 111–113

OC transports, 11

speed, 106

switched lines, 116–117

switched networks, 111–113

T1 line, 110

T3 line, 110

dedicating channels to applications, 114

delays

about, 243

PSTN, 88–89

dense wave division multiplexing  
(DWDM), 243

deregulation, cost management, 157

digital

about, 243

VoIP, 24–25

digital networking, 22

digital phones, 25

digital service carrier service  
infrastructure, 69

digital service (DS)

about, 243

dedicated CSI, 64, 67, 69–72

networks, 29–32

digital services carrier network, 28–29

digital signal carrier network, 28–29

digital subscriber line (DSL)

about, 93, 243

transport, PSTN, 85–86

VoIP through, 100–104

digital telephony

about, 25–29, 243

area code, 26

PSTN, 25–29

directory feature, hard phones, 146

DIRECTV Group, 236

downtime, multiple locations, 182

DS (digital service)

about, 243

dedicated CSI, 64, 67, 69–72

networks, 29–32

DS0, 29, 114, 243

DS3, 243

DSI, 243

DSL (digital subscriber line)

about, 93, 243

transport, PSTN, 85–86

VoIP through DSL connection, 100–104

DWDM (dense wave division

multiplexing), 243

dynamic bandwidth allocation, 114–115

dynamic channel allocation, 66

dynamically, 170

**• E •**

edge devices, 14–15  
effects, multiple locations, 182–185  
eliminated toll service charges, home  
    VoIP, 218  
eliminating charges, cost management,  
    155–158  
eliminating phone lines, cost  
    management, 156  
emergency services  
    surcharges, 156  
    switched lines, 117  
encapsulation, 14, 244  
encryption, 244  
enhanced Internet access, home  
    VoIP, 219  
enhanced network management,  
    switching reason, 214  
E911, 244  
Enterprise IP Telephony, 227  
errors, PSTN, 88–89  
Ethernet  
    about, 74, 244  
    LANs, 70  
    networking, 120  
evaluating costs, 199–204  
exclusivity, 106  
existing networks  
    locations, 174–177  
    single-location companies, 190–192  
expensive features myth, 225–226  
extensibility, 244  
external calls, 14–15

**• F •**

FBI, 224  
FCC (Federal Communications  
    Commission), 43

features  
    availability, 212  
    cost, 244  
    hard phones, 144–146  
    soft phones, 149  
Federal Communications Commission  
    (FCC), 43  
federal taxes, 156  
fiber optic, 245  
fiber to the home (FTTH), 99  
fiber-optic cabling systems, 73  
financial analysis, single-location  
    companies, 196–197  
firewalls  
    about, 245  
    consumer VoIP, 135  
    Internet, 134–137  
    packet filter, 135  
    proxy server, 136  
    stateful event monitor (SEM), 136–137  
flexibility  
    switching reasons, 214  
    VoIP (voice over Internet protocol),  
        15–16  
foundation network, 202  
frame relay, 70  
frames, 70, 245. *See also* MAC  
free call features, cost management,  
    157–158  
free local service, home VoIP, 218  
FTTH (fiber to the home), 99  
future needs, cost management, 170

**• G •**

Gartner, 227  
gateway, 245  
gathering cost data, 200–201  
graphical user interface (GUI), 149

## • H •

hard phones  
 about, 142–143, 245  
 advanced, 144  
 basic, 143  
 directory feature, 146  
 features, 144–146  
 intermediate, 144  
 phone feature, 246  
 Web access, 146

hardware costs, 203

headers, TCP/IP layer, 18

HFC (hybrid fiber-coaxial)  
 about, 245  
 CSI, 75, 95–100  
 dedicated CSI, 64

high-quality calls, dedicated transports, 109

home VoIPs  
 about, 217  
 eliminated toll service charges, 218  
 enhanced Internet access, 219  
 free local service, 218  
 more bandwidth, 219  
 more ports available, 220  
 reduced international charges, 219  
 reduced toll service charges, 218  
 single bill, 218  
 single carrier, 217–218  
 videoconferencing, 220  
 wireless service, 220

hop, 245

hosted telephony, 245

hosted VoIP, 245

hosted VoIP telephony, 245

hotspots, 124

HTTP (hypertext transfer protocol), 126

hybrid fiber-coaxial CSI, 75

hybrid fiber-coaxial (HFC), 245

hypertext transfer protocol (HTTP), 126

## • I •

IEEE, 246

IEEE 802.3 standard, 246

IEEE 802.11 standard, 120–121, 246

IEEE 802.16 standard, 123–124, 246

IEEE 802.11a standard, 120

IEEE 802.11b standard, 121

IEEE 802.11g standard, 121

ILEC (incumbent local exchange carrier), 235, 242, 246. *See also* CLEC

implementing  
 multiple locations, 181–182  
 single-location companies, 192–196  
 virtual private network, 139–140

inbound calls, 112

information technology professionals, 3

in-house support, 206–207

in-state toll, 246

integrated networking, cost management, 166

integrated services digital network (ISDN), 83–85, 240, 246

interexchange carriers (IXCs), 242, 246, 248

intermediate hard phones, 144

internal calls, 14

international, 246

international charges, home VoIP, 219

Internet  
 about, 129–130, 246  
 consumer VoIP, 135  
 firewalls, 134–137  
 ISPs, 132–133  
 network options, 130–131  
 protocol layers, 133–134  
 virtual private network, 137–140  
 VoIP, 78–79

Internet Engineering Task Force, 140

Internet Protocol (IP), 247

Internet service providers (ISPs), 246

Internetwork layer, TCP/IP, 17

interoperability, 13  
interoperable telephony services, 13  
interstate access surcharge, 157  
interstate tolls, 246, 249  
intralata tolls, 247, 249, 253  
intranet, 130, 247  
intrastate tolls, 247  
Inter-Tel, 227, 232  
investments  
  costs, 204–205  
  switching reason, 213  
IP address, 247  
IP Centrex, 245, 247  
IP (Internet Protocol), 247  
IP soft phones  
  about, 247  
  pocket PCs, 122  
IP telephony (IPT), 11–12, 247  
IP-PBX, 114  
IPT (IP telephony), 11–12, 247  
ISDN (integrated services digital network)  
  about, 247  
  B channel, 240  
  transport, 83–85  
ISPs (Internet service providers), 132–133, 248  
IXCs (interexchange carriers), 242, 246, 248

## • J •

jitter, 90  
jitter buffer, 90

## • K •

keeping current technology, costs, 207–208  
key telephone system (KTS), 36–37, 159, 164, 248  
KTS (key telephone system), 36–37, 159, 164, 248

## • L •

LANs (local area networks), 12–13, 248–249  
last mile, 108, 248  
LATA (local access and transport area), 27, 248, 249  
leading edge technology, switching reason, 211–212  
LEC. *See* ILEC  
level three switches, 170  
line cost, 248  
line features, 145  
lines, 248  
  T1 lines, 110, 243  
  T3 lines, 110, 243  
  switched, 116–117  
local access and transport area (LATA), 27, 248, 249  
local area networks (LANs), 12–13, 248–249  
local calling areas, 249  
Local Exchange Carriers (LECs), 42, 242  
  *See also* ILEC  
local loops, 24, 108, 248, 249  
local service, home VoIP, 218  
local toll calling areas, 45  
local tolls, 249, 253  
local unlimited calling areas, 45  
locations. *See* multiple-location companies; single-location companies  
long distance, 249  
long-term plans, single-location companies, 189

## • M •

MAC (media access control), 13, 120, 249, 250  
maintenance, switching reason, 213–214  
MAN (metropolitan area network), 250  
management, switching reason, 213–214

- managers, 2
  - managing bandwidth, dedicated
    - transports, 113–115
  - manufacturers
    - about, 227
    - Alcatel, 227, 229
    - Avaya, 227, 228
    - Cisco Systems, 227, 228
    - Inter-Tel, 227, 232
    - Mitel, 227, 230
    - NEC, 227, 230–231
    - Nortel, 227, 230
    - Shoretel, 227, 231
    - Siemens, 227, 229
    - 3COM, 227, 231
  - market, broadband, 95
  - MCI, 73, 236
  - media access control (MAC), 13, 120, 250
  - METAspectrum, 227
  - metropolitan area network (MAN), 250
  - Microsoft Outlook, 149
  - Mitel, 227, 230
  - mobile users, 16
  - monthly recurring costs (MRCs), 250
  - moving MAC, 250
  - MRC (monthly recurring costs), 250
  - Multimedia Communication
    - Server 5100, 230
  - multiple locations, 173–174
  - multiple-location companies
    - about, 173
    - bottom-line analysis, 185
    - circuit-switched, 184–185
    - downtime, 182
    - effects, 182–185
    - existing networks, 174–177
    - implementation, 181–182
    - multiple, 173–174
    - network costs, 182–184
    - network features, 182–185
    - plan development, 177–180
    - plug-and-play, 181
  - multiplex (MUX), 110
  - MUX (multiplex), 110
  - myths
    - about, 221
    - calls can be intercepted, 224
    - expensive features, 225–226
    - 911 calls not dependable, 224–225
    - phones are pricey, 223
    - POTS is cheaper, 222
    - POTS is faster, 223
    - runs only on Internet, 222
    - service quality, 223
    - staying power, 225
    - throw out PBX phones, 226
- N ●
- narrowband, 93
  - NBX, NEC, 231
  - NEC, 227, 230–231
  - NEC Unified Solutions, 231
  - network access charges, 42–43
  - network contention, broadband, 98–99
  - network convergence, dedicated
    - transports, 111–113
  - network costs, multiple locations,
    - 182–184
  - network delay, PSTN, 90
  - network failure, broadband, 99
  - network features, 182–185, 250
  - network interface cards (NICs), 13, 250
  - network interface layer, TCP/IP, 17
  - network management system (NMS),
    - 250, 251
  - network options, Internet, 130–131
  - network timing protocol (NTP),
    - 19, 250, 251
  - networks
    - about, 14
    - costs, single-location companies, 192
    - soft phones, 147
  - Nextel Communications, 236
  - NICs (network interface cards), 250
  - 911 calls
    - about, 239
    - emergency surcharge, 156

E911, 244  
not dependable myth, 224–225  
NMS (network management system),  
250, 251  
nonconverged DS networks, 30  
nonconverged PSTN, 30  
nonintegrated networks, 32  
Nortel, 227, 230  
NPA (numbering plan area), 27–28, 251  
NTP (network timing protocol),  
19, 250, 251  
number exchange (NXX), 27–28, 251  
numbering plan area (NPA), 27–28, 251  
numbers, telephone, 24  
NXX (number exchange), 27–28, 251  
Nyquist, Harry, 23

## • O •

OC (optical carrier)  
about, 72–74  
network, 251  
transports, 11  
OC3, 251  
OC12, 251  
office savings, 53  
off-net, 251  
off-net calls, 38  
OmniPCX communications platform, 229  
on-net, 251  
optical carrier network, 251  
optical carrier (OC)  
about, 72–74  
network, 251  
transports, 11  
OS dedicated carrier services  
infrastructure (CSI), 64  
outbound calls, 112

## • P •

packet filters, 135  
packets, 252

packet-switched, 12, 29, 252  
partnering for support, 207  
payload, PSTN, 90  
PBX (private branch exchange)  
about, 252, 253  
cost management, 159, 165–166  
model, 36–37  
PDAs (personal digital assistants), 13  
person receiving VoIP, 19  
personal digital assistants (PDAs), 13  
personnel  
allocation, 215  
costs, 204  
phones. *See* telephones; VoIP phones  
physical layer  
about, 252  
TCP/IP, 17  
plain old telephone service (POTS)  
about, 22, 235, 252  
cheaper myth, 222  
cost management, 158–161  
faster myth, 223  
line costs, 33–37  
line equivalencies, 42  
lines, 252  
telephones, 252  
transport, PSTN, 82  
VoIP through DSL connection,  
101–104  
plan development  
about, 177  
action of plan, 178–180  
solution design, 177–178  
plug-and-play, 181  
point of presence (POP), 252  
poor compression, PSTN, 90–91  
POP (point of presence), 252  
port speed, 70  
portability  
switching reasons, 214  
VoIP (voice over Internet protocol), 13

- portable computers, 148–149
- ports available, home VoIP, 220
- POTS (plain old telephone service)
  - about, 22, 235, 252
  - cheaper myth, 222
  - cost management, 158–161
  - faster myth, 223
  - line costs, 33–37
  - line equivalencies, 42
  - lines, 252
  - telephones, 252
  - transport, PSTN, 82
  - VoIP through DSL connection,
    - 101, 103–104
- presence, 252
- PRI (primary rate interface)
  - about, 253
  - lines, 193–194
  - PSTN, 83–85
- primary rate interface (PRI)
  - about, 253
  - lines, 193–194
  - PSTN, 83–85
- privacy, 224
- private branch exchange (PBX)
  - about, 252–253
  - cost management, 159, 165–166
  - model, 36–37
- private dedicated transport network, 29
- private DS, 29
- private line networks, 106
- private line service, 66
- private networks, 29–32, 106
- private systems versus VoIP telephony,
  - 37–38
- private telephone systems, 33–37
- productivity applications, switching
  - reason, 215
- protocol layers, 133–134
- protocols, 11, 17
- proxy server, firewall, 136
- PST-VoIP baseline, PSTN, 82
- PSTN (public switched telephone network)
  - about, 12, 22, 24, 81, 240, 253
  - baseline, 253
  - BRI, 83
  - call control, 86–89
  - call control and VoIP, 87–88
  - delays and errors, 88–89
  - digital telephony, 25–29
  - DSL transport, 85–86
  - gateway, 253
  - ISDN transport, 83–85
  - jitter, 90
  - network delay, 90
  - networks, 29–32
  - payload, 90
  - poor compression, 90–91
  - POTS transport, 82
  - PRI, 83–85
  - PST-VoIP baseline, 82
  - quality, 89–91
  - service level agreement, 91
  - signal attenuation, 91
  - signaling system 7 (SS7), 87
  - switched CSI, 64, 67–69
  - VoIP support, 81–86
- public networks, 29–32
- public switched telephone network (PSTN)
  - about, 12, 22, 24, 81, 240, 253
  - BRI, 83
  - call control, 86–89
  - call control and VoIP, 87–88
  - delays and errors, 88–89
  - digital telephony, 25–29
  - DSL transport, 85–86
  - gateway, 253
  - ISDN transport, 83–85
  - jitter, 90
  - network delay, 90
  - networks, 29–32
  - payload, 90

poor compression, 90–91  
POTS transport, 82  
PRI, 83–85  
PST-VoIP baseline, 82  
quality, 89–91  
service level agreement, 91  
signal attenuation, 91  
signaling system 7 (SS7), 87  
switched CSI, 64, 67–69  
VoIP support, 81–86  
public telephone network, 29

## • Q •

quality, PSTN, 89–91  
Qwest Communications, 236

## • R •

real-time network management, 109  
real-time transport control protocol (RTCP), 19, 253–254  
real-time transport protocol (RTP), 19, 253–254  
real-time videoconferencing networks, 19  
recurring costs, 54–55  
recurring usage charges, 203  
reduced international charges, home VoIP, 219  
reducing phone lines, 156  
regional tolls, 249, 253  
regulatory fees, 239, 254  
ring topology, 99  
RJ-11, 143  
RJ-45 connector, 142–143  
RJ-45 LAN interface port, 245  
routers, 254  
routing calls from area code to area code, 26–27  
RTCP (real-time transport control protocol), 254  
RTP (real-time transport protocol), 19, 253, 254  
runs only on Internet myth, 222

## • S •

savings  
  case study, 56–59  
  charges, 52–55  
  single-location companies, 195–196  
SBC Communications, 236  
scalability, 171, 254  
SEM (stateful event monitor) firewalls, 136–137  
servers, 13  
service categories  
  about, 51–52  
  charges, 43–52  
  international, 43, 50–52  
  interstate, 43, 49–50  
  intralata, 43–48  
  intrastate, 43–45, 48–52  
  local, 43–52  
service level agreement, PSTN, 91  
service quality myth, 223  
session initiation protocol (SIP), 126, 127, 254  
setup VoIP through DSL connection, 102–103  
Shannon, Claude, 23  
Shoretel, 227, 231  
Siemens, 227, 229  
signal attenuation, PSTN, 91  
signaling system 7(SS7), 87, 254  
single bill, home VoIP, 218  
single carrier, home VoIP, 217–218  
single-location companies  
  about, 187  
  billing, 189  
  call support, 193–194  
  contracts, 188–189  
  conversions, 193  
  decisions, 187–189  
  existing networks, 190–192  
  financial analysis, 196–197

- single-location companies (*continued*)
  - implementing, 192–196
  - long-term plans, 189
  - networking costs, 192
  - PRI lines, 193–194
  - savings, 195–196
- SIP (session initiation protocol), 126–127, 254
- slamming, 50
- soft phones
  - about, 16, 146, 254
  - computers, 147
  - features, 149
  - network, 147
  - portable computers, 148–149
  - software, 147
  - stationary computers, 148
- software, soft phones, 147
- solution design, plan development, 177–178
- speed, dedicated transports, 106
- splitter, 254
- Sprint, 236
- SS7 (signaling system 7), 87, 254
- standards
  - IEEE 802.3 standard, 246
  - IEEE 802.11 standard, 120–121, 246
  - IEEE 802.16 standard, 123–124, 246
  - IEEE 802.11a standard, 120
  - IEEE 802.11b standard, 121
  - IEEE 802.11g standard, 121
- star topology, 99
- state taxes, 156
- stateful event monitor (SEM) firewalls, 136–137
- stationary computers, soft phones, 148
- staying power myth, 225
- support costs, 206–207
- switched carrier services infrastructure (CSI), 64
- switched lines
  - dedicated transports, 116–117
  - emergency services, 117

- switched networks
  - about, 29–30, 81
  - dedicated transports, 111–113
- switches, 13
- switching reasons
  - about, 211
  - bandwidth utilization, 215–216
  - cost-effectiveness, 212–213, 216
  - enhanced network management, 214
  - feature availability, 212
  - flexibility, 214
  - investment protection, 213
  - leading edge technology, 211–212
  - maintenance, 213–214
  - management, 213–214
  - personnel allocation, 215
  - portability, 214
  - productivity applications, 215
  - symmetric transmission, 94, 255
  - system features, 145

## • T •

- taxes, cost management, 156–157
- TCP, 255
- TCP/IP
  - about, 255
  - differences, 17–20
  - layers, 17
  - model, 16
- technology, costs and, 207–208
- Telecommunications Act (1996), 235, 242, 255
- telecommunications relay surcharge, 157
- telephone calls, 1, 11
- telephone networks, 22
- telephone numbers, 24
- telephony
  - about, 13
  - analog and digital, 24–25
  - Centrex model, 34–36
  - circuit-switched networks, 27–28
  - converging networks, 38–39

- digital, 23
  - digital services carrier network, 28–29
  - digital telephony, 25–29
  - expensive myth, 223
  - features, 146
  - KTS model, 36–37
  - PBX model, 36–37
  - POTS line costs, 33–37
  - private systems versus VoIP, 37–38
  - private telephone systems, 33–37
  - session initiation protocol
    - telephones, 127
  - television, broadband, 95–96
  - terrestrial, 110
  - 3COM, 227, 231
  - throughput, 106
  - throw out PBX phones myth, 226
  - toll bypass, 255
  - toll charges, 255
  - toll-bypass charges, 54
  - toll service charges, home VoIP, 218
  - T1 line, 110, 243
  - T1 lines, 71, 255
  - T1 transport, 66
  - T3 lines, 71, 110, 243, 255
  - topology
    - ring, 99
    - star, 99
  - transitions, cost management, 169–170
  - transmission control protocol/Internet protocol (TCP/IP), 256
  - transmission control protocol (TCP), 255
  - transmission methods, broadband, 94–95
  - transport, 248, 256
  - transport layer, 17, 19–20, 256
  - transport lines, 202
  - transport services, 66, 256
  - transports, 65–67
  - triple play, 256
  - troubleshooting VoIP through DSL
    - connection, 103
  - trunking, 126
- U •
- UDP (user diagram protocol), 19–20, 256
  - unified networks, cost management, 166–168
  - uninterruptible power supply (UPS), 203
  - universal service fund, 157
  - upgrading
    - older systems, 150–151
    - wireless networking, 121
  - UPS (uninterruptible power supply), 203
  - user diagram protocol (UDP), 19–20, 256
  - users, broadband, 95
  - using older phones, 152
- V •
- vemail, 15, 256
  - Verizon Communications, 236
  - videoconferencing, home VoIP, 220
  - virtual private networks (VPNs)
    - about, 134–135, 256, 257
    - cost, 137, 139
    - implementing, 139–140
    - Internet, 137–140
  - voice mail, 256
  - voice over Internet protocol. *See* VoIP
    - (voice over Internet protocol)
  - VoIP adapter box, 257
  - VoIP Centrex, 245, 257
  - VoIP phones
    - about, 141–142
    - hard phones, 142–146
    - soft phones, 146–149
    - upgrading older systems, 150–151
    - using older phones, 152
    - wireless phones, 149–150
  - VoIP through DSL connection
    - about, 100
    - POTS, 101, 103–104
    - setup, 102–103
    - troubleshooting, 103

## VoIP (voice over Internet protocol)

- about, 1, 11, 256–257
- advantages, 12
- analog and digital, 24–25
- Bell, Alexander Graham, 21–22
- consumers, 79–80
- corporate sector, 79
- flexibility, 15–16
- interoperability, 13
- MAC address, 13
- origins, 21–22
- over DSL transport cost, 86
- over Internet, 78–79
- portability, 13
- providers, 235–237
- support, PSTN, 81–86

VoIP-enabled phones. *See* VoIP phones

## VPNs (virtual private networks)

- about, 134–135, 256, 257
- cost, 137, 139
- implementing, 139–140
- Internet, 137–140

## • W •

## WANs (wide area networks), 14, 244, 257

## WAP (wireless access point), 257, 258

## Web

- access, hard phones, 146
- surfing, 15

## Web sites

- Alcatel, 227, 229
- Avaya, 227, 228
- Cisco Systems, 227, 228
- Internet Engineering Task Force, 140
- Inter-Tel, 227, 232
- Mitel, 227, 230
- NEC, 227, 230–231
- Nortel, 227, 230
- Shoretel, 227, 231

## Siemens, 227, 229

## 3COM, 227, 231

## VoIP providers, 236

WEC (wireless extension to cellular),  
122–123, 257, 258

## wide area networks (WANs), 14, 244, 257

## WiFi (wireless fidelity), 93, 100, 257, 258

WiMax (worldwide interoperability for  
microwave access), 100, 108,  
123–125, 257, 258

## wireless access point (WAP), 257, 258

## wireless CSI, 75–76

wireless extension to cellular (WEC),  
122–123, 257, 258

## wireless fidelity (WiFi), 93, 100, 257, 258

## wireless labeling, 100

## wireless networking

## about, 119–120

## adding VoIP, 122–123

## Ethernet networking, 120

## home VoIP, 220

## IEEE 802.11 standard, 120–121

## IEEE 802.16 standard, 123–124

## IEEE 802.11a, 120

## IEEE 802.11b, 121

## IEEE 802.11g, 121

## IP soft phones for pocket PCs, 122

## Media Access Control (MAC), 120

## upgrading, 121

## WiMax, 123–125

## wireless extension to cellular, 122–123

## WiSIP, 126–127, 150

## wireless phones, 149–150

WiSIP (wireless session initiation  
protocol), 126–127, 150worldwide interoperability for  
microwave access (WiMax), 100, 108,  
123–125, 257, 258



























