

# Index

## A

**abstraction, data, 285–287**

**“Access to the path ...portal.css” error, 392**

**Account Login module, 61**

**accounts**

host account, 114

SuperUser accounts, 114, 115

user accounts, 100–101

Windows account used to run DotNetNuke, 117

**AcquireRequestState event, HTTP modules, 234**

**ActionBase class, 243**

**[ACTIONBUTTON] object, 365**

**ActionEventArgs class, 243**

**ActionEventHandler class, 243**

**Actions control, 348**

**actions, customized. See IActionable interface**

**[ACTIONS] object, 365**

**ADA (American Disabilities Association), 15**

**Add function, Page Functions menu, 57**

**AddEvent stored procedure,**

**Events module, 276–277**

**AddLocale() method, Localization class, 224**

**add-ons, 353. See also code add-ons**

language add-ons (language packs)

definition of, 378

file types for, 381

installing, 383–385

manifest file for, 379–381

packaging for deployment, 381–383

skinning add-ons

containers, packaging and installing, 378

skins, configuration file for, 372–374

skins, file types for, 370–371

skins, installing, 374–377

skins, packaging, 370–372

**Address control, 317**

**administrator**

Host

creating SuperUser account for, 114

definition of, 113–114

e-mail address for, setting, 117

title for, setting, 117

URL, setting, 117

Portal Administrator

choosing, 81

Control Panel used by, 123

definition of, 65–66

**administrator pages**

container for, 77

skin for, 77, 336

**Administrator role**

folder permissions for, 92

page viewing and editing permissions for, 89

for Portal Administrator, 65, 81

predefined in Security Roles page, 83

**AdministratorId property, PortalSettings, 397**

**AdministratorRoleId property,**

**PortalSettings, 397**

**AdministratorRoleName property,**

**PortalSettings, 397**

**AdminTabId property, PortalSettings, 397**

**advertising banners**

adding to page, 161–163

creating for vendors, 103–105

### **AffiliateID property, UserInfo, 398**

#### **affiliates**

- adding vendors as, 105–106
- tracking, 107

#### **aliases for portals, 127, 392**

#### **Alignment attribute, [LINKS], 345**

#### **alignment, of modules, 158**

#### **All Users role, 84**

#### **Alstad, Kent (mentor), 8**

#### **American Disabilities Association (ADA), 15**

#### **Announcements module. See also Events module**

- adding to page, 155–161
- definition of, 61, 155
- description (content) of, 160
- expiration date for, 161
- link in, 161
- order for viewing, 161
- settings specific to, 157, 160–161
- title for, 160

#### **ANTS Load (Red-Gate), 388**

#### **ANTS Profiler (Red-Gate), 388**

#### **Appearance**

- Host Settings page, 118–119
- Site Settings page, 76–77

#### **Application Blocks (Microsoft), 281**

#### **Application Resources, 223**

#### **Approved property, UserMembership, 398**

#### **Araxis LTD**

- Araxis Merge, 388
- SourceGear Vault, 388

#### **Araxis Merge (Araxis LTD), 388**

#### **architecture**

- of containers, 154
- of DotNetNuke
  - Business Logic layer, 195, 197–198
  - Data Access layer, 195, 198–199
  - Data layer, 195, 199–201
  - description of, 195
  - Presentation layer, 195, 196–197
- of modules, 151–154
- of pages, 153
- of portals, 152
- .ascx **filename extension**
  - for private assembly archives (module add-ons), 361
  - for skin and container packages, 335, 371
  - for skins, 331

### **ASP.NET**

- account name being used to run
  - DotNetNuke, 117
- Forums page for, 3
- IBuySpy Portal as example of, 2
- version 2.0, using with DotNetNuke, 202
- version requirements for, 31
- worker process required for Scheduler, 143

#### **ASP.NET Enterprise Manager, 32**

#### **Audit control, 317**

#### **AuthenticateRequest event, HTTP modules, 234**

#### **AuthorizeRequest event, HTTP modules, 234**

#### **Available Tasks, Scheduler, 140**

## **B**

#### **backcolor attribute, [SOLPARTMENU], 339**

#### **BackgroundFile property, PortalSettings, 397**

#### **banner advertising**

- adding to page, 161–163
- creating for vendors, 103–105

#### **Banner Advertising setting, 81**

#### **Banner module**

- adding to page, 161–163
- border for, 162
- definition of, 61, 161
- groups of, 162
- number of times to display, 162
- orientation of, 162
- row dimensions for, 162
- settings specific to, 162
- source of banner, 162
- types of, 162

#### **[BANNER] object, 338, 344, 366**

#### **BANNER skin object, 81**

#### **BannerAdvertising property, PortalSettings, 397**

#### **Baron, Andy (MCW Technologies), 8**

#### **Base Method Implementations region, Settings control, 315–316**

#### **BasePortalException class, 216**

#### **BeginRequest event, HTTP modules, 234**

#### **Berkeley Software Distribution (BSD) license, 13**

#### **Beyond Compare (Scooter Software), 387**

#### **Board of Directors, Core Team, 26**

#### **body background, for portal, 76**

#### **BonoSoft**

- DnnBB, 389
- Multi Page Content, 389

**border**

- for Banner module, 162
- for modules, 158

**BorderWidth attribute**

- [BANNER], 344
- [LOGO], 345

**[BREADCRUMB] object, 338, 344, 366****Brinkman, Joe (Core Team), 19, 26****BSD (Berkeley Software Distribution) license, 13****Burzi, Francisco (“nuke” slogan), 11****Business Logic layer**

- definition of, 195, 197–198
- development of, 289–297

**C****caching**

- in Business Logic layer, 197
- of modules, 159
- settings for, 124–125

**Calendar control, 302****Caron, Dan (Core Team), 19, 25, 26****cascading style sheet, for skins, 347–348****Catch Up Enabled, Scheduler, 141****CBO Controller class, 192****CBO Hydrator, 192–195****CBOs (Custom Business Objects), 190–195, 295****Cell property, UserProfile, 399****child portals, 56, 128–129****Chive Software Limited, Draco.NET, 388****City property, UserProfile, 398****cleardefaults attribute, [SOLPARTMENU], 344****client-side scripts, in Presentation layer, 196****code add-ons**

- module add-ons
  - definition of, 354
  - file types for, 360–361
  - FTP-based installation of, 364
  - installing, 362–365
  - module manifest file for, 354–360
  - packages for, 360–361
  - resource files for, 361
  - third-party modules, 260, 389–390
  - web-based installation of, 362–364
- provider add-ons, 369–370
- skin object add-ons
  - list of, 365–367
  - manifest file for, 368

**code-behind class**

- Edit control, 321
- Settings control, 314–315
- View control, 302–304

**code-behind regions**

- Edit control, 321–323
- Settings control, 315–316
- View control, 306

**CodeSmith (Eric J. Smith), 388****CodeSmith Templates for DotNetNuke 3.0 (Vicenç Masanas), 265, 388****color, of modules, 158****compressed files**

- decompressing on upload, 94
- for module add-ons, 360, 361
- for skins, 348, 371

**configuration file (web.config)**

- database connection string in, 44–45, 392
- default data provider in, 282
- Provider Model API settings in, 190
- Scheduler settings in, 143

**configuration of DotNetNuke, 44–45****connection string, database, 44–45, 48, 392****Contacts module, 61, 163. See also Feedback module****container add-ons, 378****container package, 335–336****containers**

- for administrator pages, 77
- applying to web site, 91
- architecture of, 154
- default
  - for host, choosing, 118
  - for pages, 88
  - for portal, choosing, 71–72
- definition of, 59–60, 154
- for host, uploading, 118
- manifest file for, 349
- for module, 159
- in Presentation layer, 196
- for skins, 348–352
- uploading, permissions for, 124, 130–131

**ContentPane, 58–59****[CONTENTPANE] object, 338, 345, 350, 351, 366****control elements, module manifest file, 357–358****Control Panel**

- definition of, 67–68
- Help button, 75

# Control Panel

---

## Control Panel (continued)

- Preview button, 75
- setting, for Portal Administrators, 123
- Site Wizard, 68–74

**Controller class, 265, 293–297**

**ControlPanel property, HostSettings, 395**

**controls, user**

- definition of, 202
- Edit control
  - code regions, 321–323
  - code-behind class, 321
  - definition of, 264, 301
  - EditEvents control, 316–321
  - Event Handlers region, 323–327
  - Private Members region, 323
  - user controls, list of, 316–317
- in Events module, list of, 300–301
- syntax errors in, 392
- View control
  - Calendar control, 302
  - code-behind class, 302–304
  - code-behind regions, 306
  - DataList control, 301–302
  - definition of, 264, 300
  - Event Handlers region, 310–313
  - optional interfaces, 304–305
  - Private Methods region, 306–309
  - Public Methods region, 309–310

**Copy function, Page Functions menu, 57**

**copyright credits, in browser title bar, 118, 119**

**[COPYRIGHT] object, 338, 345, 366**

**Copyright property, HostSettings, 395**

**Copyright setting, 81, 82**

**COPYRIGHT skin object, 81**

**Core Team, DotNetNuke, 13–14, 15–17, 19, 26**

**“Could not connect to database specified” error, 392**

**Country property, UserProfile, 399**

**Craig, Philip A. (Nunit), 387**

**CreatedDate property, UserMembership, 398**

**.css filename extension, 335, 371**

**CssClass attribute**

- [BREADCRUMB], 344
- [COPYRIGHT], 345
- [CURRENTDATE], 345
- [DOTNETNUKE], 345
- [HELP], 345
- [HOSTNAME], 345
- [LINKS], 345
- [LOGIN], 344

- [TERMS], 345

- [USER], 345

**CSSInclude (DNN Stuff), 389**

**currency, default for host, 120**

**Currency property, PortalSettings, 397**

**[CURRENTDATE] object, 338, 345, 366**

**Custom Business Objects (CBOs), 190–195, 295**

**custom locale, 222**

**Custom Portal Locale screen, 95–96**

**Custom token, e-mail templates, 98**

## D

**Das Blog for DNN (Speerio, Inc.), 389**

**data abstraction, 285–287**

**Data Access Application Block (Microsoft), 199**

**Data Access layer**

- definition of, 195, 198–199

- development of, 280–285

- in version 2.0 of DotNetNuke, 22

**Data layer, 195, 199–201**

**data model for users and roles, 203–205**

**Data Provider**

- configuring, 190

- in Data Access layer, 198

- definition of, 189

- determining, 116

- in module add-ons, 361

- SQLDataProvider class for, 280–285

**database**

- connection string

- invalid, 48

- in web.config file, 44–45, 392

- creating at installation, 32–34

- design of, for modules, 274–280

- planning requirements for, 260

- providers, 280–285

- stored procedures for Events module, 276–280, 284–285

- tables for Events module, 274–275

- user for, creating at installation, 34–37

**database server, architecture of, 195**

**database software requirements, 31**

**{databaseOwner} tag, 200**

**DataList control, 301–302**

**DataProvider class, 265, 281, 286–287**

**<datascript> node, installation template, 52**

**DateFormat attribute, [CURRENTDATE], 345**

**date format, changing, 391–392**

**Debug setting, web.config file, 143**

- debugging**
  - error message during, 393
  - for schedule items, 143
- default portal locale, 222**
- Default.aspx **page**
  - definition of, 196
  - skins processed by, 332–333
- DefaultLanguage property, PortalSettings, 397**
- delegates, 241**
- Delete function, Page Functions menu, 57**
- DeleteEvent stored procedure,**
  - Events module, 277
- Demo Signup, 120**
- DemoPeriod property, HostSettings, 395**
- DemoSignup property, HostSettings, 395**
- description (content), of Announcements module, 160**
- <description> **node, installation template, 52**
- description of web site, choosing, 73**
- Description property, PortalSettings, 397**
- design pattern used by DotNetNuke, 188–190**
- <desktopmodules> **node, installation template, 53**
- developer tools, 387–388**
- development of modules**
  - business logic for, 289–297
  - data abstraction for, 285–287
  - database design for, 274–280
  - database providers for, 280–285
  - Edit control
    - code regions, 321–323
    - code-behind class, 321
    - definition of, 264, 301
    - EditEvents control, 316–321
    - Event Handlers region, 323–327
    - Private Members region, 323
    - user controls, list of, 316–317
  - modules, DotNetNuke interface to, 265–270
  - planning, 259–261
  - resource requirements, 261
  - user controls, list of, 300–301
  - View control
    - Calendar control, 302
    - code-behind class, 302–304
    - code-behind regions, 306
    - DataList control, 301–302
    - definition of, 264, 300
    - Event Handlers region, 310–313
    - optional interfaces, 304–305
    - Private Methods region, 306–309
    - Public Methods region, 309–310
    - Visual Studio .NET project, configuring, 262–265
- directory, installation, 30**
- disabled pages, 88**
- DisableUsersOnline property, HostSettings, 395**
- Discussions module, 61, 163–164**
- disk space limit for portal, 127**
- display attribute, [SOLPARTMENU], 340**
- .dll filename extension, 360**
- DNN. See DotNetNuke**
- .dnn filename extension, 360**
- DNN Stuff**
  - CSSInclude, 389
  - SQLView, 389
- DnnBB (BonoSoft and Nimo Software), 389**
- DNNMembership HTTP module, 240**
- Documents module, 61, 164–165**
- DotNetNuke (DNN). See also add-ons; installation of DotNetNuke**
  - architecture of
    - Business Logic layer, 195, 197–198
    - Data Access layer, 195, 198–199
    - Data layer, 195, 199–201
    - description of, 195
    - Presentation layer, 195, 196–197
  - branding of IBuySpy Workshop as, 11
  - compliance with ADA, 15
  - Core Team for, 13–14, 15–17, 19, 26
  - development challenges, 18–19
  - hardware requirements, 30
  - licensing options for, 12–13
  - Manifest document for, 14
  - Microsoft sponsoring, 17–18
  - Microsoft's interest in, 26
  - software requirements, 31
  - source control system for, 15
  - technologies used by, 187–188
  - trademark for, 17
  - upgrading, 51, 253
  - version 1.0 release, 18
  - version 2.0 release, 21–22
  - version 3.0 release, 27
  - version of
    - determining, 116
    - supporting multiple, 260
    - in title bar, 118
  - web site for, 22–28
  - XXL fork of, 16–17

[DOTNETNUKE] object, 338, 345, 366  
DotNetNuke.Common namespace, 205  
DotNetNuke.Data namespace, 205  
DotNetNuke.Data.SqlDataProvider script, 199  
DotNetNuke.Entities namespace, 206  
DotNetNuke.Framework namespace, 206  
DotNetNuke.Modules namespace, 206  
DotNetNuke.Schema.SqlDataProvider script, 199  
DotNetNuke.Security namespace, 206  
DotNetNuke.Services namespace, 206  
DotNetNuke.Services.Exceptions namespace, 216  
DotNetNuke.Services.Log.EventLog namespace, 208  
DotNetNuke.SetUp.SqlDataProvider script, 199  
DotNetNuke.UI namespace, 206  
downarrow attribute, [SOLPARTMENU], 342  
downloading DotNetNuke, 32  
Draco.NET (Chive Software Limited), 388  
drag and drop, for modules, 178, 179  
[DROPDOWNACTIONS] object, 350, 366  
Dual List control, 317

## E

### Edit control

code regions, 321–323  
code-behind class, 321  
definition of, 264, 301  
EditEvents control, 316–321  
Event Handlers region, 323–327  
Private Members region, 323  
user controls, list of, 316–317

### Edit Log Settings page, 131–132

### Edit Schedule page, 140–141

### EditEvents class, 321–327

### EditEvents control, 316–321

### .EditText filename extension, 223

### EditURL function, 328–329

### e-mail

of Host, setting address for, 117  
newsletters, 106–107  
notification of log events, 132–133

### Email property

PortalSettings, 397  
UserMembership, 398

### e-mail templates, 98–100

### end date, for modules, 157

### EndRequest event, HTTP modules, 235

### Enhanced Feedback (Slalom Services), 389

### Error event, HTTP modules, 235

### error handling, helper functions for, 327–328

### error messages. *See also* troubleshooting

“Access to the path ...portal.css”, 392  
“Could not connect to database specified”, 392  
displaying based on type of user, 118, 119  
“Error while trying to run project: Unable to start debugging...”, 393  
in log for module installation, 136  
“Multiple controls with the same ID”, 392  
“Not associated with a trusted SQL Server connection”, 392

### “Error while trying to run project: Unable to start debugging...” error, 393

### ErrorContainer class, 216

### .ErrorMessage filename extension, 223

### Event Handlers region

Edit control, 323–327  
View control, 310–313

### event log classification, 208

### event logging

API classes for, 208–209  
buffering, 125  
in Business Logic layer, 197  
definition of, 208  
history of development of, 25  
log classifications for, 208  
log types for, 208, 209–210  
logging events, 210–214  
monitoring with Log Viewer, 109–111

### EventInfo class, 290–293

### EventLogController class, 209–214

### Events module. *See also* Announcements module

alternate text for, 167  
Controller class, 265, 293–297  
data abstraction class for, 285–287  
database stored procedures for, 276–280, 284–285  
database tables for, 274–275  
definition of, 62, 166–167  
description of, 167  
Edit control  
code regions, 321–323  
code-behind class, 321  
definition of, 264, 301  
EditEvents control, 316–321  
Event Handlers region, 323–327  
Private Members region, 323  
user controls, list of, 316–317

EventInfo class, 290–293  
 expiry date for, 168  
 frequency of, 167  
 image for, 167  
 Settings control, 313–316  
 SQLDataProvider class for, 280–285  
 start date for, 168  
 time of day for, 168  
 title for, 167  
 user controls, list of, 300–301  
 View control
 

- Calendar control, 302
- code-behind class, 302–304
- code-behind regions, 306
- DataList control, 301–302
- definition of, 264, 300
- Event Handlers region, 310–313
- optional interfaces, 304–305
- Private Methods region, 306–309
- Public Methods region, 309–310

**Events table, Events module, 274–275**  
**EventsController class, 293–297**  
**exception handling**

- adding exceptions to log, 220–221
- API classes for, 216–217, 224–229
- definition of, 216
- history of development of, 25
- logging exceptions, 214–216
- logging exceptions thrown outside a module, 219–220
- logging exceptions thrown within a module, 217–219
- logging exceptions thrown within a scheduled task, 221

**exception log classification, 208**  
**exception logging, 109–111, 214–221**  
**Exception Management HTTP module, 239**  
**exception management, in Business Logic layer, 197**  
**ExceptionInfo class, 216**  
**ExceptionLogController class, 214–216**  
**Exceptions class, 217–221**  
**expiry date**

- for Announcements module, 161
- for Events module, 168
- portal, 127

**ExpiryDate property, PortalSettings, 396**  
**exporting content to a file, 180**

**ExportModule() method, IPortable interface, 251, 252**  
**extensions. See add-ons; filename extensions**

## F

**FAQs module, 62, 168**  
**Fax property, UserProfile, 399**  
**Feedback module, 62, 169. See also Contacts module**  
**fees**

- hosting fee, 120, 127
- service fees for user roles, 80–81, 85

**field-level help, 58**  
**fields, adding to module, 174–175**  
**file elements, module manifest file, 358**  
**File Manager**

- folder permissions, 92–93
- FTP, using with, 94
- Host view of, 137–138
- uploading files, 94

**file permissions**

- of host, 31
- insufficient file permissions, 48–49
- setting, 38–39

**FileController CBO class, 194**  
**FileExtensions property, HostSettings, 395**  
**FileInfo CBO class, 191–192**  
**filename extensions**

- for downloading, 164–165
- for portal templates, 129
- for private assembly archives (module add-ons), 360–361
- for resource files, 95, 222–223
- for skin and container packages, 335, 348, 370–371
- for skins, 331
- for uploading, 124

**files**

- documents for download by users, 61, 164–165
- uploading, 94, 124

**FileZilla (Tim Kosse), 388**  
**FirstName property**

- UserInfo, 398
- UserProfile, 398

**folder elements, module manifest file, 355–356**  
**folder permissions, 92–93, 391**  
**fontbold attribute, [SOLPARTMENU], 341**  
**fontnames attribute, [SOLPARTMENU], 341**

**fontsize attribute, [SOLPARTMENU], 341**  
**footer, for modules, 157**  
**FooterText property, PortalSettings, 396**  
**forcedownlevel attribute, [SOLPARTMENU], 340**  
**forcefullmenulist attribute, [SOLPARTMENU], 342**  
**forecolor attribute, [SOLPARTMENU], 339**  
**Forums page, ASP.NET, 3**  
**frames, displaying another web site's content in, 62, 169–170**  
**FriendlyUrl Provider, enabling, 125**  
**FTP**  
installing language add-ons, 385  
installing module add-ons, 364  
installing skinning add-ons, 377  
transferring files, 94  
**FullName property, UserInfo, 398**  
**FXCop (Microsoft), 388**

## G

**GetCalendarEvents method, Events module, 306–309**  
**GetEvent stored procedure, Events module, 277–278**  
**GetEvents stored procedure, Events module, 278**  
**GetEventsByDate stored procedure, Events module, 278–279**  
**GetHelpUrl() method, Localization class, 224**  
**GetResourceFile() method, Localization class, 224**  
**GetString() method, Localization class, 224–226**  
**GetSupportedLocales() method, Localization class, 224**  
**GetSystemMessage() method, Localization class, 224, 226–229**  
**GetTimeZones() method, Localization class, 224**  
**.gif filename extension, 335, 371**  
**Global Resources, 223–224**  
**globalization**  
languages  
default, 82, 95, 392  
e-mail templates for, 98–100  
for Privacy Statement, 100  
resource files for, 95–98  
support for, 144  
for Terms of Use, 100  
verifying resource files for, 145–146  
locale  
creating, 144–145  
date formats and, 391–392

definition of, 222  
time zone for, 146–147  
types of, 222  
localization  
in Business Logic layer, 197  
translations, 222–224, 224–229

**GNU Public License, 12, 13**  
**GotDotNet web site, 15**  
**GPL (GNU Public License), 12, 13**  
**graphics (images)**  
adding to pages, 62, 170–171  
for Events module, 167  
for skins, 337, 348  
**Guthrie, Scott (ASP.NET), 9–10, 11**

## H

**hardware requirements, 30**  
**.Header filename extension, 222**  
**header, for modules, 157**  
**help**  
field-level help, 58  
Help button, Control Panel, 75  
for modules, 180  
**Help button, Control Panel, 75**  
**Help control, 317**  
**.Help filename extension, 222**  
**[HELP] object, 338, 345, 366**  
**helper functions**  
error handling, 327–328  
navigation URLs, 328–329  
**hidden pages, 88**  
**highlightcolor attribute, [SOLPARTMENU], 339**  
**history of log results, 141**  
**Home Directory, path for, 79**  
**Home Page, choosing, 79**  
**HomeDirectory property, PortalSettings, 396**  
**HomeTabId property, PortalSettings, 397**  
**Hopkins, Bruce (Core Team), 15**  
**Host**  
creating SuperUser account for, 114  
definition of, 113–114  
e-mail address for, setting, 117  
title for, setting, 117  
URL, setting, 117  
**host account, 114**  
**Host Details, Host Settings page, 117**  
**Host menu, 114–115**  
**host name for system running DotNetNuke, 117**  
**<host> node, installation template, 52**

**Host Settings page**

Appearance settings, 118–119  
 container uploads, enabling, 124  
 Control Panel, setting, 123  
 file upload extensions, setting, 124  
 FriendlyUrl Provider, enabling, 125  
 Host Details settings, 117  
 Payment Settings, 119–121  
 performance settings, 124–125  
 Proxy Settings, 121  
 scheduled task settings, 125  
 Site Configuration settings, 116–117  
 site log storage, settings for, 123  
 skin uploads, enabling, 124  
 SMTP Server Settings, 122  
 updating settings in, 116  
 upgrade logs, viewing, 116  
 UsersOnline settings, 124

**Host token, e-mail templates, 98****HostCurrency property, HostSettings, 395****HostEmail property, HostSettings, 395****HostFee property**

HostSettings, 395  
 PortalSettings, 397

**hosting fee, 120, 127****hosting requirements, 31****[HOSTNAME] object, 338, 345, 366****HostPortalID property, HostSettings, 395****HostSettings properties, 395–396****HostSpace property**

HostSettings, 395  
 PortalSettings, 397

**HostTitle property, HostSettings, 395****HostURL property, HostSettings, 395****Hover menu for modules, 178, 179–182****Howard, Rob (ASP.NET), 8, 17, 28****.htm filename extension, 335, 370****HTML**

creating skins using, 336–337, 338, 346–347  
 rendering with Text/HTML module, 63, 173–174

**.html filename extension, 331, 335, 370****HTTP modules**

configuration for, 232–234  
 definition of, 232  
 DNNMembership, 240  
 events common to, 234–235  
 Exception Management, 239  
 Personalization, 240  
 URL Rewriter, 236–239  
 Users Online, 239–240

**HTTP Pipeline, 232–233****HttpApplication object, 232****I****IActionable interface**

definition of, 241–242  
 displaying menu, 248–249  
 Module Action API classes, 242–243  
 ModuleAction class, 243–244  
 ModuleActionCollection class, 246  
 ModuleActionType class, 245  
 notify module of action, 249–250  
 in Optional Interfaces region, Events Module,  
 304–305  
 registering event handler, 247–248

**IBuySpy Portal**

description of, 2  
 enhancements to, 4  
 forum on ASPNET for, 3  
 history of development of, 2–5

**IBuySpy Workshop**

initial popularity of, 6–8  
 initial release of, 5  
 Microsoft's interest in, 9–10  
 rebranding of, as DotNetNuke (DNN), 11  
 subscription service for, 8–9

**icon**

for modules, 158  
 for pages, 88

**[ICON] object, 350, 365****iconbackgroundcolor attribute, [SOLPARTMENU], 339****iconwidth attribute, [SOLPARTMENU], 340****ID attribute, [CONTENTPANE], 345****IFrame module, 62, 169–170****IHttpModule interface, 234****IIS Applications, 40–41, 43****IIS (Internet Information Services), creating web site using, 39–44****IM property, UserProfile, 399****Image module, 62, 170–171****images**

adding to pages, 62, 170–171  
 for Events module, 167  
 for skins, 337, 348

**IMC (Inter-Module Communication), 253–254****IModuleCommunicator interface, 253–254****IModuleListener interface, 254**

**importing content from another portal, 180**  
**ImportModule() method, IPortable interface, 252**  
**Indexing Service, causing ASP.NET errors, 391**  
**IndexProvider, 255**

**inetmgr command, 39**  
**Info class, 265, 290–293**  
**InfoMap (Vicenç Masanas), 390**  
**inheritance, 240–241**  
**Inspector IT, PhoneGenie, 389**  
**installation of DotNetNuke**  
in Business Logic layer, 198  
clean install, 50–51  
configuration, 44–45  
database, creating, 32–34  
database user, creating, 34–37  
downloading DotNetNuke, 32  
file permissions, setting, 38–39  
hardware requirements, 30  
hosting requirements, 31  
installation file, extracting, 32  
process followed by DotNetNuke during, 49–51  
software requirements, 31  
templates for, 51–53  
testing, 45–47  
troubleshooting, 48–49, 116  
upgrade logs for, viewing, 116  
upgrading, 51, 253  
virtual directory for, 30  
web site, creating, 39–44

**installation scripts, in Data layer, 199**  
**insufficient file permissions, 48–49**  
**interfaces, 241. See also module interfaces**  
**Inter-Module Communication (IMC), 253–254**  
**Internet Information Server (Microsoft), 31**  
**Internet Information Services (IIS), creating web site using, 39–44**  
**invalid connection string, 48**  
**IPortable interface**  
definition of, 251–253  
implemented by Events module, 296–297  
in Optional Interfaces region, Events Module, 304–305  
**Isakson, Cory (Rainbow Portal), 19**  
**ISearchable interface**  
definition of, 254–257  
implemented by Events module, 295–296  
in Optional Interfaces region, Events Module, 304–305

**IsSuperUser property, UserInfo, 398**  
**IUpgradable interface, 253–254**

## J

**JavaScripts, client-side, 196**  
.jpeg filename extension, 335, 371  
.jpg filename extension, 335, 371

## K

**keywords for web site, choosing, 73**  
**KeyWords property, PortalSettings, 397**  
**Kosse, Tim (FileZilla), 388**

## L

**Label control, 317, 320**  
**language add-ons (language packs)**  
definition of, 378  
file types for, 381  
installing, 383–385  
manifest file for, 379–381  
packaging for deployment, 381–383  
**Language Editor screen, 97–98**  
**language packs. See language add-ons**  
**language resource file, 381**  
**languages. See also locale; localization**  
default  
for all portals, 392  
changing, 95  
choosing, 82  
e-mail templates for, 98–100  
for Privacy Statement, 100  
resource files for, 95–98  
support for, 144  
for Terms of Use, 100  
verifying resource files for, 145–146  
**Languages page, 144**  
**LastLoginDate property, UserMembership, 398**  
**LastName property**  
UserInfo, 398  
UserProfile, 398  
**leftseparator attribute, [SOLPARTMENU], 343**  
**Leftseparatoractive attribute, [SOLPARTMENU], 343**  
**leftseparatorbreadcrumb attribute, [SOLPARTMENU], 343**

**leftseparatorbreadcrumbcssclass attribute,**  
[SOLPARTMENU], 344

**leftseparatorcssclass attribute,**  
[SOLPARTMENU], 344

**Level attribute, [LINKS], 345**

**level attribute, [SOLPARTMENU], 342**

**licensing options for DotNetNuke, 12–13**

**[LINKACTIONS] object, 350, 366**

**links**

adding to web sites, 62, 171–172

in Announcements module, 161

**Links module**

definition of, 62, 171–172

modifying container of, 59

**[LINKS] object, 338, 345, 367**

**Lists page, 148–149**

**LoadCultureDropDownList() method,**

**Localization class, 224**

**LoadtimeZoneDropDownList() method,**

**Localization class, 224**

**Local Resources, 223**

**locale. See also languages**

creating, 144–145

date formats and, 391–392

definition of, 222

time zone for, 146–147

types of, 222

**localization. See also languages**

in Business Logic layer, 197

translations

performing, 224–229

resource files containing, 222–224

**Localization class, 224–229**

**LocalizeDataGrid() method, Localization class, 224**

**LocalizeRole() method, Localization class, 224**

**LockedOut property, UserMembership, 398**

**log classification, 208**

**log types, 208, 209–210**

**Log Viewer**

configuring, 131–133

Host view of, 131

using, 109–111

**LogController class, 208**

**LogDetailInfo class, 208**

**LogException() method, Exceptions class, 220–221**

**logging**

Edit Log Settings page, 131–132

e-mail notification of log events, 132–133

event logging

API classes for, 208–209

buffering, 125

in Business Logic layer, 197

definition of, 208

history of development of, 25

log classifications for, 208

log types for, 208, 209–210

logging events, 210–214

monitoring with Log Viewer, 109–111

exception logging, 214–221

history of log results, 141

log for installation of modules, 136, 184

log types, 208, 209–210

Site Log

number of days to truncate to, 127

report types for, 107–108

storage options for, setting, 123

upgrade logs, viewing, 116

viewing logs in Log Viewer, 109–111, 131–133

**logging in**

procedure for, 66–67

security and, 202

user lockout for failed attempts, 114

**Logging Provider**

classes in, list of, 208–209

EventLogController class, 209–214

ExceptionLogController class, 214–216

**LoggingProvider class, 209**

**[LOGIN] object, 338, 344, 367**

**login page, 61, 79**

**LogInfo class, 209**

**LogInfoArray class, 209**

**LoginTabId property, PortalSettings, 397**

**logo for web site, choosing, 73–74**

**[LOGO] object, 338, 345, 367**

**LogoffText attribute, [LOGIN], 344**

**LogoFile property, PortalSettings, 396**

**LogProperties class, 209**

**LogTypeConfigInfo class, 209**

**LogTypeInfo class, 209**

**Lucarino, John (developer), 4**

## M

**“magical software” (Gates, Bill), 19**

**Manifest document, DotNetNuke, 14**

## manifest file

- for container, 349
  - for module
    - control elements in, 357–358
    - definition of, 354–355
    - example of, 358–360
    - file elements in, 358
    - folder elements in, 355–356
    - module elements in, 357
  - for providers, 369–370
  - for skin objects, 368
- Masanas, Vicenç**
- CodeSmith Templates for DotNetNuke 3.0, 388
  - InfoMap, 390
  - PagePrint object, 390
  - Reviews, 390
  - SimpleDownload, 390
  - TemplatePrint object, 390
- maxThreads setting, web.config file, 143**
- McCulloch, Scott (Core Team)**
- contributions of, 19
  - Private Messages for DotNetNuke 3.0, 390
- Membership Services, 85–86**
- Membership token, e-mail templates, 98**
- Membership/Role Provider, 202–205**
- [MENU] object, 367**
- menualignment attribute, [SOLPARTMENU], 344**
- menuarrowcssclass attribute, [SOLPARTMENU], 341**
- menubarcssclass attribute, [SOLPARTMENU], 341**
- menubarheight attribute, [SOLPARTMENU], 340**
- menuborderwidth attribute, [SOLPARTMENU], 340**
- menubreakcssclass attribute, [SOLPARTMENU], 341**
- menucontainercssclass attribute, [SOLPARTMENU], 341**
- Menueffectsmenutransition attribute, [SOLPARTMENU], 341**
- menueffectsmenutransitionlength attribute, [SOLPARTMENU], 341**
- menueffectsmouseouthidedelay attribute, [SOLPARTMENU], 340**
- menueffectsmouseoverdisplay attribute, [SOLPARTMENU], 340**
- menueffectsmouseoverexpand attribute, [SOLPARTMENU], 340**

- Menueffectsshadowcolor attribute, [SOLPARTMENU], 340**
- Menueffectsshadowdirection attribute, [SOLPARTMENU], 341**
- Menueffectsshadowstrength attribute, [SOLPARTMENU], 341**
- menueffectsstyle attribute, [SOLPARTMENU], 340**
- menuiconcssclass attribute, [SOLPARTMENU], 341**
- menuitemcssclass attribute, [SOLPARTMENU], 341**
- menuitemheight attribute, [SOLPARTMENU], 340**
- menuitemselcssclass attribute, [SOLPARTMENU], 341**
- menurootarrowcssclass attribute, [SOLPARTMENU], 341**
- Microsoft**
- interest in IBuySpy Workshop, 9–10
  - sponsoring DotNetNuke, 17–18
- Microsoft Application Blocks, 281**
- Microsoft Data Access Application Block, 199**
- Microsoft FXCop, 388**
- Microsoft Internet Information Server, 31**
- Microsoft .NET Runtime, 31**
- Microsoft PDC (Professional Developers Conference), 2003, 19**
- Microsoft SQL Server, 30, 31**
- Microsoft URLScan filter, 393**
- minimize/maximize, for modules, 178, 182–183**
- modularity, 18–19**
- Module Action API**
- classes in, 242–243
  - methods in, 244
  - properties in, 243–244
- module add-ons**
- definition of, 354
  - file types for, 360–361
  - FTP-based installation of, 364
  - installing, 362–365
  - module manifest file for, 354–360
  - packages for, 360–361
  - resource files for, 361
  - third-party modules, 260, 389–390
  - web-based installation of, 362–364
- module containers**
- for administrator pages, 77
  - applying to web site, 91
  - architecture of, 154

- default
    - for host, choosing, 118
    - for pages, 88
    - for portal, choosing, 71–72
  - definition of, 59–60, 154
  - for host, uploading, 118
  - manifest file for, 349
  - for module, 159
  - in Presentation layer, 196
  - for skins, 348–352
  - uploading, permissions for, 124, 130–131
  - Module Definitions page, 133–134, 183–184, 265–270**
  - module elements, module manifest file, 357**
  - module interfaces**
    - definition of, 240–241
    - IActionable interface, 241–250, 304–305
    - IPortable interface, 251–253, 296–297, 304–305
    - ISearchable interface, 254–257, 295–296, 304–305
    - IUpgradable interface, 253–254
    - list of, 241
  - Module Settings page, 59**
  - module user controls, 196**
  - ModuleAction class**
    - definition of, 242
    - methods for, 244
    - properties for, 243–244
  - ModuleActionCollection class, 242, 246**
  - ModuleActionEventListener class, 243**
  - ModuleActionType class, 242, 245**
  - ModuleLoadException class, 217**
  - modules. See also development of modules;**
    - HTTP modules**
      - adding definitions to, 135
      - adding to page, 155–160, 176–177
      - alignment of, 158
      - architecture of, 151–154
      - border for, 158
      - caching of, 159
      - color of, 158
      - container for, 159
      - definition of, 60, 153–154
      - definitions in, 133–135
      - deleting, 108, 182
      - displaying on all pages, 157, 181
      - DotNetNuke interface to, 265–270
      - drag and drop feature of, 178, 179
      - duplicate, in templates, handling, 69
      - end date for, 157, 181
      - exporting content to a file, 180
      - exporting modules within portal, 251–253
      - footer for, 157, 181
      - header for, 157, 181
      - help for, 180
      - Hover menu for, 178, 179–182
      - icon for, 158
      - importing content from another portal, 180
      - importing modules within portal, 251–253
      - installing new modules, 135–137, 183–185
      - Inter-Module Communication (IMC), 253–254
      - list of, 61–64
      - log for installation of, 136, 184
      - minimize/maximize feature of, 178, 182–183
      - moving, 182
      - permissions for, 157, 181
      - planning development of, 259–261
      - premium, limited to specific portals, 127, 133
      - premium modules, 127, 133
      - printing, 159, 181
      - settings for, 157–159
      - start date for, 157, 181
      - syndication of, enabling, 159, 180
      - third-party modules, 260, 389–390
      - title for, 157, 159, 181
      - visibility of, 159, 177
      - Visual Studio .NET project for, 262–265
      - XML format of, exposing, 159
    - ModuleSettingsBase class, 314–315**
    - mouseoutdelay attribute, [SOLPARTMENU], 340**
    - moveable attribute, [SOLPARTMENU], 340**
    - Multi Page Content (BonoSoft), 389**
    - “Multiple controls with the same ID” error, 392**
    - multi-portal (site virtualization) feature, IBuySpy Portal, 4**
    - multithreaded scheduler, 25**
- ## N
- name of web site, choosing, 72**
  - Nandi, Shawn (Microsoft), 28**
  - NavigateURL function, 328–329**
  - navigation URLs, helper functions for, 328–329**
  - Navigator (Speerio, Inc.), 389**
  - .NET CLR, version of, determining, 117**
  - .NET Framework, version of, determining, 117**

**.NET Nuke.** *See* **DotNetNuke (DNN)**  
**.NET Runtime (Microsoft), 31**  
**Newkirk, James W. (Nunit), 387**  
**News Feeds (RSS) module, 62, 172–173**  
**newsletters, 106–107**  
**NewsWire (Speerio, Inc.), 389**  
**Nimo Software, DnnBB, 389**  
**“Not associated with a trusted SQL Server connection” error, 392**  
**“nuke” slogan, 11**  
**Nunit (Newkirk, Two, Vorontsov, Craig, Poole), 387**

## O

**Object Dependencies, Scheduler, 141**  
**{objectQualifier} tag, 200**  
**Open Source Initiative (OSI), licensing and, 12**  
**open source projects**  
    DotNetNuke as, 1, 28  
    individual’s impact on, 14, 24  
    resources for, 24  
    source code access, 24–25  
    upgrades and, 7  
**OSI (Open Source Initiative), licensing and, 12**

## P

**PA (Private Assembly).** *See* **module add-ons packages, 335–336**  
**Page Functions menu, 57**  
**Page Management, Site Settings page, 78–80**  
**PageLoadException class, 217**  
**PagePrint object (Vicenc Masanas), 390**  
**pages**  
    adding modules to, 176–177  
    architecture of, 153  
    creating, 87–89  
    default container for, 88  
    definition of, 57–58, 87, 153  
    deleting, 108  
    description of, 87  
    disabled, 88  
    end date for, 88  
    hidden from menu, 88  
    Home Page, 79  
    icon for, 88  
    keywords for, 87  
    Login Page, 79

    managing, 176–178  
    name of, 87  
    navigational structure for, 90  
    parent page for, 87, 90  
    permissions required to view or edit, 87, 89  
    popularity of, 108  
    recycling (restoring), 109  
    skin for, 88  
    Splash Page, 79  
    start date for, 88  
    target of, changing, 89  
    title of, 87  
    for Unauthenticated Users, 89–90  
    User Page, 79

**Pane Level skinning, 349**  
**panes, 58–59.** *See also* **skin parent page, 87**  
**parent portals, 56, 128–129**  
**Password property, UserMembership, 398**  
**Payment, Host Settings page, 119–121**  
**Payment, Site Settings page, 80–81**  
**PaymentProcessor property, HostSettings, 396**  
**payments**  
    Host settings for, 119–121  
    Site settings for, 80–81  
**PayPal support, 80, 85**  
**PDC (Professional Developers Conference), 2003, 19**  
**performance settings, 124–125**  
**PerformanceSetting property, HostSettings, 396**  
**permissions**  
    file  
        of host, 31  
        insufficient file permissions, 48–49  
        settings for, 38–39  
    folder permissions, 92–93, 391  
    for modules, 157, 181  
    for uploading containers or skins, 124, 130–131  
    for viewing or editing pages, 87, 89  
**Personalization HTTP module, 240**  
**personalization, in Business Logic layer, 197**  
**PhoneGenie (Inspector IT), 389**  
**PhotoViewer (Speerio, Inc.), 389**  
    .png **filename extension, 335, 371**  
**Poole, Charlie (Nunit), 387**  
**portal.** *See also* **containers; pages; panes**  
    aliases for, 127, 392  
    architecture of, 152  
    body background for, 76

- child portals, 56, 128–129
  - contact information on, 61, 163
  - container for, 76
  - copyright for, 81, 82
  - creating, 39–44, 128
  - default, setting, 117
  - definition of, 55–56, 151–152
  - description of, 73
  - disk space limit, 120, 121, 127
  - expiry date for, 127
  - Host settings for, 126–127
  - hosting fee, 120, 127
  - keywords for, 73
  - language, default for, 82, 95, 392
  - links in, 62, 171–172
  - list of, displaying, 126
  - locale for, 144–147, 222
  - logging in, 66–67, 114, 202
  - logo for, 73–74
  - name of, 72
  - page management for, 78–80
  - parent portals, 56, 128–129
  - payment options, 80–81, 119–121
  - templates for, 129–130
  - time zone for, 82
  - title for, 72
  - Portal Administrator**
    - choosing, 81
    - Control Panel used by, 123
    - definition of, 65–66
  - Portal Module, 56**
  - `<portal>` node, installation template, 53
  - Portal token, e-mail templates, 98**
  - PortalId property, PortalSettings, 396**
  - PortalID property, UserInfo, 398**
  - PortalModuleBase class, 302–304**
  - PortalName property, PortalSettings, 396**
  - Portals page, 126**
  - PortalSettings properties, 396–397**
  - PostCode property, UserProfile, 399**
  - PostRequestHandlerExecute event, HTTP modules, 235**
  - PreferredLocale property, UserProfile, 399**
  - premium modules, 127, 133**
  - PreRequestHandlerExecute event, HTTP modules, 234**
  - PreSendRequestContent event, HTTP modules, 235**
  - PreSendRequestHeaders event, HTTP modules, 235**
  - Presentation layer, 195, 196–197**
  - Preview button, Control Panel, 75**
  - Preview function, Page Functions menu, 57**
  - Preview link, Site Settings page, 76**
  - printing of modules, enabling, 159, 181**
  - [PRINTMODULE] object, 350, 351, 365**
  - [PRIVACY] object, 338, 345, 367**
  - Privacy Statement, 100**
  - Private Assembly (PA). See module add-ons**
  - Private Members region, Edit control, 323**
  - Private Messages for DotNetNuke 3.0 (Scott McCulloch), 390**
  - Private Methods region, View control, 306–309**
  - private registration, 78**
  - ProcessModuleLoadException() method, Exceptions class, 217–219, 327–328**
  - ProcessPageLoadException() method, Exceptions class, 219–220**
  - ProcessSchedulerException() method, Exceptions class, 221**
  - Professional Developers Conference (PDC), 2003, 19**
  - Profile token, e-mail templates, 98**
  - provider add-ons, 369–370**
  - Provider Model, 188–190**
  - Proxy, Host Settings page, 121**
  - ProxyPort property, HostSettings, 396**
  - ProxyServer property, HostSettings, 396**
  - Public Methods region, View control, 309–310**
  - public registration, 78**
  - Public roles, 84, 85–86**
  - PurgeLogBuffer class, 209**
- ## Q
- question mark images (field level help), 58
- ## R
- Recycle Bin, 108–109**
  - Red-Gate**
    - ANTS Load, 388
    - ANTS Profiler, 388
    - SQL Compare, 387
    - SQL Data Compare, 388
  - Reflector for .NET (Lutz Roeder), 387**
  - Region property, UserProfile, 399**

- Registered Users role, 83**
- RegisteredRoleId property, PortalSettings, 397**
- RegisteredRoleName property, PortalSettings, 397**
- registration, types of, 77–78**
- ReleaseRequestState event, HTTP modules, 235**
- reports, 107–108**
- ResolveRequestCache event, HTTP modules, 234**
- resource files, localization**
  - creating, 95–100
  - format of, 222–224
  - verifying, 145–146
- resource keys, 222**
- resources, development, 261**
  - `.resources` filename extension, 129
  - `.resx` filename extension, 95, 361
- RESX format, 222**
- Retain Schedule History, Scheduler, 140**
- Retry Frequency, Scheduler, 140**
- Reviews (Vicenç Masanas), 390**
- Rich Site Summary (RSS) format, 62, 172–173**
- rightarrow attribute, [SOLPARTMENU], 342**
- rightseparator attribute, [SOLPARTMENU], 343**
- Rightseparatoractive attribute, [SOLPARTMENU], 343**
- rightseparatorbreadcrumb attribute, [SOLPARTMENU], 344**
- rightseparatorbreadcrumbcssclass attribute, [SOLPARTMENU], 344**
- rightseparatorcssclass attribute, [SOLPARTMENU], 344**
- Roeder, Lutz (Reflector for .NET), 387**
- Role Provider, 202–205**
- roles. See user roles**
- Rootbreadcrumbarrow attribute, [SOLPARTMENU], 342**
- RootLevel attribute, [BREADCRUMB], 344**
- rootmenuitemactivecssclass attribute, [SOLPARTMENU], 342**
- rootmenuitembreadcrumbcssclass attribute, [SOLPARTMENU], 342**
- Rootmenuitemcssclass attribute, [SOLPARTMENU], 342**
- Rootmenuitemlefthtml attribute, [SOLPARTMENU], 343**
- rootmenuitemrighthtml attribute, [SOLPARTMENU], 343**
- rootmenuitemselectedcssclass attribute, [SOLPARTMENU], 343**

- rootonly attribute, [SOLPARTMENU], 342**
- RSS (News Feeds) module, 62, 172–173**
- Run on Event, Scheduler, 141**

## S

- Santry, Patrick (Core Team), 25, 26**
- Schedule Enabled, Scheduler, 140**
- Schedule History page, 141**
- Schedule page, 139**
- Schedule Status page, 142**
- scheduled tasks. See Scheduler**
- SchedulePollingRate property, HostSettings, 396**
- Scheduler**
  - ASP.NET worker process required for, 143
  - creating scheduled tasks, 230–231
  - debugging schedule items, 143
  - default settings for, 139
  - editing schedule items, 140–141
  - history of development of, 25
  - history of log results, 141
  - logging exceptions for scheduled tasks, 221
  - search engine task in, 148
  - settings for, 125
  - status of schedule items, 142
  - `web.config` file settings for, 143
- SchedulerException class, 217**
- SchedulerMode property, HostSettings, 396**
- <schemascript> node, installation template, 52**
- Scooter Software, Beyond Compare, 387**
- scripts**
  - client-side, 196
  - installation scripts, 199
  - SQL Server-specific scripts, 49–50
  - syntax for (SQL), 200–201
  - upgrade scripts, 200
- Search Admin page, 147–148**
- search API. See ISearchable interface**
- Search Input module, 63**
- [SEARCH] object, 367**
- Search Results module, 63**
- SearchDataStoreProvider, 255**
- searching. See also ISearchable interface**
  - in Business Logic layer, 198
  - configuring search engine, 147–148
  - indexing content of Text/HTML module, 173
  - search engine task in Scheduler, 148
- SearchItemInfo class, 256–257**

**Section Head control, 317****security**

- for ASP.NET 2.0, 201–202
- in Business Logic layer, 198
- deleting default host account, 114
- login features for, 202
- registration settings, 77–78
- security hole in version 1.0, 20–21
- user controls for, 202
- user management of applications, 202
- in version 3.0 of DotNetNuke, 202–205

**Security Roles page**

- creating new roles, 84–85
- definition of, 83
- roles, list of, 83–84

**Security, Site Settings page, 77–78****selectedbordercolor attribute,**

[SOLPARTMENU], 340

**selectedcolor attribute, [SOLPARTMENU], 340****selectedforecolor attribute,**

[SOLPARTMENU], 340

**SendLogNotifications class, 209****separatccss attribute, [SOLPARTMENU], 339****Separator attribute**

- [BREADCRUMB], 344
- [LINKS], 345

**separator attribute, [SOLPARTMENU], 343****separatorccssclass attribute,**

[SOLPARTMENU], 343

**Settings control, 264, 301, 313–316****Settings function, Page Functions menu, 57****Settings hash, 312****<settings> node, installation template, 53****[SIGNIN] object, 338, 345, 366****Signup page, 128****SimpleDownload (Vicenc Masanas), 390****Site Configuration, Host Settings page, 116–117****Site Log**

- number of days to truncate to, 127
- report types for, 107–108
- storage options for, setting, 123

**Site Log Storage, Host Settings page, 123****Site Settings page**

- accessing, 75
- Administrator, choosing, 81
- Appearance settings, 76–77
- Banner Advertising setting, 81
- Copyright setting, 81, 82
- Default Language setting, 82

Page Management settings, 78–80

Payment settings, 80–81

Portal Time Zone setting, 82

Security settings, 77–78

Stylesheet Editor, restoring default style sheet, 82–83

**site virtualization (multi-portal) feature, IBuySpy Portal, 4****Site Wizard**

- default container, choosing, 71–72
- default skin, choosing, 70–71
- definition of, 68
- description of web site, choosing, 73
- keywords for web site, choosing, 73
- logo for web site, choosing, 73–74
- name/title of web site, choosing, 72
- template, applying, 68–70

**SiteLogBuffer property, HostSettings, 396****SiteLogHistory property**

- HostSettings, 396
- PortalSettings, 397

**SiteLogStorage property, HostSettings, 396****SiteMap (Speerio, Inc.), 389****skin. See also panes**

- for administrator pages, 77, 118
- applying to web site, 91
- cascading style sheet for, 347–348
- compressing for deployment, 348, 371
- container for, 348–352
- creating
  - attributes for, 339–345
  - examples of, 345–347
  - methods for, 336–337
  - objects for, 338–339
- default
  - for host, choosing, 118
  - for portal, choosing, 70–71
  - restoring, 91
- definition of, 331–332
- file format for, 331–332, 335–336
- file organization for, 332, 336–337
- for host, uploading, 118
- image files for, 337, 348
- for pages, 88
- Pane Level skinning, 349
- in Presentation layer, 196
- processing of, 332–335
- support files for, 337
- uploading, permissions for, 124, 130–131

### skin add-ons

- configuration file, 372–374
- file types, 370–371
- installing, 374–377
- packaging, 370–372

**Skin control, 317**

**skin object add-ons**

- list of, 365–367
- manifest file for, 368

**skin package, 335–336**

**Skin Thumbnail control, 317**

**skinning add-ons**

- containers, packaging and installing, 378
- skins
  - configuration file for, 372–374
  - file types for, 370–371
  - installing, 374–377
  - packaging, 370–372

**Skins page, 91–92**

**SkinUpload property, HostSettings, 396**

**skin.vb file, 333–335**

**Slalom Services, Enhanced Feedback, 389**

**Smith, Eric J. (CodeSmith), 388**

**SMTP Server, Host Settings page, 122**

**SMTPAuthentication property, HostSettings, 396**

**SMTPServer property, HostSettings, 396**

**SMTPUsername property, HostSettings, 396**

**SnagIt (TechSmith), 388**

**software. See add-ons; developer tools**

**software requirements, 31**

**SolPartActions control, 348**

**[SOLPARTACTIONS] object, 350, 366**

**[SOLPARTMENU] object, 338, 339–344, 367**

**source code access, 24–25**

**source control system, 15**

**SourceGear Vault (Araxis LTD), 388**

**Sperio, Inc.**

- Das Blog for DNN, 389
- Navigator, 389
- NewsWire, 389
- PhotoViewer, 389
- SiteMap, 389

**Splash Page, choosing, 79**

**SplashTabId property, PortalSettings, 397**

**SQL Compare (Red-Gate), 387**

**SQL Data Compare (Red-Gate), 388**

**SQL page, 138–139**

**SQL Server (Microsoft), 30, 31**

**SQL Server Security, 34**

**SQL Server-specific scripts, 49–50**

**SQL syntax for scripts, 200–201**

**SQLDataProvider class, 280–285**

**SQLView (DNN Stuff), 389**

**Stallman, Richard (GPL), 13**

**start date, for modules, 157**

**stored procedures, for Events module, 276–280, 284–285**

**Street property, UserProfile, 398**

**style sheet**

- for containers, 378
- for news feeds, 62, 172–173
- for skins, 196–197, 335, 347–348, 372
- XML/XSL module, 63

**Stylesheet Editor, 82–83**

**submenubreadcumborrow attribute, [SOLPARTMENU], 342**

**submenucssclass attribute, [SOLPARTMENU], 341**

**submenuitemactivecssclass attribute, [SOLPARTMENU], 342**

**submenuitembreadcrumbcssclass attribute, [SOLPARTMENU], 342**

**SubmenuItemlefthtml attribute, [SOLPARTMENU], 343**

**SubmenuItemrighthtml attribute, [SOLPARTMENU], 343**

**submenuitemselectedcssclass attribute, [SOLPARTMENU], 343**

**subscription service, IBuySpy Workshop, 8–9**

**SuperTabId property, PortalSettings, 397**

**SuperUser account, 114, 115. See also Host <superuser> node, installation template, 52**

**SuperUsers Accounts page, 115**

**Survey module, 63**

**syndication of modules, enabling, 159, 180**

**system locale, 222**

## T

### tables

- custom, 63, 174–175
- for Events module, 274–275

**tabs, 57. See also pages**

**technologies used by DotNetNuke, 187–188**

**TechSmith, SnagIt, 388**

**Telephone property, UserProfile, 399**

**.template filename extension, 129**

**TemplatePrint object (Vicenç Masanas), 390**

Template.resx file, 222

**templates**

- applying to web site, 68–70
- duplicate modules in, handling, 69
- installation templates, 51–53
- for portals, 129–130

**[TERMS] object, 338, 345, 367****Terms of Use, 100****Text attribute**

- [LOGIN], 344
- [TERMS], 345
- [USER], 345

**Text Editor control, 317, 320**

.Text filename extension, 222

**Text/HTML module, 63, 173–174****third-party modules, 260, 389–390****Time Lapse, Scheduler, 140****time zone**

- for locales, 146–147, 224, 381
- for portal, 82

**TimeZone property, UserProfile, 399****TimeZoneOffset property, PortalSettings, 397****TimeZones file, 381****title**

- for Announcements module, 160
- for Host, setting, 117
- for modules, 157, 159
- for web site, choosing, 72

**[TITLE] object, 350, 366****tooltip attribute, [SOLPARTMENU], 343****trademark for DotNetNuke, 17****translations**

- performing, 224–229
- resource files containing, 222–224

**[TREEVIEW] object, 367****troubleshooting**

- “Access to the path ...portal.css” error, 392
- “Could not connect to database specified” error, 392
- debugging schedule items, 143
- “Error while trying to run project: Unable to start debugging...” error, 393
- Indexing Service, causing ASPNET errors, 391
- installation problems, 48–49, 116
- insufficient file permissions, 48–49
- invalid connection string, 48
- “Multiple controls with the same ID” error, 392

“Not associated with a trusted SQL Server connection” error, 392

URLScan filter, problems with, 393

Windows services interfering with DotNetNuke, 391

**Two, Michael C. (Nunit), 387****U****Unauthenticated Users role, 84, 89–90****Unit property, UserProfile, 399****UpdateEvent stored procedure, Events module, 279–280****UpdateRequestCache event, HTTP modules, 235****upgrade logs, viewing, 116****upgrade scripts, in Data layer, 200****upgrading DotNetNuke, 51, 253****URL control, 317****URL Rewriter HTTP module, 236–239****URL Tracking control, 317****URLs. See also web sites**

- friendly, providing, 236–239
- FriendlyUrl Provider, enabling, 125
- for Host, setting, 117
- for parent and child portals, 128

**URLScan filter (Microsoft), 393****usearrows attribute, [SOLPARTMENU], 342****UseCustomErrorMessages property, HostSettings, 396****UseFriendlyUrls property, HostSettings, 396****User Accounts module, 63****User Accounts page, 100–101****user controls**

- definition of, 202
- Edit control
  - code regions, 321–323
  - code-behind class, 321
  - definition of, 264, 301
  - EditEvents control, 316–321
  - Event Handlers region, 323–327
  - Private Members region, 323
  - user controls, list of, 316–317
- in Events module, list of, 300–301
- syntax errors in, 392
- View control
  - Calendar control, 302
  - code-behind class, 302–304
  - code-behind regions, 306
  - DataList control, 301–302

### **user controls (continued)**

#### View control **(continued)**

- definition of, 264, 300
- Event Handlers region, 310–313
- optional interfaces, 304–305
- Private Methods region, 306–309
- Public Methods region, 309–310

### **User Defined Table module, 63, 174–175**

### **user management of applications, 202**

### **[USER] object, 338, 345, 367**

### **User Page, 79**

### **user roles. See also Host; Portal Administrator**

- Administrator role
  - folder permissions for, 92
  - page viewing and editing permissions for, 89
  - for Portal Administrator, 65, 81
  - predefined in Security Roles page, 83

#### assigning users to, 86

#### creating, 84–85

#### data model for, 203–205

#### definition of, 64, 83

#### DNNMembership HTTP module, 240

#### list of, 83–84

#### managing, 101

#### Membership Services for, 85–86

#### Public roles, 84, 85–86

#### Registered Users role, 83

#### service fees for, 80–81, 85

### **user selected locale, 222**

### **User token, e-mail templates, 98**

### **UserID property, UserInfo, 398**

### **UserInfo properties, 398**

### **UserMembership properties, 398**

### **Username property**

#### UserInfo, 398

#### UserMembership, 398

### **userrootbreadcrumbbarrow attribute,**

#### **[SOLPARTMENU], 342**

### **UserProfile properties, 398–399**

### **UserRegistration property, PortalSettings, 397**

### **users**

#### assigning to roles, 86

#### changing name of, 101

#### data model for, 203–205

#### database access for, 34–37

#### feedback from, 62, 169

#### finding, 100

#### information required for registration, 80

#### managing accounts for, 100–101

#### unauthorized, finding, 101

### **Users Online HTTP module, 239–240**

### **User's Online module, 63**

### **UsersOnline**

#### definition of, 63, 239–240

#### disabling, 124, 240

#### tracking time for, setting, 124

### **UsersOnlineTime property, HostSettings, 396**

### **UserTabId property, PortalSettings, 397**

### **useskinpatharrowimages attribute,**

#### **[SOLPARTMENU], 342**

### **usesubmenubreadcrumbbarrow attribute,**

#### **[SOLPARTMENU], 342**

## **V**

### **Veenstra, Geert (Core Team), 19**

### **Vendor List page, 103, 138**

### **vendors**

#### as affiliates, 105–106

#### banner advertising for, 103–105, 161–163

#### creating, 103

### **verified registration, 78**

### **<version> node, installation template, 52**

### **version of DotNetNuke**

#### determining, 116

#### supporting multiple, 260

#### in title bar, 118

### **Version property, PortalSettings, 397**

### **version 1.0 release of DotNetNuke, 18**

### **version 2.0 release of DotNetNuke, 21–22**

### **version 3.0 release of DotNetNuke, 27**

### **View control**

#### Calendar control, 302

#### code-behind class, 302–304

#### code-behind regions, 306

#### DataList control, 301–302

#### definition of, 264, 300

#### Event Handlers region, 310–313

#### optional interfaces, 304–305

#### Private Methods region, 306–309

#### Public Methods region, 309–310

### **Virtual Directory, IIS, 40–43**

### **virtual directory, installation, 30**

### **[VISIBILITY] object, 350, 351, 366**

### **visibility, of modules, 159**

### **visitors, number of. See UsersOnline**

### **Visual SourceSafe (VSS), 15**

**Visual Studio .NET project**

- classes, creating, 265
- configuring, 262–265
- controls, adding, 264–265
- creating, 262–263

**Vogt, Anson (designer), 22****Vorontsov, Alexei A. (Nunit), 387****VSS (Visual SourceSafe), 15****W****web application portal. See portal****web forms, 196****Web Hosters, 27–28****web server, architecture of, 195****Web Server software, 31****web site (portal). See portal****web sites**

- ANTS Load (Red-Gate), 388
- ANTS Profiler (Red-Gate), 388
- Araxis Merge (Araxis LTD), 388
- ASPNET Enterprise Manager, 32
- Beyond Compare (Scooter Software), 387
- CodeSmith (Eric J. Smith), 388
- CodeSmith Templates for DotNetNuke 3.0 (Vicenç Masanas), 388
- CSSInclude (DNN Stuff), 389
- Das Blog for DNN (Speerio, Inc.), 389
- displaying content from another web site, 62, 169–170
- DnnBB (BonoSoft and Nimo Software), 389
- DotNetNuke (DNN), 22–28
- Draco.NET (Chive Software Limited), 388
- Enhanced Feedback (Slalom Services), 389
- FileZilla (Tim Kosse), 388
- FXCop (Microsoft), 388
- GotDotNet (WorkSpaces service), 15
- InfoMap (Vicenç Masanas), 390
- Multi Page Content (BonoSoft), 389
- Navigator (Speerio, Inc.), 389
- NewsWire (Speerio, Inc.), 389
- Nunit (Newkirk, Two, Vorontsov, Craig, Poole), 387
- PagePrint object (Vicenç Masanas), 390
- PhoneGenie (Inspector IT), 389
- PhotoViewer (Speerio, Inc.), 389
- Private Messages for DotNetNuke 3.0 (Scott McCulloch), 390
- Reflector for .NET (Lutz Roeder), 387
- Reviews (Vicenç Masanas), 390

- SimpleDownload (Vicenç Masanas), 390
- SiteMap (Speerio, Inc.), 389
- SnagIt (TechSmith), 388
- SourceGear Vault (Araxis LTD), 388
- SQL Compare (Red-Gate), 387
- SQL Data Compare (Red-Gate), 388
- SQLView (DNN Stuff), 389
- TemplatePrint object (Vicenç Masanas), 390
- WinZip, 32

**web-based installation**

- of language add-ons, 383–385
- of module add-ons, 362–364
- of skinning add-ons, 374–377

**web.config file**

- database connection string in, 44–45, 392
- default data provider in, 282
- Provider Model API settings in, 190
- Scheduler settings in, 143

**Website property, UserProfile, 399****Whidbey APIs, 26****Willhite, Scott (Core Team), 15, 26****Windows account used to run DotNetNuke, 117****Windows Security, creating database user, 34****Windows services, interfering with DotNetNuke, 391****WinZip, 32****worker process, ASP.NET, 143****WorkSpaces service, GotDotNet web site, 15****X****.xml filename extension, 371****XML format of modules, enabling, 159****XML/XSL module, 63, 175–176****XXL fork, DotNetNuke, 16–17****Z****ZIP files ( .zip filename extension)**

- decompressing on upload, 94
- for module add-ons, 360, 361
- packaging skins and containers in, 348, 371
- for skins, 348, 371
- Index 595636/Professional Dot Net Nuke ASPNET Portals













