

Index

- Academic positioning challenge in transdisciplinary approach, 16–17
- Accelerometers, in measuring childhood
 - obesity, 85–86
 - ActiGraph accelerometer, 83
 - ActiGraph GT1M, 85
 - GPS, combined with, 89–91
 - CAPABLE study, 90
 - MVPA, 90
 - PEACH, 90
 - SPEEDY, 90
- Access and facility provision, equity of, 51–55
 - area deprivation, 52
 - deprivation amplification, 53
 - free-to-use facilities, 53
 - greenspace areas, 54
 - inactivity, 51
 - morbidity, 51
 - mortality, 51
 - pay-to-use facilities, 52
 - public parks, 52
- Accessibility in physical activity
 - environments, 41–45
 - definition, 41
 - distance as barrier, 43
 - cost problems, 44
 - physical problems, 44
 - transportation problems, 44
 - ‘distance decay’, 44
 - geographical barrier, 42–43
 - for informal physical activity, 46
 - organisational barrier, 42–43
 - pathways, components, 43
 - ability to pay, 43
 - cultures of participation, 43
 - geographical, 43
 - rurality issue, 44
 - service utilisation issue, 43
 - socio-economic barrier, 42–43
 - supportiveness, 43
 - utilisation behaviours, 44
- Active travel, 117–129
 - barriers to, 119–123
 - car-oriented lifestyle, 120–121, 123
 - computer games, 119
 - difficulty in walking and cycling, 119
 - home entertainment, 119
 - lack of motivation, 119
 - lifestyle, 119
 - media report about crime, 121
 - urbanisation, 122
 - well-defined disability, 121
 - working mothers, 120
 - barriers to, overcoming, 123–126
 - advertising campaigns, 123
 - charging scheme, 123
 - financial benefits of health resulting from
 - physical activity, 125
 - Health Economic Assessment Tool (HEAT) for
 - cycling, 125
 - increasing residential densities, 125
 - making car use less attractive, 123–124
 - National Health Service, 125
 - planning policy, 124
 - vehicle excise duty, 124
 - cycling, 117
 - Great Britain, 118
 - policies and measures to increase, 126–127
 - effectiveness of, 127–128
 - Great Britain, 126
 - NICE (National Institute for Health and Clinical Excellence), 128
 - WHO Europe, 126–127
 - potential for, 117
 - trends in, 118–119
- Adolescents
 - eating behaviours and food environment
 - influencing, 153–155
 - 5-A-Day interventions, 154
 - Child and Adolescent Trial for Cardiovascular Health (CATCH), 154
 - environmental factors, 153
 - experimental studies, 154–155
 - observational studies, 153–154
 - pathways, 154
 - sociocultural factors, 153
- Adults
 - eating behaviours and food environment
 - influencing, 150–153
 - community-wide interventions targeting, 152
 - experimental studies, 151–153
 - fresh vegetable availability, 151

- Adults (*Cont'd*)
 large-scale food interventions, 152
 nutrition-related behaviours, 152
 observational studies, 150–151
 proximity to supermarket, 151
 worksite-based studies, 152
 obesity among, 2
- After-school programs, US, 104
- Agriculture, 172–173
 English policy regarding, 172–173
 European Commission (EC), Common
 Agricultural Policy (CAP), 170–172
 objectives of CAP, 172
- ANGELO (analysis grid for environments linked to
 obesity) framework, 165, 201, 205
- ANGSt (accessible natural greenspace
 standards), 144
- Anthropometry, 83
- Area units size problem in spatial data, 70
- Autocorrelation problem in spatial data, 69
- Availability in physical activity environments, 41–45
 definition, 41
- Barriers to active travel, 119–123
See also Active travel
- Bernoulli model, 74
- Bias problem in spatial data, 70
- Body mass index (BMI), 1
 adults, 2
 Asian adults, 3
 density and, 25
 men, 2
 'normal' range, 1
 self-reported BMI, 32
 sprawl and, 28
 street connectivity and, 26
- Breaking down, 24–26
See also under
- Buffers in spatial analysis, 72
- Built environment on walking, 22
- CAPABLE (Children's Activities, Perceptions and
 Behaviour in the Local Environment), 82, 90
- Car-oriented lifestyle, as barrier to active travel, 121
- Centrism, 44
- Challenges, in obesogenic environments, 215–219
 objective measures, 218–219
 perceptions, 217–218
- Child and Adolescent Trial for Cardiovascular
 Health (CATCH) program, US, 103
- Child care settings, US, 104–105
- Children
 eating behaviours and food environment
 influencing, 153–155
 5-A-Day interventions, 154
 Child and Adolescent Trial for Cardiovascular
 Health (CATCH), 154
 environmental factors, 153
 experimental studies, 154–155
 observational studies, 153–154
 pathways, 154
 sociocultural factors, 153
 health, greenspace and, 140–141
 kit, fence and carpet (KFC) approach, 141
- Children, obesogenic environments for, 2–3, 63–76
 defining, 63–76
 variables included in, 64
 mapping, 63–76
 advantages, 65–66
 spatial analysis techniques, 65
See also under Data representation; Spatial
 analysis techniques
- medical costs, 3
 neighbourhood characteristics impacting, 64
 deprivation, 64
 urbanisation, 64
 overweight and obesity, 3
 space and place effect, 63
 spatial data, problems with, 69–71
See also UK perspective of childhood obesity
- Choropleth map, 66–68
- Community settings (home/neighbourhood),
 US, 105–108
See also under United States (US)
- Competition Commission (CC) inquiry, 174
- Complexities, in obesogenic environments, 215–217
- Complexity of obesity, 13–15
- Concept mapping study, 30
- Confounding concept, 69–70
- Contributors to obesity, 5
- Cost problems, in physical activity accessibility, 44
- County-level sprawl, 27
- 'Cut points', 86
- Cross-government strategies and interventions,
 perspectives, 216
 cross-sectional, 216
 geographical, 216
 life-course, 216
- Cross-sectional designs, 29–30
- Cycling, 6, 21, 30, 45, 48, 55, 86, 91, 117–119,
 121–129, 139, 140, 201–202, 216, 218
- Densities, residential densities increase, to overcome
 active travel barriers, 125
- Density in population, 23
 and weight status, 24–25
 housing people type impact, 25
 impact in developing countries, 25
- Density measures, in spatial analysis technique, 72
- Deprivation
 amplification, 53
 impacting childhood obesity, 64
- Dichotomous measures of access in physical activity
 environments, 48
- Diet, Nutrition and the Prevention of Chronic
 Disease*, WHO report, 167
- Dietary guidelines and recommendations in obesity
 prevention, 158

- Dietary Reference Values (DRVs), UK, 158
- Distance as barrier, in physical activity
 accessibility, 43
 cost problems, 44
 'Distance decay', 44
 physical problems, 44
 transportation problems, 44
- Dot density representation, 66
- Eating behaviours and food environment, 149–159
 adults, 150–153
See also under Adolescents; Adults; Children
 behavioural context, importance of
 understanding, 157
 conceptual models, adequacy and appropriateness
 of, 157–158
 eating habits, 165–178
See also Food policy and food governance
 existing evidence, interpreting, 155
 increased adiposity, 149–150
 neighbourhood environment, 155–158
 objective food environments, assessment, 156
 socio-economic position (SEP), 157
 subjective food environments, assessment, 156
- 'Ecological fallacy', 70
- Economic food environment, 166–167
- Emergence of obesity, 1
 early 1980s, 1
 'nutritional transition', 1
- Empirical Bayes estimation, 71
- Environment, food, 165–166
- Environmental basis for obesity epidemic, 4–8
 food intake, 6–7
 physical exercise, lack of, 6
 prevention, need for, 5
 understanding, 5
 urbanisation, 6–7
- Environmental correlates of physical activity and diet, 199–211
 broader context, considering, 210
 inconsistencies in findings, implications, 210
 causality, improving, 209–210
 intervention research, 209–210
 new methods in observational research, 209
- diet, 202
- elements of environment, integrating, 205–206
 cultural environment, 206
 proximal social-environmental factors, 205
- moving beyond the promise, research
 agenda, 202–210
 cross-sectional study designs, 203
 fast food consumption, 203
 robust answers to right questions, 203–204
- physical activity, 200–202
 ANGELO framework, 201, 205
- physical environmental characteristics,
 measurement, 206–208
 environmental-individual interactions,
 exploring, 208
- objective environmental
 characteristics, 206–207
- objectively measured characteristics and
 individual perceptions of the
 environment, relationship, 207–208
- statistical methods, improving, beyond
 multilevel modelling, 208–209
- socio-ecological theory, development and
 application, 204–205
- underlying reasons for promising
 findings, 199–200
 Social-Cognitive Theory, 199
 Theory of Planned Behaviour, 199
- 'Epoch', 86
- Equity, 51–55
 of access and facility provision, 51–55
 area deprivation, 52
 deprivation amplification, 53
 free-to-use facilities, 53
 greenspace areas, 54
 inactivity, 51
 morbidity, 51
 mortality, 51
 pay-to-use facilities, 52
 public parks, 52
- EurepGAP organisation, 176
- Exercise
 motivation for, greenspace as, 139–140
 setting, greenspace as, 137–139
- FleXScan, 74
- Food Environment, 5, 7, 82, 135, 149–157, 159,
 165–167, 170–171, 173, 175, 177–178, 185,
 193–194
- Food policy and food governance, 165–178
 agriculture, 172–173
 EC's CAP, 172
 English policy regarding, 172–173
 objectives of CAP, 172
 ANGELO framework, 165
- changing behaviours, 165–178
- Diet, Nutrition and the Prevention of Chronic
 Disease*, WHO report, 167
- dietary guidelines and recommendations, 158
 Dietary Reference Values (DRVs), UK, 158
 Food Standards Agency (FSA), 158
- economic environment, 166–167
- food environment, 165–166
- food provision and food access, 175–177
 EurepGAP organisation, 176
 local authorities role, 175
 Red Tractor scheme, 176, 177–178
- future of, 177–178
 dietary behaviour, 177
- individual versus the environment, 168–169
Healthy Weight, Healthy Lives
 strategy, 168–169
- macro-food environment, 166–167
- micro-level studies, 166

- Food policy and food governance (*Cont'd*)
 overarching food policy landscape, 170–171
 Planning policy, 173–175
 Competition Commission (CC) inquiry, 174
 on land used for food production, 175
 Local Development Documents (LDDs), 174
 local planning authorities (LPAs), 173
 planning policy guidance notes (PPGs), 174
 Regional Spatial Strategies (RSS), 174
 ‘sequential approach’, 174
 as a ‘private’ phenomenon, 167
 public health, 171
 food safety policy, 171
 Food Standards Agency (FSA), 158
 Food, greenspace, obesity and, 135–137
See also under Greenspace, health and obesity
 Foresight report, UK, 4, 7, 13
 sub-themes, 13–14
 food consumption, 13
 food production, 14
 individual physical activity, 13
 individual psychology, 14
 interrelated issues, 14
 physical activity environment, 13
 physiology, 13
 social psychology, 14
 Free-to-use facilities, 53
- Geographic information systems (GISs), 45–46, 49,
 65–66, 72, 83, 87–89, 184, 194, 207, 216
 childhood obesity mapping, 65–66
 Geographic location, 26–27
 Geographical barrier of access, 42–43
 Geographically weighted regression (GWR), 74
 Girls, BMI in, 25
 Geographical Positioning Systems (GPSs), 82–84,
 87–92, 216
 measurement technology, in childhood
 obesity, 87–89
 children’s journey location, 88
 itinerary map, 88
 locations in which children spent their time,
 88
 mobile phones, 87
 sojourn map, 88
See also Accelerometers
 Graduated symbol methodology, 66
 Greenspace, health and obesity, 133–145
 children’s health, 140–141
 kit, fence and carpet (KFC) approach, 141
 evidence, 133–145
 physiological effects of greenspace, 134
 food and, 135–137
 Ebenezer Howard’s garden city model, 135
 supermarkets, 135
 urban allotments, 135–136
 issues, 133–145
 mental well-being and physical health, link
 between, 134
 and physical activity, 137–140
 motivation for exercise, greenspace as,
 139–140
 quantity of greenspace, 138
 setting for exercise, greenspace as,
 137–139
 policy context, 143–145
 ANGSt (accessible natural greenspace
 standards), 144
 Planning Policy Guidance Note 17
 (PPG17), 143
 provision and policy, greenspace, 141–145
 Communities and Local Government
 (CLG), 142
 historic context, 142
 institutional context, 142–143
 local authority level responsibility for, 143
- Health Economic Assessment Tool (HEAT) for
 cycling, 125
Healthy Weight, Healthy Lives strategy,
 168–169
 children, 169
 healthier food choices, promoting, 169
 incentives for better health, creating, 169
 personalised advice and support, 169
 physical activity into our lives, 169
 Historic context, in greenspace policy and
 provision, 142
- Index of multiple deprivation (IMD), 83
 India, 3
 Individual versus the environment, food
 policy, 168–169
 Institutional context, in greenspace policy and
 provision, 142–143
 Interdisciplinary research, 11–12
 modes of, defining, 12–13
 multidisciplinary research, 12
 policy and practice, 17–18
 ‘Healthy Weight, Healthy Lives’
 strategy, 17–18
 physical activity plan, 18
 radical interdisciplinarity, *See* Transdisciplinary
 approaches to tackle obesity
 real-life issues, 11
- International Obesity Task Force (IOTF), 1–2
 International perspective on obesity/obesogenic
 environments, 1–8
 Asia, 3
 India, 3
 individual susceptibility to weight gain, 4
 lower income countries, 4
 magnitude of the problem, 2
 Mexicans, 3
 persistence of obesity, 4
 underestimated burden of obesity, basis for, 2–4
 US non-Hispanic Whites, 3
 Itinerary map, 88

- Kit, fence and carpet (KFC) approach, 141
- Land use mix, in measuring walkability, 23, 26
- Land use patterns, built environment on walking, 22
- Language barrier, in transdisciplinary approach to tackle obesity, 16
- Local authorities role
in food provision and food access, 175
for greenspace, 143
Local Development Documents (LDDs), 174
local planning authorities (LPAs), 173
- Location-allocation modelling, in spatial analysis technique, 72–73
- ‘Location set covering problem’ algorithm, 73
- Macro-food environment, 166–167
- Mapping obesogenic environments in children, 63–76
Data representation, 66–69
in obesogenic environments mapping, 66–69
bar chart mapping, 67
choropleth map, 66–68
confidentiality problems, 68
dot density representation, 66–67
graduated symbol methodology, 66
spatial scale, 68
See also under Children, obesogenic environments for
- ‘Maximal covering problem’ algorithm, 73
- Measuring childhood obesity, 87–89
journey location, 88
itinerary map, 88
locations in which children spent their time, 88
mobile phones, 87
sojourn map, 88
See also Accelerometers
- Measuring physical environmental characteristics, 206–208
environmental-individual interactions, 208
objective, 206–208
statistical methods, 208–209
- Men
BMI in, 25
obesity among, 2
- Metabolic equivalent (MET)-weight
moderate-to-vigorous physical activity (MW-MVPA) during school hours, US, 102
- Micro-level analyses problem in spatial data, 70
- Micro-level studies, eating habits, 166
- Middle school-based programs, US, 103
- Migration problem
in childhood obesity mapping, 71
in spatial data, 71
- Mixed use planning, 21, 24
- Moderate-to-vigorous physical activity (MVPA), 86, 90
US schools, 104
- Motion sensors, 84–87
objective measurement in children’s physical activity, 84–87
accelerometers, 85–86
ActiGraph GT1M, 85
‘cut points’, 86
‘epoch’, 86
moderate-to-vigorous physical activity (MVPA), 86
neighbourhoods, 87
pedometers, 85
self-report and criterion methods, associations between, 85
self-report methods, 85
- Multidisciplinary research, 12
- Multilevel modelling techniques, 25
- National Institute for Clinical Excellence (NICE), UK, guidelines, 81
- ‘Nature-deficit disorder’, 140
- Neighbourhood characteristics, impacting childhood obesity, 64
- Neighbourhood environment
defining, 155–158
for individuals, 155
- Neighbourhood histories and health, 183–195
See also under New Zealand (1966– 2005)
- Neighbourhood walkability, 22–33
area for, factors influencing, 22–23
built environment on walking, components, 22
land use patterns, 22
transportation system, 22
urban design characteristics, 22
- design-obesity relationship, 23–24
age of home, 27
area of residence, 27
in developing countries, 27
geographic location and, 26–27
housing features, 27
urban sprawl, 26–27
walkability and obesity, 23–24
weight status, 24
- measurement, 32–33
conceptual and theoretical understanding issue in, 33
design and walkability, validity issues, 32
direct measures, merits of, 32
indirect measures, merits of, 32
intermediate measures, merits of, 32
issues in, 32–33
mediators role, 33
moderators role, 33
outcome validity issue, 32
- micro-scale urban design features, 22
- neighbourhood, definition, 31–32
- neighbourhood design as moderator, 28
- self-selection factors, 28

- Neighbourhood walkability (*Cont'd*)
 research in, 28–33
 concept mapping exercise, 30–31
 cross-sectional designs, 29–30
 future of, 28–33
 limitations, 30
 policies and programs, 29
 randomisation use, 30
 Residential Environments (RESIDE) Project, 30
 self-selection, 30
 study design, 29–31
 sidewalk availability
 objective indicators of, 28
 subjective indicators of, 28
 street networks, 22
See also Walkability
- New Zealand (1966– 2005)
 data and methods, 186–187
 1991 New Zealand Deprivation Index (NZDep91), 186
 2001 Census Area Unit (CAU), 186–187
 food retailing, 186
 neighbourhood histories and health, 183–195
 social deprivation and food retailing in Christchurch, 183–195
 bakeries, butcheries, delicatessens and fruit and vegetable shops distribution, 191
 fast food outlets, restaurants and tea rooms/coffee shops distribution, 190
 grocery stores and supermarkets distribution, 189
 retail food outlets, 192
- NICE (National Institute for Health and Clinical Excellence), 128
- Non-exercise activity thermogenesis (NEAT), US, 102
- 'Normal' range in BMI, 1
- 'Normal' regression analyses methods, 74
- 'Nutritional transition', 1
- Objective measures of physical activity environment, 47–49
See also under Physical activity environments
- Older youth activity, US, 107
- Opportunities, in obesogenic environments, 215–219
 objective measures, 218–219
 perceptions, 217–218
- Organisational barrier of access, 42–43
- 'p-median model', 73
- Pay-to-use facilities, 52–53
- PEACH (Personal and Environmental Associations with Children's Health) project, 83–84, 90
- Pedometers, 85
- Perceived measures of physical activity environment, 45–47
See also under Physical activity environments
- Persistence of obesity, 4
- Physical activities
 contributing to obesity
 exercise, lack of, 6
 inevitable changes, 7
 optional changes, 7
 greenspace and, 137–140
 See also under Greenspace, health and obesity in school-age children and adolescents, US, 108
- Physical activity environments, 41–56
 access and facility provision, equity of, 51–55
 See also Equity
 accessibility in, 41–56
 See also individual entry
 availability in, 41–56
 See also individual entry
 objective measures of, 47–49
 access to public parks and greenspaces, 48
 actual distances, computation, 47
 dichotomous measures, 48
 GIS, 48
 perceived measures and, comparing, 49–50
 SPACES audit tool, 48
 perceived measures of, 45–47
 physical activity and diet, measurement, 206–208
 utilisation relationship with, 50–51
 facility types, 50
- Physical environmental characteristics, measurement, 206–208
 environmental–individual interactions, exploring, 208
 objective environmental characteristics, 206–207
 objectively measured characteristics and individual perceptions of the environment, relationship, 207–208
 statistical methods, improving, beyond multilevel modelling, 208–209
- Physical problems, in physical activity accessibility, 44
- Planning policy guidance notes (PPGs), 174
 PPG17, 143
- Planning policy, food, 173–175
 Competition Commission (CC) inquiry, 174
 on land used for food production, 175
 Local Development Documents (LDDs), 174
 local planning authorities (LPAs), 173
 planning policy guidance notes (PPGs), 174
 Regional Spatial Strategies (RSS), 174
 'sequential approach', 174
- Policy context for greenspace, 143–145
- Population density, in measuring walkability, 23, 26
- 'Private' phenomenon, food policy as, 167
- Public health policy in England, food-related, 171
- Radical interdisciplinarity approach, *See* Transdisciplinary approaches to tackle obesity
- Recreation facilities, US, 107
- Red Tractor scheme, 176, 177–178
- Regional Spatial Strategies (RSS), 174

- Residential densities
 increase, to overcome active travel barriers, 125
 in measuring walkability, 23, 26
 Residential Environments (RESIDE) Project, 30
 Rurality issue, in physical activity access, 44
- Safety for school-age children and adolescents,
 US, 108
- School-age children and adolescents, US, 106–108
 environment and physical activity, 106–107
 older youth activity, 107
 perceived safety and physical activity, 108
 recreation facilities, 107
 ‘walkability’ features, 108
- School and child care, US, 100–105
See also under United States (US)
- Service utilisation issue, in physical activity
 access, 43
- Sidewalk availability
 objective indicators of, 28
 subjective indicators of, 28
- Smart Growth Vermont definition of urban
 sprawl, 23
- Smoothing technique problem in spatial data, 71
- Social-Cognitive Theory, 199
- Socio-Ecological Theory, physical activity and
 diet, 204–205
- Socio-economic barrier of access, 42–43
- Sojourn map, 88
- Solutions to minimise problem in spatial data, 71
- SPACES audit tool, 48
- Spatial analysis techniques, 63, 71–75
 childhood obesity mapping, 63, 65
 considerations, in accessibility, 45
 interaction models, 72
- Spatial scan statistic (SaTScan), 74
- SPEEDY (Sport, Physical activity and Eating
 behaviour: Environmental Determinants in
 Young people), 82–83, 90
- Sports, Play and Active Recreation for Kids
 (SPARK), US, 103
- Sprawl, *See* Urban sprawl
- Statistical techniques, 25
- Street connectivity, in measuring walkability, 23, 26
- Street networks, built environment on walking, 22
- Supportiveness issue, in physical activity access, 43
- Technological developments, contributing to
 obesity, 6
- Theory of Planned Behaviour, 199
- Transdisciplinary approaches to tackle
 obesity, 11–19
 advantage of, 12
 challenges of, 15–17
 academic positioning, 16–17
 field of sustainability, lessons from,
 15–16
 language as a barrier, 16
 complexity of obesity, 13–15
- Foresight report, 13
See also individual entry
See also Interdisciplinary research
- Transport implications in active travel, 121
- Transport to school, US, 100–102
- Transportation problems, in physical activity
 accessibility, 44
- Transportation system, built environment on
 walking, 22
- Travel activity, 117–129
See also Active travel
- Trial of Adolescent Activity for Girls (TAAG),
 US, 102, 104
- Type 2 diabetes, 3
- UK perspective of childhood obesity, 81–92
 Children’s Plan, 81
 current studies, 82–84
 ActiGraph accelerometer, 83
 anthropometry, 83
 CAPABLE, 82
 GIS-based measures, 83
 index of multiple deprivation (IMD), 83
 PEACH, 83–84
 SPEEDY, 82–83
- GPS measurement technology, 87–89
 children’s journey location, 88
 itinerary map, 88
 locations in which children spent their time, 88
 mobile phones, 87
 sojourn map, 88
- NICE guidelines, 81
- objective measurement in physical activity, 84–91
 motion sensors, 84–87, *See also individual
 entry*
- UK policy and research context, 81–82
- Underestimated burden of obesity, 2–4
- United States (US), 3, 97–110
 community settings
 (home/neighbourhood), 105–108
 school-age children and adolescents, 106–108
 young children, 105–106
- future research, 109–110
 cross-sectional studies, 109
 individual demographic factors, 109
- school and child care, 100–105
 active transport to school, 100–102
 Federal Highway Administration (FHWA), 101
 Safe Routes to School (SR2S) projects, 100
 walk-to-school initiatives, 101
- within-school environments, 102–104
 ‘activity-permissive environments’, 102
 after-school programs, 104
 Child and Adolescent Trial for Cardiovascular
 Health (CATCH) program, 103
 child care settings, 104–105
 middle school-based programs, 103
 moderate-to-vigorous physical activity
 (MVPA), 104

- United States (US) (*Cont'd*)
 MW-MVPA during school hours, 102
 non-exercise activity thermogenesis (NEAT), 102
 public-private partnership, 103
 Sports, Play and Active Recreation for Kids (SPARK), 103
 Trial of Adolescent Activity for Girls (TAAG), 102, 104
 youths, physical activity and environments promoting active living in, 97–110
 case examples, 98–100
 physical environment changes, 97–99, 109
 social environment changes, 97–98, 109
Urban design characteristics, built environment on walking, 22
Urban sprawl, 22, 26–27
 Smart Growth Vermont definition, 23
 weight status and, 27
 county-level sprawl, 27
Urbanisation
 contributing to obesity, 6–7
 impacting childhood obesity 64
Utilisation relationship with physical activity environments, 50–51

Walkability, 22–33
 breaking down, 24–26
 county-level density, 24
 density, 24–25
 ecological (aggregate) level, 24
 individual level, 24
 multilevel modelling techniques, 25
 state level density, 24
 statistical techniques, 25
 description, 22–23
 measuring, 23
 land use mix, 23
 population density, 23
 residential density, 23
 street connectivity, 23
 See also Neighbourhood walkability
 ‘Walkability’ features for school-age children and adolescents, US, 108
Walk-to-school initiatives, US, 101
Weight gain
 childhood overweight and obesity, 2–3
 and density in population, 24–25
 individual susceptibility to, 4
 risks of, 2
 walkability and, 24
WinBUGs60, 74
Women
 BMI in, 25
 obesity among, 2
World Health Organisation (WHO), 1–2, 5, 125, 127, 166–167, 193