

# Index

## SYMBOLS

- # (pound), syntax of ID attributes, 368
- + (plus sign), indicating adjacent selectors, 372
- < > (angle brackets), XML, 103
- = (equals), in web user controls, 369
- . (period), syntax of class attributes, 368

## A

- absolute positioning, CSS**
  - overview of, 257–260
  - position properties, 148
  - Q&A, 368
- abstraction, 24**
- accounts**
  - admin. See admin accounts
  - host. See host accounts
  - Q&A, 365
  - registering for neighborhood association website, 128
- actions menu control, container files, 72**
- ActiveX, 216, 221, 375**
- add content control, container files, 74**
- Add New Page feature, 128**
- admin accounts**
  - browsing modules, 40–41
  - changing modules, 39–40
  - changing page-level permissions, 40
  - creating new page, 38–39
  - login as, 37–38
  - overview of, 37
  - Q&A, 365
- Adobe Flash CS3 Professional**
  - embedding font with, 347
  - overview of, 346–347

## AJAX

- ASP.NET futures, 323–324
- Control Toolkit, 322–323
- defined, 375
- extensions, 318–322
- library, 322–323
- merging DNN Client API with, 324–325
- overview of, 317–318
- Q&A, 372
- AJAX, in DNN**
  - adding watermark to search text box, 325–328
  - Balloon Pop game example. See Balloon Pop game
  - checking password strength, 329–331
  - overview of, 325
  - skinning custom module with, 331–332
- alignment, container, 76**
- allow print checkbox, 76**
- anchor tags, CSS selectors using DOM hierarchy, 242**
- animation**
  - adding animation controls to Balloon Pop game, 335–336
  - animating Hello World application, 220–221
  - animating skin header, 222–226
  - applying animation to DNN skin, 221–222
  - Q&A, 369
  - XAML for, 219
- announcements module, 132–135**
  - adding to home page, 135
  - announcements added to, 133–134
  - custom settings, 134
  - overview of, 132–133
  - Q&A, 367

## anonymous visitors

### anonymous visitors, personalization

**disabled, 369**

### API (Application Programming Interface)

defined, 375

DNN, 112

### .ascx files

building custom containers, 112–113

building custom skins, 98–100

container control directives, 71–72

defined, 375

installing custom containers, 113–115

installing custom skins, 100–101

skin control directives, 60

skin packages and, 44–45

### ASP.NET

AJAX and. *See* AJAX

ASP.NET 2.0 installed as part of DNN  
installation, 22–23

ASP.NET 2.0 menu provider, 177–178

changing panes, 67–70

Classic ASP as predecessor to, 200

comparing versions 2.0 and 3.0, 23

confirming ASP.NET 2.0 mapping during DNN  
installation, 32–33

as foundation of DNN, 7

Futures component, 323–324

server controls, 65–67

web user controls, 60

Windows OSs supporting, 20

### aspnet\_regis.exe, 23

### .aspx files

IIS file mapping and, 22

managing security of requests to, 131

### assemblies

AJAX Control Toolkit, 322–323

AJAX extensions, 318–322

AJAX Library, 323

Client API, 324–325

defined, 375

### asynchronous JavaScript and XML. *See* AJAX

### Atom, 372

### attributes

class attributes. *See* class attributes

ID attributes. *See* ID attributes

### audio, Silverlight for embedding in websites, 213

### authentication modes, SQL Server 2005 Express, 25

### authorization, security roles and, 131

## B

### background properties, CSS, 254–256

applying a background, 256

color backgrounds, 254–255

positioning images in background, 255–256

### Balloon Pop game

adding animation controls, 335–336

changing JavaScript behavior, 336–338

converting game into server controls,  
334–335

enhancing with AJAX controls, 334

installing, 332–334

register directive for, 334

updating module style sheet, 338–339

upgrading module, 339–340

### banner skin object, 63–65

### Basic Settings, containers, 76–77

### *Beginning CSS: Cascading Style Sheets for Web Design (York), 61*

### BeyondCompare, file comparison utility, 82

### blocks

applying margin property to, 249

customizing collection of, 253–254

### blogs

adding blog module, 136–137

building blog skin, 158–160

defined, 375

how blog module works, 138

laying out blog skin, 147–148

overview of blog module, 135–136

testing blog module, 161–164

**borders**

- container configuration, 76
- CSS border property, 252–253

**browsers. See Web browsers**

**C****C#**

- consistency of and code formats, 81
- defined, 375
- developers use of, 12
- registering AJAX ScriptManager in, 334
- skin objects and modules and, 198
- writing custom menu skin objects, 170

**Cascading Style Sheets. See CSS (Cascading Style Sheets)**

**case sensitivity, CSS, 239**

**Cassini**

- as alternative to IIS, 21–22
- defined, 376
- DNN installation approaches, 27–31
- port management, 28–29

**CDATA (character data), XML, 103**

**child portals**

- creating, 51–54
- overview of, 50–51

**class attributes**

- CSS targeting, 239
- <div> tags and, 369
- multiple values, 201
- prefix character in syntax of, 368

**Classic ASP**

- defined, 376
- “HTML mixed with code” technique, 113
- “include” files feature, 7, 61, 195
- as predecessor to ASP.NET, 200

**ClearType fonts, 346**

**Client API, merging with AJAX, 324–325**

**code**

- consolidating, 193–195, 369
- refactoring redundant, 195–198

**CodePlex, 322**

**color**

- alternating row colors in Contacts module, 296–298
- applying background color, 254–255
- container configuration, 76
- CSS fonts, 244–245

**Color Picker, Developer Toolbar, 115**

**comments**

- commenting out CSS properties, 239
- syntax for commenting out, 371

**Community Technology Previews (CTPs)**

- defined, 376
- Microsoft, 323

**compliance. See also standards**

- implementing in DNN, 271–279
- with standards, 270–271
- testing HTML editor provider for, 282–284
- testing new menu provider for, 280–282

**components, DNN installation**

- abstraction and provider model and, 24–25
- ASP.NET 2.0 installation, 22–23
- IIS web server installation, 20–22
- installation prerequisites, 20
- Microsoft Update and, 26
- SQL Server 2005 Express installation, 23, 25
- SQL Server Management Studio Express installation, 25
- Visual Studio.NET 2005 installation, 25–26

**Connolly, Cathal, 103**

**Contacts module, 294–298**

- alternating row colors in, 296–298
- customizing, 296
- evaluating, 294–296
- overview of, 294

**containers**

- Actions Menu control, 72
- add content control, 74
- configuring, 76–77
- containers.zip file, 44–45

## containers (*continued*)

---

### **containers (*continued*)**

- content panes, 75
- control directives, 71–72
- defined, 376
- HTML and skin objects, 72
- icon control, 73
- modernizing default, 77–80
- module help control, 74
- module settings control, 75
- modules, 77
- overview of, 6, 71
- print content control, 75
- sIFR added to, 356–359
- syndicate control control, 74–75
- title control, 73
- visibility control, 73–74

### **containers, custom**

- adding sample content to, 109–110
- building custom .ascx container, 112–113
- building custom HTML container, 105
- creating HTML file for custom HTML container, 105–106
- creating XML file for custom HTML container, 106–109
- installing custom HTML container, 110–112
- installing custom web user control container, 113–115

### **containers.zip file, 44–45, 368**

### **content panes**

- container files, 75
- skin files, 66–67

### **control directives**

- container files, 71–72
- Q&A, 366
- skin files, 60–61

### **control formats, 81**

#### **Control Panel**

- defined, 376
- neighborhood association website, 148–150
- overview of, 38
- skin files, 66

### **Control Toolkit, AJAX**

- animation with, 336
- overview of, 322–323

### **copy writers, role of, 88**

### **CSS (Cascading Style Sheets), 9–11**

- absolute positioning, 257–260
- applying rules to multiple HTML elements, 242
- background properties, 254–256
- border property, 252–253
- class attributes for targeting HTML, 239
- conventions for writing CSS rules, 239
- creating CSS file for custom HTML skin, 92–95
- CSS Zen Garden website example, 10–11
- customizing a collection of blocks, 253–254
- customizing DNN global style sheet, 261–262
- customizing DNN portal style sheet (portal.css), 260–261
- defined, 375
- DTD for applying CSS rules to HTML, 101–102
- editing default DNN styles, 262–264
- embedding stylesheet into another stylesheet, 368
- font properties, 242–247
- home page skin and, 154–155
- hover pseudo class, 183–184
- ID attributes for targeting HTML elements, 240
- margin property, 248–251
- module styling. *See* module styling
- overview of, 9–10, 237–238
- padding property, 251–252
- portal style sheet (portal.css) and, 292
- position property, 148
- Q&A, 372
- rectangular shape objects, 247–248
- reference for, 61
- relative positioning, 257
- rule placement, 154

- selectors using DOM hierarchy for targeting
    - HTML elements, 240–242
  - sIFR for creating decoy styles, 355
  - standards validation, 269–270
  - table-based layout and, 150
  - targeting content with CSS rules, 159
  - targeting HTML, 238–239, 288
  - universal selectors, 252
  - validation service, 269–270
  - Web browsers and, 11
  - CSS classes, Developer Toolbar, 116**
  - CSS DNN styles. See default styles, DNN**
  - CSS rules**
    - applying to HTML, 101–102
    - applying to multiple HTML targets, 242
    - conventions for writing, 239
    - defined, 376
    - placement of, 154
    - portal style sheet (portal.css) and, 292
    - targeting content with, 159
  - CSS selectors. See selectors**
  - CSS Zen Garden website example, 10–11**
  - CssClass attribute, 164**
  - CTPs (Community Technology Previews)**
    - defined, 376
    - Microsoft, 323
- D**
- Database Publishing Wizard, 125, 367**
  - databases**
    - remote installation approach, 36–37
    - SQL Server as DNN database, 23
    - SQL Server Management Studio for DNN
      - database installation, 33–36
  - Davidson, Mike, 344**
  - declarative programming, XAML, 218**
  - decoy styles, sIFR, 355, 373**
  - default menus, 171–172**
  - default styles, DNN, 260–264**
    - customizing global style sheet, 261–262
    - customizing portal style sheet (portal.css), 260–261
    - editing, 262–264
  - default.aspx, 103**
  - deploying custom skins, 160–161**
  - design**
    - custom skins, 87–88
    - graphics designers, 10, 88
    - page design and search engines, 59
    - panes, 150–151
    - sites, 145–146
  - DesktopModules folder, 368**
  - detail pages, site map diagram, 14**
  - Developer Toolbar**
    - analyzing skins with, 115–116
    - HTML validation and, 269
  - development**
    - iterative development in DNN skinning, 7
    - .NET proficiency of developers, 12
  - directives**
    - control. *See* control directives
    - defined, 376
    - register. *See* register directives
  - Disable Options, Developer Toolbar, 116**
  - display containers, 76**
  - Div sections, Developer Toolbar, 116**
  - <div> tags**
    - as block element, 249
    - calculating width of, 370
    - class attributes and, 239, 369
    - converting into server controls, 66
    - creating blog skin, 159
    - DOM hierarchies and, 240–241
    - enveloping module content, 371
    - error in, 164–165
    - inserting tokens on private pages, 199–202
    - Q&A, 366
  - DNN (DotNetNuke), introduction**
    - containers, 6
    - CSS and, 9–11
    - installing, 16–17
    - installing two instances of, 126–127

## DNN (DotNetNuke) (continued)

### **DNN (DotNetNuke) (continued)**

- modules, 5–6
- origins, 3
- reasons for using, 4
- site map diagram, 13–16
- skinning, 5, 12–13
- skins, 6–9
- website construction, 11–12

### **DNN-Blue skin**

- browsing, 8–9
- default menu and, 171–172
- defined, 376
- DNN-Blue.zip skin package, 44–45
- documents module added to, 11–12
- Nav.ascx web user control for displaying menu, 172
- simplifying for HTML validation, 275

### **DNNMenu**

- changing menu providers, 175–177
- customizing, 172–175
- default menus, 368

### **Docs, download packages, 27**

**doctype.** *See* **DTD (document type definition)**

**Document Object Model.** *See* **DOM (Document Object Model)**

**document type definition.** *See* **DTD (document type definition)**

### **documents module, 140–143**

- adding, 142
- how it works, 142–143
- overview of, 140–141
- Q&A, 368

### **DOM (Document Object Model)**

- CSS selectors using DOM hierarchy for targeting HTML elements, 240–242
- defined, 376
- HTML searches, 59
- mouse events and, 185

**download packages, DNN installation, 26–27**

### **DTD (document type definition)**

- adding to DNN, 103–104
- applying CSS rules to HTML, 101–102
- configuring skin DTD, 104–105
- defined, 376

## E

### **editors**

- changing HTML editor providers, 282–284
- Q&A, 371
- text. *See* text editors

### **elements**

- HTML, 249
- XML, 103

### **e-mail, obfuscation technique for e-mail**

**addresses, 295–296**

**equals sign (=), in web user controls, 369**

**Extensible Application Markup Language.**

*See* **XAML (Extensible Application Markup Language)**

**Extensible Markup Language.** *See* **XML (Extensible Markup Language)**

**Extensible Stylesheet Language (XSL), 310, 379**

**Extensions, AJAX, 318–322**

## F

### **FCKeditor**

- changing HTML editor providers, 282–284
- Q&A, 371

**file comparison utilities, 81–82**

**file installation, DNN**

- IIS as installation approach, 31–32
- remote installation approach, 36
- Visual Web Developer and Cassini as installation approach, 28–29

**File Transfer Protocol.** *See* **FTP (File Transfer Protocol)**

**file versioning control, 81**

**Firebug, tools for analyzing skins, 118****Firefox**

- add-ons for working with skins, 117–118
- CSS and Firefox 2, 11
- Quirks mode and Standards Compliance mode, 101–102
- Silverlight and, 214

**fixed, CSS position property, 148****Flash. See Adobe Flash CS3 Professional Flash Movie**

- generating with free tools, 349–350
- testing, 351–352

**Flash Replacement concept, 344****flexibility, requirements for skinning engines, i****fly-out menus, JavaScript displaying, 171****folders**

- creating folder structure for custom skins, 152–153
- Install folder, 55
- portal root folders, 53
- skins, 8

**font properties, CSS, 242–247**

- applying custom fonts, 245–247
- color property, 244–245
- font property, 244
- font-family property, 243
- font-size property, 243
- font-style property, 243–244
- font-variant property, 244
- font-weight property, 243

**fonts, sIFR**

- embedding font with Adobe Flash, 347–348
- Font Embedder, 348–349
- installing new font on computer, 345–346
- Q&A, 373
- selecting, 344–345

**formats**

- consistency in use of file, control, and code formats, 81
- skin files, 81

**forum module, 138–140**

- adding, 139–140
- how it works, 140
- implementing workaround, 165–166
- overview of, 138–139
- Q&A, 367
- testing, 164–165
- wide layout, 147

**FTP (File Transfer Protocol)**

- client programs, 125
- defined, 376
- DNN remote installation and, 36–37
- Install folder and, 55–56
- skin installation and, 7

**Futures component, ASP.NET, 323–324****G****global style sheet, customizing, 261–262****Google Reader**

- defined, 376
- as newsreader client, 308

**graphics designers**

- role of, 88
- web tools used by, 10

**H****<h1> tags, 238, 301****Hello World application**

- animating, 220–221
- building with Silverlight, 214–217

**Henning, Jon, 171, 324****home page**

- building home page skin for neighborhood association website, 153–156
- layout for neighborhood association website, 146
- site map diagram, 14

**horizontal display, converting menu into, 179–180**

## horizontal margins

---

### **horizontal margins, 249–250**

### **host accounts, 37–38**

- browsing modules, 40–41
- changing modules, 39–40
- changing page-level permissions, 40
- creating new page, 38–39
- login as, 37–38
- overview of, 37
- Q&A, 365

### **hosting, website hosting companies, 125**

### **House of Nuke**

- menu skin objects, 180–183
- skin objects, 83–85

### **HouseMenu skin object**

- building an interactive menu, 183–188
- overview of, 180–183
- skinning, 189–190

### **.htm files, building containers from, 45**

### **HTML (Hypertext Markup Language)**

- class attributes, 239
- creating HTML file for custom HTML container, 105–106
- creating HTML file for custom HTML skin, 88–91
- CSS markup following semantic flow of HTML elements, 238
- CSS targeting, 238–239, 288
- defined, 376
- DTD for applying CSS rules to HTML, 101–102
- hierarchy of HTML elements, 149
- ID attributes, 240
- <img> tag, 73
- outputting, 59–60
- semantic markup, 109–110
- standards validation, 268–269
- Text/HTML module, 5–6
- validation service, 268, 271–279
- W3C specification for, 102

### **HTML containers**

- adding sample content to, 109–110
- building custom, 105

creating HTML file for, 105–106

creating XML file for, 106–109

installing custom, 110–112

### **HTML editors, testing for compliance, 282–284**

### **.html extension, 89**

### **“HTML mixed with code” technique, Classic ASP, 113**

### **HTML objects**

- container files, 72
- skin files, 61–62

### **HTML skins**

- creating CSS file for, 92–95
- creating HTML file for, 88–91
- creating XML file for, 91
- installing, 95–98

### **HTTP (Hypertext Transfer Protocol)**

- defined, 376
- DNN Client API and, 324
- how browsers load pages, 360
- ports used by, 21

### **HTTPS (HTTP over SSL)**

- defined, 377
- secure transmission over, 21

### **hyperlinks, 366**

### **Hypertext Transfer Protocol. *See* HTTP (Hypertext Transfer Protocol)**

### **icon control, container files, 73**

### **ID attributes**

- content panes, 75
- CSS targeting content with, 159, 240
- prefix character, 368
- server controls, 66

### **IE (Internet Explorer)**

- CSS and, 11
- defined, 377
- Developer Toolbar for analyzing skins, 115–116
- Silverlight and, 214

**IIS (Internet Information Services)**

- Cassini as alternative to, 21–22
- defined, 377
- DNN using, 3
- IIS and Install Package as DNN installation approach, 31–36
- installing as web server during DNN installation, 20
- installing on Windows XP Professional, 21
- installing prior to ASP.NET 2.0, 23
- remote DNN installation approach, 36–37

**images, positioning in background, 255–256****image-text files, 359–363**

- compared with plain HTML text, 344
- defined, 377
- overview of, 343
- search engines and, 345

**<img> tags, 73, 238****“include files” feature, Classic ASP and PHP, 61, 195****initial skin, creating for neighborhood association website, 151–153****inline elements, HTML, 249****Inman, Shaun, 344****Install folder**

- installing skins, 56
- overview of, 55

**Install Package, 27****Installation Wizard, 30****installing DNN, 26–41**

- browsing installed modules, 40–41
- changing modules, 39
- changing page-level permission, 40
- creating new page, 38–39
- database installation and, 33–36
- download packages, 26–27
- IIS and Install Package as installation approach, 31–36
- IIS remote installation approach, 36–37
- login in as host or admin account, 37–38
- overview of, 19

prerequisites, 19–20

steps in, 16–17

Visual Web Developer and Cassini as installation approach, 27–31

**installing DNN components**

- abstraction and provider model and, 24–25
- ASP.NET 2.0 installation, 22–23
- IIS web server installation, 20–22
- Microsoft Update and, 26
- SQL Server 2005 Express installation, 23, 25
- SQL Server Management Studio Express installation, 25
- Visual Studio.NET 2005 installation, 25–26

**instances, installing two instances of DNN, 126–127****Intellisense**

- defined, 377
- Visual Studio.NET 2005, 239

**interactive media**

- adding video player controls, 230–232
- adding video skin object, 227–230
- creating video library, 232–235
- overview of, 227

**interactive menus, 183–188**

- creating, 185–188
- CSS pseudo classes and, 184–185
- CSS techniques for interactivity, 183–184

**interactive skins, creating, 198–199****Internet Explorer. See IE (Internet Explorer)****Internet Information Services. See IIS (Internet Information Services)****IntroText class, CSS, 183****iterative development, 7****J****JavaScript**

- changing JavaScript behavior in Balloon Pop game, 336–338
- Client API and, 324

## JavaScript (continued)

---

### JavaScript (continued)

- Q&A, 372
- working with JavaScript timing, 359–363
- XAML and, 232

### JSON (JavaScript Object Notation), 354, 377

## L

### landing pages, site map diagram, 14

#### layout

- home page for neighborhood association website, 146
- table-based, 150
- wide, 147

### <li> tags, 188–189

#### libraries

- AJAX, 322–323
- creating video library, 232–235
- placement of JavaScript library, 359–363

### links skin object, 366

### local development site, DNN instances for neighborhood association, 126–127

#### localhost

- defined, 377
- web server on local computer, 22

#### login

- checking password strength at, 329–331
- host or admin accounts and, 37–38

### logo skin object, 62–63

### “Lorem ipsum” text, 88

## M

### Madden, Jennifer, 117

### margin properties, CSS, 248–251

- horizontal margins, 249–250
- overview of, 248
- Q&A, 370
- vertical margins, 250–251

### media control, 227. *See also* interactive media

### <MediaElement>, Silverlight, 227

### menu navigation

- ASP.NET menu provider, 177–178
- changing menu providers, 175–177
- converting menu into horizontal display, 179–180
- customizing menu skin object, 172–175
- in default installation of DNN, 368
- examining default menu, 171–172
- HouseMenu skin object, 180–183
- interactive menus, 183–188
- overview of, 169
- provider pattern for, 170–171
- skinning HouseMenu object, 189–190
- third-party menu control, 180
- TreeViewMenu skin object, 178–179

### menu providers

- ASP.NET, 177–178
- changing, 175–177
- HTML validation and, 274
- provider patterns for menu navigation, 170–171
- testing for compliance, 280–282

### menu skin objects

- ASP.NET 2.0, 177–178
- customizing, 172–175
- TreeViewMenu, 178–179

### Microsoft

- CTPs (Community Technology Previews), 323
- Expression Blend, 236
- Silverlight. *See* Silverlight
- SQL Server Express. *See* SQL Server 2005 Express
- Windows. *See* Windows OSs

### Mixed Mode authentication, SQL Server 2005 Express, 25

### module help control, container files, 74

#### module settings

- accessing, 366
- container files, 75
- defined, 377

#### module styling

- Contacts module, 294–298

News Feeds module, 304–314  
 overview of, 287–288  
 updating module style sheet in Balloon Pop game, 338–339  
 UsersOnline module, 288–293  
 Wiki module, 298–304

**modules**

actions menu, 72, 377  
 add content control, 74  
 Balloon Pop game. *See* Balloon Pop game  
 browsing installed, 40–41  
 changing, 39  
 container, 77  
 defined, 377  
 enveloping module content, 371  
 HTML validation and, 273  
 icon control, 73  
 module help control, 74  
 module settings control, 75  
 panes for organizing, 38  
 print content control, 75  
 recent additions to default set of, 12  
 skinning custom module with AJAX, 331–332  
 syndicate control control, 74–75  
 title control, 73  
 updating style sheets in Balloon Pop game, 338–339  
 upgrading in Balloon Pop game, 339–340  
 visibility control, 73–74

**modules, DNN**

containers and, 6  
 overview of, 5–6

**modules, neighborhood association website**

announcements module, 132–135  
 blog module, 135–138  
 documents module, 140–143  
 forum module, 138–140  
 installing available, 131–132

**mouse events, DOM, 185****N****Nav.ascx provider, 172**

**navigation system. *See* menu navigation**

**NavigationProvider control, 170****neighborhood association website**

announcements module, 132–135  
 blog module, 135–138  
 code consolidation, 193–195  
 documents module, 140–143  
 forum module, 138–140  
 getting started, 125–126  
 installing available modules, 131–132  
 installing two instances of DNN, 126–127  
 navigation system. *See* menu navigation  
 overview of, 123–124  
 planning a DNN site, 124  
 public pages, 127–128  
 refactoring skins, 195–198  
 securing pages for selected roles, 130–131  
 sitemapping, 127  
 user registration, 128–129

**neighborhood association website, skinning, 145–167**

blog layout, 147–148  
 Control Panel element, 148–150  
 creating blog skin, 158–160  
 creating home page skin, 153–156  
 creating initial skin, 151–153  
 creating wide skin, 156–158  
 deploying custom skins, 160–161  
 home page layout, 146  
 overview of, 145  
 pane design, 150–151  
 site design, 145–146  
 testing blog module, 161–164  
 testing forum module, 164–166  
 wide layout options, 147

**News Feeds module, 304–314**

comparing RSS versions and Atom, 372  
 customizing, 310

## News Feeds module (*continued*)

### News Feeds module (*continued*)

- evaluating, 306–310
- implementing, 310–314
- overview of, 304–305

### newsreader clients, 308

### none option, user registration, 128

### notepad

- as text editor, 25
- writing CSS rules, 239

## O

### <ol> tags, 301

### open source platforms, source control and, 322

## P

### <p> tags

- as block element, 249
- class attributes and, 239
- converting into server controls, 66
- CSS selectors using DOM hierarchy for targeting HTML elements, 240–241
- DOM hierarchies and, 240–241
- semantic markup, 301
- semantic markup and, 238

### padding property, CSS, 251–252, 370

### Paint.Net, 87

### panes

- avoiding traps in use of, 148
- changing, 67–70
- content panes, 66–67, 75
- defined, 377
- home page example, 154
- module organization and, 38
- problem with too many, 150–151
- Q&A, 366
- skin files, 65–66

### paragraph tags. *See* <p> tags

### parameters, sIFR.replaceElement( ), 353–354

### parent portals, 50–51

### parent-child relationships, site maps, 14–16

### passwords

- checking strength of, 329–331
- protecting sensitive content, 131

### PasswordStrength control, 329–331

### <Path> element, XAML, 218

### performance, requirements for skinning

#### engines, ii

### permissions, changing page-level, 40

### personalization

- adding skin personalization feature, 208–209
- interactive skins for, 198
- Q&A, 369
- web user controls for, 202–207

### PHP, 61, 195

### pixels, margins specified in, 249

### plus sign (+), indicating adjacent selectors, 372

### <Polygon> element, XAML, 218

### <Polyline> element, XAML, 218

### pop-up menus, module actions, 38

### portability, requirements for skinning

#### engines, ii

### portal root folders, 53

### portal style sheet (portal.css)

- adding CSS rules and, 292
- customizing, 260–261
- Q&A, 372

### portals

- creating child portal, 51–54
- customizing global style sheet, 261–262
- customizing portal style sheet (portal.css), 260–261
- defined, 377
- hosting multiple, 37
- installing portal level skin, 54–55

## RSS (Really Simple Syndication)

overview of, 49–50  
parent and child portals, 50–51  
Q&A, 365

### ports

Cassini controlling in DNN installation,  
29–30  
web servers and, 21–22

### Positioned Elements, Developer Toolbar, 116

### positioning, CSS

absolute, 257–259  
relative, 257  
types of, 148–149, 368

### prerequisites, DNN installation, 19–20

### previewing skins, 48–49

### print content control, container files, 75

### private option, user registration, 129

### private pages, inserting tokens on, 199–202

### *Professional ASP.NET 2.0 AJAX* (Gibbs and Wahlin), 317

### *Professional DotNetNuke 4: Open Source Web Application Framework for ASP.NET 2.0* (Walker), 3

### properties, CSS

background, 254–256  
border, 252–253  
font, 242–247  
margin, 248–251, 370  
padding, 251–252, 370  
position, 148  
syntax of, 239

### provider patterns

ASP.NET menu provider, 177–178  
changing menu providers, 175–177  
defined, 377  
for menu navigation, 170–171  
overview of, 24–25  
swapping HTML editor providers, 282–284  
swapping menu providers, 280–282

### pseudo classes, CSS

applying, 184–185  
hover, 183–184

### public option, user registration, 129

### public pages, neighborhood association website, 127–128

## Q

### Quirks mode

CSS pseudo classes and, 185  
defined, 377  
DTD and, 101–102  
Web browsers and, 367

## R

### RadEditor, Telerik, 282–284

### RadMenu control, Telerik, 280–282

### rectangles, creating with CSS

border property, 252–253  
margin property, 248–251  
overview of, 247–248  
padding property, 251–252  
universal selectors, 252

### Recycle Bin, 39

### register directives

for Balloon Pop game, 334  
Q&A, 366  
skin files, 60–61

### relative positioning

CSS position property, 148, 257  
<div> tags and, 164–165

### remote installation approach, 36–37

### remote site instance, 126–127

### roles, security roles for securing web pages, 130–131

### rows, alternating row colors in Contacts module, 296–298

### RSS (Really Simple Syndication)

customizing News Feeds module, 310  
defined, 378  
evaluating News Feeds module,  
306–310

## RSS (Really Simple Syndication) (*continued*)

---

### **RSS (Really Simple Syndication) (*continued*)**

- implementing customized News Feeds module, 310–314
- News Feeds module and, 304–305
- overview of, 304–305
- syndicate control control and, 74–75
- syndication of, 76–77

**rules, CSS. See CSS rules**

**runat attribute, server controls, 66**

## S

**Safari, 11**

**Scalable Inman Flash Replacement. See sIFR (Scalable Inman Flash Replacement)**

**sIFR (Scalable Inman Flash Replacement)**

**Scope property, skin objects, 181**

**<script> tags, 359–363**

**ScriptManager, 334**

**SDK (Software Development Kit)**

- defined, 378
- Silverlight, 213–214

**search engines**

- image-text files and, 345
- page design and, 59

**searches**

- adding watermark to search text box, 339–340
- for skins, 46

**security roles, 130–131, 367**

**selectors**

- CSS rules starting with, 238
- defined, 376
- indicating adjacent selectors with plus sign, 372
- Q&A, 368
- universal, 252, 370

**semantic markup**

- HTML content, 109–110
- vs. nonsemantic markup, 367

**server controls**

- ASP.NET, 65–66

ContentPane, 66–67

ControlPanel, 66

converting Balloon Pop game into server controls, 334–335

**server-side code, semantics of, 197**

**service providers, 170–171**

**shapes, XAML, 218–219**

**Sharp Reader, as newsreader client, 308**

**sIFR (Scalable Inman Flash Replacement)**

- calling sIFR.replaceElement( ), 352–355
- creating decoy styles in CSS, 355
- customizing page with, 350
- defined, 378
- embedding font with Adobe Flash, 347–348
- Font Embedder, 348–349
- generating Flash Movie with free tools, 349–350
- getting started with, 344
- installing new font on computer, 345–346
- overview of, 343
- Q&A, 373
- selecting fonts, 344–345
- testing Flash movie, 351–352

**sIFR (Scalable Inman Flash Replacement), in DNN**

- adding sIFR to a container, 356–359
- overview of, 355
- working with JavaScript timing, 359–363

**sIFR.replaceElement( ), 352–355, 373**

**Silverlight, 213–236**

- adding video player controls, 230–232
- adding video skin object, 227–230
- animating Hello World application, 220–221
- animating skin header, 222–226
- animation with XAMI, 219
- applying animation to DNN skin, 221–222
- building Hello World application, 214–217
- creating video library, 232–235
- defined, 378
- getting started, 213–214
- media control, 227

- Q&A, 369
- XAML shape elements, 218–219
- Silverlight.js, 213, 369**
- Simple Mail Transfer Protocol (SMTP), 126–127, 378**
- simplicity, requirements for skinning engines, i**
- site design, 145–146**
- sitemaps**
  - creating site map diagram, 13–16
  - defined, 378
  - neighborhood association website, 127–128
- skin administration pages**
  - applying skins to pages, 48–49
  - browsing, 40–41
  - uploading skins, 47
- skin objects**
  - adding video skin object, 227–230
  - banner skin object, 63–65
  - common traits of, 169
  - container files and, 72
  - customizing menu skin object, 172–175
  - defined, 62, 378
  - function of, 60
  - House of Nuke options, 83–85
  - HouseMenu skin object, 180–183, 189–190
  - list of standard, 82–83
  - logo skin object, 62–63
  - TreeViewMenu, 84–85
- skin packages**
  - applying, 47–48
  - containers.zip file, 44–45
  - skins.zip file, 45–46
  - types of files in, 365–366
  - what they are, 43–44
- skin.css file, 156**
- skinning**
  - custom module with AJAX features, 331–332
  - defined, i
  - made easy, 12–13
  - what it is, 5
- skins, 6–9**
  - animating skin header, 222–226
  - applying Silverlight animation to, 221–222
  - applying skin package, 47–48
  - applying to pages, 48–49
  - banner skin object, 63–65
  - browsing DNN-Blue skins, 8–9
  - changing panes, 67–70
  - containers.zip file, 44–45
  - ContentPane, 66–67
  - control directives, 60–61
  - ControlPanel, 66
  - defined, 378
  - developing, 7
  - file comparison utilities, 81–82
  - file versioning control, 81
  - Firefox add-ons for working with, 117–118
  - formatting, 81
  - HTML and skin objects, 61–62
  - IE tools for working with, 115–116
  - installing, 7
  - installing portal level skin, 54–55
  - installing with Install folder, 56
  - logo skin object, 62–63
  - neighborhood association website. *See* neighborhood association website, skinning
  - overview of, 6–7, 43, 60
  - panes, 65–66
  - searching for, 46
  - simplifying for HTML validation, 275–278
  - skins.zip file, 45–46
  - tools for analyzing, 115
  - uploading, 47
  - what are skin packages, 43–44
- skins, custom**
  - adding sample content to custom HTML container, 109–110

## skins (continued)

### skins (continued)

- building custom .ascx container, 112–113
- building custom .ascx file, 98–100
- building custom HTML container, 105
- building custom skin files, 88–89
- configuring skin DTD, 104–105
- creating CSS file for custom HTML skin, 92–95
- creating folder structure for, 152–153
- creating HTML file for custom HTML container, 105–106
- creating HTML file for custom HTML skin, 88–91
- creating XML file for custom HTML container, 106–109
- creating XML file for custom HTML skin, 91
- design considerations, 87–88
- DTD, 101–104
- Firefox add-ons for working with, 115–116
- IE tools for working with, 115–116
- installing custom HTML container, 110–112
- installing custom HTML skin, 95–98
- installing custom web user control container, 113–115
- installing custom web user control skin, 100–101
- overview of, 87
- refactoring, 195–198
- skins.zip file**
  - copying skin files into zip file, 160
  - Q&A, 368
  - skin packages and, 45–46
- SMTP (Simple Mail Transfer Protocol), 126–127, 378**
- Software Development Kit (SDK)**
  - defined, 378
  - Silverlight, 213–214
- SolPartMenu**
  - changing menu providers, 175–177
  - default menus, 368
- SolPartMenu.ascx, web user controls, 171–172**

- source control, open source platforms and, 322**

- Source Package, download packages, 27**

- sp\_addlogin command, 34**

- sp\_addrolemember command, 34**

- sp\_grantdbaaccess command, 34**

- <span>, as inline element, 249**

- SQL Server 2005 Express**

- database installation, 33–36

- DNN using, 3

- installed as part of DNN installation, 23, 25

- SQL Server Management Studio Express**

- database installation, 33–36

- installed as part of DNN installation, 25

- running database script against destination

- database, 125

- standards. See Web standards**

- Standards Compliance mode**

- CSS and, 238

- CSS pseudo classes and, 185

- defined, 378

- DTD and, 101–102

- Q&A, 366

- Starter Kit**

- download packages, 27

- Visual Web Developer and Cassini as

- installation approach, 28

- static position, CSS properties, 148, 368**

- Storyboards**

- Q&A, 369

- XAML, 219

- <strong>, as inline element, 249**

- Subversion, file versioning tool, 81**

- .swf files**

- defined, 378

- Flash displaying images on web pages,

- 346–348

- fonts in, 344

- lightweight alternative to Flash, 349–350

- swfmill.exe, 350**

- syndicate control control, container files, 74–75**

**syndication, RSS feeds, 76–77**  
**System.Web.Extension.dll, 318, 372**

## T

**table cell tags, converting into server controls, 66**

### tables

Contacts module and, 295  
 table-based layout, 150

### tags

block elements and, 249  
 DOM hierarchies and, 240–241  
 formatting HTML tags, 81  
 HTML hierarchy and, 149  
 HTML tags having multiple class attribute values, 201  
 ID and class attributes used for specific targeting, 288  
 nested elements and, 183  
 Q&A, 366  
 rules for XML elements, 104  
 selectors targeting, 238  
 semantic markup, 109  
 as server controls, 66  
 table-based layout and, 91  
 targeting HTML through CSS, 11, 238–239  
 universal selectors, 252  
 wikis vs., 301–302

### targets

applying rules to multiple HTML targets, 242  
 CSS targeting HTML, 11, 238–239

### <td> tags, 239

### Telerik

RadEditor, 282–284  
 RadMenu control, 280–282

### templating. *See* skinning

**text, image-text compared with plain HTML text, 344. *See also* image-text files**

**text boxes, adding watermark to, 339–340**

### text editors

notepad as, 25, 239

## URLs (uniform resource locators)

refactoring skins, 195–197  
 Visual Studio 2005, 25–26  
 writing CSS rules, 239

### textbox controls, 162–164

**TextBoxWatermark control, 325–328**

### Text/HTML module

actions menu, 72  
 popularity of, 5–6  
 semantic markup, 109–110

### third-party menu control

HouseMenu skin object, 180–183  
 overview of, 180

### title control, containers, 73

### tokens

inserting on private pages, 199–202  
 as placeholders, 45

### TortoiseSVN, file comparison utility, 81

### TreeViewMenu

default menus, 368  
 skin object, 84–85, 178–179

### TrueType fonts, 346

### T-SQL commands

database snapshots, 125  
 defined, 378

### .ttf files, 346, 378

## U

**<ul> tags, 188–189, 301**

**underlining, removing from UsersOnline module, 292–293**

**uniform resource locators. *See* URLs (uniform resource locators)**

**universal selectors, CSS, 252, 370, 378**

**Upgrade Package, 27**

**uploading skins, 47**

### URLs (uniform resource locators)

defined, 378  
 parent and child portals and, 50  
 port specification and, 21–22  
 URL rewriting feature in DNN, 15

## user registration

---

**user registration, neighborhood association website, 128–129**

**UsersOnline module, 288–293**

- customizing, 291–292
- evaluating, 288–291
- overview of, 288
- removing underlines, 292–293

## V

### validation

- CSS standards, 269–270
- Developer Toolbar and, 116, 269
- HTML standards, 268–269
- implementing compliance, 271–279
- maintaining compliance, 285

**VB.Net, 378**

- building custom .aspx container, 112–113
- event handler written with, 204
- skin objects and modules and, 198
- writing custom menu skin objects, 170

**verified option, user registration, 129**

**versions, file versioning control, 81**

**vertical margins, 250–251**

### video

- adding video player controls, 230–232
- adding video skin object, 227–230
- creating video library, 232–235
- Q&A, 369
- Silverlight for embedding in websites, 213

**View Source Chart**

- Firefox add-ons for working with skins, 117
- visibility into menu skin object, 173–175

**visibility control, containers, 73–74, 76**

**Visual Basic.NET, 12**

**Visual Studio.NET**

- development tool used with DNN, 7
- installed as part of DNN installation, 25–26
- Intellisense, 239

**Visual Web Developer**

- DNN installation approaches, 27–31

- formatting options, 81

- as text editor, 25–26

**VWD (Visual Web Developer Express), 379**

## W

**W3C (World Wide Web Consortium)**

- CSS validation service, 269–270
- defined, 379
- HTML specifications, 102, 267
- HTML validation service, 268
- XHTML specifications, 267

**Walker, Shaun, 3**

**watermark, adding to search text box, 325–328**

**Web browsers**

- CSS and, 11
- differences in page rendering, 368
- DTD and, 101–102
- how browsers load pages, 360
- Quirks mode and, 367
- Silverlight and, 214

**web pages**

- applying skins to, 48–49
- changing page-level permission, 40
- creating new page, 38–39
- creating public pages for neighborhood association website, 127–128
- customizing with sIFR, 350
- how browsers load pages, 360, 368
- security roles for securing, 130–131

**web servers, 20–22**

- Cassini. *See* Cassini
- IIS. *See* IIS (Internet Information Services)

**Web standards, 267–286**

- compliance with, 270–271
- CSS validation, 269–270
- HTML validation, 268–269
- implementing compliance, 271–279
- maintaining compliance, 285
- overview of, 267–268

Q&A, 371  
 testing HTML editor provider for compliance, 282–284  
 testing new menu provider for compliance, 280–282

**web user controls. *See also* containers; skin objects**  
 ASP.NET, 60  
 building custom .ascx container, 112–113  
 building custom .ascx skin, 98–100  
 code consolidation with, 193–195  
 independence of, 197  
 inserting tokens on private pages, 199–202  
 installing custom .ascx container, 113–115  
 installing custom .ascx skin, 100–101  
 interactive skins, 198–199  
 personalization, 202–209  
 Q&A, 369  
 refactoring redundant code, 195–198  
 SolPartMenu.ascx, 171–172

**web.config**  
 AJAX and, 321–322  
 database installation and, 34–36  
 defined, 379  
 provider services listed in, 170–171

**websites**  
 adding interactivity with Silverlight, 213  
 basic pages, 14  
 building with DNN, 11–12  
 creating site map diagram, 13–14  
 launching, 36, 37  
 neighborhood association. *See*  
   neighborhood association website  
 parent-child relationships between pages of, 14–16  
 planning DNN site, 124

**wide layout, neighborhood association website, 147**

**wide skin**  
 building, 156–158  
 how it works, 158

**widths, liability of hard coded width in modules, 163**

**wikis, 298–304**

customizing Wiki module, 301–304  
 defined, 379  
 evaluating Wiki module, 299–301  
 overview of Wiki module, 298–299

**Windows Authentication mode, SQL Server 2005 Express, 25**

**Windows OSs**

ASP.NET support, 20  
 DNN installation prerequisites, 19–20  
 IIS installed on XP Professional, 21  
 updating, 26

**Windows Presentation Foundation (WPF), 214**

**Windows Update, 26**

**wire frames, home page layout, 146**

**WPF (Windows Presentation Foundation), 214**

**wrappers, provider patterns as, 170**

## X

**XAML (Extensible Application Markup Language)**

adding video player controls, 230–232  
 adding video skin object, 227–230  
 animating Hello World application, 220–221  
 animating skin header, 222–226  
 animation with, 219  
 creating video library, 232–235  
 declarative programming and, 218  
 defined, 379  
 Microsoft Expression Blend for working with, 236  
 shape elements, 218–219  
 writing XAML files for Silverlight, 214

**XCOPY, 284, 379**

**XHTML**

defined, 379

## XHTML (*continued*)

---

### **XHTML (*continued*)**

DNN becoming XHTML compliant, 271

DTD and, 104

W3C specification for, 267

### **XML (Extensible Markup Language)**

creating XML file for custom HTML

container, 106–109

creating XML file for custom HTML skin, 91

defined, 379

DTD definitions in, 103

news feeds and, 305

placing XML file in same folder as skin  
file, 366

### **XSL (Extensible Stylesheet Language), 310, 379**

## **Z**

**zip files, skin packages as, 44**