
INDEX

A

- ABC, 273–274. *See also* Assumption based coordinates
- AC, 216. *See also* Address-centric routing
- Access control list, 408, 418
- ACE, 201–203. *See also* Algorithm for cluster establishment
- ACL, 408, 418. *See also* Access control list
- ACQP, 226–227. *See also* Acquisitional query processing
- ACQUIRE, 100–101, 137. *See also* Active query forwarding
- Acquisitional query processing, 226–227
- Active query forwarding, 100
- Adaptability, 7
- Adaptive election algorithm, 54
- Adaptive mobility-aware MAC protocol, 46–47
- Adaptive periodic TEEN, 92
- Adaptive rate control, 359
- ADCs, 20. *See also* Analog-to-digital converters
- Additive increase multiplicative decrease, 353
- Ad-hoc on-demand distance vector, 312
- AEA, 54. *See also* Adaptive election algorithm
- AES, 372
- Agent
- home, 108–109, 137
 - immediate, 117
 - mobile transport, 114
 - primary, 117
- AHBP, 152. *See also* Ad hoc broadcast protocol
- AIMD, 353, 357–358, 360, 364.
See also Additive increase multiplicative decrease
- Algorithm(s)
- asymmetric key, 372–373, 378–379, 398
 - elliptic curve digital signature, 379
 - emergent, 201–202
 - heuristic-based, 122
 - location-guided tree constructing, 161
 - neural-network-based, 232
 - off-line, 122
 - on-line, 122
 - reachback firefly, 303
 - shortest-path-based, 122–123
 - spanning-range-based, 122–123
 - symmetric key, 372–373
- Algorithm for cluster establishment, 201

ALOHA, 36–37
 pure, 36–37
 slotted, 36–37
 Analog-to-digital converters, 20
 AOA, 245, 248–249. *See also* Angle of arrival
 AODV, 312. *See also* Ad-hoc on-demand distance vector
 APIs, 11. *See also* Application programming interfaces
 APOs, 418–419, 427–429. *See also* Application objects
 Application(s)
 framework, 418, 426
 health care, 4
 objects, 418
 programming interfaces, 11
 security, 5
 support sublayer, 418, 428
 surveillance, 5
 APS, 418, 426–429. *See also* Application support sublayer
 APTEEN, 92, 137. *See also* Adaptive periodic TEEN
 ARC, 357, 359–360. *See also* Adaptive rate control
 ARQ, 30, 375. *See also* Automatic repeat request
 Arrival
 angle of, 245
 phase of, 248
 time of, 245
 ARSP, 303. *See also* Adaptive-rate synchronization protocol
 Assumption based coordinates, 273
 Attack
 MiM, 378, 380, 399
 Sybil, 376–377, 389
 wormhole, 385–386
 Authentication, 372, 376–378, 383–385, 388, 393, 395
 batch-based broadcast, 381
 broadcast/multicast, 370, 380–382
 public key, 378–379
 unicast, 380, 382
 Authenticity, 370, 376, 378, 383–384, 389
 Automatic repeat request, 30, 375
 Availability, 370, 386
 Awake-sleep scheduling algorithm, 83, 138

B

BABRA, 381. *See also* Batch-based broadcast authentication
 Balanced incomplete block design, 394
 Bandwidth
 allocation, 345, 351
 resources, 7, 35–36
 Belief state, 132–134
 Bellman-Ford shortest path algorithm, 85
 BER, 30, 318. *See also* Bit error rate
 BFS, 196–197. *See also* Breadth-first-search
 BIBD, 394, 397. *See also* Balanced incomplete block design
 BIP, 156–158. *See also* Broadcast incremental power
 minimal spanning tree based, 156–157
 min-power-path-based, 156–157
 MST-based, 156–157
 Bit error rate, 30, 318
 Bluetooth, 11, 13–14, 39, 408. *See also* IEEE 802.15.1
 B-MAC, 60–61
 Breadth-first-search, 196
 Broadcast
 area-based, 150
 authenticated, 204, 208
 blind, 149, 166
 counter-based, 150
 distance-based, 150
 integrated distance and angle based, 153
 localized power-efficient, 158
 min-hop maximum residual energy, 157
 near-maximum lifetime, 157
 power-aware, 147
 probability-based, 149
 TDMA based, 160
 Broadcast incremental power, 156
 Broadcasting, 16, 145–168
 energy-efficient, 156, 158
 Broadcasting mechanisms
 energy-efficient, 156
 location-aided, 153
 neighborhood-aware, 150–151, 155
 reliable, 158–159
 Broadcasting strategy
 cluster-based, 152
 connected-dominating-set-based, 151

- BVGF, 83, 137. *See also* Bounded Voronoi greedy forwarding
- C**
- CA, 378–379. *See also* Certificate authority
- CADR, 132–133, 137. *See also* Constrained anisotropic diffusion routing
- CAMP, 161. *See also* Core assisted mesh protocol
- CAP, 408, 410–412, 415, 423. *See also* Contention access period
- Carrier frequency generation, 30
- Carrier sense multiple access, 35–38, 351
non-persistent, 37, 51
n-persistent, 37
1-persistent, 37
- Carrier sense multiple access with collision avoidance, 441
- Carrier sensing, 44
physical, 44
virtual, 44
- CCF, 357–360. *See also* Congestion control and fairness
- CDMA, 10, 38. *See also* Code division multiple access
- CDMA sensor MAC, 57
- CDS, 151–152, 156. *See also* Connected dominating set
- CFP, 408, 410–411. *See also* Contention free period
- Cellular system(s), 1–2, 10, 19, 30
- Certificate authority, 378
- Challenge response, 377, 393
- Channel
access, 12, 410
assignment phase, 55
fading, 2, 8
utilization, 7
- CHR, 134–135, 137. *See also* Cluster-head relay protocol
- Clear-to-send, 37
- Clock drift(s), 44, 53, 286, 297–301
rates, 44
- CLOQ, 275–279. *See also* Cooperative localization with quality of estimate
- Cluster formation, 196–197, 201–202
- Cluster-head election algorithms, 181
- Cluster-head failure, 179
- Clustering, 22–24
adaptive, 193
architecture, 23
distributed, 195, 201
energy-efficient hierarchical, 197
hierarchical, 91–92, 187, 197–199
hierarchy, 23
maintenance, 180, 193
mechanisms, 178, 183, 191
mobility-based, 187
multilevel, 197–198
multitier hierarchical, 196
node, 173–195
passive, 189, 191
passive node, 191
process, 195, 208
secure, 203
single-level, 197
strategies, 23
structure(s), 174, 178, 190, 208
techniques, 174, 192, 208
2-hop, 181, 190
- Clustering algorithm(s), 23–24, 173–208
highest connectivity, 182
lowest ID, 181
mobility-based, 187
weighted, 183
- CODA, 356–360. *See also* Congestion detection and avoidance
- Codebook value, 95
- Code division multiple access, 10, 38
- Coding
distributed source, 437
dynamic channel, 443
erasure, 382
gain, 30
multimedia source, 437
- Collision, 35
avoidance, 36–37, 41–44, 50
data, 35
probability, 55
time, 55
- Communication(s)
acoustic, 449–451, 453
acoustic wireless, 449
graph, 69
many-to-one, 344
one-to-all, 145
one-to-many, 145
peer-to-peer, 344

Compression
 inter-frame, 437
 intra-frame, 437
 Confidentiality, 370–372, 388
 Congestion
 control, 343–366
 control and fairness, 358
 detection, 351, 356–360
 detection and avoidance, 356, 358
 mitigation and avoidance, 351–352
 notification, 351–352, 356–360, 364
 Congestion notification
 explicit, 352, 359–360, 364
 implicit, 352, 358–360
 Contention, 45, 49
 correlated, 49
 resolution, 59
 slot, 49–50
 window, 43, 49–50
 Control
 access, 417–418
 congestion, 457, 459–460, 464
 flow, 347–348
 power, 435, 443, 457–458, 460–461
 traffic, 352
 Cooperative localization with quality of
 estimate, 275
 Coordination
 actor-actor, 444–445, 447
 sensor-actor, 444–447
 Coordination of power saving with
 routing, 81
 Correlation
 spatial, 216, 227, 229, 450, 460–461
 spatio-temporal, 216, 224
 temporal, 216, 224, 460
 Cost distribution, 84–85
 Cougar, 98–99, 137
 approach, 98–99
 Coverage, 68, 71, 82–83, 139
 full, 71
 partial, 71
 path, 106
 redundant, 71–72
 Cramer-Rao lower bound, 252
 CRLB, 252, 257, 261, 264–267. *See also*
 Cramer-Rao lower bound
 Crossbow, 437, 441, 454–455
 CrossBow Mica, 129

Cross-layer
 control unit, 441–442
 design, 168, 434, 441, 456–457, 459–460,
 463–466
 interaction, 435, 441, 457, 460, 462–463
 module, 463
 optimization, 435, 461
 pairwise, 458, 460, 463
 resource allocation, 457–458
 Cryptography
 elliptic curve, 379, 399
 identity-based, 379–380, 399
 CSMA 35–38, 42, 49–52, 59–61, 351.
 See also CSMA based MAC protocol,
 49, 52
 CS-MAC, 57–58. *See also* CDMA sensor
 MAC
 CSMA/CA, 12, 37–38, 58, 441, 446.
 See also Carrier sense multiple access
 with collision avoidance
 CTS, 37, 43–45, 50. *See also* Clear-to-send

D

DAA, 237–239. *See also* Data-aware anycast
 DAT, 233–234. *See also* Data aggregation
 tree
 Data
 aggregation, 16, 19, 23, 26, 96, 136, 174,
 176, 204, 208, 215–217, 229–239
 cache, 96–97
 centricity, 67, 73, 75, 137–138
 collection, 7
 delivery, 7, 26, 28, 47
 dissemination, 15–16, 67–139
 encryption, 27, 30, 417–418
 fusion, 75, 89–90, 124–125, 129, 135
 gathering tree, 47–48
 named, 75, 95, 100
 naming, 94, 96
 prediction, 48
 redundancy, 3, 25
 warehouse, 114
 Data aggregation, 16, 19, 23, 26, 96, 136,
 174, 176, 204, 208, 215–217, 229–239
 delay-constrained, 233
 neural-network-based, 232
 QoS constrained, 235
 structure-free, 237
 Data-aware anycast, 237

- Data dissemination
 - proxy tree-based, 121
 - two-tier, 115, 163
 - Data forwarding
 - interruption, 47
 - process, 47
 - Data stream multiplexing, 27, 29
 - DBTMA, 329. *See also* Dual busy tone
 - multiple access
 - DC, 216. *See also* Data-centric routing
 - DCDD, 336. *See also* Diversity coded
 - directed diffusion
 - DCF, 38, 44. *See also* Distributed
 - coordination function
 - DDM, 161. *See also* Differential
 - destination multicast
 - DDP, 276. *See also* Detected direct path
 - Delivery
 - continuous, 344
 - event-driven, 344
 - hybrid, 344
 - latency, 7
 - packet, 345, 349–350, 358
 - query-driven, 344
 - DE-MAC, 55–56. *See also* Distributed
 - energy-aware MAC
 - Denial of service, 375
 - DES, 372
 - DESYNC, 303
 - DICAS, 390
 - Diffie-Hellman, 372, 378–379, 398–399
 - Dijkstra's algorithm, 106, 156, 162
 - Directed diffusion, 95–97, 109, 115, 121,
 - 137, 223–224
 - diversity coded, 336
 - Directed path, 249
 - detected, 276
 - undetected, 250
 - Direct sequence, 254
 - Direct spread spectrum, 253
 - Discovery
 - device, 416, 427, 429
 - route, 419, 424–426
 - service, 427, 429
 - Distance measurement error, 277
 - Distributions
 - center-based key, 203
 - pairwise keying, 203
 - public key based, 203
 - Distributed coordination function, 38
 - Distributed energy-aware MAC, 55
 - Distributed TCP cache, 355
 - Distributed weight-based energy-efficient
 - hierarchical clustering, 199
 - DLP, 398. *See also* Discrete logarithm
 - problem
 - D-MAC, 47–48
 - DME, 277. *See also* Distance
 - measurement error
 - Dominating set, 147, 150–151, 155
 - connected, 147, 150–151, 155
 - Doppler frequency spread, 451
 - DoS, 375, 386. *See also* Denial of service
 - DP, 249–252, 254, 257, 264, 276, 279.
 - See also* Directed path
 - DPM, 10, 315–316. *See also* Dynamic
 - power management
 - DR, 269. *See also* Direct ranging
 - DRAND, 59
 - DS, 254. *See also* Direct sequence
 - DS-MAC, 46. *See also* Sensor MAC
 - protocol with a dynamic duty cycle
 - DSR, 82. *See also* Dynamic source routing
 - DSS, 253. *See also* Direct spread spectrum
 - DTC, 355. *See also* Distributed TCP cache
 - Dual decomposition, 459
 - Duty cycle, 43, 46, 47–50, 52–53
 - adjusting messages, 47
 - DVS, 10. *See also* Dynamic voltage
 - scaling
 - DVS, 309, 375. *See also* Dynamic voltage
 - scheduling
 - DWEHC, 199–201. *See also* Distributed
 - weight-based energy-efficient
 - hierarchical clustering
 - Dynamic power management, 10, 315
 - Dynamic voltage
 - scaling, 10
 - scheduling, 309, 375
- ## E
- EAD, 101–103, 137. *See also* Energy-aware
 - data-centric routing
 - EAR, 332. *See also* Energy aware routing
 - Earliest deadline first, 56
 - Eavesdropping, 371–373
 - ECC, 379. *See also* Elliptic curve
 - cryptography

- ECC based Diffie-Hellman algorithm, 379, 399
- ECDLP, 379. *See also* Elliptic curve discrete logarithm problem
- ECDSA, 379. *See also* Elliptic curve digital signature algorithm
- ECN, 364. *See also* Explicit congestion notification
- EDF, 56. *See also* Earliest deadline first
- EEHC, 197–199. *See also* Energy-efficient hierarchical clustering
- Ekahau, 249
- Elliptic curve
 - cryptography, 379
 - digital signature algorithm, 379
 - discrete logarithm problem, 379
- Embedded microprocessors, 2
- Enclosure
 - graph, 85–87
 - graph construction, 84–85
 - region, 85–86
- Encryption, 370, 372–373, 385, 398
- Energy
 - conservation, 30
 - consumption, 19, 22, 25, 29–31
 - depletion, 2, 8
 - leakage, 216
 - model, 68, 70, 78
 - optimization, 10
 - residual, 27
 - switching, 216
- E-OMNST, 122. *See also* enhanced OMNST
- EPS, 358. *See also* Epoch-based proportional selection
- ER, 269. *See also* Extended ranging
- Error(s)
 - control, 27–30, 375
 - control code(s), 30
 - processing, 375
 - transmission, 374–375
- ESRT, 355, 360–361, 363, 364–365. *See also* Event-to-sink reliable transport
- Estimation(s)
 - convex position, 267–268
 - population, 230–231
 - range, 243
 - recursive position, 269
 - statistical, 389
- Euclidean
 - distance, 68, 83, 106–108
 - space, 269
- Event descriptions, 95
- Event-to-sink reliable transport, 353, 360, 364
- Explicit congestion notification, 364
- Explicit duty-cycle adjusting mechanism, 47
- F**
- FAMA, 328–329. *See also* Floor acquisition multiple access
- Family
 - Medusa, 11
 - Moté, 11
- Fault tolerance, 4, 7
- FCC, 244, 254. *See also* Federal communications commission
- FDM, 56. *See also* Frequency division multiplexing
- FDMA, 10, 38. *See also* Frequency division multiple access
- FEC, 336. *See also* Forward erasure codes
- FEC, 30, 318, 375–376. *See also* Forward error correction
- Federal communications commission, 244
- FFDs, 409–410, 418, 420, 429. *See also* Full function devices
- Finite state machine, 233
- Flat
 - architecture, 22
 - network, 22
- F-LEACH, 204–205, 208
- Flooding, 22, 162–167
 - branch aware, 110
 - event, 98
 - multipath extension of, 110–111
 - query, 98
- Forward erasure codes, 336
- Forward error correction, 30, 375
- Forwarding
 - best-effort, 83
 - bounded *Voronoi* greedy forwarding, 83
 - geographic random, 83
 - geographical, 118
 - greedy geographical, 107, 116

- minimum cost, 332
 - selective, 387
 - trajectory, 117
 - Forwarding discipline
 - geographical, 163
 - greedy geographical, 163
 - Frame sharing, 56
 - Frequency division
 - division multiplexing, 56
 - multiple access, 10, 38
 - Frequency
 - hopping pattern, 39
 - selection, 30–31
 - Freshness, 370, 385–386
 - sequential, 417–418
 - FSM, 233–234. *See also* Finite state machine
 - FST, 123. *See also* Full Steiner tree
 - FTSP, 298–299, 304. *See also* Flooding time synchronization protocol
 - FTP, 347. *See also* File transfer protocol
 - FullFlood, 222–223
 - Function devices
 - full, 409
 - reduced, 409
 - Funneling
 - effect, 60–61
 - region, 60–61
 - Funneling-MAC, 60
 - Fusion, 357–358, 360
- G**
- GAF, 78–79, 137, 153–154. *See also* Geographical adaptive fidelity
 - GARUDA, 361–363
 - GBR, 154–155. *See also* Grid-based routing structure
 - GDOP, 258, 261. *See also* Geometric dilution of precision
 - GEAR, 80–81, 137. *See also* Geographic and energy-aware routing
 - GEDIR, 78. *See also* Geographic distance routing
 - Geocast
 - area, 164–166
 - data, 164
 - packet(s), 164–166
 - region, 165–166
 - zone, 165
 - Geocasting, 16, 145–149, 164–168
 - directed flooding-based, 165
 - Geocasting mechanisms
 - guaranteed, 166
 - non-guaranteed, 164
 - Geographic forwarding, 81
 - algorithm, 80–81
 - protocol, 81
 - Geographical adaptive fidelity, 78, 153
 - Geometric dilution of precision, 258
 - Geometrical triangulation, 257–258
 - GeRaF, 83–84, 137. *See also* Geographic random forwarding
 - Global identification, 2
 - Global positioning system, 20, 53, 244, 288
 - GMR, 163. *See also* Geographic multicast routing
 - GOAFR, 78. *See also* Greedy other adaptive face routing
 - Gossiping, 78
 - GPS, 20, 53, 57, 150, 153, 244–249, 253, 258, 263, 279, 288–290, 296. *See also* Global positioning system
 - GPSR, 78, 104, 109. *See also* Greedy perimeter stateless routing
 - GreedySplit algorithm, 227
 - Grid
 - construction, 115
 - maintenance, 115
 - Ground target detection, 3
 - Group key distribution, 399
- H**
- Hardware resources, 8
 - HCN, 182–183, 188. *See also* Highest connectivity
 - HEED, 195–196, 201. *See also* Hybrid, energy-efficient, and distributed clustering approach for ad-hoc sensor networks
 - Heterogeneity
 - energy, 129–131
 - link, 129–131
 - Hierarchical
 - architecture, 22
 - network, 22, 31
 - Highest connectivity, 182

- Hole(s), 81
 - area, 104
 - connectivity, 71, 76
 - coverage, 71, 76
 - Hole problem
 - sensor, 104–105
 - sink, 109, 113
 - Home
 - intelligence, 5
 - network, 5
 - smart, 5
 - Hop-TERRAIN, 272–275
 - Hotspot effect, 25
 - H-trees, 82
 - Hybrid clustering-based routing protocol, 92
 - Hybrid, energy-efficient, and distributed clustering approach, 195
- I**
- IBC, 380. *See also* Identity-based cryptography
 - Idle listening, 42, 50–51, 55, 59
 - IDSQ, 131–132, 137. *See also* Information-driven sensor query
 - IEEE
 - 1451, 13–14
 - 1451.1, 14
 - 1451.2, 14
 - 1451.3, 14
 - 1451.4, 14
 - 802.11, 11, 13–14, 408
 - 802.11 DCF, 44
 - 802.15.1, 13–14, 408
 - 802.15.3, 249
 - 802.15.4, 12–14, 249, 407–410, 413–414, 417–419, 425
 - P1451.0, 14
 - P1451.5, 14
 - P1451.6, 14
 - ILP, 446. *See also* Integer linear program
 - Implicit contention, 56
 - Implicit prioritized MAC, 56
 - Industry process control, 1
 - Industrial scientific and medical bands, 31
 - Information dissemination
 - home agent based, 108, 137
 - quorum based, 107
 - In-network
 - aggregator, 100
 - processing, 67, 73–75, 87, 99, 129, 435, 438
 - Integer linear program, 446
 - Integrity, 370, 374, 376
 - frame, 417–418
 - Intelligent medium access with busy tone and power control 328
 - Interest
 - cache, 96–97
 - transmission, 96
 - Intra-cell
 - communication, 56
 - messages, 56
 - Intelligent guiding, 4
 - Internet, 1, 21
 - Intrusion detection, 370, 376, 390
 - Inventory control, 28
 - IPSec, 398
 - ISM, 31. *See also* Industrial scientific and medical bands
- K**
- KDC, 391–392
 - Key cryptography
 - asymmetric, 372
 - public, 370
 - symmetric, 370, 372
 - Key distribution center, 391
 - Key management, 370, 391, 398–399
 - asymmetric, 398
 - group, 399
 - symmetric, 391
 - Key material distribution
 - deterministic, 394–395
 - location-based, 395
 - random, 393
 - Kullback-Leibler divergence, 105
- L**
- LAR, 74. *See also* Location-aided routing
 - Layer
 - application, 13, 26–28
 - link, 26, 29
 - MAC, 12–13
 - network, 13, 26–27, 29

- physical, 9, 13, 26, 30
- transport, 26–28
- LCA, 184–187, 199, 203. *See also* Linked cluster algorithm
- LCC, 182–183. *See also* Least cluster change
- LEACH, 88–92, 137. *See also* Low-energy adaptive clustering hierarchy
- Leader-election, 56
 - algorithm, 100
- LEAP, 399
- Least cluster change, 182
- Least-squares, 258
 - weighted, 258
- LID, 181–183, 185, 188. *See also* Lowest ID
- Lifetime
 - network, 21, 27
 - operational, 8, 19, 29, 31
- Line of sight, 9–10, 249
- Link(s)
 - assignment, 55
 - backhaul, 130–131
 - point-to-point, 156
 - reliability, 30
- Linked cluster algorithm, 184
- LMST, 158, 162. *See also* Localized minimal spanning tree
- Local election process, 55–56
- Localization
 - centralized, 264, 267
 - cooperative, 243–244, 247–248, 263–265, 275, 279
 - distributed, 269, 271
 - multihop network, 269
 - node, 243–244, 247, 262
- Long-distance transmission, 21
- LOS, 249, 251, 264, 279. *See also* Line of sight
- Loss
 - detection, 353–354, 361–363
 - notification, 353–354
 - recovery, 347, 349–350, 353–356, 362–366
 - transmission, 450
- Low-energy adaptive clustering hierarchy, 88
- Lowest ID, 181
- LS, 258–261, 269, 272, 279. *See also* Least-squares algorithm, 258, 261
- LTS, 297–298, 304. *See also* Lightweight tree-based synchronization
- M**
- MABS, 283. *See also* Broadcast/multicast authentication protocol
- MAC, 376–377, 380–381. *See also* Message authentication code
- MAC, 12–13, 15, 29–30, 35–61. *See also* Medium access control self-stabilizing, 323
- MAC protocols
 - contention-based, 35–36, 42–43, 55, 58
 - contention-free, 35–38, 42, 53, 57–58
- MACA, 37–38, 319, 327–329. *See also* Multiple access with collision avoidance
- MACAW, 38, 319, 328–329. *See also* Multiple access with collision avoidance wireless
- Mahalanobis distance, 132–133
- Management
 - binding, 429
 - network, 429
 - node, 429
 - security, 429
 - service(s), 408, 414–416, 418
- Management plane(s), 27
 - connection, 27
 - power, 27
 - task, 27
- Man-in-the-middle, 378
- Malicious attacks, 7
- MANETs, 1–2, 10, 19, 30. *See also* Mobile ad hoc networks
- Many-to-one traffic pattern, 3, 29, 31, 60
- MAODV, 161. *See also* Multicast-enabled ad-hoc on-demand vector routing
- MASK, 374
- Max-min D-clustering, 185
- Max-min D-clustering algorithm, 185
- MBC, 187–188. *See also* Mobility-based clustering
- MB-OFDM, 254. *See also* Multiband orthogonal frequency division multiplexing
- MCFA, 332. *See also* Minimum cost forwarding algorithm

- MC-UWB, 439–440. *See also* MultiCarrier UWB
- MDS, 268–269, 279. *See also* Multi-dimensional scaling
- MECN, 84–87. *See also* Minimum energy communication network
- Medium access control, 9, 15, 19, 29, 35
- MEMS, 1, 9, 243, 343. *See also* Microelectronic-mechanical systems
- Message
 - authentication code, 370, 376
 - integrity code, 376
 - passing, 43, 45
 - scheduler, 57
- Meta-data, 94–95
- MFR, 78. *See also* Most forward with fixed radius
- MIC, 376. *See also* Message integrity code
- MicaZ, 437, 441, 454–456
- Microelectronicmechanical systems, 1, 243, 343
- Micromachining
 - bulk, 9
 - planar, 9
 - post-process, 9
 - surface, 9
- MiM, 378, 380, 399. *See also* Man-in-the-middle
- Minimum
 - energy property, 87
 - power configuration, 333
 - power topology, 84–87
 - transmission energy, 89
- Minimum cost forwarding algorithm, 332
- Minimum energy communication network, 84
- Mini-Sync, 292–294
- Mirollo-Strogatz, 303
- MMD, 185, 187. *See also* Max-min
 - D-clustering
- MNL, 58. *See also* Minimum neighbor list
- MNL, 269, 272. *See also* Multihop network
 - localization
- Mobile ad hoc networks, 1, 19
- Mobile ubiquitous LAN extensions, 114
- Mobility
 - effect, 25
 - group, 187
 - handling mechanism, 47
 - individual, 187
 - sink, 113, 122–123
 - target, 121
- Mode
 - junction, 120
 - non-replica, 120
- Model(s)
 - data delivery, 136
 - Mirollo-Strogatz mathematical, 303
 - traffic, 344
- Monitoring
 - ambulatory, 5
 - battlefield, 4
 - behavior, 5
 - disaster, 4
 - environmental, 1, 3, 369, 376
 - habitat, 4, 28, 344
 - hazard, 4
 - medical, 5
 - ocean-bottom, 449
 - ocean-column, 449
 - quality, 4
- Most forward with fixed radius, 78
- Moté(s), 11
 - iPAQ, 129
- MPR, 151. *See also* Multipoint relaying
- MRTA, 447. *See also* Multi-robot task
 - allocation
- MS, 303. *See also* Mirollo-Strogatz
- MSKP, 395
- MS-MAC, 46–47. *See also* Adaptive
 - mobility-aware MAC protocol
- MST, 147, 156–159, 162. *See also* Minimal
 - spanning tree
- MTE, 89–90. *See also* Minimum
 - transmission energy
- MULEs, 76, 114–115, 137. *See also* Mobile
 - ubiquitous LAN extensions
- Multiband orthogonal frequency division
 - multiplexing, 254
- Multicast
 - centralized power-aware, 162
 - differential destination, 161
 - localized power-aware, 162
 - min-power, 147, 162
 - power-aware, 147, 162
- Multicasting, 16, 145–149, 160–164, 166–168
 - location-based, 162
 - tree-based, 161

- Multi-dimensional scaling, 268
- Multihop
 - chain, 48
 - clustering architecture, 23–24
 - communication, 21
 - network(s), 22, 25–26, 31
 - path, 22, 29, 47–48, 55, 58
 - short-distance communication, 29
 - short-range communication, 21, 31
- Multimedia content, 434–438
 - snapshot, 437
 - streaming, 437
- Multimedia coverage, 438
- Multipath
 - braided, 110, 137
 - discovery, 110, 112
 - idealized braided, 110, 137
 - propagation, 451
- Multiple access
 - code division, 10
 - dual busy tone, 329
 - floor acquisition, 328
 - frequency division, 10
 - power controlled, 329
 - spatial division, 10
 - time division, 10
- Multiple access with collision avoidance, 37, 319, 327
- Multiple access with collision avoidance wireless, 319, 328
- Multipoint relaying, 151
- Multi-robot task allocation, 447

- N**
- Neighbor
 - discovery, 55
 - protocol, 54
 - set, 68, 72, 86
- Neighbor list
 - minimum, 58
 - non-redundant, 58
 - redundant, 57
- nesC, 11
- Network(s)
 - allocation vector, 44
 - applications, 3, 7, 10–11, 15
 - architecture(s), 8, 15
 - beacon-enabled, 412, 415, 424
 - characteristics, 2, 7, 15
 - coding, 168
 - control and management, 19, 31
 - deterministic, 25
 - dynamics, 67, 73, 76, 138
 - flat, 174, 203
 - formation, 409, 419
 - heterogeneity, 73, 77, 138
 - heterogeneous, 26
 - hierarchical, 174, 176
 - homogeneous, 26
 - layering, 67, 73–74, 137–138
 - lossless, 95
 - lossy, 95
 - mobile, 25
 - mobile-sink, 25
 - multihop, 25–26
 - multisink, 25
 - nonbeacon-enabled, 413
 - non-deterministic, 25
 - non-self-configurable, 26
 - overlay, 118
 - point-to-point, 94
 - proactive, 91
 - reactive, 91
 - topology, 2, 7
 - security, 9, 15–16, 19, 22
 - self-reconfigurable, 26
 - single-hop, 25–26
 - single-sink, 25
 - static, 25
 - static-sink, 25
 - structure, 20
- Newbury networks, 249
- NLOS, 249, 251, 261, 279, 331. *See also* Non-LOS
- Non-LOS
- NNL, 58. *See also* Non-redundant neighbor list
- Node(s)
 - clustering, 15–16
 - compromise, 371, 393, 395–399
 - density, 7
 - deployment, 1–2, 6, 8
 - dissemination, 116–117
 - index, 122
 - localization, 15–16, 19, 22
 - mobility, 39
 - rendezvous, 107
 - replication, 389–390

Noise

- ambient, 451
- man-made, 451

Non-LOS, 249, 331

Non-repudiation, 370, 372, 384–385

NP, 54. *See also* Neighbor protocol

NTP, 288, 290, 296, 300. *See also* Network time protocol

NVA, 44. *See also* Network allocation vector

O

OFDM, 439–440, 461. *See also* Orthogonal frequency division multiplexing

OHC, 380–381. *See also* One-way hash chain

Omni-directional antenna, 146, 156

Omni-directional links, 9

One-way hash chain, 380

On-line minimum Steiner tree, 122
approximated, 122

ONMST, 122. *See also* On-line minimum Steiner tree
enhanced, 122

Operation

- duty-cycle, 462
- fetch, 363
- pump, 363
- report, 363

Operators

- mathematical, 230
- query, 218, 222
- relational, 218
- sequence, 218

Optical

- communication, 9
- radiators, 9
- transmission, 9

Optimization

- cross-layer, 435, 461
- energy, 10
- query, 226, 239
- throughput, 461

Orthogonal frequency division multiplexing, 439

Orthogonal pseudo noise codes, 38–39

Overhearing, 41–42, 45–48
range, 47

P

Packet(s)

- injection, 376
- loss, 7
- modifications, 375
- reception rate, 461
- replaying, 385

Paging systems, 59

Pairwise

- authentication, 204
- cross-layer, 458, 460, 463
- resource allocation, 458

PAMAS, 319–321, 327–329

PAN, 408–411, 414–416, 418–421, 429

PanGo, 249

Pareto

- optimal, 127
- set, 127

PASA, 330–331. *See also* Power adaptation for starvation avoidance

Passive clustering for efficient flooding, 189

Path(s)

- braided, 110
- min-power paths, 156, 162
- node-disjoint, 110–112
- redundancy, 73, 75, 138

Pattern recognition, 257–258, 262

PCCP, 357–360, 365. *See also* Priority-based congestion control protocol

PCMA, 329–330. *See also* Power controlled multiple access

PCMs, 313, 327. *See also* Power conservation mechanisms

PDAs, 11. *See also* Personal digital assistants

PDU, 371–375. *See also* Protocol data unit

Peer-to-peer

- communication, 38–39, 58
- network, 39

PEGASIS, 89–91, 124, 136–137. *See also* Power-efficient gathering in sensor information systems

Period(s)

- contention access, 408, 410
- contention free, 408, 410
- random-access, 53
- scheduled-access, 53–54

- Periodic message
 - model, 57
 - set, 57
- Personal digital assistants, 11
- Phase-locked loop, 318
- PKI, 378. *See also* Public key infrastructure
- PLL, 318. *See also* Phase-locked loop
- Power
 - conservation, 16
 - consumption, 6, 9, 12, 437–440
 - control, 16
- PicoNode, 11
- Piconet, 39
- Pinpoint, 249
- Platforms
 - hardware, 10–12
 - software, 10–12
- POA, 248–249. *See also* Phase of arrival
- Points
 - access, 114–115
 - cache, 354–355
 - crossing, 115–116
 - dissemination, 115–116
 - grafting, 118
 - loss, 354
 - service access, 346
- Point-to-point
 - networks, 94
 - transmission media, 94
- Polite gossip, 357, 360
- Power adaptation for starvation
 - avoidance, 330
- Power-aware sensor selection, 334
- Power conservation mechanisms, 308, 313–314, 327, 337
 - active, 308, 313–314, 327
 - higher layer, 314, 320
 - MAC layer, 314, 318
 - passive, 313–315
 - physical-layer, 314
- Power-efficient gathering in sensor information systems, 89
- P2P, 344. *See also* Peer-to-peer communications
- Preamble
 - sampling, 51, 59
 - wake-up, 51, 59
- Prim's algorithm, 156
- Privacy, 370–371, 373–374
- Problem
 - data forwarding interruption, 47
 - discrete logarithm, 398
 - elliptic curve discrete logarithm, 379
 - energy management, 55
 - energy sink-hole, 109, 113
 - hidden terminal, 37, 44, 52
 - throughput optimization, 461
- Processes
 - fabrication, 9
 - micromachining, 9
- Promiscuous listening, 159
- Protocol(s)
 - address-centric, 93
 - ad hoc broadcast, 152
 - broadcast/multicast authentication, 383
 - cluster-head relay, 134
 - communication, 7, 9–11
 - core assisted mesh, 161
 - data-centric, 93
 - data MULES based, 114
 - data unit, 371
 - file transfer, 347
 - heterogeneity-based, 129
 - hybrid, 58
 - information-driven sensor querying, 132
 - joint mobility and routing, 113
 - location-aided, 78
 - location-aware routing, 118
 - mobility-based protocols, 113
 - multipath-based, 109
 - multipath discovery, 110, 112
 - network time, 288
 - overlay multicast, 161
 - priority-based congestion control, 358
 - QoS based, 123
 - query routing, 92
 - quorum based, 107
 - sensor transmission control, 336, 356, 364
 - stack, 12–13, 15, 26–27
 - stream control transmission, 346
 - transport, 15–16
 - tree-based multicasting, 121
- Proxy
 - sink, 121–123
 - source, 121–123
- PRR, 461. *See also* Packet reception rate

PS, 358. *See also* Probabilistic selection
 PSFQ, 356, 361–363. *See also* Pump slowly
 fetch quickly
 Public key infrastructure, 378
 Pump slowly fetch quickly, 356, 362

Q

QoE, 275–278. *See also* Quality of
 estimate
 QoL, 277. *See also* Quality of link
 QoS, 7, 9, 16, 30, 76, 123, 344–345, 347,
 349–351, 353, 355–356, 366, 435,
 437–438, 441–442. *See also* Quality of
 service
 QoS support, 7
 Quality of estimate, 275, 277
 Quality of link, 277
 Quality of service, 7, 16, 30, 39–41, 76, 123,
 148, 343–344, 435
 Query(ies)
 answer, 217, 221, 224, 239
 attributes, 220
 dissemination, 28, 95
 exploratory, 219
 filtering, 219
 flooding, 222
 historical, 92, 219, 225
 information, 133
 information-driven sensor, 131
 layer, 99
 monitoring, 219
 multidimensional, 220
 non-aggregate, 101
 non-filtering, 220
 one-dimensional, 220
 one-shot complex, 100
 one-time, 92, 219
 optimization, 226, 239
 optimizer, 100
 persistent, 92, 98, 219
 plan, 100
 probabilistic, 221
 processing, 16, 100, 215–229, 239
 proxy, 99, 104–106
 range, 219, 237
 request, 217, 220–222
 response, 217, 219–220, 223, 234
 routing, 80
 spatial, 219

spatio-temporal, 219
 SQL, 217
 subscription, 118
 temporal, 219
 two-tier, 115–116

R

Radio
 channel, 20
 connectivity, 55
 frequency, 9
 frequency identification, 231
 jamming, 387–388
 sensibility, 47
 transceivers, 2, 13
 RAND, 59
 Random early detection, 364
 Randomized waiting, 237
 Random key pre-distribution, 393
 Random-pairwise key, 393
 Ranging
 direct, 269–270
 extended, 269, 271
 RSS based, 254, 257
 TOA based, 249–250, 252
 ultra-wideband, 253–254
 RATS, 301. *See also* Rate adaptive time
 synchronization
 RBC, 361–362. *See also* Reliable bursty
 convergecast
 RBS, 291–292, 295, 297–300, 303–304. *See
 also* Reference broadcast
 synchronization
 multihop, 295–296
 RC5, 372
 Received signal strength, 245
 RED, 364. *See also* Random early
 detection
 Reinforcement, 96, 109
 alternate-path, 109–110
 primary-path, 109–110
 process, 109
 Reliability, 7, 12
 event, 350, 353, 361–362, 364–365,
 445–446
 event-to-sink, 460
 packet, 350, 353, 355, 361–362, 365
 Reliable bursty convergecast, 362
 Reliable multi-segment transport, 362

- Remote metering, 6
 - Remote sensing, 4
 - Replica(s), 118–120
 - child, 120
 - gate, 118–120
 - junction, 120
 - replica placement, 120
 - Request-to-send, 37
 - Resource utilization, 28
 - Retransmission
 - distance, 349–350, 354
 - end-to-end, 353–354, 364
 - hop-by-hop, 353–355, 362–363, 366
 - recovery, 353–354
 - Retransmission-based error control, 28
 - RF, 9, 11. *See also* Radio frequency
 - links, 39
 - RFA, 303. *See also* Reachback firefly algorithm
 - RFDs, 409–410, 415, 418. *See also* Reduced function devices
 - RFID, 231. *See also* Radio frequency identification
 - RKP, 393. *See also* Radom key
 - pre-distribution
 - RMST, 361–363. *See also* Reliable multi-segment transport
 - RNL, 57. *See also* Redundant neighbor list
 - Round-trip time, 348
 - Routing, 9, 15–16, 19, 22, 26–27, 67–139
 - address-centric, 216
 - anonymous, 370
 - Cartesian, 82
 - constrained anisotropic diffusion, 132
 - cost-effective maximum lifetime, 333
 - data-centric, 22, 174
 - dynamic source, 82
 - energy aware, 332
 - energy-aware data-centric, 101
 - face, 166
 - fidelity, 78
 - geographic, 83, 97–98, 138
 - geographical, 441–442, 444, 458, 462
 - geographic distance, 78
 - geographic multicast, 163
 - geographic and energy-aware, 80
 - greedy geographic, 83
 - greedy other adaptive face, 78
 - greedy perimeter stateless, 78
 - information-directed, 103
 - information query, 133
 - inter-cluster, 178
 - intra-cluster, 178
 - joint, 458
 - location-aided, 74
 - location-aware, 78, 118
 - location-based, 78, 83
 - multicast-enabled ad-hoc on-demand
 - distance vector, 161
 - multihop flow, 461
 - multipath, 75, 82, 109–110, 125–128, 387
 - phantom, 374
 - round, 113
 - rumor, 98, 137
 - self-organizing, 335
 - sensor-disjoint multipath, 109
 - shortest path, 113
 - single-path, 109
 - RPE, 269, 271–272, 275. *See also* Recursive position estimation
 - RPK, 393, 395. *See also* Random-pairwise key
 - RSA, 372, 378–379
 - RSS, 245, 248–249, 254–258, 262–263, 267–279. *See also* Received signal strength
 - RTS, 37, 43–45, 50. *See also* Request-to-send
 - RTT, 348, 352, 355. *See also* Round-trip time
 - RW, 237–238. *See also* Randomized waiting
- S**
- Salvaging
 - alternate path, 112
 - per-hop packet, 112
 - Sampling schedule offsets, 51
 - SAPs, 346. *See also* Service access points
 - Scalability, 6, 22, 31
 - Scalable energy-efficient asynchronous
 - dissemination, 117, 163
 - Schedule exchange protocol, 54
 - Scheduling
 - dynamic voltage, 309, 375
 - inter-node packet, 362
 - intra-node packet, 362

- Scheduling (*cont'd*)
 - joint, 458
 - link, 324, 326
 - receiver-centric, 443
 - sleep mode TDMA, 320–321
 - TDMA, 320–323, 325–326
 - wave, 325
- Scheduling TDMA MAC, 57
- SCTP, 346, 364. *See also* Stream control transmission protocol
- SDAP, 389
- SDMA, 10. *See also* Spatial division multiple access
- SEAD, 117–118, 163. *See also* Scalable energy-efficient asynchronous dissemination
- SecLEACH, 204, 206, 208
- Security
 - homeland, 369
 - network, 370, 385, 400
 - surveillance, 344
- Select minimum neighbor, 58
- Self-configurability, 6
- Self-configuration, 19
- Self-organizing medium access control, 55
- Selection
 - epoch-based proportional, 358
 - probabilistic, 358
- Sensing
 - range, 68
 - resolution, 57
- Sensor(s)
 - backhaul, 130
 - battery-powered, 78, 129–130
 - exit, 105–107
 - extraction, 105
 - faulty, 72–73
 - ground, 3
 - light, 221, 227
 - line-powered, 129–130
 - pressure, 221
 - relay, 83–85
 - rendezvous, 108–109
 - seismic, 4
 - temperature, 221
 - transducer, 215
 - wearable, 5
 - wireless, 3–6
- Sensor-MAC protocol, 43, 319
- Sensor MAC protocol with a dynamic duty cycle, 46
- Sensor management protocol, 28
- Sensor network(s)
 - heterogeneous, 174, 176
 - homogenous, 174
 - hybrid, 174, 176–177
- Sensor protocols for information via negotiation, 93
- Sensor query and data dissemination protocol, 28
- Sensor query and tasking language, 28
- SEP, 54. *See also* Schedule exchange protocol
- Shared belief, 49
- Short-distance communication, 21–22, 31
- Short-range
 - communication, 26, 29
 - radio, 20
- Sift, 49–50
- Signal attenuation, 8
- Signal to noise ratio, 251
- Signature, 370, 376–379, 382–385, 388
 - batch, 383–384
 - elliptic curve digital, 379
- Single-hop
 - clustering architecture, 23
 - communication, 29
 - long-distance transmission, 21
 - network, 25–26
 - network architecture, 21, 22
- Sink
 - onshore, 451
 - surface, 451
- Siphon, 352, 357, 359–360
- Skipjack, 373
- Skyhook, 249
- Sleep-wakeup cycle time, 46
- Slot-by-slot renewal mechanism, 48
- S-MAC, 43–46, 319–322. *See also* Sensor-MAC protocol
- SMACS, 55. *See also* Self-organizing medium access control
- Small minimum energy communication network, 87
- Smart Dust, 11, 31
- SMECN, 87, 137. *See also* Small minimum energy communication network

- SMN, 58. *See also* Select minimum neighbor
- SMP, 28. *See also* Sensor management protocol
- Snapshot querying, 217, 225
- SNR, 251–253. *See also* Signal to noise ratio
- SoC, 11. *See also* System-on-chip
- Span, 81–82. *See also* Coordination of power saving with routing
- SPAN, 320, 326–327
- Spatial correlations, 49
- Spatio-temporal window, 223
- SPIN, 93–95, 107, 137. *See also* Sensor protocols for information via negotiation
- SPIN-1, 94–95
 - SPIN-2, 94–95
 - SPIN-BC, 95
 - SPIN-EC, 94
 - SPIN-PP, 94–95
 - SPIN-RL, 95
- SQDDP, 28. *See also* Sensor query and data dissemination protocol
- SQL, 217. *See also* Structured query language
- SQTL, 28. *See also* Sensor query and tasking language
- SR, 57. *See also* Sensing resolution
- SS-TDMA, 323
- STCP, 336–337, 356–357, 361, 364–366. *See also* Sensor transmission control protocol
- Steiner
- node, 123
 - tree problem, 147
- STP, 147. *See also* Steiner tree problem
- Strategy
- flooding-and-then-prune, 162
 - neighbor elimination, 151
 - self-pruning, 152
- Structure(s)
- cluster-based, 150, 152
 - cross-sectional, 155–156
 - diagonal-enabled, 155
 - grid-based propagation, 121
 - grid-based routing, 154
 - multicast, 147, 161
 - multicast delivery, 147, 162
- Structured query language, 217
- STWin, 223. *See also* Spatio-temporal window
- Surface station, 451
- Surveillance
- acoustic, 3
 - battlefield, 1–2, 28, 369
 - ocean, 3
- Synchronization(s), 15–16, 19, 28
- lightweight tree-based, 297
 - long-term, 290, 299–301
 - multihop, 290, 295–297, 304
 - pairwise, 295, 298, 304
 - post-facto, 300
 - primitives, 290, 303
 - rate adaptive time, 301
 - reference broadcast, 291
 - slot, 53
 - time, 53–54, 285–286, 290, 296, 298–304
- Synchronization protocol
- adaptive-rate, 303
 - flooding time, 298
 - time-diffusion, 300
- SYNC-IN, 302
- SYNC-NET, 302
- System-on-chip, 11
- T**
- Target tracking, 344, 350
- TBF, 82–83, 137. *See also* Trajectory-based forwarding
- TCP, 28, 311, 335–336. *See also* Transmission control protocol
- TDMA, 10, 35. *See also* Time division multiple access
- scheduling algorithm, 320, 322–323, 325–326
 - self-stabilizing deterministic, 320
- TDP, 300–302. *See also* Time-diffusion synchronization protocol
- Technique
- asymmetric key, 377, 380–381, 390, 398
 - symmetric key, 379–380, 398
- TEDS, 14. *See also* Transducer electronic data sheets
- TEEN, 90–93, 137. *See also* Threshold sensitive energy efficient sensor network protocol

- TERRAIN, 272–275. *See also*
 Triangulation via extended range and
 redundant association of intermediate
 nodes
- Terrestrial sensor networks, 433, 450
- TH-IR-UWB, 439–441, 443. *See also*
 Time-hopping impulse radio UWB
- Threshold
 hard, 91–92
 soft, 91–92
- Threshold sensitive energy efficient sensor
 network protocol, 90
- THS, 439–440. *See also* Time hopping
 sequences
- Time division multiple access, 10, 35,
 38–39, 53–61
- Time hopping sequences, 439
- Timeout-MAC, 50
- Time series snapshot, 225–226
- Timing-sync protocol for sensor networks,
 290, 296
- TinyDB, 221, 227–229
- TinyGALS, 11
- TinyOS, 11, 455
- TinyPK, 378, 398
- TinySec, 373, 377
- Tiny-Sync, 292–294, 299
- TLS/SSL, 398
- T-MAC, 50. *See also* Timeout-MAC
- TOA, 245–264, 267, 276, 279. *See also* Time
 of arrival
- TORN, 57–58. *See also* Turning off
 redundant node
- TPSN, 290, 296–298, 303–304. *See also*
 Timing-sync protocol for sensor
 networks
- Traffic-adaptive medium access, 53, 160
- Trajectory-based forwarding, 82
- TRAMA, 53–55, 160. *See also* Traffic-
 adaptive medium access
- Transducer
 data, 14
 identification, 14
 interface, 14
 manufacturers, 14
- Transducer electronic data sheets, 14
- Transmitter-election algorithm, 53
- Transport control protocol, 28, 311, 335
 sensor, 336
- Transport protocol(s), 28, 343–349,
 355–357, 360–366
 connectionless, 346–348
 connection-oriented, 346–348
- Tree(s)
 binary decision, 227
 breadth-first-search, 196
 constructions, 163
 data aggregation, 233, 446
 discovery, 196
 dissemination, 118
 full Steiner, 123
 localized minimal spanning, 158
 Merkle, 379
 minimal spanning, 147
 min-power-path-based multicast, 162
 min-power spanning, 147, 156, 162
 most reliable spanning, 159
 power, 147
 proxy, 121–123, 137
 reconfiguration, 121
 spanning, 84, 101, 111
 Steiner, 118, 121–123
- Triangulation via extended range and
 redundant association of intermediate
 nodes, 273
- Trickle, 357, 360
- Trusted third party, 385
- TTDD, 115, 117, 121, 137, 163. *See also*
 Two-tier data dissemination
- TTL-scoping, 161
- TTP, 385. *See also* Trusted third party
- Turning off redundant node, 57
- U**
- UDP, 250, 254, 276. *See also* Undetected
 direct path
- Ultra-wideband, 253, 437, 439
- Uncertainty, 99, 134
- Underwater acoustic sensor networks, 434,
 448
- Unicast, 159–165
 recursive reliable, 159
 reliable, 159–160
 round robin reliable, 159–160
- Unicast routing with area delivery, 164
- Unit, 20–21
 communication, 20–21
 power, 20–21

- processing, 20–21
 - sensing, 20–21
- URAD, 164–165. *See also* Unicast routing with area delivery
- UW-ASNs, 434, 448–449, 453. *See also* Underwater acoustic sensor networks
- UWB, 253–255, 276, 279, 437, 439, 439–443. *See also* Ultra-wideband multiCarrier, 439 time-hopping impulse radio, 439

- V**
- Variable speed processor, 315
- Vertex-connectivity, 68
- Voice over IP, 357
- VoIP, 347. *See also* Voice over IP
- Voronoi
 - cell(s), 135
 - diagram, 68–69, 83, 122
 - edges, 69
 - regions, 69
- Voltage scheduler, 315
- VS, 513. *See also* Voltage scheduler
- VSP, 315. *See also* Variable speed processor

- W**
- Wake-up schedule, 47–48
- WBANs, 5. *See also* Wireless body area networks
- WCA, 183. *See also* Weighted clustering algorithm
- Wearnet, 249
- WiFi, 14. *See also* IEEE 802.11
- WinDepth, 223
- Window-based congestion control mechanisms, 28
- WinFlood, 223
- Wireless biosensor networks, 25
- Wireless body area networks, 5
- Wireless LAN(s), 37, 39, 42
 - module, 42
 - standard, 37
- Wireless local area networks, 10, 31, 39, 244, 378
- Wireless multimedia sensor networks, 345, 434, 436–437
- Wireless personal area networks, 10, 408–409
- Wireless sensor and actor Networks, 434, 443–444
- Wireless sensor MAC, 51
- Wireless underground sensor networks, 434, 453
- WiseMAC, 51–52. *See also* Wireless sensor MAC
- WLANs, 10, 13, 31, 244, 257, 378. *See also* Wireless local area networks
- WLS, 258–262, 269, 272, 279. *See also* Weighted least-squares algorithm, 258, 260–261, 269, 272
- WMSNs, 434–441, 466. *See also* Wireless multimedia sensor networks
- WPANs, 10, 12. *See also* Wireless personal area networks
- WSANs, 434, 443–446, 466. *See also* Wireless sensor and actor networks
- WUSNs, 434, 448, 453–454, 456. *See also* Wireless underground sensor networks

- X**
- XLCU, 442. *See also* Cross-layer control unit
- XML, 463. *See also* Cross-layer module

- Z**
- ZDO, 418–419, 426, 428–430. *See also* ZigBee device object
- Zebra-MAC, 59
- ZigBee, 13–15. *See also* IEEE 802.15.4 alliance, 13 device object(s), 418, 429 protocol stack, 407, 418 standard(s), 13, 15, 408, 418, 427
- Z-MAC, 59–60. *See also* Zebra-MAC
- Zone
 - packet forwarding, 165

