

Index

• A •

- abandonment, fear of
 - behavior prompted by, 11, 29, 93, 98, 108, 140
 - causes, 305
 - examples, 31, 33, 269–270
 - instinct for, 76
 - in therapy, 312
 - triggering, 278
- abandonment, reasons for, 95–96, 225
- Abilify, 255
- About.com: Borderline Personality Web site, 341
- abuse
 - forgiving, 215–216
 - reenacting, 72
 - in relationships, 152, 154, 155, 273, 277–278
 - responses to, 114–115, 143, 192, 228
 - as risk factor for BPD, 57, 61–62, 294
 - schema development, influence on, 108, 111
 - sexual, 59–60, 62
 - silent treatment, 263–264
 - support, seeking, 273
 - verbal, minimizing, 273–274
- Academy of Cognitive Therapy Web site, 341
- accepting emotions, 202–206, 224
- accidents, intentional, 70. *See also* self-harm
- accommodations in job setting, 156–157
- acquaintances, disclosing BPD to, 156
- activities
 - meeting need for excitement, 186–187
 - useful for distraction, 183–184
- acupuncture treatment for BPD, 334
- ADA (Americans with Disabilities Act), 157
- adaptive schemas, 242–246
- AD/HD (attention deficit/hyperactivity disorder), 48, 296
- adjunctive therapies, 125
- adolescents. *See also* children
 - boundaries, lack of respect for, 99–100, 305
 - BPD, relationship with, 54–55, 86
 - cultural influence on, 13, 52, 55
 - dangerous, dealing with, 299–300
 - diagnoses made in, 295–296
 - educational programs for emotionally impaired, 296
 - emotional instability in, symptoms of, 292
 - finding help for, 295
 - identifying BPD behaviors in, 291–293, 296
 - identity development in, 86, 87
- adrenaline junkies, 185–186, 266–267
- adult children with BPD, parenting, 301–302
- aerobic exercise, 167. *See also* exercise, physical
- affairs, sexual, 29, 69, 94, 181
- aggression, 254, 305
- aging, effect on persons with BPD, 14
- agoraphobia, 45
- akanthisia, 255
- alcohol abuse. *See* substance abuse
- all-or-nothing thinking, 12, 26, 104–105
- ambivalent attachment style in infants, 24
- amends, making for past behavior, 158, 159, 160, 214, 329–332
- American Psychiatric Association (APA) information on BPD, 10, 341
- American Psychological Association Web site, 341
- Americans with Disabilities Act (ADA), 157
- amnesia, dissociative, 114
- amygdala, 64
- anaerobic exercise, 167
- anger. *See also* explosiveness
 - advantages/disadvantages, 145, 214
 - described, 75, 213
 - effects of, 94, 219–220, 225
 - letting go of, 215–216
 - as symptom, 283

- anticonvulsants, 256–257
- antidepressants, 247, 248, 249, 252–253
- antipsychotic drugs, 254–256
- antiseizure medications, 256–257
- antisocial personality disorder, 38–39, 49
- anxiety, 45–46, 53–54, 253, 305, 341
- anxiety attacks, medication for, 249
- anxious attachment schemas, 104, 108–110, 232, 238, 241, 245
- anxious attachment style in infants, 24
- APA (American Psychiatric Association)
resources on BPD, 10, 341
- apologizing for past behavior, 158, 159, 160, 214, 329–332
- appearance as life priority, 210
- Aripiprazole, 255
- Aristotle, on emotions and reason, 79
- art therapy, 125
- asking questions exercise, 221–222
- Asperger's disorder, 37
- assessment, professionals specializing in, 131, 313
- Association for Behavioral and Cognitive Therapies Web site, 342
- assumptions, malicious, 222–224
- attachment schemas, described, 104, 108
- attachment styles in infants, 24
- attention deficit/hyperactivity disorder (AD/HD), 48, 296
- attention-seeking and self-harm, 71
- atypical neuroleptics, 255–256
- audiotaping therapy sessions, 319
- autism, 37
- autogenic method for hypnosis, 196–198
- availability, therapist, 97, 129, 317
- avoidant attachment schemas, 108, 109–110, 232
- avoidant attachment style in infants, 24
- avoidant personality disorder, 41
- **B** ●
- balanced self-worth schema, 106, 232, 243
- Barkley, Russell, 299
- barriers to treatment. *See also* cost of care
excuses, 145–147
fear, 137, 138, 139, 140, 141–143
procrastination, 145–149
- bartering, therapist/patient, 317
- Bateman, Anthony, 127
- baths, as calming device, 198, 199
- Beck, Aaron T., 127
- behavioral therapy, 17, 127–128, 298, 342
- binge eating, 11–12, 28, 68, 166, 335
- biology, as risk factor for BPD, 13, 57, 62, 63–64. *See also* genetics, as risk factor for BPD
- bipolar disorder, 46–48, 74, 249, 256–257, 296
- Bipolar Disorder For Dummies* (Fink & Kraynak), 48, 249, 296
- biting oneself, 70
- black and white thinking, 12, 26, 104–105
- blaming behavior, 143–144
- blunt force trauma, 70
- boarding schools, therapeutic, 300
- Bodian, Stephan, 202
- body temperature, effects on emotional state, 199, 326
- books, reading as calming technique, 327
- borderline, term, 34, 113
- borderline personality disorder (BPD)
characteristics, 1, 2, 9, 10–13
costs, 14–16
historical perceptions, 1
recognizing, 311, 312–314
statistics, 9, 14, 16, 314
- Borderline Personality Disorder Resource Center Web site, 342
- boundaries
described, 298, 309
importance, 280, 282, 284–285
lack of respect for, 91, 97–100, 305
physical space, 96
setting, 297–298, 301–302, 309–310, 316–317
social, 96
- BPD. *See* borderline personality disorder
- BPD Central Web site, 342
- brain brakes, 11–12
- brain functioning, 64, 180, 203
- Branch, Rhena, 298
- breaks from work, 169
- breathing as calming technique, 325
- breathing meditation, 200–201

- Buddhist principles, treatment based on, 127
- burning one's self, 70, 293
- burning out, in relationships with those with BPD, 144
- C •
- calming techniques, 325–328
- cancellation of therapy sessions, 316
- candle meditation, 201
- Carbamazepine, 257
- cardiovascular health, 22, 45, 166, 169, 250
- careers. *See* work
- CBT (cognitive behavioral therapy), 17, 127–128, 298, 342
- Celexa, 253
- change, fear of, 137, 138, 141–143
- charity as life priority, 208
- chemicals, ingesting harmful, 70
- children. *See also* adolescents; parents
- development, 24, 85–86, 292
 - disclosing BPD to, 154–155, 159–160
 - expressing love, 298
 - playing with as calming device, 328
 - risk factors for BPD, 57–62
- children of parents with BPD
- boundaries, setting, 309–310
 - compensating factors, 306
 - effect of parenting on, 293, 303–305
 - exercises for, 306–308
 - experiences, described, 303, 304–305
 - forgiving, 308
 - grieving for childhood, 306–308
 - resources, 310
 - risks, 304–306
 - support, seeking, 310
- children with BPD symptoms
- adult, 301–302
 - bipolar disorder, 296
 - boundaries, lack of respect for, 99–100, 305
 - boundaries, setting, 297, 298–299, 301–302
 - dealing with, 297–300
 - defensiveness, 292
 - depression, 296
 - diagnosis of BPD, 294, 295–296
 - eating disorders, 293
 - educational programs for emotionally impaired, 296
 - emotional instability in, symptoms of, 292
 - emotional problems in, fostering, 297
 - fearlessness in, 292
 - identifying BPD behaviors in, 292–293
 - impulsivity, 293, 296
 - molestation of, communication about, 59–60
 - overly reactive characteristics, 292
 - paranoid thoughts, 292–293
 - parenting, 295, 297–300, 301–302
 - research on, 295
 - sensation seeking, 54, 293
 - substance abuse, 293, 296
 - treatment, 294, 295–297, 300
- chilling as calming technique, 326
- chiropractic treatment for BPD, 334
- cholesterol levels, food influence on, 166
- choose sides, requiring friends to, 283
- chores, doing, 331
- Citalopram, 253
- climate/weather, compared, 44
- closeness, excessive early, 280
- Clozapine, 255
- Clozaril, 255
- clutter, responses to, 164–165
- Cochrane Collaboration, 248
- cognitive behavioral therapy (CBT), 17, 127–128, 298, 342
- Cognitive Behavioural Therapy For Dummies* (Willson & Branch), 298
- cognitive impairments, 34. *See also* delusions; hallucinations
- communicating about BPD to others, 151, 152–161, 162
- communication, breakdowns in, 224–225
- community as life priority, 209
- competence schema, 102, 103
- compliments, giving, 229

- compulsions, described, 46. *See also*
 - obsessive-compulsive disorder
 - conduct disorder, 295
 - confidentiality, 135, 138
 - conflict-management skills, learning, 125
 - conscientiousness, 21, 23
 - consent forms, 316, 317
 - consultations, therapist, 138, 314
 - contact, excessive, 280
 - conversational skills, developing, 220–224, 228–230
 - coping self-statements, 184–185
 - coping techniques
 - accepting emotions, 202–206, 224
 - calming, 325–328
 - for helping person with BPD, 18, 273–274
 - hypnosis, 196–198
 - meditation, 199–201
 - relaxation, 193–196
 - self-harm, 287–288
 - soothing senses, 198–199
 - stress management, 166, 167–168, 169
 - suicide/suicide threats, 287–288
 - trauma, dealing with, 24
 - cost of care
 - career, 15
 - group therapy, 124
 - health care, 14, 16
 - individual therapy, 129, 134, 316
 - low-cost programs, 146
 - partial hospitalization treatment, 125
 - residential treatment, 300
 - therapeutic boarding school, 300
 - treatment foster care, 300
 - cost-benefit analysis, 147–149, 238–242, 290, 343–344
 - counselors, as care providers, 132
 - co-workers with BPD, 98
 - creativity, as life priority, 209
 - criminal behavior, 28, 61, 74
 - critical mind, 204, 205–206
 - criticism, excessive, 280
 - crystals for treatment of BPD, 336
 - cultural influence
 - adolescence, 13, 52, 55
 - BPD, 13, 52
 - described, 51
 - emotions, 76
 - entitlement, 34, 55
 - family instability, 55–56, 60–61
 - individualism/interdependence, 52–54
 - magical thinking, 37
 - obsessive-compulsive disorder, 52
 - personal boundaries, 96
 - schizophrenia, 52
 - self-harm, 52
 - suffering, expectation of avoiding, 55
 - technology, 56–57
 - cutting, 70, 72, 293. *See also* self-harm
- D •
- dangerous schema, 110–111, 112, 233, 235, 238–239
 - DBT (dialectical behavior therapy), 17, 126–127
 - death, causes, 14–15. *See also* suicide/
suicide threats
 - decision-making tools, 239–241, 290, 343–344
 - decluttering as stress management, 164–165
 - defensiveness, 221, 225, 226–228, 292, 318
 - defusing technique, 227–228
 - delay strategy, 182–183
 - delaying gratification, dimension of
personality, 21, 23
 - delusions, 34, 38, 115
 - demanding behavior in relationships, 34, 283
 - demonization, 30, 34
 - demonizing schema, 108, 109–110, 232
 - dental care, 169
 - Depakote, 256
 - dependability, dimension of personality, 21, 23
 - dependent personality disorder, 41
 - depersonalization disorder, 114, 115
 - depression. *See also* antidepressants;
suicide/suicide threats
 - in children, 296
 - described, 46, 47
 - physical exercise, effect on, 167
 - resources, 341
 - risk factors, 53, 54, 305
 - treatment, 64, 249

- Depression For Dummies* (Elliott & Smith), 48, 249
- depressive personality disorder, 42
- deprivation, feeling of, 305
- destruction of property, 28, 293
- diabetes, 14, 167, 193, 242, 255–256
- diagnosis of BPD
 - assessment professionals, 131, 313
 - in children/adolescents, 294, 295–296
 - disclosing to others, 151, 152–161, 162
 - gender differences, 49
 - interview technique, 34
 - by laypersons, 303
 - obtaining, 151–152
 - process, 34, 133–134
 - by professionals, 303
- diagnosis of other mental disorders, 38, 42
- Diagnostic Interview for Borderline Patients Revised, 34
- dialectical behavior therapy (DBT), 17, 126–127
- diet. *See also* eating disorders
 - avoiding extremes, 26, 33
 - improving, 166, 169
 - overeating, 11–12, 28, 68, 166, 335
- dietary supplements, 130, 134, 167, 251, 252
- disability, causing family disorganization, 61
- disarray, responses to, 164–165
- disclosing BPD to others, 151, 152–161, 162
- discrimination against persons with BPD, 156–157
- disease. *See* illness
- disgust, described, 76
- disorganized family life, 60–61, 294
- dissociation
 - described, 13, 30, 32, 113–114
 - eating/drinking to resolve, 335
 - forms, 114
 - as motivator for self-harm, 71
 - occurrence in BPD, 114
 - in parents, effects on children, 305
 - physical reactions, 78
 - purpose, 114–115
- dissociative amnesia, 114
- dissociative fugue, 114
- dissociative identity disorder, 114
- distorted reality. *See* dissociation
- distraction from emotional pain, self-harm as, 71
- distraction from impulses technique, 183–184
- distress, acceptance of as treatment approach, 127
- distrust, intense, 34. *See also* delusions; hallucinations
- divalprex, 256
- dogs, playing with as calming device, 328
- doing something different strategy, 183–184
- drinking, alcohol. *See* substance abuse
- driving
 - reckless, 15, 28, 69, 180, 293
 - safety, 169
- drug abuse. *See* substance abuse
- drug therapy. *See* therapy, drug
- dual relationships, 317
- dual serotonin-norepinephrine reuptake inhibitors, 253
- dysregulation, emotional. *See* emotional dysregulation
- dysthymia, 47. *See also* depression
- E •
- ear protection, 169
- eating, excessive, 11–12, 28, 68, 166, 335
- eating disorders, 53, 199, 293
- elderly, medication for, 253
- Elliott, Charles, 48, 168, 249, 328
- emergency room care, 16, 250, 254, 289, 299
- emotional disorders, 44–48, 61, 167
- emotional dysregulation
 - in BPD patients, 86
 - calming techniques, 325–328
 - in children, 292
 - described, 75
 - example, 80–81
 - physical effects, 22
- emotional invalidation, 58–60
- emotional regulation
 - benefits, 79
 - described, 22, 190
 - development, 86, 191
 - dimension of personality, 21, 22, 24
 - lack of in people with BPD, 191
 - techniques for improving, 193–199, 202–206, 224

- emotional resiliency, dimension of personality, 21
- emotional shifts, 12, 29, 32–34, 256–257
- emotionally impaired, category in education, 296
- emotions
 - Aristotle on, 79
 - cultural influence, 76
 - dealing with, 81
 - described, 75–76
 - distortions caused by, 191–192
 - erratic, 12, 29, 32–34, 256–257
 - expressing, 81
 - healthy/destructive, 76
 - identifying, 189, 190
 - impulsivity-triggering, 175
 - intensity, BPD/non-BPD compared, 77–78, 79, 81, 94
 - job loss, effect on, 87
 - of people with BPD, 77–78, 79–80, 189
 - physical effects, 76–78, 193
 - primitive, 76–78
 - projecting, 218–220
 - recognizing, 81, 191, 225
 - schemas' influence on, 233–236
 - thoughts involving, 76, 78–79, 190
 - understanding others', 218
 - value of, 191
- empathy, 218, 267–268, 305
- employers. *See also* work
 - boundaries, lack of respect for, 97, 98
 - disclosing BPD to, 153–154, 156–157, 160–161
 - making unreasonable demands of, 98
- emptiness, feeling of. *See* dissociation
- endorphins, as motivator for self-harm, 71
- enmeshment, 99
- entertainment, as life priority, 209
- entitlement, 34, 55
- entitlement schema
 - benefits, 239
 - causes, 106, 107, 305
 - described, 105–106, 232, 235, 238
- environment, as life priority, 209
- errands, running, 330
- Escitalopram, 253
- excitement, need for, 185–186, 266–267
- excuses for avoiding treatment, 145–147
- executive system, 64
- exercise, physical, 167, 168, 293, 322, 326
- exercises, psychological
 - asking questions, 221–222
 - blaming behavior, 143
 - cost-benefit analysis, 239–241, 290, 343–344
 - defusing, 227–228
 - doing something different strategy, 183–184
 - excuses, 146
 - fire drilling, technique, 184–185
 - Grief Exploration Questions, 306–307
 - impulsive awareness, 174, 175–179, 344–345
 - impulsivity control, 181–182
 - letter to parent with BPD, 307–308
 - life priority, 208–210
 - mission statement, 210–213
 - objective observer, 227
 - observing schemas, 233–236
 - putting off your impulses strategy, 182–183
 - putting thoughts to music, 206
 - putting time on your side strategy, 180–181
 - recognizing emotions, 191
 - schema monitoring, 234, 346–347
 - split chair, 275–276
 - taking turns, 220–221
 - thanking your mind, 205–206
 - Then and Now schema comparison, 236–238, 347–348
 - using, suggestions for, 3
- expenses, therapy. *See* cost of care
- explosiveness, 29, 32–33, 53, 184, 305. *See also* anger
- expression-disconnection-rejection cycle, 224–225
- extreme qualities, 21, 26
- extreme sports, 28
- extreme thinking, 104–105, 112, 236, 240, 262–263

• F •

facial expressions, reading, 225
 falling, fear of, 76
 families
 disclosing BPD to, 154–155
 disfunctioning/disorganized, 60–61, 294
 evaluating history in assessment, 134
 genetic influences, 13, 51, 63–64, 294
 influence on schemas, 112
 instability, 55–56, 60–61
 taking care of all members, 301
 family, as life priority, 209
 family therapists, as care providers,
 132–133
 fear, described, 76
 feelings. *See* emotions
 films as calming device, 327
 financial issues, 61, 129, 210, 316. *See also*
 cost of care
 Fink, Candida, 48, 249, 296
 fire drilling, technique, 184–185
 fitness, physical, 167
Fitness For Dummies (Schlosberg), 167
 flash cards for strengthening adaptive
 schemas, 244–246
 flattery, excessive, 280
 flexibility dimension of personality, 21–22
 flooding, 144
 flowers, giving, 330
 Fluoxetine, 253, 256
 Fluvoxamine, 253
 Fonagy, Peter, 127
 food. *See* diet
 foreign objects, inserting into one's
 body, 70
 forgiveness, 145, 214–216, 308, 330
 foster care, treatment, 300
 Franklin, Benjamin, 26
 friction burning, 70
 friends
 conversing with as calming device, 328
 disclosing BPD to, 156
 lack of, 281
 as life priority, 209
 requiring to choose sides, 283

friendships
 boundaries, lack of respect for, 98
 causes of problems in, 21, 22, 30
 considerations, 280, 282
 dangerous situations, 287–288
 ending, 288–290
 feeling trapped, 284
 initial impressions, 279
 interpersonal effectiveness, lack of, 24
 limits, setting, 284–285
 sharing information in, 284
 support, seeking, 284, 288
 taking therapist role, 286
 unreasonable demands in, 98
 warning signs, 280–282
 what you can do, 283–285
 what you can't do, 283, 285–287
 fugue state, 114
 full progressive muscle relaxation, 194–195

• G •

Gabapentin, 257
 GAD (generalized anxiety disorder), 45
 gambling, 11–12, 68, 74
Gaslight (film), 265
 gaslighting, 265
 gender and BPD diagnosis, 49
 generalized anxiety disorder (GAD), 45
 genetics, as risk factor for BPD, 13, 51,
 63–64, 294
 Geodon, 255
 gifts
 as apology, 330, 332
 for therapists from patients, 317, 332
 Goulston, Mark, 61
 government programs for dangerous
 children, 300
 gratification, dimension of personality,
 ability to delay, 21, 23
 Grief Exploration Questions, 306–307
 group therapy, 124, 125, 127, 135
 groups
 support, 132
 therapist peer supervision, 314
 guided meditation, 201
 guilt, 72, 289–290
 Gunderson, Dr. John, 34

• H •

hair pulling, 70
hallucinations
 auditory, 30, 118
 in BPD, 50, 117, 118
 described, 117
 medication for, 249–250
 in psychosis, 50
 in schizophrenia, 34, 38, 117, 118
hand washing, 46, 168. *See also* obsessive-compulsive disorder
happiness, described, 75, 76
harmful substances, ingesting, 70
health. *See also* illness
 cardiovascular, 22, 45, 166, 169, 250
 diabetes, 14, 167, 193, 242, 255–256
 diet, improving, 166, 169
 immune system, 22, 164, 193
 improving, 165–169
 learning about, 169
 as life priority, 210
 physical exercise, 167
 risks of BPD, 14–15
 sleep, 167–168
healthcare
 costs, 14, 16
 emergency room, 16, 250, 254, 289, 299
 insurance, 125, 129, 134
 providers, 130–131, 157
hearing protection, 169
heart health, 22, 45, 166, 169, 250
helplessness, 143–144
history, assessing personal, 134
histrionic personality disorder, 38–39, 40
homelessness, 15, 16
hospitalized treatment programs, 125
hot tubs, as calming device, 199
humor, understanding, 218
hyperactivity disorder, 48, 296
hypnosis, 196–198
hypomania, 47, 74, 296
hysteria, 94

• I •

ice, as calming technique, 326
ice water, as calming device, 199

idealization, 34
idealizing schema, 104, 108, 109–110, 232
identity
 borderline, 88–90, 207
 described, 83–85
 developing, 85–87
 healthy/unhealthy characteristics, 84–85
 personality compared, 84
 stabilizing, 208–213, 214–216
identity theft, 83
illness
 causing family disorganization, 61
 diabetes, 14, 167, 193, 242, 255–256
 heart, 22, 45, 166, 169, 250
 mistaken for emotional disorders, 130
 preventing, 168, 169
 sexually transmitted, 15, 28
imaginal exposure, 144
immune system functioning, 22, 164, 193
imprisonment, 16, 61
impulses, defined, 173
impulsive aggression study, 254
Impulsive Awareness Form, 174, 175–179, 344–345
impulsivity. *See also* self-harm; sensation seeking; suicide/suicide threats
 alternatives, seeking healthier, 185–186
 awareness, increasing, 174–179, 185
 behavior problems with, 67
 benefits, 179
 case study, 176–179
 causes, 305
 changing, 174, 175–179, 180–185, 344–345
 in children, 293, 296
 consequences, 68, 173, 175, 176–179
 described, 11–12, 28, 34, 94, 173, 175
 in parents, effects on children, 305
 in relationships, 268–269
 resources on, 296
 risks, 15
incarceration, 16, 61
incest, 62. *See also* molestation, sexual
incompetence schema, 102, 103, 106–107
individual therapy, 124, 125, 127
individualism/interdependence compared, 52–54
industrialization, influence on society, 54, 55
infants, development, 24, 85

inferiority schema, 102, 104–107, 232, 239, 245
 infidelity, 29, 69, 94, 181
 inflexibility, 21–22
 inpatient mental healthcare, 16, 125, 144, 300
 insecurity, causes, 305
 inserting foreign objects into one's body, 70
 insomnia, 167
 insurance for mental healthcare, 125, 129, 134
 intellectual goals, as life priority, 209
 intelligence, with/without BPD, 203
 interdependence/individualism compared, 52–54
 Internet support groups, 132, 314
 Internet use, as calming technique, 327
 interpersonal effectiveness, dimension of personality, 21, 23–24
 interview technique for BPD diagnosis, 34
 invalidation, emotional, 58–60
 Invega, 255
 isolation, 56–57, 266

• J •

jealousy, 79, 81, 93, 98, 108, 116–117
 job changes, causing family disorganization, 61
 job costs of BPD, 15
 job loss, effect on emotions, 87
 judgmental mind, 204, 205–206
 jumping rope, exercise for calming, 326

• K •

Kazdin, Alan, 299
The Kazdin Method for Parenting the Defiant Child: With No Pills, No Therapy, No Contest of Wills (Kazdin), 299
 kleptomania, 74
 Kraynak, Joe, 48, 249, 296
 kspope.com Web site on therapeutic boundaries, 317

• L •

Lamotrigine, 256
 Lanictal, 256
 laxative use, excessive, 53, 199, 293
 letter to parent with BPD, 307–308
 Levine, Irene, 52, 113
 Levine, Jerome, 52, 113
 Lexapro, 253
 life coaches for treatment of BPD, 335
 life expectancy, 14, 22, 69
 life priorities, 208–210
 limits, setting. *See* boundaries, setting
 Linehan, Marsha, 58, 126
 listening skills, improving, 229
 Lithium, 256
 losing yourself, fear of, 137, 139
 loss, 57, 62, 137, 140, 295
 Luvox, 253

• M •

magical thinking, described, 37
 making amends, 158, 159, 160, 214, 329–332
 malicious assumptions, 222–224
 mania, 47, 74, 296
 manic depressive disorder, 46–48, 74, 249, 256–257, 296
 MAOIs (monoamine oxidase inhibitors), 252, 253
 marriage and family therapists, as care providers, 132–133
 massage, 199, 326–327
 MBT (mentalization-based therapy), 17, 127
 mediation, 286
 medical care. *See* healthcare
 medication for mental disorders
 antidepressants, 247, 248, 249, 252–253
 for bipolar disorder, 249, 256, 257
 expectations, 257
 health risks, 14
 in hospital treatment settings, 125
 limitations, 249, 336
 mood stabilizers, 256–257

medication for mental disorders (*continued*)

- neuroleptics, 254–256
- precautions, 250–251, 255
- pressure to take, 250
- professionals, prescribing, 131, 133
- for psychotic disorders, 257
- psychotropic, 247
- side effects, 256–257, 258
- sleep, 167–168
- success/failure in persons with BPD, 128
- use in BPD, 17–18, 247–248, 249, 257–258
- use for simultaneous disorders/
symptoms, 249–250
- meditation, 127, 199–202
- Meditation For Dummies* (Bodian & Ornish),
202
- memories of traumatic events, 62
- men, responses to job loss, 87
- mental healthcare professionals. *See*
therapists
- mental muscle relaxation, 196
- mentalization-based therapy (MBT), 17, 127
- mind reading, 140
- mission statements, 210–213
- mistrust. *See* paranoid thoughts
- moderation
 - Benjamin Franklin on, 26
 - dimension of personality, 21, 26
- molestation, sexual, 59–60, 62
- money, 61, 129, 210, 316. *See also* cost of
care
- monkeys, impulsive aggression study, 254
- monoamine oxidase inhibitors (MAOIs),
252, 253
- mood disorders, 46–48
- mood swings, 12, 29, 32–34, 256–257
- moods, described, 46
- motivation
 - understanding others', 222–224
 - element of personality, 21, 23
- moves, causing family disorganization, 61
- movies, as calming device, 327
- multiple personality disorder (dissociative
identity disorder), 114
- music, 198, 206

• N •

- NAMI (National Alliance for the Mentally
Ill), 288, 342
- napping, effect on sleep, 168
- narcissism, 25, 106
- narcissistic personality disorder, 38–39,
40–41, 280
- National Alliance for the Mentally Ill
(NAMI), 288, 342
- National Education Alliance for Borderline
Personality Disorder Web site, 342
- National Institute of Mental Health Web
site, 342
- NDRIs (norepinephrine-dopamine reuptake
inhibitors), 253
- neediness in parents, effects on children,
305
- needs, disapproval of others, 173
- negative feelings, inability to accept, 55
- negative reinforcement, 297
- negative thoughts, managing, 205–206
- negativity, perceiving, 224
- neuroleptic malignant syndrome (NMS),
254
- neuroleptics, 254–256
- Neurontin, 257
- neurosis, described, 34
- neurotransmitters, 64
- 911 for emergencies, 300
- NMS (neuroleptic malignant syndrome),
254
- no shows for therapy, 316
- noises
 - fear of, 76
 - protecting one's self from, 169
- Nolen-Hoeksema, Susan, 54
- norepinephrine-dopamine reuptake
inhibitors (NDRIs), 253
- NOS (personality disorder not otherwise
specified), 42
- notebook as therapeutic tool, 3, 137
- numbness. *See* dissociation
- nutrition. *See* diet

• 0 •

obesity, health risks, 14
 objective observer technique, 227
 objectivity, therapist, 314–315
 observant mind, 203–205
 obsessions, 46. *See also* obsessive-compulsive disorder
 obsessive-compulsive disorder (OCD)
 causes, 305
 cultural influence, 52
 described, 43, 46
 medication for, 253
 treatment, 64
Obsessive-Compulsive Disorder For Dummies (Elliott & Smith), 46, 52, 168
 obsessive-compulsive personality disorder (OCPD), 41, 42–44
 occupational therapy, 125, 213
 Olanzapine, 256
 omega-3 fatty acids, 251
 omnipotence schema, 103
 opening up, fear of, 137, 139
 oppositional defiant disorder, 295
 organization as stress management, 164–165
 Ornish, Dean, 202
 outdoors, as calming device, 328
 out-of-home placements for dangerous children, 300
Overcoming Anxiety For Dummies (Elliott & Smith), 45
 overeating, 11–12, 28, 68, 166, 335
 overorganizing/overprotective parents, influence on schema development, 112
 overreaction in children, emotional, 292
 Oxcarbazepine, 257

• p •

pain, 22, 71
 Paliperidone, 255
 panic disorder, 45, 249
 paranoid personality disorder, 35, 36
 paranoid schizophrenia, 34, 38, 52, 113, 116–118

paranoid thoughts. *See also* dissociation
 in children, 292–293
 described, 13, 115–117
 medication for, 249–250
 in paranoid schizophrenia, 116
 in personality disorders, 35, 36–38
 as symptom of BPD, 30
 parasuicidal behavior, 73. *See also* suicide/suicide threats
 parenting, term, 102
 parents
 of adult children with BPD, 301–302
 of children with emotional disturbances, 295, 297–300
 conflicts between, 60–61
 disclosing BPD to, 155
 as general term, 102
 inadequate, as risk factor for BPD, 13, 57, 58–61, 295, 304–306
 influence on schemas, 101–102, 106–109, 111, 112
 loss of, 62
 support, seeking, 298, 299–300
 parents with BPD. *See also* children of parents with BPD
 behavior, described, 15, 303, 305
 boundaries, 99–100, 309–310
 effects on children, 293, 303–306
 letter writing exercise, 307–308
 Paris, Joel, 213, 248
 Paroxetine, 253
 partial hospitalization treatment, 125
 partners, disclosing BPD to, 154
 passive-aggressive personality disorder, 42
 Paxil, 253
 peer supervision groups for therapists, 314
 perception, 91, 92–93, 265
 personal information, requesting, 280, 284
 personality, 10, 19, 20–26, 51, 84
 personality disorder not otherwise specified (NOS), 42
 personality disorder, term, stigma, 152, 160
 personality disorders, non-BPD
 characteristics of persons with, 35
 emotional disorders, compared, 44
 presence along with BPD, 35
 types, 35–39, 40–44, 49, 114, 280

personalization of events, 226
 perspective taking, 92–96, 218, 220–224
 pervasive developmental disorder, 37. *See also* schizoid personality disorder
 pets, to help with calming, 199
 phobias, 45
 physical appearance, as life priority, 210
 physical causes of mental health issues, 130–131, 134
 physical exercise, 167, 168, 293, 322, 326
 physiological differences, BPD/non-BPD, 63–64, 77–78, 91
 pillorying, 230
 pillowing, 229–230
 placebos, described, 248
 play, as calming device, 328
 poems, sharing, 331
 points of view, understanding other, 92–96, 218, 220–224
 possessions, as life priority, 209
 possible selves, 86
 post-traumatic stress disorder (PTSD), 46, 61–62
Post-Traumatic Stress Disorder For Dummies (Goulston), 61
 predators, fear of, 76
 predictable schema, 111, 112, 233, 243
 pregnancy, unwanted, 28
 premenstrual dysphoric disorder, medication for, 253
 primitive emotions, 76–78
 priorities, life, 208–210
 privacy issues, 132, 135
 procrastination, 145–149
 professional relationships, disclosing BPD to, 153–154, 156–157, 160–161
 progressive muscle relaxation, 193–195
 projecting emotions, 218–220
 property damage by children, 28, 293
 protein, dietary, 166
 Prozac, 253
 Psychcentral Web site, 342
 psychiatric nurses, as care providers, 133
 psychiatrists, 131, 314. *See also* therapists
 psychological exercises. *See* exercises, psychological
 psychologists, 131, 314. *See also* therapists

psychosis, 34, 50, 113
 psychotherapy. *See* therapy, psychological
 psychotic disorders, medication for, 257
 psychotropic medications, 247
 PTSD (post-traumatic stress disorder), 46, 61–62
 purging, 53, 199, 293
 putting off your impulses strategy, 182–183
 putting thoughts to music technique, 206
 putting time on your side strategy, 180–181

• Q •

questioning exercise, 221–222
 question-response strategy, 180–181
 Quetiapine, 256

• R •

rage, 29, 32–33, 53, 184, 305
 randomized clinical trials (RCTs), 248
 reading, as calming technique, 327
 realistic view schema, 109, 232, 243
 reality, feeling out of touch with. *See* dissociation
 reality, dimension of personality, 21, 25–26, 36, 50
 reasonably safe schema, 111, 112, 233, 243
 reckless driving, 15, 28, 69, 180, 293
 recreation, as life priority, 209
 recreational therapy, 125
 regret, expressing, 158, 159, 160, 214, 329–332
 rejection. *See* abandonment, fear of; abandonment, reasons for
 relating to others, limitations of patients with BPD, 91
 relationship schemas, 103, 108–110, 232, 243
 relationships. *See also* friendships
 abandonment, fear of, 11, 269–270
 abuse in, 273
 appearance to outsiders, 276
 blaming behavior, 80
 book, uses, 6, 9
 burnout in, 256

- children, effects on, 305
- closeness, excessive early, 156, 280
- communication breakdowns, 224–225
- control, demanding excessive, 98
- coping techniques, 18, 273–274
- cost-benefit analysis for, 290
- dangerous behavior, 287
- demanding behavior, 34, 283
- disclosing BPD, 151, 152–161, 162
- effect on non-BPD person, 329
- emotions, interpreting others', 81
- empathy, lack of, 267–268
- entitlement, 267–268
- excitement, need for, 185–186, 266–267
- extreme thinking, 30, 262–263
- feelings, resulting from, 261, 262
- gaslighting, 265
- healthy, requirements for, 91
- identity issues, 90
- impulsivity, 11–12, 268–269
- isolation, initiating, 266
- jealousy, 79, 81, 93, 98, 108, 116–117
- leaving, 274–278, 288–290
 - as life priority, 209
- manipulative behavior, 285–287
- parents', effects on children, 304–305
- perspective taking, 89–96, 218, 220–224
- projection, 218–220
- recognizing impact on others, 224–225
- safety, 271–274, 277–278, 288
- self-esteem, fragility, 270–271
- sexual acting out, effects, 269
- silent treatment, 263–264
- social interactions, improving, 228–230
- statistics, 91
- support in, seeking, 272, 273
- therapist/client, 140, 317
- treatment methods focused on, 127
- unstable, 30, 32, 33, 34, 293
- relatives, disclosing BPD to, 154–155
- relaxation techniques
 - hypnosis, 196–198
 - meditation, 127, 199–202
 - muscle relaxation, 193–196
 - sensory calming techniques, 198–199
- religion, as life priority, 209
- remorse for past behavior, 158, 159, 160, 214, 329–332
- research
 - on children with BPD symptoms, 295
 - on drug therapy, 247–248
 - on impulsive aggression, 254
 - on omega-3 fatty acids, 251
 - problems with, 248
 - reviews of, 248
 - on startle response, BPD/non-BPD compared, 77
 - on treatment, 126, 127, 128
- residential treatment, 300
- resiliency, emotional, 21
- resistance to change, 137, 138, 141–143
- resources
 - on anxiety, 341
 - on BPD, 10, 158, 310, 341–342
 - for children of parents with BPD, 310
 - on depression, 341
 - educational programs, 296
 - on guided meditation, 201
 - importance of, 158
 - on impulsivity in children, 296
 - on medication, 251
 - on parenting, 299
 - for professionals, 340
 - for public, 339–340
 - on research, 248
 - on substance abuse in children, 296
 - as support, 288
 - on therapeutic boundaries, 317
 - on workplace issues, 157
- revenge, as motivator for self-harm, 72
- rhesus monkeys, impulsive aggression
 - study on, 254
- risk factors for BPD
 - abuse, 57, 61–62, 294
 - biology, 13, 57, 62, 63–64
 - in children, 57–62
 - genetics, 13, 51, 63–64, 294
 - identity development, lack of, 85
 - parenting, inadequate, 13, 57, 58–61, 295, 304–306
 - self-absorption, 53
 - separation, 57, 295
 - trauma, 13, 46, 51, 57, 61–62, 294

risky activities, 186, 283
 Risperdal, 255
 Risperidone, 255
 road rage, 29
 Robin, Arthur, 299
 rumination, described, 54

● S ●

SAD (Seasonal Affective Disorder), 328
 sadistic personality disorder, 42
 sadness, described, 75
 safe schema, 110–111, 112, 233, 243
 safety, when leaving relationships, 277–278, 288
 sarcasm, 205–206, 218, 222
 sauna, as calming device, 199
 Schadenfreude, described, 76
 schema flash cards, 244–246
 Schema Monitoring Form, 234, 346–347
 schema therapy (ST), 17, 128, 135
 schemas
 adaptive, 242–246
 changing, 103–104, 233–242, 346–348
 described, 101, 231
 development, 101–102, 112, 236
 effects of, 101, 233–236
 extreme, 104–105, 112, 236, 240
 inflated, 107
 relationship, 103, 108–110, 232, 243
 self-concept, 103, 105–107, 232, 243
 separation of self from, 233
 thoughts compared, 234
 treatment methods focused on, 17, 128, 135
 types, 102–103, 231–233
 schizoid personality disorder, 35, 36–37
 schizophrenia, 34, 38, 52, 113, 116–118
Schizophrenia For Dummies (Levine & Levine), 52, 113
 schizotypal personality disorder, 35, 37–38
 Schlosberg, Suzanne, 167
 Seasonal Affective Disorder (SAD), 328
Seasonal Affective Disorder For Dummies (Elliott & Smith), 328
 seatbelt use, 169
 secure attachment schema, 108, 232, 243
 secure attachment style in infants, 24
 seductiveness, 94, 176–177
 Seeger, Lori, 167
 seizures, medication for, 256
 selective serotonin reuptake inhibitors (SSRIs), 248, 252–253
 self-absorption, 53–54
 self-acceptance, dimension of personality, 21, 25
 self-acceptance schema, 106, 232, 243
 self-accepting statements, 244, 245, 246
 self-awareness, increasing, 219
 self-care
 healthy habits, 168–169
 importance of, 163
 personal time, 169–170
 physical wellbeing, 165–169
 stress management, 163–165
 for therapists, 322
 self-concept, 25, 29–30, 32, 210. *See also* identity
 self-concept schemas, 103, 105–107, 232, 243
 self-esteem, 270–271, 297, 305
 self-focus, 53–54
 self-harm
 causes, 305
 in children, 293
 cultural influence, 52
 dealing with partner's, 272
 described, 28–29, 31–32, 70, 72, 179
 emotional, 214–215
 escalation, 72
 friends coping with, 287–288
 hiding, 293
 medication, 250
 motivators, 71–72
 negative effects, 67
 in parents, effects on children, 305
 risk factors, 53
 statistics, 1, 14, 71
 as symptom of BPD, 28, 283
 as symptom of schizophrenia, 118
 treatment conditions for, 144
 self-hatred, 25. *See also* blaming behavior
 self-help for BPD, 17, 132
 self-indulgence, 215

- self-monitoring, of impulsivity, 174–179, 185
self-punishment, 71, 72
self-statements, coping, 184–185
self-worth schema, balanced, 106, 232, 243
sensation seeking
 behavior in response to, 68–69
 benefits, 187
 in children, 54, 293
 described, 31, 33, 185
 diagnosis, 28, 31–35
 negative effects, 67
sensory calming techniques, 198–199
separation, as risk factor for BPD, 57, 295
Seroquel, 256
serotonin, 64, 252, 254
serotonin syndrome, 252
serotonin-norepinephrine reuptake
 inhibitors (SNRIs), 253
Sertraline, 253
sexual behavior
 abuse, 59–60, 62
 affairs, 69, 94, 181
 in children, 293
 example of, 178–179
 motivators, 28, 69
 relationships, effect on, 69, 269
 unsafe, 12, 15, 28
sexually transmitted diseases, 15, 28
sharp objects, swallowing, 70
shoplifting, 28, 68, 74, 293
shortened muscle relaxation, 195–196
Shultz, Johannes, 196
siblings, disclosing BPD to, 155–156
sidebars, described, 3
sides, requiring friends to choose, 283
silent treatment, 263–264
skin picking, 70. *See also* self-harm
sleep, 167–168
smell, as calming device, 199
Smith, Laura, 48, 168, 249, 328
smoking, health risks, 14
snakes, fear of, 76
SNRIs (serotonin-norepinephrine reuptake
 inhibitors), 253
social interactions, improving, 228–230
social isolation, 56–57
social phobia, 45
social workers, as care providers, 133
sound, for calming, 198
spending, impulsive, 11–12, 28, 68, 293
spiders, fear of, 76
spirituality, as life priority, 209
split chair technique, 275–276
splitting, 104–105, 305
sports, meeting need for excitement, 186
spouses, disclosing BPD to, 154
SSRIs (selective serotonin reuptake
 inhibitors), 248, 252–253
ST (schema therapy), 17, 128, 135
startle response, BPD/non-BPD compared,
 77–78
staying stuck with BPD, 334
Stern, Adolph, 34
stigmatization of BPD, 15, 160
stress, 54, 163–169
strokes, symptom awareness, 169
studies. *See* research
substance abuse
 calming techniques, issues with, 199
 case study, 178
 in children, 293, 296
 described, 48
 impulsivity control technique, 181–182
 motivators, 28, 69
 negative effects, 61, 69
 in non-BPD patients, 74
 risk factors, 15, 53
 suicide/suicide threats, 69, 73
 as symptom, 11–12, 283
suffering, cultural expectation of
 avoiding, 55
sugar, dietary, 166
suicide/suicide threats
 described, 28
 medication for, 250, 251, 252
 motivators, 73
 in non-BPD patients, 74
 predicting, 73–74
 responding to, 29, 74, 283, 287–288
 risk, lowering, 73
 statistics, 1, 14, 73, 311, 314
 substance abuse, 69, 73
 as symptom of depression, 47
 treatment methods, 126

sun exposure, 168
 superiority schema, 105, 106–107, 232
 supplements, dietary, 130, 134, 167, 251, 252
 support groups, Internet, 132, 314
 surfing the Web as calming technique, 327
 surprise, described, 76
 swallowing sharp objects, 70
 sympathy, understanding, 218
 symptoms
 of anger, 219–220
 of BPD, 2, 27–33, 134, 280–283, 312
 of emotional instability in children, 292
 of emotions, physical, 77
 of illness, mistaken for emotional disorders, 130
 of schizophrenia, 34, 38, 113, 117, 118

● T ●

taking turns exercise, 220–221
 tardive dyskinesia, 255
 taste, as calming device, 199
 teasing, understanding, 218
 technology, effects on society, 56–57
 teenagers. *See* adolescents
 Tegretol, 257
 temperature, effect on emotional state, 199
 TFP (transference-focused therapy), 17, 127
 thanking your mind technique, 205–206
 Then and Now Form, 236–238, 347–348
 theory of mind, 86
 therapists
 availability of, 97, 129, 317
 avoiding patients with BPD, 312, 314
 bartering, 317
 book, uses, 6, 10
 boundaries, therapist/client, 97, 98–99, 315, 316–317, 318–321
 career advantages/disadvantages, 316
 choosing, 129–133, 336
 consent forms, 316, 317
 consultation between, 138, 314
 criticism, dealing with, 318–321
 dual relationships, 317
 ego, controlling, 315
 emergency contact with, 97, 129
 ethical codes, 135
 evaluating, 134–135
 expectations, setting, 258, 315–316
 financial issues, 129, 316
 gifts from clients, 317, 332
 individual work with, 124, 125, 127
 ineffective/fraudulent, 133
 interviewing, 129–130
 licensure, 130, 131, 132, 133
 objectivity, maintaining, 314–315
 policies, 316–317
 relating to patients, 18
 relationships with clients, 313–314, 315, 317
 self-care, 322
 self-disclosure, 317
 support, seeking, 314, 319, 322
 training, 131, 132–133
 tuning into own feelings, 313–314
 types, 16, 132–133
 untrained people acting as, 286, 301
 therapy, drug
 antidepressants, 247, 248, 249, 252–253
 for bipolar disorder, 249, 256, 257
 expectations, 257
 health risks, 14
 in hospital treatment settings, 125
 limitations, 249, 336
 mood stabilizers, 256–257
 neuroleptics, 254–256
 precautions, 250–251, 255
 pressure to take, 250
 professionals, prescribing, 131, 133
 for psychotic disorders, 257
 psychotropic, 247
 side effects, 256–257, 258
 sleep, 167–168
 success/failure in persons with BPD, 128

- use for simultaneous disorders/
 symptoms, 249–250
 use with BPD, 17–18, 247–248, 249,
 257–258
 therapy, psychological. *See also* exercises,
 psychological
 adjunctive, 125
 art, 125
 cancellation of sessions, 316
 cognitive behavioral, 17, 127–128, 298,
 342
 confidentiality, 135, 138
 described, 16
 dialectical behavior, 17, 126–127
 expectations, 258, 315–316
 expenses, 129, 316
 expressing questions/concerns, 141
 finding effective, 334
 group, 124, 125, 127, 135
 hot button issues, 312
 individual, 124, 125, 127
 mentalization-based, 17, 127
 occupational, 125, 213
 recording, 319
 recreational, 125
 rewards, 311
 schema, 17, 128, 135
 timeliness, 316
 transference-focused, 17, 127
 types, 16–18, 123, 126–128
 types recommended for BPD, 17, 247, 249,
 336
 wilderness, 300
 work, incorporated, 213
 thinking, disordered, 38
 thinking styles, BPD, 12–13
 thoughts, 76, 78–79, 190, 234, 331
 time, effect on persons with BPD, 14
 time, finding personal, 169–170
 tooth care, 169
 Topamax, 257
 topiramate, 257
 totally predictable schema, 111–112, 233
 totally safe schema, 110–111, 233
 touch, as calming device, 199
 transference-focused therapy (TFP), 17,
 127
 trauma. *See also* self-harm
 coping techniques, 24
 as risk factor for BPD, 13, 46, 51, 57,
 61–62, 294
 treatment. *See also* barriers to treatment;
 cost of care; therapy, drug; therapy,
 psychological
 availability, 15
 challenges with BPD, 1, 123
 in children, 294
 choosing, 123
 cost-benefit analysis, 147–149
 effectiveness, 141
 evaluating, 134–135
 fear of, 140–141
 methods, combining/changing, 126, 128
 myths about, 140–141
 nonspecific for BPD, 126
 participation, importance of, 130, 132, 144
 preliminary steps, 133–134
 professional required, 1–2
 research on, 126, 127, 128
 settings, 124–126
 starting, 149–150
 success rate, 123, 130
 time requirements, 135
 trying to recover quickly, 335
 what not to do, 333–336
Treatment of Borderline Personality Disorder
 (Paris), 248
 tricyclics, 253
 Trileptal, 257
 trivialization of problems, 140
 trusting other people, 156
 trying too hard with treatment, 335
 typical neuroleptics, 254–255
- u •
- understanding others, limitations, 91
 undeserving schema, 105–106, 107, 232,
 235, 238
 unpredictable schema, 110, 111–112, 233,
 246
 unrealness. *See* dissociation
 unreliability, 280

• V •

vaccinations, 169
 valporic acid, 256
 values, personal, 208–213
 vandalism by children, 28, 293
 victim, view of self as, 24, 143–144
 violence, 1, 144, 293. *See also* self-harm
 vision, as calming device, 198
 vocational rehabilitation, 213
 volunteering as way of making amends, 332

• W •

walking meditation, 201
 warning signs of BPD, 280–282, 292–293
 weather/climate, compared, 44
 Web surfing as calming technique, 327
 Webb, Tamilee, 167
 WebMD Web site, 342
 Willson, Rob, 298
 withdrawal, passive, 59
 work
 accommodations needed at, 156–157
 boundaries, lack of respect for, 97, 98
 costs of BPD in career, 15
 disclosing BPD at, 153–154, 156–157,
 160–161

 job changes as cause of family
 disorganization, 61
 as life priority, 209
 loss of, effect on emotions, 87
 success of BPD patients in, 15
 taking breaks at, 169
Workouts For Dummies (Webb & Seeger),
 167
 World Federation of Societies of Biological
 Psychiatry, 248
 world schemas, 103, 110–112, 233, 243
 worry, causes, 305
 writing thoughts, 331

• Y •

Young, Jeffrey, 128
*Your Defiant Teen: 10 Steps to Resolve
 Conflict and Rebuild Your Relationship*
 (Barkley & Robin), 299

• Z •

Zanarini, Dr. Mary, 34
 Ziprasidone, 255
 Zoloft, 253