

# Index

- abandonment 239, 244, 264, 275  
 BPD 301, 303  
 abortion 243, 244–5  
 Abraham, Karl 38  
 abulia 25  
 acetyl choline 308  
 action regulators 93, 94–5  
 action systems 82, 84, 259–60  
 activity of the ego 51, 53, 54, 57–9  
 adolescence 69, 85, 155, 216, 272–4, 289  
 attachment 118, 125  
 childhood trauma 138–9, 141  
 dissociative hallucinosis 271, 272–4, 276, 277  
 hebephrenia 14  
 Adult Attachment Interview 119–20, 121, 127  
 aesthetics 82  
 affect regulation 120, 127–8  
 affective changes 70, 71–2, 73  
 affective disorders 27, 143, 120, 121  
 differential diagnosis 177, 183  
 affective memory 66–7  
 alcohol 98, 275, 324  
 alexithymia 152, 160  
 alter personalities 267, 330  
 caregivers 301–2  
 children 167–8  
 complex dissociative disorders 166–71  
 DID 178–80, 185, 283–5  
 dissociative schizophrenia 159, 281–6, 288–91  
 pharmacotherapy 313  
 psychodynamics 240, 242–3, 246–8  
 schizophrenia 178–80, 185
- altered states of consciousness (ASCs) 23, 25, 340–1, 343  
 ambivalence 38, 45, 143  
 ambivalent attachment 112, 118–19  
 ambulatory schizophrenia 105, 107  
 amnesia 10–11, 80, 110, 142, 193, 222, 224  
 attachment 126  
 complex dissociative disorders 15, 167, 169, 172  
 DID 179, 182–6  
 dissociative hallucinosis 275  
 dissociative schizophrenia 159–60, 281, 283–6, 288–90  
 hysterical psychosis 22, 23, 26, 27  
 infantile 66–7  
 voice hearing 329  
 amphetamines 213  
 amygdala 66–7, 69, 214–15, 227, 229–31  
 annihilation 62, 63, 111, 303, 326  
 anticonvulsants 313  
 antidepressants 276–7, 313–14, 316, 328  
 antipsychotics 143, 186, 213, 227–8, 230, 292, 315–17  
 atypical 213, 313, 314, 315–17  
 hysterical psychosis 26  
 dissociative hallucinosis 274, 276, 277–8  
 psychodynamics 240  
 trauma-induced dissociation 307, 312–13, 314  
 voice hearing 328, 339  
 anxiety and anxiety disorders 66, 67–8, 74, 183, 229, 265  
 attachment 120, 121  
 childhood trauma 137, 139

## 348

anxiety and anxiety disorders (*Continued*)  
   complex dissociative disorders 170  
   dissociative hallucinosis 275, 277  
   dissociative schizophrenia 286  
   ego-fragmentation 61, 62  
   hysterical psychosis 26  
   pharmacotherapy 308–10, 312, 315, 317  
   processing threat 197–8, 200  
   psychodynamics 239, 249, 251  
   psychotic prodrome 65, 67–8, 70–3, 75  
   splitting 106–7, 112  
   voice hearing 328, 329, 336  
 anxiolytics 313, 314, 317  
 apparently normal part of personality (ANP)  
   259–60, 261, 263–4, 267–8  
 artificial delirium 16, 22  
 asthenia 95, 97, 101  
 attachment 3, 4, 117–28, 239  
   BPD 110–12, 120, 121–6, 128, 296–300  
   disorganized 111–12, 118–20, 239, 298–300,  
   303–4  
 attention 25, 71, 109, 194–201, 308  
   processing threat 191–2, 193, 194–201  
   schizotypy 84, 86, 211–12, 216  
 attention deficit hyperactivity disorder 178  
 audible thoughts 178, 179  
 auditory hallucinations 2, 5, 15, 17, 165–6,  
   169–70  
   BPD 300  
   childhood trauma 137, 140–3  
   consciousness 340  
   differential diagnosis 178–9, 180, 185  
   dissociative hallucinosis 271–5, 277  
   dissociative schizophrenia 152, 287–9  
   hysterical psychosis 27  
   Janet 98–9, 101  
   neurobiology 222–3  
   pharmacotherapy 309  
   processing threat 199  
   *see also* voice hearing  
 authoring 334–5, 343  
 autism 38, 45, 96, 97, 125, 143  
 autobiographical memories 66–7, 69, 73, 74, 76  
 automatic writing 11, 170  
 automatism 59, 92, 106  
 avoidance 4, 299, 317, 325  
   dissociative hallucinosis 274, 275, 276  
   processing threat 195, 196–8  
 avoidant attachment 112, 118–19, 123, 127  
 Axis I disorder 283, 285, 288  
 Axis II disorder 81, 211, 283, 285, 288

## INDEX

Babinski, Joseph 11, 24, 26  
 benzodiazepines 227, 277, 314, 315, 317,  
   328  
 Big Five Inventory (BFI) 82  
 bipolar affective disorder 152, 309, 316  
 bipolar disorder 2, 13, 15–16, 140, 155, 215  
   attachment 121  
   differential diagnosis 178  
   dissociative hallucinosis 272  
   hysterical psychosis 29  
   Schneiderian symptoms 169  
   splitting 109–11  
   voice hearing 339, 341  
 Bleuler, Eugen 1–5, 9, 16–18, 35–47, 107, 221,  
   249  
   BPD 109  
   childhood trauma 143  
   dissociative schizophrenia 151, 281–3, 287,  
   289, 292  
   double bookkeeping 169  
   ego-fragmentation 52, 59–60  
   hysterical psychosis 24  
   Janet 91, 92, 95–7, 101–2, 106  
   loud thoughts 166  
   psychotic prodrome 70  
   splitting 178  
 Bleuler, Manfred 92  
 borderline personality disorder (BPD) 3–5,  
   105–13, 171, 295–304  
   attachment 110–12, 120, 121–6, 128,  
   296–300  
   differential diagnosis 182  
   dissociative hallucinosis 275  
   dissociative schizophrenia 153–4, 158, 160,  
   283, 285, 288  
   ego-fragmentation 51, 52, 57–9, 62  
 borderline personality organization (BPO)  
   108  
 brain imaging 213–14, 228–32  
 breaking the code 325–7  
 Breuer, Josef 11–12, 40–1, 106, 141  
   hysterical psychosis 22, 24, 25  
 brief reactive psychosis 21, 29  
 bullying 111, 139, 321  
 bupropion 228, 313, 314  
 buspirone 314, 317  
  
 Capgras delusions 100  
 carbamazepine 313, 316  
 catatonia 14–15, 123, 143, 180, 249, 260  
 Charcot, Jean 10–11, 16, 25, 47, 106

- childhood abuse 68–70, 83–4, 153, 182, 262  
 attachment 119, 121, 122, 125  
 BPD 108, 110–12, 295–300, 302–4  
 pharmacotherapy 311, 314  
 processing threat 198  
 psychodynamics 240, 246, 249  
*see also* childhood physical abuse; childhood sexual abuse
- childhood companions 166, 182
- childhood emotional abuse 137–9, 141, 143, 182, 275  
 attachment 121, 122  
 dissociative schizophrenia 288, 293  
 PTSD 157  
 voice hearing 321, 325
- childhood neglect 84, 108, 137–8, 140–1, 143, 295–6  
 PTSD 157  
 voice hearing 321, 324, 325
- childhood physical abuse (CPA) 83, 137–41, 143, 182  
 attachment 121, 122  
 dissociative hallucinosis 273, 274, 275  
 dissociative schizophrenia 156–7, 288, 293  
 voice hearing 321, 324
- childhood sexual abuse (CSA) 12, 36, 83, 137–41, 143, 171, 182  
 attachment 121  
 BPD 302–3  
 dissociative hallucinosis 272–5, 277  
 dissociative schizophrenia 156–7, 288, 289, 293  
 hysterical psychosis 22  
 neurobiology 222, 225, 228, 231  
 processing threat 198  
 psychodynamics 240, 241, 251  
 voice hearing 321, 324, 326–8, 336, 338
- childhood trauma 2–4, 83–4, 85, 137–44, 183, 271–8  
 attachment 117–18, 121  
 BPD 108, 295–9, 303–4  
 complex dissociative disorders 169, 171  
 decontextualised memories 65–6, 74  
 DPD 209  
 dissociative hallucinosis 271–8  
 dissociative psychosis 257–68  
 dissociative schizophrenia 156, 159–61, 286, 288, 293  
 hysterical psychosis 26  
 neurobiology 222–3, 226  
 pharmacotherapy 309, 311, 312, 314, 316  
 processing threat 198, 200, 201  
 psychodynamics 249–50  
 psychotic prodrome 73, 74, 75  
 schizophrenia 68, 70, 118, 138–40, 142–3, 171  
 voice hearing 140–1, 320–1, 323–9, 341
- Childhood Trauma Questionnaire (CTQ) 84, 138, 157
- chlordiazepoxide 313
- chlorpromazine 336
- chronic relational trauma disorder 105–13
- cingulate function 212, 224, 229, 231
- citalopram 313
- Claridge Schizotypal Personality Scale 81–2
- clomipramine 313, 314
- clonazepam 313
- clonidine 277, 313
- clozapine 313, 315
- cluster C personality disorders 120
- coconsciousness 167, 194
- cognition 3, 4, 84, 85, 191–202  
 attachment 118, 124, 126, 128  
 BPD 297, 299  
 depersonalization 210–11, 212, 213, 216  
 dissociative hallucinosis 274  
 dissociative schizophrenia 286, 288, 289  
 ego-fragmentation 52  
 pharmacotherapy 311  
 psychotic prodrome 72, 73, 75  
 schizotypy 81, 84–6, 124, 210–13, 216  
 voice hearing 324
- cognitive behavioural therapy (CBT) 276–7, 286, 320, 321, 329
- Cognitive Failures Questionnaire (CFQ) 84
- cognitive inhibition 198–201
- cognitive therapy 289–90
- coherence 54–5  
 ego-fragmentation 51, 53–5, 5–9, 61–4
- comorbidity 3, 4, 81, 140, 211  
 complex dissociative disorders 171–2  
 differential diagnosis 178, 180, 182  
 dissociative schizophrenia 153–4, 156, 159, 161, 281–3, 285, 288  
 neurobiology 221, 223, 225, 226  
 pharmacotherapy 314
- complex dissociative disorders 165–72, 267–8
- complex PTSD 272–5, 277–8  
 BPD 105, 108–9, 295
- complexes 41–3

## 350

## INDEX

- consciousness 39–43, 46, 106, 108, 340–1, 343  
 dissociative psychosis 258, 263  
 ego-fragmentation 52, 58–62  
 hallucinations 99, 275  
 Shamanism 334, 337
- consistency 54–5  
 ego-fragmentation 51, 53, 54–5, 57–9
- construct 325–8, 331
- contextual memories 66
- continuity hypothesis 171
- conversion 11, 25–6, 107, 165, 167, 172  
 paralysis 286
- coping strategies 118, 120, 171, 324  
 voice hearing 322, 324, 325–8, 330–1
- corticotrophin-releasing factor (CRF) 224–5
- cortisol 213, 225, 226, 228, 232
- countertransference 241, 250, 274, 287
- Creative Experiences Questionnaire (CEQ) 83
- culture 25, 30, 94, 124, 241, 298, 339–40  
 ego-fragmentation 56, 59, 60  
 voice hearing 321, 333, 335, 337–8, 339–40, 342–3
- daydreams 23, 24, 82, 97
- deaf community 242–3
- decontextualised memories 4, 65–7, 74–5
- degrees of reality 257–8
- déjà vu* 65, 71, 72
- delirium 16, 22, 271
- delusional atmosphere (DA) 65–6, 68, 70–1, 170  
 psychotic prodrome 66, 68, 70–5
- delusional perception 100, 169–70, 178
- delusional thinking 289, 291
- delusions 2, 4, 15–16, 65, 98–9, 216, 221  
 attachment 123, 125, 126  
 BPD 296–8, 302–4  
 childhood trauma 139–42  
 complex dissociative disorders 168–70  
 DID 61  
 differential diagnosis 179, 180, 182, 184  
 dissociative hallucinosis 272, 274, 275, 277  
 dissociative psychosis 257, 266  
 dissociative schizophrenia 152, 154, 156, 160, 287, 289–91  
 grandiose 96–7, 296, 298, 303  
 hysterical psychosis 24, 25, 26, 28  
 influence 99  
 Janet 92, 94, 96–102  
 paranoia 97–100  
 persecutory 97–8, 196–7, 296, 298, 303
- pharmacotherapy 308–9, 317
- possession 156, 160
- processing threat 192, 196–202
- psychodynamics 248
- psychotic prodrome 65, 69, 70–2, 73–6
- schizophrenia 35–6, 42, 69, 76, 96–7
- separateness 179
- splitting 112
- voice hearing 319, 321, 334
- demarcation 55  
 ego-fragmentation 51, 53, 55, 57–9
- dementia panoides 15
- dementia praecox 5, 12–15, 16–17, 36–40, 42, 221  
 ego-fragmentation 60  
 hysterical psychosis 24  
 Janet 95, 97, 98
- dementia sejunctiva 17
- depersonalization disorder (DPD) 4, 16, 142, 165, 172, 209–16  
 attachment 123, 126  
 clinical vignettes 215–16  
 differential diagnosis 178–9, 182–6  
 dissociative schizophrenia 151–2, 156, 158–60, 288  
 hysterical psychosis 25  
 neurobiology 226, 231  
 pharmacotherapy 307, 310, 314, 317  
 processing threat 194, 198  
 schizophrenia 96  
 schizotypy 79, 80–1, 84  
 voice hearing 329, 333
- depression 13–14, 22, 139, 258, 300  
 differential diagnosis 178, 180  
 dissociative hallucinosis 277  
 dissociative schizophrenia 152, 160, 288–9  
 ego-fragmentation 57–8, 62  
 neurobiology 225–6  
 pharmacotherapy 316  
 psychotic prodrome 71–2, 73  
 voice hearing 101, 328  
*see also* major depression
- derealization 96, 165, 226, 310  
 attachment 123, 126  
 differential diagnosis 178–9, 183–6  
 dissociative schizophrenia 152, 156, 159–60  
 schizotypy 79, 80, 210  
 voice hearing 329, 333
- Despine, Père 10
- detachment 209–10
- dexamethasone 213, 225, 226

- diathesis-stress model 2, 69, 222, 223, 232  
 diazepam 313  
 dilantin 228  
 dimethyltryptamine (DMT) 227  
 diphenhydramine 313  
 disorders of extreme stress not otherwise specified (DESNOS) 108–9  
 disorders of self 151–2, 160  
 disorientation 295, 296  
 disowned selves 330  
 dissociated self-states 298–300, 301, 302–3  
 Dissociation Questionnaire 194  
 dissociative disorders 1–3, 9, 141–2, 157–9, 165–72, 221–33, 275–7  
   attachment 120, 121–6, 128  
   BPD 105–7, 113, 296, 301–3  
   childhood trauma 137–8, 141–2  
   depersonalization 209  
   hallucinations 271–8  
   hysterical psychosis 30  
   Janet 100–1  
   pharmacotherapy 307–18  
   processing threat 194–5, 201  
   psychodynamics 240–2, 251  
   psychosis 260–2, 267  
   schizophrenia 151–61, 281–93  
   schizotypy 79–86  
   voice hearing 330  
   *see also* dissociative identity disorder (DID)  
 Dissociative Disorders Interview Schedule (DDIS) 143, 157–9, 182  
 dissociative disorders not otherwise specified (DDNOS) 105, 141–2, 222  
   hallucinations 272  
   psychosis 260–3, 267  
   psychotic symptoms 165, 168, 172  
   schizophrenia 284–5, 289, 291, 293  
 Dissociative Experiences Scale (DES) 80–1, 143, 181–2  
   attachment 121  
   complex dissociative disorders 171  
   differential diagnosis 181–2, 186  
   dissociative schizophrenia 153–60  
   DPD 210–11  
   neurobiology 231  
   schizotypy 80–4, 210–11  
   voice hearing 323  
 Dissociative Experiences Scale II (DES II) 181  
 Dissociative Experiences Scale T (DES-T) 181  
 dissociative hallucinosis 5, 271–8  
 dissociative identity disorder (DID) 4, 10, 35, 61, 141–3, 177–86, 283–5  
   BPD 105, 106–7, 109–12, 300–1  
   depersonalization 209  
   dissociative psychosis 257, 260–2, 267–8  
   dissociative schizophrenia 281–5, 287–9, 292–3  
   ego-fragmentation 51, 59, 61, 62  
   hallucinations 166, 169, 272  
   hysterical psychosis 24, 26, 30  
   neurobiology 221, 228, 229  
   pharmacotherapy 307, 309, 311, 313–14  
   processing threat 192–4, 199–200  
   psychodynamics 240, 243, 246, 248–9  
   psychotic symptoms 165–72  
   schizophrenia 153, 158–9  
   schizotypy 79–80  
 dissociative psychosis (DP) 5, 167, 257–68  
 dissociative schizophrenia 151–61, 171, 281–93  
 divided attention 194–5, 200, 201  
 domestic violence 288, 298, 301  
 dopamine 69, 74, 213, 216, 308–9, 313  
   schizophrenia 228, 229–30  
 double-binds 295, 296, 298–300, 304  
 double-bookkeeping 169  
 double conscience 11–12, 41  
 doubling of the mind 23, 26  
 double emotion 261, 264–5, 266  
 Down's syndrome 246  
 dreams 16–17, 215–16, 258, 340  
   hysterical psychosis 22, 23, 24, 25  
   Shamanism 338  
 DSM 120, 182, 240, 249  
   dissociative schizophrenia 287, 288–9, 292  
   pharmacotherapy 307  
 DSM-III 2, 80, 152, 183, 221, 224  
   ego-fragmentation 57, 60  
   hysterical psychosis 21, 26, 27, 28  
   voice hearing 321  
 DSM-III-R 21, 29, 57, 60, 154, 182–4  
 DSM-IV 15, 18, 60, 141, 154–5, 177, 230  
   BPD 295  
   complex dissociative disorders 165, 172  
   differential diagnosis 179, 180, 183  
   dissociative psychosis 259  
   dissociative schizophrenia 286–7, 290–3  
   hysterical psychosis 21, 29  
   pharmacotherapy 310, 314  
   schizophrenia 143  
   voice hearing 321  
 DSM-IV-TR 39, 210

## 352

DSM-V 172, 283, 288  
 DSM-VI 285  
 duality model 171

eating disorders 137, 158, 281, 310  
 ego-fragmentation 4, 51–64  
 ego-pathology 52, 57–9  
 ego-reconstruction 64  
 electroconvulsive therapy (ECT) 261, 314, 316  
 Elektra complex 43  
 EMDR 276, 277  
 emotional memory 66–7, 75  
 emotional part of personality (EP) 259, 260, 261–4  
 Emotional Stroop 194, 198  
 empathy 308, 310, 326  
   BPD 297, 299, 300  
   psychodynamics 239, 250  
 environmental changes 70, 71, 72–3  
 epilepsy 11, 227–8, 229, 231  
 epinephrine 308  
 episodic memories 66  
 escitalopram 313  
 Esquirol, Jean-Étienne Dominique 13–14, 98  
 executive functioning 84, 211–12, 216  
 exorcism 10

factitious disorders 26, 184  
 familiarity 67, 72, 75  
 family therapy 276, 277  
 fantasies 25–6, 124, 143, 248, 290–1  
   BPD 302–3  
   dissociative psychosis 258, 264, 267  
   processing threats 191  
   schizotypy 82–3, 85, 86  
 fantasy-proneness 4, 82–3, 85, 86, 209, 211  
 Ferenczi, Sándor 241  
 fight response 52, 118, 191, 224, 260  
 first rank symptoms 169, 209, 289, 292, 309  
   differential diagnosis 178–9, 182, 185  
 fixed ideas 41–3, 45–6, 258, 261, 265–7  
 flanker task 200  
 flashbacks 98–9, 143, 167, 179, 222, 310, 315  
   attachment 123–4  
   BPD 109, 112, 295  
   neurobiology 222, 224, 227, 230–1  
 flight response 52, 118, 224, 260  
 Flourmoy, T 36–8  
 fluoxetine 313  
 fluvoxamine 313  
 foreboding 65, 70–1, 73, 75

## INDEX

Forel, Auguste 16–17, 37  
 formal thought disorder 169  
 fragmentation of self 100, 259, 272, 283  
   attachment 120–2, 126, 127  
 freeze response 52, 143, 191, 260  
 Fregoli delusions 100  
 Freud, Sigmund 11–12, 16–17, 36–41, 43, 46–7, 107, 141  
   hysterical psychosis 22, 24, 25  
   Janet 93, 106  
   psychodynamics 241  
   The Uncanny 75  
 fronto-limbic dopamine circuits 68–9  
 fugue states 10–11, 142, 182

GABA 227, 229, 308  
 gabapentine 313  
 Gassner, Johann 10  
 genetics 2, 14, 85, 143, 309  
   attachment 119, 1125  
   dissociative schizophrenia 282, 287, 288, 289  
   schizophrenia 70, 223, 232  
 glucocorticoids 228  
 glutamate 143, 227–8, 308  
 Gmelin, Eberhardt 10  
 Griesinger, Wilhelm 14  
 grossly disorganized behaviour 167–8  
 group therapy 276, 277, 301  
 guilt 329

hallucinations 13, 15–17, 166–7, 262–4, 271–8, 334  
   attachment 123, 126  
   BPD 112, 300, 302  
   childhood trauma 139–43  
   children 272–4  
   command 140, 300  
   complex dissociative disorders 165, 166–7, 169–70  
   depersonalization 216  
   DID 61  
   differential diagnosis 178–9, 180, 182, 185  
   dissociative psychosis 257–9, 261–7  
   dissociative schizophrenia 154–6, 160, 287  
   grandiose 100  
   history of schizophrenia 35–6, 41  
   hysterical psychosis 22, 25–8  
   Janet 91–102  
   neurobiology 221–3  
   olfactory 140  
   paranoid 100

- persecutory 91–2  
 pharmacotherapy 308–9  
 processing threat 200–2  
 psychodynamics 242, 250  
 psychotic prodrome 71  
 reminiscences 98–9  
*see also* auditory hallucinations; visual hallucinations  
 hallucinogens 142, 227, 243  
 Hamilton Depression Scale 57  
 hearing voices movement 320  
 hebephrenia 14–15, 143  
 hippocampus 66–7, 68–9, 73, 74, 143, 214–15  
   neurobiology 224, 227–31  
 Hoek, Andries 22, 23  
 hormones 224, 225–6  
 hospitalization 139, 168, 177, 261, 315  
   pharmacotherapy 308, 309, 315, 317  
   voice hearing 338–9, 342  
 hostility 118–19, 167  
   attachment 119, 126, 127  
 hyperactivity 178, 308  
 hyperarousal 230, 231, 232, 275–6, 298  
 hypervigilance 191–2, 200, 274  
 hypnosis and hypnotherapy 10–12, 16–17, 126, 226  
   dissociative psychosis 265–6  
   ego-fragmentation 59  
   hysterical psychosis 21, 22, 23–6, 30  
   pharmacotherapy 315  
 hypothalamus–pituitary–adrenal (HPA) axis 213, 226  
   neurobiology 223, 224–6, 228  
 hysteria 4, 9, 10–12, 16–18, 36, 40, 106  
   BPD 105–13  
   Janet 91–2, 100–2, 258  
   processing threat 201  
 hysterical neurosis 221  
 hysterical psychosis (HP) 2, 5, 21–30, 35, 257–8  
  
 ICD-9 28  
 ICD-10 29, 154, 165, 286  
 ideas of reference 140, 166, 211  
 identification with aggressor (perpetrator) 4, 108–11, 112  
   BPD 299, 303  
 identification with victim 4, 110–11, 298–9  
 identity 55–6  
   alteration 159–60, 165–6, 180, 183–6  
   confusion 159–60, 165–6, 179–80, 183–6  
   ego-fragmentation 51, 53, 55–6, 57–9, 61, 63  
   illusions 13, 98–101, 295, 296  
   imaginary companions 166, 182  
   Impact of Event Scale (IES) 84  
   impulse control disorders 283, 285, 286  
   infantile psychotic self 170–1  
   infantile sexuality 12, 36, 46  
   insanity 4, 12–15, 17  
   insecure personality 152, 160  
   insight 152, 168  
   intelligence 211, 216  
   interaction model 171–2  
   Interference Scale 212  
   intermittent explosive disorder 275  
   internal homicide 168  
   internal working model (IWM) 118–19, 123, 125–7  
   intrapsychic ataxia 17  
   introjets 107, 108  
   intrusions 284–6, 289  
   intrusive thoughts 224, 276, 277  
   iomazenil 227  
  
*jamais vu* 65, 71, 72, 75  
 Janet, Pierre 2, 4–5, 11–12, 16–17, 22–4, 91–102, 258–9  
   attachment 122  
   childhood trauma 141  
   dissociative psychosis 258–9, 261  
   ego-fragmentation 59  
   hysteria 106  
   hysterical psychosis 22–4, 25, 26  
   schizophrenia 36–7, 40–1, 42–7, 91–102  
   schizotypy 79  
 Jaspers, Karl 65, 70–1, 73, 151  
 Jung, Carl 2, 5, 17, 36–47, 92, 106, 249  
  
 Kahlbaum, Karl Ludwig 14  
 ketamine 226–7  
 Klein, Melanie 106, 110  
 Kraepelin, Emil 2, 13–16, 24, 36–7, 60  
   Janet 91, 95, 97  
  
 lamotrigine 313, 314, 316  
 learning disability 240, 246–8, 251  
 levels of reality 93, 94, 99  
 Likert Scales 84  
 limbic system 193, 214–16, 228–9, 231  
 lithium 316  
 locale-based learning 67–8, 74  
 loosening of association 2, 39, 43–5, 96, 143, 169, 180  
   ego-fragmentation 60

## 354

lorazepam 313  
 loud thoughts 142, 166, 169  
 lysergic acid diethylamide (LSD) 227

Maastricht Hearing Voices Interview 5, 321–4,  
 325, 326  
 Magical Ideation Scale (MIS) 81, 84, 210, 212  
 magical thinking 82, 143, 211, 286, 289, 291  
 MAIOs 313  
 major depression 139, 182, 213, 287, 309  
   mood disorder 172  
   neurobiology 225–6  
 malingered 21, 24, 26  
 mania 13–14  
 manic depression 2, 15  
 mannerisms 93  
 Maoris 336–7  
 marijuana (hashish; pot) 22, 142, 226, 335  
*Mate Maori* 336  
 medication *see* pharmacotherapy  
 mescaline 227  
 melancholia 96, 172  
   Janet 95, 96, 99–100, 101  
 melancholia attonita 14  
 memory and memories 4, 12, 17, 66–7, 69  
   attachment 119, 124, 126–7  
   BPD 110–11, 296, 297  
   decontextualised 4, 65–7, 74–5  
   DID 283, 285  
   dissociative psychosis 258–64  
   dissociative schizophrenia 160, 283, 285,  
   286  
   ego-fragmentation 52, 59, 62  
   hysteria 106  
   hysterical psychosis 27  
   Janet 94, 98–9  
   neurobiology 224, 227, 229–31  
   pharmacotherapy 316  
   processing threat 191–201  
   psychodynamics 249  
   psychotic prodrome 65–7, 69, 73, 74–5  
   schizophrenia 39, 69  
   schizotypy 79, 84–5, 211–12, 214  
   voice hearing 329, 334, 342  
 mentalization deficit 4, 118, 120, 124–6,  
 127–8  
 Mesmer, Anton 10, 12  
 mesmerism 10–12, 18  
 metacognitive deficit 4, 118, 120, 122, 124–6,  
 127–8  
 Minkowski, Eugene 92, 96, 97

## INDEX

mirtazapine 313  
 mood disorders 16, 29, 106, 137, 172, 308,  
 341  
 mood stabilizers 277, 313, 314, 316, 317  
 Morel, Benedict Augustin 13–14  
 multiple personality disorder (MPD) 2, 10–12,  
 16–17, 35, 158–9  
   differential diagnosis 184, 185  
   ego-fragmentation 59, 61, 63  
   neurobiology 221  
 murder 168, 243

naloxone 317  
 naltrexone 313, 317  
 narcissism 52, 297, 298, 302  
 negative priming 199–201, 212  
 negative symptoms 140, 171, 213, 225, 230  
   dissociative schizophrenia 154–6, 282  
 neglect *see* childhood neglect  
 neo-Kraepelinians 2, 60  
 neologisms 169, 272  
 neural circuits 228, 230–1, 232  
 neurobiology 4, 210, 212–15, 216, 221–33  
 neurocognition 127, 210, 211–12, 216  
 neurodevelopment 193  
 neuroleptics 28, 261, 265  
 neuroses 14, 107–8, 152, 295–6  
   Janet 95, 100  
 neurotransmitters 226, 227–8, 308–10  
 nicotinamide adenine dinucleotide phosphate  
 (NADPH) oxidase 227  
 nightmares 86, 224, 258, 264, 277, 329  
   pharmacotherapy 310, 315  
 NMDA antagonists 226–7, 228, 229  
 non-SSRIs 313  
 noradrenaline 213  
 norepinephrine (NE) 224, 229, 308

obsessive–compulsive disorder (OCD) 4, 36,  
 44, 160, 214  
   dissociative schizophrenia 283, 285–6, 288,  
   289  
   Janet 91, 93  
   pharmacotherapy 309  
 odd beliefs 211, 215, 216, 222  
 Oedipus complex 12, 43, 107, 241  
 olanzapine 276, 313  
 O-LIFE 83  
 oneiroid state 28  
 openness to experience 82–3, 85  
 opioid antagonists 314

- out-of-the-ordinary experiences (OOEs)  
     333–40, 343  
 overlapping symptoms 178–81, 184–6  
 oxcarbazepine 313
- panic disorders 67–8, 142, 158, 288, 309  
     delusional atmosphere 66, 74  
 paranoia 13–15, 97–8, 143, 272, 298  
     attachment 117, 119, 125, 126  
     complex dissociative disorders 166, 168  
     differential diagnosis 180, 185  
     hysterical psychosis 29  
     Janet 91–102  
     maternal 119  
     pharmacotherapy 315  
     processing threat 197–8  
 paranormal experiences 158, 323, 329  
 paraphilias 283, 285  
 parental overprotection 117  
 parietal cortex 224, 229, 231  
 paroxetine 313  
 part-selves 61–2, 106, 283–4, 286, 289  
 passivity 152, 160, 169–70  
 perception 72–3, 106, 160, 275, 309  
     BPD 296, 298–300, 302  
     delusional atmosphere 70–1  
     ego-fragmentation 52, 59, 62  
     Janet 92, 94, 98–100  
     neurobiology 226, 227  
     schizotypy 82, 84, 85, 210–13, 216  
     visual changes 72–3, 74, 75  
 Perceptual Aberration Scale (PAS) 80–2, 84,  
     210, 212  
 perplexity 65, 70, 71, 73  
 personality disorders 2, 137, 155, 177, 211, 296  
     pharmacotherapy 310, 314  
     schizotypal 4, 209–16  
     *see also* borderline personality disorder  
     (BPD)  
     pharmacotherapy 3, 70, 137, 267, 287, 307–18  
     dopamine and schizophrenia 228  
     voice hearing 312, 314, 317, 320, 324, 328,  
     339, 341  
 phenomenology 210–15, 216, 222, 232  
 phenotypes 231–2  
 phenylcyclidine 226  
 phenytoin 228  
 phobias 62, 67–8, 259, 317  
     delusional atmosphere 66, 74  
     processing threat 193  
 pipothiazine 315
- plasticity 22, 261  
*porangi* 336–7  
 Positive and Negative Syndrome Scale  
     (PANSS) 156  
 positive symptoms 140, 171, 199–200, 213  
     dissociative schizophrenia 154–6, 282  
 Post-traumatic Diagnostic Scale (PDS) 157  
 post-traumatic stress disorder (PTSD) 2–3, 5,  
     11, 67–8, 156–7, 224–5, 227–8, 272  
     assessment 177  
     BPD 105–6, 108–9, 113  
     childhood trauma 139, 142  
     complex dissociative disorders 167, 171  
     delusional atmosphere 66, 74  
     depersonalization 213  
     dissociative hallucinosis 272–6  
     dissociative psychosis 257, 260, 267  
     dissociative schizophrenia 153, 155–7, 159,  
     283, 285–6, 288–9  
     hysterical psychosis 29–30  
     Janet 94  
     neurobiology 222–32  
     pharmacotherapy 314, 317  
     psychodynamics 241  
     *see also* complex PTSD  
 prazosin 313  
 prefrontal function 224, 227, 229, 231  
     DPD 212, 214–15, 216  
 prehallucinatory voices 166  
 prepsychotic stage 65  
 pre-therapy 241  
 primary caregivers 117–19, 120–2, 125  
     alter personalities 301–2  
     sociopathic 5, 298–303, 304  
 primary delusions 71  
 primary emotional states 258, 261, 265–7  
 procedural memory 66  
 prodrome 65–76, 152  
 prolonged extinction 74  
 propranolol 277, 313, 317  
 proprioception 52  
 pseudohallucinations 166  
 pseudomemories 86  
 pseudoneurotic schizophrenia 105, 107, 112  
 pseudoseizures 22, 167  
 psilocybine 227  
 psychasthenia 44, 91–2, 95, 101  
 psychoanalysis 36, 38, 43, 122, 293, 339  
     BPD 107, 108, 110  
     hysteria 106  
     psychodynamics 240–1, 249

## 356

## INDEX

- psychodynamics 3–4, 239–51  
 psychological force 93, 95  
 psychological tension 93  
 psychotherapy 16, 53, 127, 143, 170, 230  
   dissociative hallucinosis 277  
   dissociative psychosis 261, 267  
   dissociative schizophrenia 284, 287, 289–92  
   hysterical psychosis 22–4, 26, 30  
   psychodynamics 240, 243, 249–50  
   voice hearing 329, 331, 342  
 psychotic disorder not otherwise specified 29  
 psychotic prodrome 66–76  
 psychotropic medication 30, 276, 312–17  
   trauma-induced dissociation 307–8, 310  
 Puységur, Amand-Marie-Jacques de Chastenet, Marquis de 10  
  
 quetiapine 313, 315  
  
 rape 22, 108, 140, 262, 275  
   dissociative schizophrenia 290–1  
 rapid switching 264  
 reactive (psychogenic) psychosis 4, 28–9, 106  
 reality-testing 5, 107, 168–9, 297–8, 301–3  
   BPD 295–8, 300, 301–3, 304  
   differential diagnosis 179, 180  
   schizophrenia 223  
   schizotypy 84, 210, 216  
 recompensation 26  
 reflective functioning (RF) 112, 124  
 regressed states 167–8, 179, 183, 241  
 remission 62, 153, 157, 289, 291  
   mentalization deficits 125  
 resistant attachment 118–19  
 reveries 96, 97  
 revolving door 167  
 Riklin, Franz 37  
 risperidone 276, 313  
 Rush, Benjamin 15–16  
  
 Schedule for Affective Disorders and Schizophrenia – School-aged Version 273  
 schizoaffective disorder 2, 143, 158–9, 165, 287, 292  
   attachment 121  
   differential diagnosis 184  
 schizophrenia 1–4, 12–15, 35–47, 80, 83–4, 95–7, 107  
   attachment 117–28  
   borderline 296  
   BPD 105, 107, 108, 112–13, 300  
   childhood trauma 68, 70, 118, 138–40, 142–3, 171  
   complex dissociative disorders 165, 166, 168–72  
   delusional atmosphere 65, 68, 70–1  
   differential diagnosis 177–86  
   dissociative 151–61, 171, 281–93  
   dissociative hallucinosis 271–5, 277–8  
   dissociative psychosis 260, 261, 267–8  
   dopamine 228  
   DPD 96, 209, 211–16  
   ego-fragmentation 51–64  
   historical conceptions 9, 12–15, 17–18, 35–47  
   hysterical psychosis 21, 24–8  
   Janet 36–7, 40–1, 42–7, 91–102  
   neurobiology 221–33  
   pharmacotherapy 228, 308–9, 311, 315  
   processing threat 195, 197–9, 201  
   psychodynamics 240–2, 244, 249–51  
   psychotic prodrome 70, 71, 72–3, 74  
   splitting 36, 39–41, 46, 106–7  
   voice hearing 320–1, 336, 339  
   schizotypal personality disorder 4, 209–16  
   schizotypy 4, 79–86, 107, 122–4, 199, 209–16  
     attachment 122–4, 125, 127  
   Schneiderian symptoms 2, 80, 101, 158, 169–70, 171  
     childhood trauma 140, 142, 143  
     differential diagnosis 178, 180, 182  
     dissociative schizophrenia 289, 292  
     DPD 209  
     pharmacotherapy 309  
   SCL-90 185  
   sealing over 127  
   secondary delusions 71  
   secondary emotional states 258–9, 261, 262, 265–7  
   secondary structural dissociation 260, 264  
   secure attachment 112, 118–19  
   sedatives 311, 313, 316–17  
   selective attention 194, 200  
   selective serotonergic reuptake inhibitors (SSRIs) 276, 313, 314, 316  
   self-harm 137, 140, 167, 222, 310  
     dissociative hallucinosis 272–7  
     ego-fragmentation 56, 58, 61  
   self-help groups 324, 329, 330  
   self-treatment strategies 52, 56, 58, 62  
   semantic memory 66  
   sentiments 45, 93, 94–5

- separation anxiety 108, 118  
 serotonergic hallucinogens 227  
 serotonin 308  
 sertraline 313  
 sexual abuse *see* childhood sexual abuse (CSA)  
 Sexual Abuse Trauma Index 156–7  
 shamanism 60, 61, 334, 336  
   crisis 337–8, 339, 340, 342  
 shell shock 12  
 simple schizophrenia 105, 107  
 single disease model 284  
 skin conductance 212–13  
 social division 93, 94–5, 98, 100, 101  
 social objectification 95, 101  
 social subjectification 95, 101  
 social withdrawal 96, 125, 156, 195, 216  
 somatic or somatoform complaints 42, 109, 137, 182, 310  
   dissociative psychosis 260  
   dissociative schizophrenia 152, 281, 283, 285, 286  
   hysteria 106–7  
   symptoms 11–12, 14, 26, 158, 165, 172, 281  
 Special K (drug) 226  
 spiritual emergencies 334, 338, 341  
 spirituality 5, 323, 329, 333–43  
 splitting 2, 4, 39–41, 60, 106–7, 108, 281–2  
   attachment 111–12, 120–1  
   bipolarity 109–11  
   BPD 108, 109–12, 113, 297  
   delusional states 112  
   historical conceptions 11, 16–17  
   history of schizophrenia 36, 39–41, 46  
   hysterical psychosis 23, 26  
 stress 2, 69–70, 93, 141, 167, 249  
   attachment 118, 120  
   BPD 297, 298, 300  
   decontextualised memory 66–8, 75  
   hysterical psychosis 21, 22, 24, 26, 29  
   neurobiology 221–33  
   pharmacotherapy 309, 311  
   shizotypy 83, 213  
   voice hearing 319, 321, 327–8, 338–9  
   *see also* post-traumatic stress disorder (PTSD)  
 Stroop Colour and Word Test 212  
 structural dissociation of personality 259–66  
 Structured Clinical Interview for DSM (SCID) 155  
 Structured Clinical Interview for DSM  
   Dissociative Disorders (SCID-D) 157–9, 183–5  
   attachment 121  
   complex disorders 165, 166, 172  
   differential diagnosis 180, 181, 183–5, 186  
 stupor 56, 58  
 subcortical region 214  
 submission response 191, 260  
 subselves 61–2, 106, 283–4, 286, 289  
 substance abuse 160, 223, 288–9, 314  
   childhood trauma 137, 139, 141  
   differential diagnosis 177, 178, 182, 183  
   dissociative hallucinosis 273, 275, 276  
 subvocalizations 101  
 suicide 22, 61, 168, 171, 225, 300  
   childhood trauma 137, 140  
   dissociative hallucinosis 273–7  
   dissociative psychosis 263, 268  
   pharmacotherapy 310, 317  
   psychodynamics 243, 245–6, 251  
   voice hearing 327  
 Sullivan, Harry Stack 241  
  
 tactile hallucinations 140–1, 143, 222, 277, 322  
 tangentiality 169  
 taxon 181  
   learning base 67–8, 74–5  
 temporal lobes 224, 228–9, 231  
 tendencies hierarchy 93, 94  
 terrorism 265, 266  
 tertiary structural dissociation 260, 264  
 thalamus 214, 231  
 theory of mind (TOM) 124–5, 212  
 thioridazine 315  
 thought broadcasting 142, 169, 178, 289  
 thought diffusion 170  
 thought disorder 15, 140, 169, 257, 272, 311  
   dissociative hallucinosis 274, 275, 277  
   dissociative schizophrenia 222–3, 282, 288, 290  
 thought echoing 273  
 thought insertion 169, 178, 272, 289  
   childhood trauma 140, 142  
 thought projection 170  
 thought withdrawal 142, 169–70, 178, 272, 289  
 topiramate 313  
 torture 29, 62, 263, 264, 303, 339  
 Tours, Moreau de 22, 26  
 toxic states 98–9  
 trance-logic 168–9

## 358

trance states 26, 158, 182, 272, 275  
     ego-fragmentation 59, 60, 61  
     shamanism 334, 337, 339, 340  
 tranquilizers 315  
 transference 329  
 Trauma Symptom Checklist (TSC) 156–7  
 trazodone 313  
 treatment 3–6, 10, 70, 137–8, 276–7, 324,  
     328–9  
     attachment 118  
     BPD 5, 301, 302, 303–4  
     complex dissociative disorders 170, 171–2  
     dissociative hallucinosis 271, 276–7  
     dissociative psychosis 261, 265–6, 267–8  
     dissociative schizophrenia 152, 159, 161,  
     282, 284, 286–7, 290–1, 293  
     DPD 213, 216  
     hysterical psychosis 21–6, 28, 30  
     neurobiology 221, 230, 233  
     psychodynamics 3–4, 239–51  
     psychosocial 271  
     resistance 310, 316, 342  
     schizophrenia 52, 177, 183–4, 186, 277–8  
     self-treatment strategies 52, 56, 58, 62  
     voice hearing 320–2, 324, 328–9, 331, 342  
     *see also* pharmacotherapy; psychotherapy  
 trichotillomania 286  
  
 uncanny 75  
 unconscious 39–41, 42, 46  
  
 valence memory 66  
 valium 301  
 valproate 313, 316  
 vasopressin 225  
 venlafaxine 313, 314  
 verbal abuse 288  
 victim states 4, 110–11, 298–9  
 vigilance 197–8, 212  
     *see also* hypervigilance  
 visual derealization 151

## INDEX

visual hallucinations 17, 140–1, 222–3, 273,  
     275, 277  
     complex dissociative disorders 165, 166, 170  
     consciousness 340  
     hysterical psychosis 27  
     Janet 98–100  
     voice hearing 322  
 visual perception changes 72–3, 74, 75  
 visual scanpaths 196–7  
 vitality 53–4  
     ego-fragmentation 51, 53–4, 57–9, 62  
 voice dialogue 319, 330, 331  
 voice hearing 5, 15, 17, 222, 261  
     BPD 300  
     childhood trauma 140–1, 320–1, 323–9, 341  
     children 321  
     complex dissociative disorders 166, 169  
     differential diagnosis 178–9, 180, 185  
     dissociative hallucinosis 273, 274, 275, 277  
     dissociative psychosis 257, 261  
     dissociative schizophrenia 156, 160, 284, 287  
     hysterical psychosis 26  
     Janet 94, 99, 101–2  
     Maastricht approach 319–31  
     metacognitive deficit 126  
     pharmacotherapy 312, 314, 317, 320, 324,  
     328, 339, 341  
     psychodynamics 243–4, 250  
     psychotic prodrome 73  
     spirituality 33–43  
 threatening 257, 261  
  
 Wisconsin Card Sorting Task 212, 214  
 withdrawal 284–6, 289  
 word association test 37–8, 42, 44  
 word salad 169  
 working memory (WM) 73, 76, 193, 194–201,  
     230  
  
 ziprazidone 313  
 zopiclone 316–17