

INDEX

COPYRIGHTED MATERIAL



INDEX

A

Access

- Access Services, 399, 427–429
- databases
 - creating, 428–429
 - SharePoint Designer, 85
- metadata, 309
- surfacing external data, 309–313

Access Data Services, 19

Access denied message, 306

AD (Active Directory), 64

- central identity storage, 434
- directory services, 434
- DNS-based naming information, 434
- DNS-based network information, 434
- network authority management, 434
- permissions and, 434
- records, 307, 434

Add method, 131

ADF (application definition file), 284

ADFS (Active Directory Federated Services), 444

administrative capabilities, 3

ADO.NET, creating external content types, 291–295

AdventureWorksLT2008

- data download, 291
- database, 290

Aggregate Sales Web part, 263–268

ALM (application lifecycle management), 30

- source code, 71

Announcements list, 160

APIs (application programming interfaces), 4

- client APIs, 18
- server APIs, 18

application identity, 440

Application Management, 20–21

application pool, 434

applications, 5

- building, solutions, 254
- bundles, 9

architecture, 12

- Web parts, 220–223

ascx user control code, 132

ASP.NET, 34

- ContentPlaceHolder object, 91

controls

- JavaScript and, 89
- types, 255, 263
- Web parts, 110

as foundational technology, 35

master pages, 10

Web services, 141, 365–366

- custom, 370–378
- integrating with BCS, 371–378
- native, 366–370

- payload, 365
- programming against lists, 171–186
- aspx pages, 34, 150–153
 - Web part pages, 151
- Async event, 356
- authentication
 - Claims-Based Authentication, 4
 - FBA (Forms-Based Authentication), 64
 - federated
 - claims-based, 443–444
 - forms-based, 442–443
 - Test Connection, 374
- Authoring Web part, 7
- authorization, 434–436
- Azure, 390
 - Dallas, 391
 - SharePoint integration, 391–396

B

- Backup and Restore features, 22
- BCS (Business Connectivity Services), 12, 31, 141, 277
 - application development, external data sources, 290–291
 - connectivity options, 287–289
 - integrating ASP.NET Web services, 371–378
 - security infrastructure, 282
 - solution design and, 252
- BCS Sync, 284
- BDC (Business Data Catalog), 277
 - Metadata template, 344
 - Web parts, 284
 - XML metadata, 291
- BDC Metadata model, 371

- BI (business intelligence), 4
- blogs, 4
- browsers, 5
 - Silverlight and, 318
- Build menu (Visual Studio 2010), 100
- bundles of applications, 9
- Business Data Catalog Model
 - template, 26
- business intelligence (BI), 4
- business productivity platform, 8–9

C

- Calendar list, 160
- CAML (Collaborative Application Markup Language), 55, 99
 - queries, 161, 365
 - syntax, 137
- Central Administration, 3, 19–20
 - Application Management, 20–21
 - Backup and Restore, 22
 - Configuration Wizard, 22
 - features, 20
 - General Application Settings, 21
 - monitoring, 21
 - security, 21
 - management features, 436
 - site collections, creating, 46–47
 - System Settings, 21
 - Upgrade and Migration, 22
- central identity storage, 434
- Chart Web parts, 221–223, 269–272
- chrome, 16
- claims-based authentication, 4, 443–444
- client APIs, 18

client object model, 141
 programmatically writing list data, 191–196
 programming against lists, 186–191
 clients, Web services and, 364
 cloud computing, 365, 390–396
 deploying to cloud, 12
 code, managed code, 10
 collaboration, 4, 5
 columns, site columns, 135
 Visual Studio 2010, 138–140
 COM (Component Object Model), 411
 configuration engine, 4
 Configuration Wizard, 22
 connectivity, BCS, 287–289
 Content Editor Web part, 7
 HTML source, 75–76
 Content Type template, 27
 content types, 135
 creating, 401–403
 as document templates, 400–403
 leveraging, 403
 ContentPlaceHolder controls, 151
 ContentPlaceHolder object
 (ASP.NET), 91
 contracts, 197
 Create gallery, 47
 CreateChildControls method, 131, 232
 CRM (customer resource management)
 systems, 280–281
 CRUD (create, read, update, and
 delete), 52
 CSS (Cascading Style Sheets), 10, 35
 custom documents, 400
 mapping, 403
 Custom list, 160

Custom Web Part Gallery, 111
 Customer Sales Web part, 258–262
 customization, 7

D

Dallas, 391
 dashboards, 4, 272–273
 developer dashboard, 29
 data, 19
 connectors, reusing, 281
 modeling, 19
 payloads, 185–186
 sources, external, 290–291
 working with, 141–147
 Data Connection Wizard, 371
 Data View Web parts, 133–135
 XML, 133
 Database Connection button, 85
 databases
 Access, creating, 428–429
 lists and, 161
 Deep Zoom, 116
 deploying
 applications, to SharePoint as Web parts,
 358–361
 to cloud, 12
 flexibility, 32–34
 on-premises, 32
 to SharePoint, 343
 SharePoint Online, 32–33
 WCF services, 379
 Designer experience (Visual Studio), Web part
 UIs, 131

- developer dashboard, 29
- developer segments, development across, 70–71
- developers
 - deployment, flexibility, 32–34
 - environments, 36–37, 69
 - software, 37
 - virtual, 37
 - Web-based, 71–78
 - identifying, 10
 - needs, 8–12
 - productivity, 26–30
 - rich platform services, 30–32
- development
 - across developer segments, 70–71
 - Web-based, 71–78
- directory services, 434
- DLL references, 18
- DNS (Domain Name System)
 - naming information, 434
 - network information, 434
- document-level solutions for Word, 411–418
- document libraries, 160
 - workflow, 410
- document templates, content types as, 400–403
- documents, custom, 400
 - mapping, 403
- DocumentSource, uploading, 81
- Duet Enterprise, 279

E

- ECM (enterprise content management), 4
- Edit mode, 7
- editing master pages, 155–156
- elements.xml file, 224
- Empty Project template, 26
- end user, productivity, 5
- endpoint, Web interface, 72
- enterprise, 5
- enterprise content management (ECM), 4
- EntityService code, 375
- ERP (enterprise resource planning) systems, 280–281
 - integrating data, 370
- event handlers, Standard Web parts, 230–233
- Event Receiver template, 26
- event receivers
 - creating, 147–150
 - lists, creating, 210–215
- events, lists, 160
- evolution of SharePoint, 3
- Excel data
 - integrating with Excel Web Access Web Part, 421–423
 - REST and, 388–390
- Excel Services, 31, 399, 420–421
 - Excel Calculation, 420
 - Excel Web Access, 420
 - integrating Excel data, 421–423
 - Excel Web Services, 420
 - leveraging, 423–426
- ExecuteQuery method, 141, 357
- ExecuteQueryAsync method, 357
- Expression Blend, 11, 116
 - Silverlight application, 118–125

- UIs, 125
- Web parts, 218
- WPF applications, 125
- Expression Web, 11
- external content types, 284–287
 - ADF and, 284
 - creating, 291–306
 - metadata modeling, 285–286
 - permissions, 306–307
 - reusing, 284
- external data
 - mapping, to Office types, 281
 - SSS, 440
 - surfacing, in Access, 309–313
- external data source, 278
 - creating, 290–291
 - Web services, 290
- External Lists, 12, 28, 160
 - offline, 307–313
- external system source, 278

F

- farm-level solutions, 436
- FBA (Forms-Based Authentication), 64
- Feature Gallery, 72
- `feature.xml` file, 100
- federated authentication
 - claims-based, 443–444
 - forms-based, 442–443
- Ferrari Internet Web site, 8
- fields, list items, 160
- `FindAllEntities` method, 286
- flexible deployment, 32–34
- `foo.cs` file, 224

- `foo.webpart` file, 224
- forms, InfoPath, 404
 - creating, 405–406
- forms-based authentication, 442–443
- Forrester Research, 9

G

- GAC (global assembly cache), 86
- galleries
 - Create, 47
 - Custom Web Part, 111
 - Feature Gallery, 72
 - Site content types, 400–401
 - Solutions Gallery, 439
 - Web Part, 58, 218
- General Application Settings, 21
- `GetACustomer` method, 296
- `getBookInfo` method, 89–90
- `GetByTitle` method, 357
- `GetCustomers` method, 296
- `getCustomers` method, 306
- `GetListAndView` Web method, 57
- `GetListItems` method, 185
- `GetListItemsAsync` method, 356
- Globals API, 416

H

- Hard Rock Cafe site, 117
- health status, 21
- Hello World!, 6
- high-touch integration, 327, 343–361
- HTML (HyperText Markup Language), 10, 34

inline editing, 74–76
 source code, Content Editor Web part,
 75–76
 HTTP (Hypertext Transfer Protocol),
 building services, 364
 Hyper-V, 37–41

I

identities, 444
 application identity, 440
 storage, 434
 IIS (Internet Information Services)
 WCF and, 18
 as Web server, 16
 Web services, 364
 integrating with external lists, 296
 Import Reusable Workflow template, 27
 in-box workflow, 407–410
 independent software vendors (ISVs), 9
 InfoPath, 399
 forms, 404
 creating, 405–406
 infrastructure, 5
 inline editing
 HTML, 74–76
 rich text, 74–76
 installation, Windows version, 13
 integrating SharePoint and Silverlight,
 326–328
 high-touch, 327, 343–361
 low-touch, 327, 331–343
 no-touch, 327, 328–331
 reasons, 325–326
 interoperability, 4

issuers, claims-based authentication, 444
 ISVs (independent software vendors), 9
 ItemAdding event, 211–212

J

JavaScript, 18
 ASP.NET controls and, 89
 SharePoint Designer, 86–90
 site pages, 87–90

K

key functionality, 16

L

LaVigne, Dave, 328–329
 LDAP (Lightweight Directory Access
 Protocol), 443
 libraries, document libraries, 160
 lifecycle of software, 250
 LINQ (Language Integrated Query), 12, 31,
 144–147
 queries, 143–144, 365
 read methods, 306
 Silverlight controls, 332
 list data, programmatically writing, client
 object model, 191–196
 List Definition template, 27
 lists, 135
 adding data, 50–51, 254–258
 Announcements list, 160

- APIs, uses, 162–163
- Calendar list, 160
- creating, 50–51, 136–137
- Custom list, 160
- databases and, 161
- document libraries, 160
- event receivers, 210–215
- events, 160
- external, offline, 307–313
- External list, 160
- Internet browser, 160
- items, 160
- overview, 159–162
- programmatically accessing with, 162–163
- programming against, 52–58
 - ASP.NET Web services, 171–186
 - client object model, 186–191
 - custom WCF Service, 197–202
 - server-side object model, 163–170
- REST-based services and, 202–210
- services, uses, 162–163
- software design, 252–253
- Tasks list, 160
- as Web Part, 59–60
- workflow, 160

Lists Web service, 52, 142

- members, 171–172
- programming against a list, 52–58, 171–186

LiteralControl, 360

literalcontrol object, 110

LOB (line-of-business)

- data, 4
- systems, 277

LobSystemType property, 287

low-touch integration, 327, 331–343

M

- managed code, 10
- master pages, 91–92
 - creating, 153–156
 - customizing, 92–98
 - editing, 155–156
- MCMS (Microsoft Content Management System), 76
- membership information, 442
- membership providers, 442
- metadata
 - Access, 309
 - external content types, 284, 285–286
- methods
 - Add, 131
 - CreateChildControls, 131, 232
 - ExecuteQuery, 141, 357
 - ExecuteQueryAsync, 357
 - FindAllEntities, 286
 - GetACustomer, 296
 - getBookInfo, 89–90
 - GetByTitle, 357
 - GetCustomers, 296
 - getCustomers, 306
 - GetListAndView, 57
 - GetListItems, 185
 - GetListItemsAsync, 356
 - OnPreRender, 230
 - SaveChanges, 306, 386
 - updateCustomerData, 306
 - UpdateListItems, 58
 - Web methods, 305
- Microsoft description of SharePoint, 4
- Microsoft Office. *See* Office
- Microsoft.SharePoint namespace, 162

Microsoft.SharePoint.dll, 141
Module template, 26
Monitoring site, 21
MOSS (Microsoft Office SharePoint Server), 5

N

namespaces
 Microsoft.SharePoint, 162
 Web parts, 218
native capabilities, 4
native Web services, 366–370
navigation pane (SharePoint Designer), 79
.NET Framework
 development, 35
 Silverlight and, 319
Netflix, 320
network authority management, 434
network switch installation, 39–41
no-touch integration, 327, 328–331

O

OBAs (Office Business Applications), 4, 277
 BCS and, 280–284
 creating, 289
 overview, 278–280
 process, 279
 sales forecasting and, 278
Office, 399
 documents
 list data integration, 410–418
 support, 411
 workflow, 406–410

 SharePoint integration, content types, 400
 Web Application view, 399
 Word, document-level solution, 411–418
on-premises deployment, 32
OnPreRender method, 230
operating system requirements, 29
out-of-the-box templates, 45

P

page structure, 17
payload, 365
permissions, 218
 AD and, 434
 external content types, 306–307
 sites, editing, 63–64
platform, 3, 4, 12–14
 business productivity platform, 8–9
 services, 30–32
power users, tasks, 72
PPSSiteMaster, 99
productivity
 developers, 26–30
 of end user, 5
programmability, 19
programmatically accessing with lists, 162–163
programmatically writing list data, client object model, 191–196
programming against a list, 52–58
 ASP.NET Web services, 171–186
 client object model, 186–191
 custom WCF Service, 197–202
 server-side object model, 163–170

Project Creation Wizard, 138
 properties
 custom Web parts, 244–246
 LobSystemType, 287

Q

queries
 CAML, 161, 365
 LINQ, 143–144, 365
 Quick Launch navigation pane, 7
 Quota Template, 46

R

Read Item wizard, 300
 read methods, LINQ, 306
 read-only Web-service, external content
 types, 296–301
 read/write Web service-based external content
 types, 301–306
 records (AD), 434
 reporting, 21
 REST-based services, list development and,
 202–210
 REST (Representational State Transfer), 115,
 387–390
 interacting with Excel data, 388–390
 protocols, 388
 Web services, 364
 RESTful services, 18, 141, 364, 365, 387–390
 RIAs (Rich Internet Applications), 97
 Silverlight and, 318
 ribbon, 16, 17
 Web parts and, 218

rich text, editing inline, 74–76
 root site collection, 45

S

SAML (Security Assertion Markup
 Language), 443–444
 sandboxed solutions, 33, 436
 creating, 437–440
 SAP system, 278
 SaveChanges method, 306, 386
 scenarios of security, 433
 security, 21
 authorization, 434–436
 BCSs, 282
 groups, 436
 infrastructure, 433
 introduction, 433
 management features, 436
 scenarios, 433
 solution trust, 436–437
 Sequential Workflow template, 27, 410
 server APIs, 18
 Server Explorer, 98–99
 server object model, 141
 server-side object model, programming
 against lists, 163–170
 server-side services, 399
 Access Services, 427–429
 Excel Services, 420–421
 Excel Web Access, 421–423
 Excel Web Services, 423–426
 Visio Services, 418–420
 Word Services, 426–427
 servers
 server farms, 16
 Web services and, 364

- service codes, 197
- Service Connection dialog, 300
- services, server-side, 399
- SharePoint
 - community-hosted Silverlight applications, 328–330
 - deploying to, 343
 - editions, 5
 - evolution of, 3
 - integration with Silverlight, 326–328
 - high-touch, 327, 343–361
 - low-touch, 327, 331–343
 - no-touch, 327, 328–331
 - reasons, 325–326
 - Microsoft description, 4
 - themes in discussion, 4
 - WCF services integration, 379–387
- SharePoint 2010, architecture, 12
- SharePoint Capabilities. *See* workloads
- SharePoint Client Object Model, 12
- SharePoint Designer (SPD), 10, 34–35, 78
 - Access databases, 85
 - external content types, 291
 - interface, 28
 - JavaScript, 86–90
 - master pages, 91–92
 - customizing, 92–98
 - navigation pane, 79
 - site pages, customizing, 80–85
 - SOAP, 296
 - SQL Server databases, 85
 - Web services, 85
 - XML files, 295
- SharePoint Form List Library
 - template, 404
- SharePoint Foundation 2010, 12, 13
- SharePoint List template, 404
- SharePoint Online
 - deployment, 32–33
 - sandboxed solution, 33
- SharePoint Server 2010, 12, 13
 - installation, 42–45
- SharePoint Solution Package, importing, 26
- Silverlight, 18
 - application support, 32
 - applications, creating, 321–325
 - browsers, 318
 - control types, 322
 - deploying applications to SharePoint as Web parts, 358–361
 - Expression Blend and, 118–125
 - hosting applications locally, 330–331
 - integration with SharePoint, 326–328
 - high-touch, 327, 343–361
 - low-touch, 327, 331–343
 - no-touch, 327, 328–331
 - reasons, 325–326
 - leveraging community hosted applications in SharePoint, 328–330
 - .NET, 319
 - Netflix, 320
 - overview, 317–321
 - RIAs, 318
 - XAML and, 318
- SimpleWebPart node, 102
- SimpleWebPart.cs file, 103
- site collections, 16–17
 - creating, Central Administration, 46–47
 - sites, creating, 47–49
- Site content types Gallery, 400–401
- Site Definition template, 27
- site pages
 - customizing, 80–85
 - JavaScript, 87–90

- Site Settings page, 72–73
 - sites, 16–17
 - columns, 135
 - creating, 136–137
 - Visual Studio 2010, 138–140
 - creating, 47–49
 - programmatically, 49–50
 - hierarchy, 16, 17
 - permissions, editing, 63–64
 - subsites, 16, 47–49
 - templates, 45
 - wikis, 76–78
 - SOAP (Simple Object Access Protocol)
 - building services, 364
 - SharePoint Designer, 296
 - social computing, 4
 - Social Data Web Service, leveraging, 367–370
 - SocialDataService Web service, 366
 - software
 - design process, 250
 - lists, 252–253
 - solution building, 254
 - solution design, 251–252
 - developer environment, 37
 - lifecycle, 250
 - solution design, 251–252
 - building solution, 254
 - solution trust, 436–437
 - Solutions Gallery, 439
 - source code
 - ALM, 71
 - HTML, Content Editor Web part, 75–76
 - SPD (SharePoint Designer). *See* SharePoint Designer (SPD)
 - SPMetal command tool, 144, 146
 - SPSite object, 161
 - SQL Server databases, SharePoint Designer, 85
 - SSS (Secure Store Service), 282
 - BCS applications, mapping, 307
 - configuration, 440
 - external data systems, 440
 - standalone SharePoint 2010, 42–45
 - Standard Web parts, 130–131
 - creating, 225–230
 - event handlers, 230–233
 - item-level templates, 131
 - State Machine Workflow template, 26, 410
 - subsites, 16, 47–49
 - surfacing data, 281
 - external, Access, 309–313
 - System Settings, 21
- ## T
- tasks, power users, 72
 - Tasks list, 160
 - Team site, 45
 - Team Site template, 6
 - templates, 45
 - Business Data Catalog Model, 26
 - Content Type, 27
 - document templates, content types as, 400–403
 - Empty Project, 26
 - Event Receiver, 26
 - Import Reusable Workflow, 27
 - Import SharePoint Solution Package, 26
 - List Definition, 27
 - Module, 26

- out-of-the-box, 45
- Quota Template, 46
- Sequential Workflow, 27, 410
- SharePoint Form List Library, 404
- SharePoint List, 404
- Site Definition, 27
- State Machine Workflow, 26, 410
- Team Site, 6
- Visual Web part, 27
- themes in discussions of SharePoint, 4
- timer jobs, 21
- toolset, 5
- TransformSource, uploading, 81
- trust, solutions, 436–437
- Tweety Bird Web part, 114
- Twitter Web parts, 111–115
- TypeDescriptor, 287, 376–377

U

- UI-level features, 16
- updateAggregateSales functions, 268
- updateCustomerData method, 306
- UpdateListItems method, 58
- UpdatePanel control, 235
- updateRefreshTime function, 268
- Upgrade and Migration, 22
- user credentials, SSS, 440

V

- virtual environments, 37
- Visio, mash-up capabilities, 419
- Visio Services, 399, 418–420
- Visio Web part diagrams, 419–420
- Visual Studio 2010, 98–101
 - BDC Metadata template, 344
 - Build menu, 100
 - Designer experience, Web part UIs, 131
 - item-level templates, standard
 - Web parts, 131
 - project structure, 99
 - SimpleWebPart node, 102
 - site columns, 138–140
 - Web parts, project creation, 101–111
- Visual Web part template, 27
- Visual Web parts, 131–133, 233–243
- VSTO (Visual Studio Tools for Office), 283

W

- WCF Data Services, 379
- WCF (Windows Communication Foundation), 12, 365
 - custom service, 343
 - IIS and, 18
 - services, 378–379
 - configuration, 382
 - contracts, 197
 - deploying, 379
 - endpoint, 378
 - hosting mechanism, 378

- integrating with SharePoint, 379–387
 - programming against lists, 197–202
 - service class, 378
 - service codes, 197
 - support, 364
- WCM (Web content management), 4, 76
- Web-based development, 71–78
- Web interface, endpoint, 72
- Web methods, 305
- Web Part Gallery, 58, 218
- Web part pages, 151
 - creating, 152–153, 221–223
- Web parts, 58
 - Aggregate Sales, 263–268
 - architecture, 220–223
 - ASP.NET server control, 110
 - Chart Web parts, 221–223, 269–272
 - custom, 60–63, 223–233
 - properties, 244–246
 - Customer Sales, 258–262
 - Data View, 133–135
 - `elements.xml` file, 224
 - Expression Blend, 218
 - `foo.cs` file, 224
 - `foo.webpart` file, 224
 - lists as, 59–60
 - namespaces, 218
 - out-of-the-box, 220
 - overview, 217–219
 - project creation
 - metadata, 103
 - Visual Studio 2010, 101–111
 - ribbon and, 218
 - Standard, 130–131
 - creating, 225–230
 - event handlers, 230–233
 - Tweety Bird, 114
 - Twitter, 111–115
 - Visual, 131–133, 233–243
 - zones, 218, 220
- Web services
 - accessing, 366
 - amendments to, 366
 - ASP.NET, 365–366
 - custom, 370–378
 - integrating with BCS, 371–378
 - native, 366–370
 - payload, 365
 - clients, 364
 - external content types, read/write, 301–306
 - external data sources and, 290
 - heterogeneous systems and, 363
 - IIS, 364
 - integrating with external lists, 296
 - Lists Web service, 142
 - read-only, external content types, 296–301
 - RESTful, 387–390
 - servers, 364
 - SharePoint Designer, 85
 - `SocialDataService`, 366
 - Visual Studio project, 142
 - WCF, 378–379
 - integrating with SharePoint, 379–387
- `WebPartManager` object, 220
- `WebZone` class, 220
- WIF (Windows Identity Foundation), 444

- wikis, 4
 - sites, creating/editing, 76–78
- Windows Azure, 390
 - Dallas, 391
 - SharePoint integration, 391–396
- Windows Communication Foundation (WCF), 12
- Windows Server Hyper-V, installation, 37–41
- Windows SharePoint Services, 13
- Windows version for SharePoint installation, 13
- wizards
 - Configuration Wizard, 22
 - Data Connection Wizard, 371
 - Project Creation, 138
 - Read Item, 300
- Word document-level solutions, 411–418
- Word Services, 31, 399, 426–427
- workflow
 - document library settings, 410
 - in-box, 407–410
 - lists, 160
 - low-level, 410
 - Office documents, 406–410
- workloads, 14–15
- WPF (Windows Presentation Foundation), 18
 - applications
 - control types, 164, 208
 - list interaction, 164–170
 - Expression Blend and, 125
 - user control, control types, 174
- WSDL (Web Services Description Language), 364
- WSP (Windows SharePoint Services Solution Package), 99
 - importing, 11

X–Y–Z

- XAML (Extended Application Markup Language), 52
 - code, 324–325
 - Silverlight and, 318
- XAP file, 96
- XAPS document library, 96
- XLinq structures, 365
- XML (Extensible Markup Language), 16, 35
 - Data View Web parts, 133
 - payloads, 142
 - uploading files, 81
- XSL (Extensible Stylesheet Language), 35
- XSL Transformations (XSLT), 35
 - uploading files, 81

