

Index

- acute Charcot joints 189–91
- acute ischaemia 130–2
- acute renal impairment 227
- Aircasts
 - Charcot's osteoarthropathy 158, 166, 170–1, 173
 - neuropathic foot 18
- amputations
 - Charcot's osteoarthropathy 199, 214
 - ischaemic foot 104, 105, 118–20, 125, 133–4, 138–9, 149, 154–5
 - neuropathic foot 3, 6, 9, 23–8, 34, 44–5, 48–50, 55–61
 - renal impairment 217–18, 226, 238–40, 243–7, 250, 255
- anastomosis 89–90, 93, 115
- aneurysms 140
- angioplasty
 - Charcot's osteoarthropathy 191, 193–4
 - ischaemic foot 84, 87, 89–90, 94, 105–26, 137, 144–6
 - renal impairment 238–40, 256–8
- anorexia nervosa 172, 206
- antiphospholipid syndrome 102–3
- aortic plaques 141–2
- autoamputation 154
- autonomic dysfunctions 97–9
- autonomic neuropathy 2, 21
- avascular necrosis 172, 177

- balloon angioplasty 115–18, 123, 137, 258
- bathroom surgery *see* self-treatment
- Beau's lines 192–4
- bladder problems 32–3, 97–9

- blisters
 - Charcot's osteoarthropathy 192
 - neuropathic foot 4, 21–2, 54
 - renal impairment 251
- BMD *see* bone mineral density
- body temperature
 - Charcot's osteoarthropathy 164, 171
 - neuropathic foot 4–5
- bone marrow oedema 160–1, 164–7
- bone mineral density (BMD) 173, 175
- bone scans 157, 160–1, 163, 165–9, 178, 183–4
- bullae 21, 23, 54, 73
- burns 185–6
- bypass operations 89–93, 97, 114–34, 146–50, 255–60

- calcification 134
- calluses
 - Charcot's osteoarthropathy 192–4, 205
 - ischaemic foot 134
 - neuropathic foot 54, 62, 67, 70–1
- CAPD *see* continuous ambulatory peritoneal dialysis
- cardiac arrest 80–1, 87–8
- cardiac failure 15
- casts 158–9, 163, 166–71, 183, 214, 226
- cellulitis
 - Charcot's osteoarthropathy 206, 213
 - ischaemic foot 130
 - neuropathic foot 8–10, 16, 23, 29, 34, 36–7, 44–6, 66
- Charcot Restraint Orthotic Walker (CROW) 158–9, 193–4
- Charcot's osteoarthropathy 157–215
 - acute Charcot joints 189–91

- Charcot's osteoarthropathy (*Continued*)
- Beau's lines 192–4
 - casting and footwear 158–9, 163, 166–71, 183, 188, 214–15
 - complications 206–8
 - conservative care 214–15
 - deformity 157–62, 172, 192, 195–9, 211, 213–15
 - early diagnosis 160–71
 - exostectomy 209–13
 - external fixation/stabilisation 200–8
 - foot flu 177–8
 - gout 180–6
 - infection 16–18, 177–80, 188, 193–4, 202–8, 210–13
 - internal fixation/stabilisation 195–9, 206–8
 - ischaemic foot 157, 159, 187–94
 - morbidity and mortality 157–9
 - necrosis 172, 177
 - neuropathic foot 16, 158, 164, 188–9, 210
 - osteopaenia 175–6, 186
 - pregnancy 205
 - presentations 172–94
 - reconstructive interventions 202, 203–4
 - renal impairment 241–2
 - revascularisation 191, 193–4
 - sepsis 179–80, 194, 206–7, 214
 - stress fractures 159, 167–8, 173–6, 185, 190
 - surgical procedures 158, 195–213
 - swollen and painful knee 185–6
 - ulceration 158–9, 179–80, 189, 193–5, 205, 210–13
- co-morbidities
- ischaemic foot 87–8, 92–104, 110–11
 - neuropathic foot 1, 2–3, 36–9
 - renal impairment 243–7, 255–60
- colchicine 227
- colour change in Afro-Caribbean foot 75–6
- computed tomography (CT) 157, 169–71, 173–4, 183–4
- conservative care 84–6, 153–5, 214–15
- contact dermatitis 73–4
- continuous ambulatory peritoneal dialysis (CAPD) 238–45
- creatinine clearance 217–37
- CROW *see* Charcot Restraint Orthotic Walker
- cryoglobulinaemia 100–1
- CT *see* computed tomography
- curettage 29
- debridement
- Charcot's osteoarthropathy 195, 202
 - ischaemic foot 87, 128
 - neuropathic foot 16, 19–21, 23, 26–7, 29, 36–7, 40–7, 57–8, 70, 78
 - renal impairment 221, 239, 243, 246, 251–2
- decompensation 219–20
- deep vein thrombosis (DVT) 124
- deformity
- Charcot's osteoarthropathy 157–62, 172, 192, 195–9, 211, 213–15
 - neuropathic foot 13–14, 39, 40–7, 63
- dementia 123–4
- Dermagraft 62–3
- dermatological problems 29–31
- diabetic nephropathy 105
- dialysis 218–19, 235–6, 246–9, 259
- see also* continuous ambulatory peritoneal dialysis
- diffuse aortic plaques 141–2
- discolouration
- Charcot's osteoarthropathy 181–2, 192
 - ischaemic foot 104, 113, 115–17, 131–3
 - neuropathic foot 75–6
 - renal impairment 253
- dislocations 42, 185, 190
- DRESS syndrome 29–31
- dressings 128–9
- dusky foot 131
- DVT *see* deep vein thrombosis
- eczema 192–3
- electromyography (EMG) 171, 181
- embolisms 115–17, 140–3
- EMG *see* electromyography
- eosinophilia 29–31
- erythema 127
- ESBL *see* extended sensitivity β -lactamase
- exostectomy 209–13
- extended sensitivity β -lactamase (ESBL) producers 32, 97
- external fixation/stabilisation 200–8
- fasciotomy 19
- fever 21

- foot flu 177–8
 fractures 159, 167–8, 173–6, 185, 190
 frames *see* Taylor Spatial Frame
- gadolinium sequence 161, 164, 167, 175
 gangrene
 - ischaemic foot 146, 154
 - neuropathic foot 6–7
 - renal impairment 233
- glucose intolerance 7
 gout
 - Charcot's osteoarthropathy 180–6
 - ischaemic foot 89, 94–6
 - renal impairment 227
- gouty tophus 87–8
 granulation 136
 group A streptococcal infections 19–20, 44
- haematomas 243
 haematuria 6–7
 haemodialysis 218–19, 235–6, 246–9, 259
 see also continuous ambulatory peritoneal dialysis
- hallux valgus deformity 44–5, 55, 67
 heel fissures 36
 heparin induced thrombocytopenia (HIT) 104
 heparin induced thrombocytopenia thrombosis syndrome (HITTS) 104
 HIT *see* heparin induced thrombocytopenia
 HITTS *see* heparin induced thrombocytopenia thrombosis syndrome
- hyperkalaemia 208
 hypoglycaemia 2
 hypotension 97–9
 hypoventilation 228
- iatrogenic necrosis 253–4
 immunosuppression 105
 in-growing toenails 51–3
 incision and drainage 29
 indolent neuropathic ulceration 46–7
 infection
 - bladder problems 32–3
 - body temperature 4–5
 - bypass operations 89–91, 147–8
 - Charcot's osteoarthropathy 16–18, 177–80, 188, 193–4, 202–8, 210–13
 - deformity 13–14, 39, 40–7
 - dermatological problems 29–31
 - dressings 128–9
 - group A streptococcal 19–20, 44
 - indolent neuropathic ulceration 46–7
 - ischaemic foot 85, 86–91, 94–6, 110, 120, 123–32
 - necrosis 4, 6–7, 15, 19, 26–9, 34
 - neuropathic foot 1–2, 3–35, 38–47, 57–61
 - prostatic obstruction 33
 - psychological factors 23–5, 26
 - puncture wounds 11–12, 21–2
 - renal impairment 217–18, 219–26, 228–34, 238–49, 255
 - revascularisation 123–4, 127–32
 - rheumatoid arthritis 38–9
 - sudden death 77–9
 - tissue loss 23–5
 - ulceration 2, 8–10, 13–15, 27, 38
 - upper respiratory tract infections 34–5
 - urinary tract infections 32
- internal fixation/stabilisation 195–9, 206–8
 inversion deformity 13
 ischaemic foot 3, 83–155
 - acute ischaemia 130–2
 - angioplasty 84, 87, 89–90, 94, 105–26, 137, 144–6
 - antiphospholipid syndrome 102–3
 - autonomic dysfunctions 97–9
 - bypass operations 89–93, 97, 114–34, 146–50
 - cardiac arrest and myocardial infarction 87–8, 105–7, 123
 - Charcot's osteoarthropathy 157, 159, 187–94
 - co-morbidities 87–8, 92–104, 110–11
 - complications 144–50
 - conservative care 84–6, 153–5
 - cryoglobulinaemia 100–1
 - dialysis after bypass 149–50
 - diffuse aortic plaques 141–2
 - dressings 128–9
 - embolisms 115–17, 140–3
 - footwear 112, 134, 144–5
 - frail ischaemic patients 110–11
 - gout 89, 94–6
 - heparin induced thrombocytopenia 104
 - infection 85, 86–91, 94–6, 110, 120, 123–32
 - liver transplants 105–7
 - long term management 83–4, 126
 - morbidity and mortality 83–6

- ischaemic foot (*Continued*)
 necrosis 92–3, 102–3, 105–11, 113, 115–20,
 131, 143, 149, 153–5
 neuropathic foot 67, 79, 82, 83
 osteomyelitis 121–2
 pain 151–2, 155
 popliteal aneurysms 140
 postoperative wound care 135–9
 purple toe 115–17
 rapid deterioration 108–9
 renal impairment 222, 230
 revascularisation 105–34, 137–9
 self-treatment 113
 ulceration 84–5, 87–8, 91, 94, 98, 100–1,
 107, 112, 118–19, 125–6, 134, 145
- Karger's fat pad enhancement 219–20
 ketoacidosis 8–10
 kidneys *see* renal impairment
- lacerations 11–12, 21–2
 late onset ulceration 65–6
 liver transplants 105–7
 long term management
 ischaemic foot 83–4, 126
 neuropathic foot 1, 57–82
- magnetic resonance imaging (MRI)
 Charcot's osteoarthropathy 157, 160–8,
 171, 175–6, 183–6, 190
 neuropathic foot 16–17, 23, 40–1
 renal impairment 219–20, 241–2
- methicillin-resistant *Staphylococcus aureus*
 (MRSA)
 Charcot's osteoarthropathy 188, 198, 200,
 202
 ischaemic foot 87–8, 105, 125, 153
 neuropathic foot 65
 renal impairment 221, 233, 238–42, 250
- MI *see* myocardial infarction
 MRI *see* magnetic resonance imaging
 MRSA *see* methicillin-resistant *Staphylococcus aureus*
- myocardial infarction (MI)
 Charcot's osteoarthropathy 192
 ischaemic foot 87–8, 105–7, 123
 neuropathic foot 52
- myonecrosis 171
- necrosis
 Charcot's osteoarthropathy 172, 177
 ischaemic foot 92–3, 102–3, 105–11, 113,
 115–20, 131, 143, 149, 153–5
 neuropathic foot 4, 6–7, 15, 19, 26–9, 34, 37, 65
 renal impairment 219, 221, 241–9, 253–6
- necrotising fasciitis 25
- nephropathy 225, 228, 231–2, 238, 243, 253
- neuroischaemic foot *see* ischaemic foot
- neuropathic bladder 32–3, 97–9
- neuropathic foot 1–82
 bladder problems 32–3
 body temperature 4–5
 cardiac arrest 80–1
 Charcot's osteoarthropathy 16, 158, 164,
 188–9, 210
 co-morbidities 1, 2–3, 36–9
 colour change in Afro-Caribbean foot 75–6
 contact dermatitis 73–4
 deformity 13–14, 39, 40–7, 63
 dermatological problems 29–31
 follow-up 67–9
 group A streptococcal infections 19–20, 44
 in-growing toenails 51–3
 indolent neuropathic ulceration 46–7
 infection 1–2, 3–35, 38–47, 57–61
 ischaemic foot 67, 79, 82, 83
 late onset ulceration 65–6
 long term management 1, 57–82
 necrosis 4, 6–7, 15, 19, 26–9, 34, 37, 65
 orthopaedic surgeons 42–3
 pancreatitis 36–7
 podiatry 54
 prostatic obstruction 33
 psychological factors 1, 23–5, 26, 48–56
 puncture wounds 11–12, 21–2, 67–9
 rapid deterioration 223–4
 reconstructive interventions 1, 14, 40–7
 renal impairment 221–5, 228, 231–2, 250
 rheumatoid arthritis 38–9
 self-inflicted injuries 55–6
 self-treatment 70–2
 sudden death 77–9
 tissue loss 23–5
 ulceration 2, 8–10, 13–15, 27, 38, 40–1,
 48–72, 82, 221–2, 250
 upper respiratory tract infections 34–5
 urinary tract infections 32

- neuropathic pain 151–2
- nodules 30
- non-steroidal anti-inflammatory drugs (NSAID) 237
- odours 21, 210
- oedema
 - Charcot's osteoarthropathy 160–1, 164–7, 194
 - ischaemic foot 124
 - renal impairment 223, 229
- onychocryptosis 51–3
- orthopaedic surgeons 42–3
- osteomyelitis
 - Charcot's osteoarthropathy 195–7, 213
 - ischaemic foot 121–2
 - neuropathic foot 17, 35, 36, 46–7, 48–50, 57, 66, 80–1
 - renal impairment 225
- osteopaenia 175–6, 186
- osteoporosis 36
- palliative care *see* conservative care
- pancreatitis 36–7
- papules 30
- perfused neuropathic foot 3
- peripheral neuropathy *see* neuropathic foot
- peripheral vascular disease 52
- peritonitis 218
- plantar blisters 4
- plaques 141–2, 146
- podiatry 54
- popliteal aneurysms 140
- post-gadolinium sequence 161, 164, 167, 175
- postoperative wound care
 - ischaemic foot 135–9
 - neuropathic foot 15, 35
- postural hypotension 2
- pregnancy 205
- proprioception 2
- prostatic obstruction 33
- protective footwear
 - Charcot's osteoarthropathy 158–9, 188, 214–15
 - ischaemic foot 134, 144–5
 - neuropathic foot 22, 23, 38, 54, 62–4, 70, 76
 - renal impairment 252
- psychological factors
 - ischaemic foot 123–4
 - neuropathic foot 1, 23–5, 26, 48–56
 - renal impairment 225–6
- puncture wounds 11–12, 21–2, 67–9, 75
- purple toe 115–17
- RA *see* rheumatoid arthritis
- rapid deterioration 108–9, 223–4
- rashes 29–31
- reconstructive interventions
 - Charcot's osteoarthropathy 202, 203–4
 - neuropathic foot 1, 14, 40–7
- recurrent ulceration
 - Charcot's osteoarthropathy 205
 - ischaemic foot 107, 125, 145
 - neuropathic foot 40–1, 44–5, 58–9, 62–4
- renal impairment 217–60
 - acute 227
 - Charcot's osteoarthropathy 193–4, 241–2
 - continuous ambulatory peritoneal dialysis 238–45
 - creatinine clearance 217–37
 - destabilisation 235–7
 - elective surgery 251–2
 - gout 227
 - haemodialysis 218–19, 235–6, 246–9, 259
 - infection 217–18, 219–26, 228–34, 238–49, 255
 - ischaemic foot 105–7, 222, 230
 - morbidity and mortality 217–19, 246–7
 - multiple complications and co-morbidities 243–7, 255–60
 - necrosis 219, 221, 241–9, 253–6
 - neuropathic foot 221–5, 228, 231–2, 250
 - psychological factors 225–6
 - rapid deterioration 223–4
 - rapid treatment 230
 - revascularisation 218–19, 238–40, 255–60
 - sepsis 225, 233–4, 240
 - transplantation 250–4
 - ulceration 218, 221–2, 225–6, 228–36, 243
 - vomiting and decompensation 219–20
- respiratory tract infections 34–5
- rest pain 151–2, 155
- retinopathy
 - Charcot's osteoarthropathy 160, 163, 179, 195, 205, 211

- retinopathy (*Continued*)
 ischaemic foot 97
 neuropathic foot 2, 55, 60, 82
 renal impairment 223, 225, 228, 231, 238, 253, 257
- retroperitoneal bleeding 144–5
- revascularisation
 bypass operations 89–93, 97, 114–34, 146–50, 255–60
 Charcot's osteoarthropathy 191, 193–4
 complications 144–50
 dialysis after bypass 149–50
 hybrid procedures 114–26
 infection 123–4, 127–32
 ischaemic foot 105–34, 137–9
 postoperative wound care 137–9
 renal impairment 218–19, 238–40, 255–60
 see also angioplasty
- rheumatoid arthritis (RA) 38–9, 108
- sausage toe 80–1
- schizophrenia 48–50
- sciatica 190
- self-inflicted injuries 55–6
- self-treatment 70–2, 113
- sepsis
 Charcot's osteoarthropathy 179–80, 194, 206–7, 214
 ischaemic foot 88, 153
 neuropathic foot 15, 40–1, 57
 renal impairment 225, 233–4, 240
- septic arthritis 178
- septic thrombus 77–9
- septic vasculitis 62, 77–9, 214
- septicaemia 37
- skin grafts
 ischaemic foot 119–20, 124–6, 128, 133
 neuropathic foot 17–18, 20
- sloughing 34, 38–9, 149, 239
- smoking
 ischaemic foot 115–16
 renal impairment 225–6
- splinters 75
- stents 108–9, 125
- stress fractures 159, 167–8, 173–6, 185, 190
- subluxation 42
- sudden death 77–9
- swollen feet 181–2, 190
- swollen painful knee 185–6
- systemic infection 87–8
- Taylor Spatial Frame 158, 195, 200–2, 205–8
- technetium diphosphonate bone scans 157, 160–1, 163, 165–9, 178, 183–4
- thrombi 140–2
- thrombophilia 102–3
- tissue loss 23–5
- tophus 227
- total contact casts 158–9, 163, 166, 169, 183, 214, 226
- traumatic damage 1–2
- ulceration
 Charcot's osteoarthropathy 158–9, 179–80, 189, 193–5, 205, 210–13
 indolent neuropathic 46–7
 ischaemic foot 84–5, 87–8, 91, 94, 98, 100–1, 107, 112, 118–19, 125–6, 134, 145
 late onset 65–6
 neuropathic foot 2, 8–10, 13–15, 27, 38, 40–1, 48–72, 82, 221–2, 250
 recurrent 40–1, 44–5, 58–9, 62–4, 107, 125, 145, 205
 renal impairment 218, 221–2, 225–6, 228–36, 243
- upper respiratory tract infections 34–5
- urinary tract infections (UTI) 32, 180
- vacuum assisted closure (VAC) therapy
 ischaemic foot 85, 90, 113, 123, 132, 135–9
 neuropathic foot 10, 16–18, 23–7, 36–7
 renal impairment 230, 234, 239, 247–9
- ventricular fibrillation 87–8
- vomiting 219–20
- Weil's osteotomy 42–3, 44, 46–7
- X-ray analysis
 Charcot's osteoarthropathy 157, 160–75, 177–8, 181–6, 188, 190, 195–6, 198
 neuropathic foot 16–17, 40–2, 44–7, 49
 renal impairment 227