

# Index

## • Symbols and Numerics •

, (commas), 215  
{ } (curly brackets), 211–212  
\$ (dollar sign), absolute references, 197  
3D views, charts, 110

## • A •

abrupt changes, trends, 60  
absolute references, 197  
ACF (autocorrelation factor), 307  
actuals  
    basic forecasting, 14  
    charting, 20–22  
    exponential smoothing, 30, 171  
    plotting, 187–188  
Add Trendline dialog box, 237, 303  
add-ins  
    ATP (Analysis ToolPak), 15  
    installing, 162–166  
    Solver, 282  
Add-Ins command (Tools menu), 111  
adjustments, forecasts  
    errors, 262–264  
    exponential smoothing, 274–276  
Advanced Filter dialog box, 99–101  
advertisement dollars, data relationship searches, 65  
algebra functions, TRANSPOSE function, 204  
alignment options, charts, 110  
alpha constants, seasonal baselines, 334  
analysis  
    correlation, 68–70  
    lists, 91  
Analysis of Variance (ANOVA), 295  
Analysis ToolPak. *See* ATP  
angled alignment, chart data, 110  
area charts, 141

arguments  
    commas and, 215  
    entering formulas, 202  
    FALSE, 215  
    Function Arguments dialog box, 205–207  
    number, 205  
    reference, 205  
    TREND function, 221  
    TRUE, 215  
ARIMA (autoregressive integrated moving averages), 28  
array formulas  
    curly brackets ({}), 211  
    disadvantages, 212–213  
    range selection, 209–211  
    reversed sorting order, 209  
    TRANSPOSE function, 210–211  
    when to use, 209  
    You cannot change part of an array error message, 213  
ATP (Analysis ToolPak)  
    add-ins, installing, 163–166  
    basic forecasting, 15  
    discussed, 14  
    exponential smoothing, 270–273  
    features, 22–24  
    list data, 111–114  
    moving averages, 233–237  
    overview, 35  
auditing formulas, 365  
AutoComplete feature, 363  
autocorrelation. *See also* correlation  
    calculations, 65, 248  
    diagnosis, 256–258  
    discussed, 29, 246–247  
    PACF (partial autocorrelation function), 307–309  
autocorrelation factor (ACF), 307  
AutoFill feature, moving averages, 75  
AutoFilter feature, lists, 97–99  
automatic category, line charts, 143  
autoregression, 65, 79, 305–307  
autoregressive integrated moving averages (ARIMA), 28

- AVERAGE function, 75
  - Average summary statistic, 94
  - averages, moving. *See also* exponential smoothing; regression
    - ARIMA (autoregressive integrated moving averages), 28
    - ATP (Analysis ToolPak), 233–237
    - AutoFill feature, 75
    - baseline points, equal numbers of, 232
    - basic forecasting, 15–16, 30–31
    - calculating, 232–233
    - charting, 21, 232–233
    - chronological data, 74–76
    - consecutive results, 74
    - correlation, 241–245
    - daily forecasting, 15–16
    - discussed, 10–11
    - early averages, losing, 239–241
    - errors, 16, 235
    - first differencing, 238
    - first moving average, 74
    - intervals, 234–235
    - largest number values in, 231
    - length selection, 223–227
    - losing averages, 233
    - monthly sales, 167
    - noise, 15–16, 225–227
    - previous time periods, 232
    - random shock, 228–229
    - recent sales results, 167
    - residuals, chart of, 237–238
    - second moving average, 74
    - signals, 15–16, 30–31, 224
    - slow baseline changes, 232
    - smallest number values in, 230
    - stationary baselines and, 168–169
    - step function, 228
    - third moving average, 74, 232
    - time periods, selecting right number of, 167
    - tracking, 231
    - trendlines, 237
  - axis, line charts, 104
- **B** •
- backcasting
    - discussed, 284
    - seasonal baselines, 339
  - bar charts, 104, 141
  - baselines. *See also* seasonal baselines; trends
    - basic forecasting, 29
    - charting, 20–22, 33–34
    - chronological data, 12–13, 74
    - considerations, 44–45
    - cyclical, 52
    - dependability, 44–45
    - discussed, 10
    - earning estimates, 45
    - falling, 32
    - first differencing, 316–317
    - link relatives, 318–321
    - list configuration, 25
    - lists as, 12
    - monthly sales, 45–46
    - multiple regression, 294
    - pivot tables, 119–122
    - pricing change considerations, 45
    - qualitative data and, 43–44
    - quantitative data and, 43–44
    - quarterly sales, 45
    - rates, 321
    - regression, 20
    - reintegration, 317
    - removing trends from, 312–315
    - resource considerations, 45
    - revenue streams and, 32
    - rising, 32
    - sales data, 119–122
    - sales revenues, 33
    - second differencing, 316
    - slow baseline changes, moving averages, 232
    - stationary, 49, 168–169, 317
    - time period strategies, 46–47
    - time series, 29
    - tracking, 230
  - basic forecasting
    - actuals, 14
    - ARIMA (autoregressive integrated moving averages), 28
    - ATP (Analysis ToolPak), 15
    - baselines, 29
    - confidence levels, 188–189
    - correlation, 29
    - credibility, 25
    - cycles, 29



- coefficients
  - correlation, 29, 244
  - multiple regression, 292
  - order comparisons, LINEST function, 217
- collapse dialog button (Function Arguments dialog box), 206
- color options, pivot tables, 157
- column charts, 141
- columns
  - labeling, LINEST function, 218
  - lists, 12, 90
  - pivot tables, 121
- commands
  - Add-Ins (Tools menu), 111
  - Cells (Format menu), 67, 138, 250
  - Chart (Insert menu), 33, 103, 107
  - Close (File menu), 281
  - Comment (Insert menu), 361
  - Copy (Format menu), 251, 318
  - Correlograms (Data menu), 307–308
  - Data Analysis (Tools menu), 67, 114, 233
  - Filter (Data menu), 91
  - Formula Auditing (Tools menu), 365
  - Goal Seek (Tools menu), 15
  - Group and Outline (Data menu), 131
  - Import External Data (Data menu), 101–102
  - List (Data menu), 92, 94
  - Macro (Tools menu), 281
  - Module (Insert menu), 281
  - Move or Copy Sheet (Edit menu), 206
  - Name (Insert menu), 200
  - Options (Tools menu), 212
  - Paste (Edit menu), 251, 318
  - Paste Special (Edit menu), 210
  - Protection (Tools menu), 365
  - Refresh Data (Data menu), 102, 133
  - Selected Axis (Format menu), 110
  - Selected Data Series (Format menu), 157–158
  - Selected Trendline (Format menu), 304
  - Sort (Data menu), 76, 91
  - Status Bar (View menu), 367
  - Toolbars (View menu), 154
- commas (,), 215
- comma-separated values, 120
- comments, Cell Comment feature, 360–361
- commissions, baseline data
  - considerations, 44
  - commodities, sales strategies, 26
- competition
  - signals, 224
  - trends, 64
- completion, AutoComplete feature, 363
- cone charts, 141
- confidence levels
  - basic forecasting, 188–189
  - multiple regression, 292
- configuration, list, 25
- consecutive observations, correlation, 29
- consecutive results, moving averages, 74
- constants
  - exponential smoothing, 261
  - regression, 20
- conversions, correlation, Fisher transformation, 61
- Copy command (Format menu), 251, 318
- Copy to Another Location option (Advanced Filter dialog box), 101
- copying
  - data into lists, 101–102
  - Move or Copy Sheet command (Edit menu), 206
- CORREL function, 29, 62, 66, 245
- correlation. *See also* autocorrelation analysis, 68–70
  - basic forecasting, 29
  - calculations, 29
  - charting, 245–246
  - coefficients, 29, 244
  - consecutive observations, 29
  - conversion, Fisher transformation, 61
  - correlation matrix, 67
  - decimal points, changing, 67
  - errors, 247
  - moving averages, 241–245
  - negative, 38
  - positive, 38
  - real versus random, 62
  - regression formats, 241
  - t-distribution, significance of, 61
  - testing, 259
  - trendlines, 243
  - trends, 38
  - variable relationships, 244
- Correlation dialog box, 67
- Correlograms command (Data menu), 307–308

cost of goods sold, revenue and cost of data, 38

COUNT function, 278

Count nums summary statistic, 94

Count summary statistic, 94

counting units, pivot tables, 124–125

Create List dialog box, 92–93

credibility, basic forecasting, 25

Criteria Range option (Advanced Filter dialog box), 100

curly brackets ({}), 211–212

currency options, pivot tables, 128

curvilinear regression, 229

Custom AutoFilter dialog box, 99

customer choices, sales forecasts, 47

customization

Advanced Filter dialog box, 100

toolbars, 364–365

cycles

basic forecasting, 29

recessions, 29

cyclical baselines, 52

cylinder charts, 141

## • D •

daily forecasting, moving averages, 15–16

damping factor

basic forecasting, 30

exponential smoothing, 172, 271

Data Analysis dialog box, 67, 111, 114, 233

data fields, pivot tables, 118

data labels, line charts, 146

Data menu commands

Correlograms, 307–308

Filter, 91

Group and Outline, 131

Import External Data, 101–102

List, 92, 94

Refresh Data, 102, 133

Sort, 76, 91

Data Source Name (DSN), 352

dates

blank dates in pivot tables, avoiding,

132–133

charting, 108, 138–139

XY (Scatter) charts, 106

decimal points, changing, 67

default chart settings, 153

degrees of freedom (df), 291, 295

deleting borders, 96

delta constants, seasonal baselines, 334

dependability, baseline data

considerations, 44–45

detrending, 64

deviations, seasonal baselines, 340

df (degrees of freedom), 291, 295

diagnosis, trends, 313–315

dialog boxes

Add Trendline, 237, 303

Advanced Filter, 99–101

Chart Options, 109–110

Correlation, 67

Create List, 92–93

Custom AutoFilter, 99

Data Analysis, 67, 111, 114, 233

Exponential Smoothing, 271

Format Cells, 128

Format Data Series, 157

Function Arguments, 205–207

Moving Average, 111–112, 234

PivotTable Field, 128

Regression, 25, 256–257

Select Data Source, 101–102

Select Table, 102

Sort, 76

Table Options, 354

Top 10 AutoFilter, 98–99

differencing

disadvantages, 322

discussed, 311

first, 316–317

second, 316

Dim statement, VBA procedure, 280

#DIV/0! error message, 240

dollar sign (\$), absolute references, 197

doughnut charts, 141

drop-down lists, 91

DSN (Data Source Name), 352

dummy coding, 192

## • E •

early calculation attempts, moving averages, 240

earning estimations, baseline data, 45

economy, cyclical baselines, 52

- Edit menu commands
  - Copy, 251, 318
  - Move or Copy Sheet, 206
  - Paste, 251, 318
  - Paste Special, 210
- editing charts, 109–110
- embedding charts in worksheets, 110
- Enable Drill to Details check box (Table Options dialog box), 354
- End Sub statement, VBA procedure, 280
- entering formulas
  - absolute references, 197
  - arguments, 202
  - array formulas, 209–213
  - discussed, 195
  - FALSE arguments, 215
  - INDEX function, 208
  - INSERT function, 203–207
  - LINEST function, 213–215
  - manually, 196–200
  - MS (mean square), 216
  - #N/A errors, 200
  - number arguments, 205
  - OFFSET function, 197–198
  - #REF! errors, 200
  - reference arguments, 205
  - StartRow values, 198–200
  - static results, 201
  - SUM function, 202
  - syntax considerations, 201–202
  - TRANSPOSE function, 204
  - TREND function, 219–221
  - TRUE arguments, 215
- equally spaced time periods, 85–88
- equations
  - expanding, exponential smoothing, 265
  - trendlines, 106
- errors
  - correlated, 247
  - #DIV/0! value, 240
  - exponential smoothing, 171, 284
  - forecast adjustments, 262–264
  - lists, 92
  - moving averages, 16, 235
  - multiple regression, 295–299
  - #N/A value, 200
  - noise (unpredictable events), 225
  - #REF! value, 200
  - removing trends from baselines, 313
  - square root of the mean squared error, 279
  - standard error of estimate, LINEST function, 214
  - You cannot change part of an array message, 213
- estimation
  - exponential smoothing, 17
  - seasonal baselines, 335
  - standard error of estimate, LINEST function, 214
- Eta Squared statistics, 302
- evaluation, regression, 305–309
- Excel formulas, entering
  - absolute references, 197
  - arguments, 202
  - discussed, 195
  - INDEX function, 208
  - INSERT function, 203–207
  - manually, 196–200
  - #N/A errors, 200
  - number arguments, 205
  - OFFSET function, 197–198
  - #REF! errors, 200
  - reference arguments, 205
  - StartRow values, 198–200
  - static results, 201
  - SUM function, 202
  - syntax considerations, 201–202
  - TRANSPOSE function, 204
- Excel 2003 For Dummies* (Greg Harvey), 2, 196
- expanding chart data, 109
- exponential smoothing. *See also* moving averages; regression
  - actuals, 30, 171
  - ATP (Analysis ToolPak), 270–273
  - backcasting, 284
  - basic forecasting, 17–18, 30
  - chart output options, 172
  - chronological data, 77–78
  - constants, 261
  - damping factor, 172, 271
  - disadvantages, 272
  - discussed, 3, 18
  - equations, expanding, 265
  - errors, 284
  - Exponential Smoothing dialog box, 271
  - forecast adjustments, 274–276

forecast errors, 171  
 input ranges, 172  
 moving averages and, 11  
 overestimates, 17  
 problems with, 283–284  
 regression and, 11, 18  
 seasonal smoothing, 83  
 smoothing constants, 30  
 trends, 35  
 underestimates, 17  
 VBA procedure, 279–282  
 external data, importing into pivot tables,  
 351–352

## ● **F** ●

falling baselines, 32  
 FALSE arguments, 215  
 FDIST function, 295  
 fields, pivot tables  
   calculating, 357  
   formatting, 355  
   inner fields, subtotals, 359–360  
   naming, 356  
 File menu commands, Close, 281  
 fill handles, 46  
 Filter command (Data menu), 91  
 filters  
   Advanced Filter dialog box, 99–101  
   AutoFilter feature, 97–99  
   lists, 367  
   Top 10 AutoFilter dialog box, 98–99  
 first differencing  
   baselines, 316–317  
   moving averages, 238  
 first moving average, 74  
 Fisher transformation, correlation  
   conversion, 61  
 fluctuation, trends, 56  
 font selection, charts, 110  
 For statement, VBA procedure, 280  
 forecast adjustments  
   errors, 262–264  
   exponential smoothing, 274–276  
 FORECAST function, 221  
 forecast periods  
   baselines, 38  
   basic forecasting, 30  
 Format Cells dialog box, 128

Format Data Series dialog box, 157  
 Format menu commands  
   Cells, 67, 138, 250  
   Selected Axis, 110  
   Selected Data Series, 157–158  
   Selected Trendline, 304  
 formatting fields, pivot tables, 355  
 Formula Auditing command (Tools  
   menu), 365  
 formula modifications, seasonal baselines,  
 344–345  
 formulas, array. *See also* formulas, entering  
   curly brackets ({}), 211  
   disadvantages, 212–213  
   range selection, 209–211  
   reversed sorting order, 209  
   TRANSPOSE function, 210–211  
   when to use, 209  
   You cannot change part of an  
     array error message, 213  
 formulas, entering. *See also* formulas, array  
   absolute references, 197  
   arguments, 202  
   discussed, 195  
   FALSE arguments, 215  
   INDEX function, 208  
   INSERT function, 203–207  
   LINEST function, 213–215  
   manually, 196–200  
   MS (mean square), 216  
   #N/A errors, 200  
   number arguments, 205  
   OFFSET function, 197–198  
   #REF! errors, 200  
   reference arguments, 205  
   StartRow values, 198–200  
   static results, 201  
   SUM function, 202  
   syntax considerations, 201–202  
   TRANSPOSE function, 204  
   TREND function, 219–221  
   TRUE arguments, 215  
 F-ratio  
   LINEST function, 214  
   multiple regression, 291, 295  
 Function Arguments dialog box, 205–207  
 functions  
   arguments, TREND function, 221  
   AVERAGE, 75

functions (*continued*)

coefficient order comparisons, LINEST function, 217

columns, labeling, LINEST function, 218

CORREL, 29, 62, 66, 245

COUNT, 278

entering formulas, TREND function, 219–221

FDIST, 295

FORECAST, 221

forecast values, TREND function, 219

F-ratio, LINEST function, 214

help options, 206, 367–368

HYPERLINK, 367

IF, 209

INDEX, 208

INSERT, 203, 215

Insert Function tool, help options, 367–368

MINVERSE, 324

MMULT, 324

multiple regression, LINEST function, 287–289

multiple regression, TREND function, 286

NORMSDIST, 63

OFFSET, 197–198, 203

PMT, 367

predictor variables, LINEST function, 218

ROW, 209

R-squared values, LINEST function, 214

searching, 204

SMALL, 209

standard error of estimate, LINEST function, 214

statistics returned by, LINEST function, 214

step, moving averages, 228

SUM, 202

SUMXMY2, 276–277

time periods, LINEST function, 217

time periods, TREND function, 221

TRANSPOSE, 204, 210–211

## • G •

geographical accounts, trendlines, 301

Goal Seek command (Tools menu), 15

Google Web site, 14

Great Depression, cyclical baselines, 52

gridlines, charts, 109

Group and Outline command (Data menu), 131

grouped records, pivot tables

- creating, 130–131
- levels, deselecting, 135
- multiple groups, 134–135
- spinner control, 135
- when to group, 130

## • H •

Harvey, Greg (*Excel 2003 For Dummies*), 2, 196

headers, lists, 93

help options, functions, 206, 367–368

hiding borders, 96

high interest category, multiple regression, 291

historical data

- forecasting reasons, 10

- pivot table use, 13

- regression, 20, 36–37

- seasonal baselines, 330–334

horizontal alignment, chart data, 110

HYPERLINK function, 367

## • I •

identification, trends, 51

IF function, 209

importing data

- into lists, 101–102

- into pivot tables, 351–352

inactive lists, 96

INDEX function, 208

inflation, trend causes, 56

initialization, seasonal baselines, 339

inner fields, pivot tables, 153, 359–360

Input Range box

- Correlation dialog box, 67

- Exponential Smoothing dialog box, 271

- Moving Average dialog box, 111, 234

Input X Range option

- Data Analysis dialog box, 114

- Regression dialog box, 257

Input Y Range option (Data Analysis dialog box), 114

- INSERT function
    - LINEST function and, 215
    - OFFSET function and, 203
  - Insert Function tool, help options, 367–368
  - Insert menu commands
    - Chart, 33, 103, 107
    - Comment, 361
    - Module, 281
    - Name, 200
  - installing add-ins, 163–166
  - integration, trends, 311
  - intercepts, multiple regression, 292
  - interest categories, multiple regression, 291
  - intervals, moving averages, 234–235
  - inventories
    - JIT (just-in-time) inventory management, 28
    - purchases, random shock example, 228–229
    - size, basic forecasting, 27–28
  - inverted U function, XY (Scatter) charts, 148
  - item calculations, pivot tables, 358
- **I** •
- JIT (just-in-time) inventory management, 28
- **L** •
- labels
    - line charts, 146
    - lists, 90
  - legends, charts, 109
  - life cycles, products
    - sale strategies, 26–27
    - trends, 58
  - line charts. *See also* charts
    - automatic category, 143
    - category axis, 104, 143–144
    - data labels, 146
    - discussed, 34, 141–142
    - time-scaled category, 143
    - value axis, 104, 141
  - line fit plots, multiple regression, 292
  - linear regression, 229
    - linear statistics, 301
  - Linear Trend/Regression option (Add Trendline dialog box), 303
  - LINEST function
    - coefficient order comparisons, 217
    - columns, labeling, 218
    - F-ratio, 214
    - INSERT function and, 215
    - multiple regression, 287–289
    - predictor variables, 218
    - R-squared values, 214
    - standard error of estimate, 214
    - statistics returned by, 214
    - time periods, 217
    - TREND function and, 219
    - uses for, 213–214
  - link relatives, baselines, 318–321
  - List command (Data menu), 92, 94
  - List Range box (Advanced Filter dialog box), 101
  - lists
    - analysis, 91
    - ATP (Analysis ToolPak), 111–114
    - as baseline data, 12
    - borders around, 96
    - cell selection, 93
    - as charts, 103–107
    - columns, 12, 90
    - configuration, 25
    - converting to normal range, 97
    - Create List dialog box, 92–93
    - discussed, 89
    - drop-down, 91
    - error messages, 92
    - filters, 367
    - headers, 93
    - importing data into, 101–102
    - inactive, 96
    - label structure, 90
    - management options, 366–367
    - pivot tables and, 91
    - reasons for, 12
    - resizing, 97, 366
    - rows, 12, 90, 94–96
    - size limitations, 90
    - unique records only, 366
    - uses for, 91
    - variables, 90

long-term sales, moving averages, 11  
 lookup and reference categories, OFFSET function, 203  
 losing averages, moving averages, 233, 239–241  
 low interest category, multiple regression, 291

## • M •

Macro command (Tools menu), 281  
 macro security, 363–364  
 managing lists, 366–367  
 marketing  
   changes in, mistake recovery strategies, 47  
   expenditures, signals, 224  
 mathematical complexity, removing trends from baselines, 312  
 Max summary statistic, 94  
 mean square (MS), 216, 295  
 Min summary statistic, 95  
 MINVERSE function, 324  
 missing data, unequal time periods, 87–88  
 mistakes, recovering from  
   marketing changes, 47  
   pricing changes, 47  
   product line changes, 47–49  
   revenue targets as forecasts, 48–49  
 MMULT function, 324  
 moderate interest category, multiple regression, 291  
 Module command (Insert menu), 281  
 monthly sales  
   baseline data, 45–46  
   moving averages, 10, 167  
   seasonality, 52  
 Move or Copy Sheet command (Edit menu), 206  
 Moving Average dialog box, 111–112, 234  
 moving averages. *See also* exponential smoothing; regression  
   ARIMA (autoregressive integrated moving averages), 28  
   ATP (Analysis ToolPak), 233–237  
   AutoFill feature, 75  
   baseline points, equal numbers of, 232  
   basic forecasting, 15–16, 30–31  
   calculating, 232–233  
   charting, 21, 232–233  
   chronological data, 74–76  
   consecutive results, 74  
   correlation, 241–245  
   daily forecasting, 15–16  
   discussed, 10–11  
   early averages, losing, 239–241  
   errors, 16, 235  
   first differencing, 238  
   first moving average, 74  
   intervals, 234–235  
   largest number values in, 231  
   length selection, 223–227  
   losing averages, 233  
   monthly sales, 167  
   noise, 15–16, 225–227  
   previous time periods, 232  
   random shock, 228–229  
   recent sales results, 167  
   residuals, chart of, 237–238  
   second moving average, 74  
   signals, 15–16, 30–31, 224  
   slow baseline changes, 232  
   smallest number values in, 230  
   stationary baselines and, 168–169  
   step function, 228  
   third moving average, 74, 232  
   time periods, selecting right number of, 167  
   tracking, 231  
   trendlines, 237  
 MS (mean square), 216, 295  
 multiple regression  
   baseline records, 294  
   coefficients, 292  
   confidence levels, 292  
   df (degrees of freedom), 291, 295  
   discussed, 190–191, 285  
   errors, 295–299  
   FDIST function, 295  
   F-ratio, 291, 295  
   high interest category, 291  
   intercepts, 292  
   line fit plots, 292  
   LINEST function, 287–289  
   low interest category, 291  
   moderate interest category, 291  
   MS (mean square), 295  
   predictor variables, 286–289

p-values, 298  
 residual plots, 292  
 R-squared values, 289, 292–294  
 SS (sum of squares), 291  
 My List Has Headers check box (Create List dialog box), 93

## • *N* •

#N/A error value, 200  
 Name command (Insert menu), 200  
 naming fields, pivot tables, 356  
 national accounts, trendlines, 301  
 negative correlation, trends, 38  
 negative currency amounts, seasonal baselines, 336–337  
 newsgroups, basic forecasting, 14  
 Next statement, VBA procedure, 280  
 noise (unpredictable events)  
   moving averages, 15–16, 225–227  
   signals, 224–227  
 None summary statistic, 94  
 normal distribution issues, removing trends from baselines, 312  
 NORMSDIST function, 63  
 number arguments, 205  
 numeric axis, charts, 141

## • *O* •

OFFSET function  
   discussed, 197–198  
   INSERT function and, 203  
   lookup and reference categories, 203  
 opportunity costs  
   cost of goods sold, 39  
   profit data, 39  
 Options command (Tools menu), 212  
 out of style products, trend causes, 56  
 Output Range box  
   Correlation dialog box, 67  
   Exponential Smoothing dialog box, 271  
   Moving Average dialog box, 112, 234  
   Regression dialog box, 257  
 overestimates, exponential smoothing, 17  
 overwriting cells, 126

## • *P* •

PACF (partial autocorrelation function), 307–309  
 page fields, pivot tables, 122  
 parametric testing, 314  
 parsimony, regression approach, 65  
 passwords  
   password cracker software, 366  
   pivot tables, 352  
 Paste command (Edit menu), 251, 318  
 Paste Special command (Edit menu), 210  
 patterns, charts, 110  
 per-capita income, regression, 309–310  
 periodic relationships, equally spaced time periods, 85–87  
 pie charts, 141  
 pivot tables  
   advantages of, 13, 117  
   baseline data, 119–122  
   blank dates, avoiding, 132–133  
   block totals, 359  
   cache data, 360  
   cells, 126  
   chronological data, 13  
   color options, 157  
   column fields, 121  
   counting units, 124–125  
   creating, 126–129  
   currency options, 128  
   data fields, 118  
   external data, importing, 351–352  
   field buttons, losing, 154–155  
   fields, calculating, 357  
   fields, formatting, 355  
   fields, naming, 356  
   grouped records, 130–131, 134–135  
   historical data, 13  
   inner fields, 153, 359–360  
   item calculations, 358  
   lists and, 91  
   page fields, 122  
   passwords, 352  
   range address, 127  
   refreshing, 353–354  
   reports, 127–128  
   revenue summaries, 149

pivot tables (*continued*)

- row fields, 118, 120–121
- sales summaries, 149
- security, 352
- sorting orders, 150
- summaries, 125
- summing revenues, 123–124
- switching between, 151
- Table Options dialog box, 354
- time periods, 84
- units sold summaries, 149
- uses for, 117–119
- PivotTable Field dialog box, 128
- plotting actuals, 187–188
- PMT function, 367
- popular products, trend causes, 56
- population statistics, removing trends from
  - baselines, 314
- positive correlation, trends, 38
- predictor variables
  - basic forecasting, 30–31
  - LINEST function, 218
  - multiple regression, 286–289
- previous time periods, moving
  - averages, 232
- price conversions, trend identification, 51
- pricing changes
  - baseline data considerations, 45
  - mistake recovery strategies, 47
- primary axis, charts, 158
- prior forecasting, exponential
  - smoothing, 11
- probability, trends, 60–64
- problems, exponential smoothing, 283–284
- product life cycles
  - sales strategies, 26–27
  - trends, 58
- product lines
  - basic forecasting, 39
  - changes in, mistake recovery
    - strategies, 47
- profit data, opportunity costs, 39
- protection, worksheets, 365–366
- p-values, multiple regression, 298
- pyramid charts, 141

## • Q •

- qualitative data, 43–44
- quantitative data, 43–44
- quarterly sales
  - baseline data, 45
  - moving averages, 10
- quick data summaries, 367

## • R •

- radar charts, 141
- random shock, moving averages, 228–229
- random versus real correlation, 62
- range address, pivot tables, 127
- range selection, array formulas, 209–211
- rates, baselines, 321
- ratios, F-ratio
  - LINEST function, 214
  - multiple regression, 291, 295
- real versus random correlation, 62
- recent sales results, moving averages, 167
- recessions, cycles, 29
- recovery, from mistakes
  - marketing changes, 47
  - pricing changes, 47
  - product line changes, 47–49
  - revenue targets as forecasts, 48–49
- #REF! errors, 200
- reference and lookup categories, OFFSET
  - function, 203
- reference arguments, 205
- references, Function Arguments dialog
  - box, 205
- Refresh Data command (Data menu),
  - 102, 133
- refreshing pivot table data, 353–354
- regression. *See also* exponential
  - smoothing; moving averages
  - actuals, plotting, 187–188
  - ARIMA (autoregressive integrated moving
    - averages), 28
  - autoregression, 65, 79, 305–307
  - baseline data, 20
  - basic forecasting, 18–20, 31

- chronological data, 78–80
  - constants, 20
  - correlation, 241
  - curvilinear, 229
  - dummy coding, 192
  - evaluation, 305–309
  - exponential smoothing and, 11, 18
  - height trend examples, 19
  - historical data, 20, 36–37
  - linear, 229
  - parsimony, 65
  - per-capita income, 309–310
  - Regression dialog box, 25, 256–257
  - related variables, 180
  - residuals, 185–186
  - simple, 181–182
  - straight-line forecasts, 60, 301
  - time periods, 181
  - transformations, 186
  - TREND function, 39–41
  - trendlines, 300–304
  - when to use, 177–180
  - zero constant, avoiding, 189–190
  - reintegration, baselines, 317
  - related variables, regression approach, 180
  - renaming chart data, 109
  - reports, pivot tables, 127–128
  - residuals
    - chart of, moving averages, 237–238
    - multiple regression, 292
    - regression, 185–186
  - resizing lists, 97, 366
  - resources, baseline data considerations, 44
  - revenue
    - baselines, 32–33
    - forecast periods, 38
    - moving averages, 224
    - revenue streams, 32
    - revenue summaries, pivot tables, 149
    - revenue targets as forecasts, 48–49
    - summing, pivot tables, 123–124
  - reversed sorting order, array formulas, 209
  - rising baselines, 32
  - root mean square, 279
  - ROW function, 209
  - RowNumber statement, VBA procedure, 280
  - rows
    - lists, 12, 90, 94–96
    - pivot tables, 118, 120–121
    - StartRow values, 198–200
  - R-squared values
    - LINEST function, 214
    - multiple regression, 289, 292–294
    - overview, 69–70
    - trendlines, 106
- S •
- sales data, baselines, 119–122
  - sales force size
    - data relationship searches, 65
    - signals, 224
    - XY (Scatter) charts, 147
  - sales revenues
    - baselines, 33
    - data relationship searches, 65
    - moving averages, 224
  - sales strategies
    - basic forecasting, 26–27
    - commodities, 26
    - product life cycles, 26–27
    - sales management trends, 27
  - sales summaries, pivot tables, 149
  - sample statistics, removing trends from
    - baselines, 314
  - scale options, charts, 110
  - Scatter (XY) charts. *See also* charts
    - dates, 106
    - disadvantages, 142
    - discussed, 33, 79
    - inverted U function, 148
    - overview, 141
    - sales force size considerations, 147
  - searches
    - advertisement dollars, data
      - relationships, 65
    - functions, 204
  - seasonal baselines. *See also* baselines;  
trends
    - alpha constants, 334
    - backcasting, 339
    - baseline level effects, 335–336

- seasonal baselines (*continued*)
  - baselines, 330–331
  - basic forecasting, 31
  - cycles, 29
  - cyclical baselines, 52
  - delta constants, 334
  - deviations, 340
  - estimations, 335
  - exponential smoothing, 330–334
  - formula modifications, 344–345
  - historical data, 330–334
  - initialization, 339
  - monthly sales, 52
  - negative currency amounts, 336–337
  - overview, 329
  - seasonal smoothing, 83
  - workbook use, 347–348
  - worksheet use, 346
- second differencing, 316
- second moving average, 74
- secondary axis, charts, 158
- security
  - macro, 363–364
  - pivot tables, 352
  - worksheet protection, 365–366
- Select Data Source dialog box, 101–102
- Select Table dialog box, 102
- Selected Axis command (Format menu), 110
- Selected Data Series command (Format menu), 157–158
- Selected Trendline command (Format menu), 304
- selection handles, charts, 110
- Sign testing, 314–315
- signals
  - competition sales, 224
  - marketing expenditures, 224
  - moving averages, 15–16, 30–31, 224
  - noise (unpredictable events), 224–227
  - sales force size, 224
  - social attitudes, 224
  - technological improvements, 224
  - trends, 224
- Significance of F value, 258
- simple regression, 181–182
- single-variable methods, trends, 57
- size limitations, lists, 90
- size of inventory, basic forecasting, 27–28
- sizing lists, 97, 366
- skeptics, trends, 57
- slow baseline changes, moving
  - averages, 232
- SMALL function, 209
- smoothing, exponential. *See also* moving
  - averages; regression
    - actuals, 30, 171
    - ATP (Analysis ToolPak), 270–273
    - backcasting, 284
    - basic forecasting, 17–18, 30
    - chart output options, 172
    - chronological data, 77–78
    - constants, 30, 261, 334
    - damping factor, 172, 271
    - disadvantages, 272
    - discussed, 3, 18
    - equations, expanding, 265
    - errors, 284
    - forecast adjustments, 274–276
    - forecast errors, 171
    - input ranges, 172
    - moving averages and, 11
    - overestimates, 17
    - problems with, 283–284
    - regression and, 11, 18
    - seasonal smoothing, 83
    - trends, 35
    - underestimates, 17
    - VBA procedure, 279–282
  - social attitudes, signals, 224
- Solver add-in, 282
- Sort dialog box, 76
- sorting order
  - AutoFilter feature, 97
  - pivot table data, 150
  - reversed, array formulas, 209
- Spif (Special Product Incentive Fund), 247
- spinner control, grouped records, 135
- square root of the mean squared error, 279
- SS (sum of squares), 291
- standard error of estimate, LINEST
  - function, 214
- StartRow values, entering formulas, 198–200
- static results, entering formulas, 201
- static supply, trend identification, 51

- stationary baselines
    - discussed, 49, 317
    - moving averages and, 168–169
  - statistical analysis tools. *See* ATP
  - statistics
    - Average summary statistic, 94
    - Count nums summary statistic, 94
    - Count summary statistic, 94
    - Eta Squared, 302
    - linear, 301
    - LINEST function, 214
    - Max summary statistic, 94
    - Min summary statistic, 95
    - None summary statistic, 94
    - removing trends from baselines, 314
    - StdDev summary statistic, 95
    - Sum summary statistic, 95
    - testing, 61
    - TRANSPOSE function, 204
    - trends, 60–64
    - Var summary statistic, 95
    - z-statistics, 62–63
  - Status Bar command (View menu), 367
  - StdDev summary statistic, 95
  - steady baselines, 32
  - step function, moving averages, 228
  - straight-line regression forecasts, 60, 301
  - Sub statement, VBA procedure, 280
  - subtotals, pivot table inner fields, 359–360
  - SUM function, 202
  - sum of squares (SS), 291
  - Sum summary statistic, 95
  - summaries
    - pivot tables, 125
    - quick data summaries, 367
    - summary statistics, 94
  - summing revenue, pivot tables, 123–124
  - SUMXMY2 function, 276–277
  - supply expansion, trend identification, 51
  - surface charts, 141
  - syntax considerations, entering formulas, 201–202
- T •
- Table Options dialog box, 354
  - tables, pivot tables
    - advantages of, 13, 117
    - baseline data, 119–122
    - blank dates, avoiding, 132–133
    - block totals, 359
    - cache data, 360
    - cells, 126
    - chronological data, 13
    - color options, 157
    - column fields, 121
    - counting units, 124–125
    - creating, 126–129
    - currency options, 128
    - data fields, 118
    - external data, importing, 351–352
    - field buttons, losing, 154–155
    - fields, calculating, 357
    - fields, formatting, 355
    - fields, naming, 356
    - grouped records, 130–131, 134–135
    - historical data, 13
    - inner fields, 153, 359–360
    - item calculations, 358
    - lists and, 91
    - page fields, 122
    - passwords, 352
    - range address, 127
    - refreshing, 353–354
    - reports, 127–128
    - revenue summaries, 149
    - row fields, 118, 120–121
    - sales summaries, 149
    - security, 352
    - sorting orders, 150
    - summaries, 125
    - summing revenues, 123–124
    - switching between, 151
    - Table Options dialog box, 354
    - time periods, 84
    - units sold summaries, 149
    - uses for, 117–119
  - t-distribution, correlation significance, 61
  - technological improvements
    - signals, 224
    - trend causes, 51, 56
  - temporary down-turns, trends, 56
  - testing
    - correlation significance checks, 259
    - parametric, 314
    - Sign, 314–315
    - for trends, 60–64
  - third moving average, 74, 232

3D views, charts, 110

time

charting, 139

time series, baselines, 29

time-scaled category, line charts, 143

time periods

baseline data, 46–47

curvilinear regression, 229

data relationship searches, 65

equally spaced, 85–88

LINEST function, 217

pivot table use, 84

regression, 181

seasonal baselines, 330–331

selecting right number of, 167

TREND function, 221

trendlines, 87

unequal, 87–88

yearly forecasts, 83–85

titles, charts, 109

Toolbars command (View menu), 154

toolbars, customizing, 364–365

tools, ATP (Analysis ToolPak)

add-ins, installing, 163–166

basic forecasting, 15

discussed, 14

exponential smoothing, 270–273

features, 22–24

list data, 111–114

moving averages, 233–237

overview, 35

Tools menu commands

Add-Ins, 111

Data Analysis, 67, 114, 233

Formula Auditing, 365

Goal Seek, 15

Macro, 281

Options, 212

Protection, 365

Top 10 AutoFilter dialog box, 98–99

tracking

baselines, 230

moving averages, 231

transformations, regression, 186

TRANSPOSE function, 204, 210–211

TREND function

arguments, 221

entering formulas, 219–221

FORECAST function and, 221

forecast values, 219

LINEST function and, 219

multiple regression, 286

overview, 39–41

time periods, 221

trendlines

Add Trendline dialog box, 237, 303

charts, 106–107, 110

correlation, 243

discussed, 38, 87

equations, 106

geographical accounts, 301

moving averages, 237

national accounts, 301

regression, 300–304

R-squared values, 106

trends. *See also* seasonal baselines

abrupt changes, 60

baseline data, 35

basic forecasting, 32

causes, 56

characteristics, 56

comparing, 57

competition, 64

detrending, 64

diagnosis, 313–315

differencing, 311

discussed, 55

exponential smoothing, 35

fluctuation, 56

identification, 51

inflation, 51

integration, 311

negative correlation, 38

positive correlation, 38

probability and statistics, 60–64

product life cycles, 58

removing from baselines, 312–315

signals, 224

single-variable method, 57

skeptics, 57

technological improvements, 51

temporary down-turns, 56

testing for, 60–64

warnings, 35

TRUE arguments, 215

turns ratios, 27

• **U** •

underestimates, exponential smoothing, 17  
 unequal time periods, 87–88  
 unique records only, lists, 366  
 unit price, data relationship searches, 65  
 units sold summaries, pivot tables, 149  
 unpredictable events (noise)  
   moving averages, 15–16, 225–227  
   signals, 224–227

• **V** •

value axis, line charts, 104, 141  
 Var summary statistic, 95  
 variable relationships, correlation, 244  
 variables, lists, 90  
 variance, Analysis of Variance  
   (ANOVA), 295  
 VBA (Visual Basic for Applications)  
   procedure, exponential smoothing,  
   279–282  
 vertical alignment, chart data, 110  
 View menu commands  
   Status Bar, 367  
   Toolbars, 154  
 viruses, macros, 363–364  
 Visual Basic for Applications (VBA)  
   procedure, exponential smoothing,  
   279–282

• **W** •

Web sites, Google, 14  
 With block, VBA procedure, 280

workbooks, seasonal baselines, 347–348  
 worksheets  
   embedding charts in, 110  
   protection, 365–366  
   seasonal baselines, 346

• **X** •

XY (Scatter) charts. *See also* charts  
 dates, 106  
 disadvantages, 142  
 discussed, 33, 79  
 inverted U function, 148  
 overview, 141  
 sales force size considerations, 147

• **Y** •

yearly forecasts, time period strategies,  
 83–85  
 yearly sales, moving averages, 11  
 You cannot change part of an array  
   error message, 213

• **Z** •

zero constant, avoiding, regression,  
 189–190  
 z-statistics, 62–63

