

## Contents

**Preface** XV

**List of Contributors** XVII

<b>1</b>	<b>Computational Insights into the Structural Properties and Catalytic Functions of Selenoprotein Glutathione Peroxidase (GPx)</b>	<b>1</b>
	<i>Rajeev Prabhakar, Keiji Morokuma, and Djamaladdin G. Musaev</i>	
1.1	Introduction	1
1.2	Catalytic Functions	3
1.2.1	Peroxidase Activity	3
1.2.2	Reductase Activity	3
1.3	Computational Details	5
1.3.1	Computational Methods	5
1.3.2	Computational Models	5
1.4	Results and Discussion	6
1.4.1	Refinement of the Active Site	6
1.4.2	Catalytic Functions: Peroxidase Activity	8
1.4.3	Catalytic Functions: Effect of the Surrounding Protein on the Peroxidase Activity	12
1.4.3.1	Hydrogen Peroxide Coordination	12
1.4.3.2	Formation of Selenenic Acid [E–Se–OH]	14
1.4.4	Catalytic Functions: Reductase Activity	16
1.4.4.1	Peroxynitrite/Peroxynitrous Acid (ONOO <sup>−</sup> /ONOOH) Coordination	17
1.4.4.2	Oxidation Pathway	17
1.4.4.3	Nitration Pathways	20
1.5	Summary	23
	<i>References</i>	24

**2 A Comparison of Tetrapyrrole Cofactors in Nature and their Tuning by Axial Ligands 27***Kasper P. Jensen, Patrik Rydberg, Jimmy Heimdal, and Ulf Ryde*

- 2.1 Introduction 27
- 2.2 Methodology 29
- 2.3 Comparison of the Intrinsic Chemical Properties of the Tetrapyrroles 31
  - 2.3.1 Introduction 31
  - 2.3.2 Spin States 32
  - 2.3.3 Tetrapyrroles Prefer Their Native Ions 33
  - 2.3.4 Cavity Size and Flexibility of the Tetrapyrroles 33
  - 2.3.5 Cytochrome-like Electron Transfer 35
  - 2.3.6 Stability of a Metal–Carbon Bond 36
  - 2.3.7 Metallation Reaction 37
- 2.4 Tuning of Tetrapyrrole Structure and Function by Axial Ligands 38
  - 2.4.1 Introduction 38
  - 2.4.2 Importance of the Lower Axial Ligand for B<sub>12</sub> Chemistry 38
  - 2.4.3 Lower Axial Ligand in Cofactor F430 41
  - 2.4.4 Importance of Axial Ligands for the Globins 42
  - 2.4.5 Role of Axial Ligands for the Cytochromes 42
  - 2.4.6 Role of the Axial Ligand in Heme Enzymes 44
  - 2.4.7 Tuning the His Ligand by Hydrogen Bonds in Heme Proteins 47
  - 2.4.8 Axial Ligand in Chlorophylls 50
- 2.5 Concluding Remarks 51
- References 53*

**3 Modeling of Mechanisms for Metalloenzymes where Protons and Electrons Enter or Leave 57***Per E. M. Siegbahn and Margareta R. A. Blomberg*

- 3.1 Introduction 57
- 3.2 Energy Diagrams 59
  - 3.2.1 Photosystem II 59
  - 3.2.2 Cytochrome *c* Oxidase 64
  - 3.2.3 Nitric Oxide Reduction 70
  - 3.2.4 NiFe-hydrogenase 72
  - 3.2.5 Molybdenum CO Dehydrogenase 76
- 3.3 Conclusions 79
- References 80*

**4 Principles of Dinitrogen Hydrogenation: Computational Insights 83***Djamaladdin G. Musaev, Petia Bobadova-Parvanova, and Keiji Morokuma*

- 4.1 Introduction 83
- 4.2 Reaction Mechanism of the Coordinated Dinitrogen Molecule in Di-zirconocene-N<sub>2</sub> Complexes with a Hydrogen Molecule 87

- 4.2.1 Mechanism of the Reaction (3) 87
- 4.2.2 Mechanisms of the Reactions (4) and (5) 89
- 4.3 Factors Controlling the N<sub>2</sub> Coordination Modes in the Di-zirconocene-N<sub>2</sub> Complexes 91
- 4.4 Why the  $[(\eta^5\text{-C}_5\text{Me}_n\text{H}_{5-n})_2\text{Ti}]_2(\mu_2,\eta^2,\eta^2\text{-N}_2)$  Complex Cannot Add a H<sub>2</sub> Molecule to the Side-on Coordinated N<sub>2</sub>, while its Zr- and Hf-analogs Can 95
- 4.4.1 Relative Stability of the Lowest Singlet (S) and Triplet (T) Electronic States of the Complexes  $[(\eta^5\text{-C}_5\text{Me}_n\text{H}_{5-n})_2\text{M}]_2(\mu_2,\eta^2,\eta^2\text{-N}_2)$ , II\_M (for M = Ti, Zr, and Hf, and  $n = 0$  and 4) 96
- 4.4.2 Reactivity of the Lowest Singlet and Triplet States of the Complexes  $[(\eta^5\text{-C}_5\text{Me}_n\text{H}_{5-n})_2\text{M}]_2(\mu_2,\eta^2,\eta^2\text{-N}_2)$ , II\_M, (for M = Ti, Zr, and Hf, and  $n = 0$  and 4) towards H<sub>2</sub> Molecules 99
- 4.5 Why Dizirconium-dinitrogen Complexes with bis(Amidophosphine) (P<sub>2</sub>N<sub>2</sub>) and Cyclopentadienyl (Cp) Ligands React differently with the Hydrogen Molecule: Role of Ligand Environment of the Zr Centers 101
- 4.6 Several Necessary Conditions for Successful Hydrogenation of a Coordinated Dinitrogen Molecule 103  
Appendix: Computational Details 105  
References 106
- 5 Mechanism of Palladium-catalyzed Cross-coupling Reactions 109**  
*Ataulpa A. C. Braga, Gregori Ujaque, and Feliu Maseras*
- 5.1 Introduction 109
- 5.2 Oxidative Addition 112
- 5.3 Transmetalation 114
- 5.3.1 Suzuki–Miyaura Reaction 114
- 5.3.1.1 Role of the Base 115
- 5.3.1.2 Cis versus Trans Species in bis(Phosphine) Systems 118
- 5.3.1.3 Monophosphine Systems 120
- 5.3.2 Stille Reaction 122
- 5.4 Reductive Elimination 125
- 5.5 Isomerization 126
- 5.6 Concluding Remarks 128  
References 129
- 6 Transition Metal Catalyzed Carbon–Carbon Bond Formation: The Key of Homogeneous Catalysis 131**  
*Valentine P. Ananikov, Djamaladdin G. Musaev, and Keiji Morokuma*
- 6.1 Introduction 131
- 6.1.1 Catalytic C–C Bond Formation via the Reductive Elimination Pathway 131
- 6.1.2 Reductive Elimination of Alkyl Groups (Alkyl–Alkyl Coupling) 133

6.2	C–C Coupling of Unsaturated Ligands	133
6.2.1	Reductive Elimination from the Symmetrical $R_2M(PH_3)_2$ Complexes	134
6.2.2	Reductive Elimination from the Asymmetrical $RR'M(PH_3)_2$ Complexes	137
6.2.3	Homocoupling versus Heterocoupling Pathways via C–C Reductive Elimination	140
6.2.4	Metal Effect on C–C Reductive Elimination Reaction	141
6.2.5	Ligand Effect on C–C Reductive Elimination Reaction	142
6.2.6	Dissociative Mechanism of C–C Bond Formation	142
6.2.7	Solvent Effect on C–C Reductive Elimination Reaction	144
6.2.8	Reductive Elimination of Unsaturated Organic Molecules Involving Cyano and Carbonyl Groups	144
6.3	Conclusions	145
	<i>References</i>	145
<b>7</b>	<b>Olefin Polymerization Using Homogeneous Group IV Metallocenes</b>	<b>149</b>
	<i>Robert D. J. Froese</i>	
7.1	Introduction	149
7.2	Computational Details	152
7.3	Results and Discussion	152
7.3.1	Chain Propagation	152
7.3.2	$\beta$ -Hydride Elimination	164
7.3.3	Chain-transfer-to-monomer	166
7.3.4	Chain-transfer-to-hydrogen	168
7.3.5	Absolute Rates of Reactions	170
7.3.6	Kinetic Considerations	173
7.4	Conclusions	176
	<i>References</i>	177
<b>8</b>	<b>Group Transfer Polymerization of Acrylates with Mono Nuclear Early d- and f-block Metallocenes. A DFT Study</b>	<b>181</b>
	<i>Simone Tomasi and Tom Ziegler</i>	
8.1	Introduction	181
8.2	Computational Details	182
8.3	Discussion	184
8.3.1	Polymerization Mechanism	184
8.3.1.1	Initiation: Formation of a Metallocene-enolate Complex	184
8.3.1.2	Conformations of the Metallocene-acrylate-enolate Complexes	185
8.3.1.3	Transition States of the Coupling Reaction	188
8.3.1.4	Ring-opening Reactions	190
8.3.2	Kinetic Scheme for the Prediction of Stereoregularity	195
8.3.3	Side Reactions Involving Metallacycles	198
8.3.3.1	Backbiting Reaction in Zr- and Sm-eight-membered Metallacycles	200

8.3.3.2	Proton Transfer in Zr- and Sm-eight-membered Metallacycles	201
8.3.3.3	Backbiting in Ten-membered Metallocenes	201
8.3.4	Polymer Chain Transfer Reactions	204
8.3.5	Minimization of Side Reactions	207
8.4	Conclusions	211
	<i>References</i>	212
<b>9</b>	<b>Insights into the Mechanism of H<sub>2</sub>O<sub>2</sub>-based Olefin Epoxidation Catalyzed by the Lacunary [γ-(SiO<sub>4</sub>) W<sub>10</sub>O<sub>32</sub>H<sub>4</sub>]<sup>4-</sup> and di-V-substituted-γ-Keggin [γ-1,2-H<sub>2</sub>SiV<sub>2</sub>W<sub>10</sub>O<sub>40</sub>]<sup>4-</sup> Polyoxometalates. A Computational Study</b>	<b>215</b>
	<i>Rajeev Prabhakar, Keiji Morokuma, Yurii V. Geletii, Craig L. Hill, and Djameladdin G. Musaev</i>	
9.1	Introduction	215
9.2	Computational Details	217
9.2.1	Methods	217
9.2.2	Models	217
9.3	Results and Discussion	218
9.3.1	Mechanism of the Olefin Epoxidation Catalyzed by the Lacunary POM, [γ-(SiO <sub>4</sub> )W <sub>10</sub> O <sub>32</sub> H <sub>4</sub> ] <sup>4-</sup> (1)	218
9.3.1.1	Formation of W-hydroperoxy (W-OOH) Species	218
9.3.1.2	Formation of Epoxide	220
9.3.1.3	Counter Cation Effect	221
9.3.2	Mechanism of the Olefin Epoxidation Catalyzed by the di-V-substituted γ-Keggin POM [γ-1,2-H <sub>2</sub> SiV <sub>2</sub> W <sub>10</sub> O <sub>40</sub> ] <sup>4-</sup> (2)	223
9.3.2.1	Mechanism of Reaction (3a)	224
9.3.2.2	Mechanism of the Epoxidation Reaction (4a)	225
9.3.2.3	Counter Cation Effect	226
9.4	Polyoxometalate-catalyzed Ethylene Epoxidation by Hydrogen Peroxide. Comparison of the Hydroxyl Mechanism involving Complexes 1 and 2	228
	<i>References</i>	229
<b>10</b>	<b>C-H Bond Activation by Transition Metal Oxides</b>	<b>231</b>
	<i>Joachim Sauer</i>	
10.1	Introduction	231
10.2	Gas Phase and Surface Species Considered	232
10.3	Oxidation of Methanol to Formaldehyde	233
10.4	Oxidative Dehydrogenation of Alkanes on Supported Transition Metal Oxide Catalysts	235
10.5	C-H Activation of Alkanes by Transition Metal Oxide Species in the Gas Phase	238
10.6	Conclusions	241
	<i>References</i>	243

<b>11</b>	<b>Mechanism of Ru- and Mo-catalyzed Olefin Metathesis</b>	<b>245</b>
	<i>Andrea Correa, Chiara Costabile, Simona Giudice, and Luigi Cavallo</i>	
11.1	Introduction	245
11.2	Models and Computational Details	247
11.2.1	Models	247
11.3	Results and Discussion	250
11.3.1	Nomenclature	250
11.3.2	Ru-based Catalysts	251
11.3.3	Mo-based Catalysts	257
11.4	Conclusions	260
	<i>References</i>	261
<b>12</b>	<b>Heterolytic <math>\sigma</math>-Bond Activation by Transition Metal Complexes</b>	<b>265</b>
	<i>Shigeyoshi Sakaki, Noriaki Ochi, and Yu-ya Ohnishi</i>	
12.1	Introduction	265
12.2	Characteristic Features of Heterolytic $\sigma$ -Bond Activation	266
12.2.1	Theoretical Study of the Shilov Reaction	266
12.2.2	Fujiwara–Moritani Reaction: Driving Force and Orbital Interaction	267
12.3	Heterolytic C–H $\sigma$ -Bond Activation of Methane	270
12.3.1	Methane C–H Bond Activation by Pt(II) Complexes	270
12.3.2	Methane C–H bond Activation by Late Transition Metal Catalysts	273
12.3.3	Heterolytic Methane C–H Bond Activation by Early Transition Metal Systems	274
12.4	Heterolytic $\sigma$ -Bond Activation of Dihydrogen and Alcohol Molecules	277
12.4.1	Heterolytic H–H Bond Activation	277
12.4.2	Heterolytic $\sigma$ -Bond Activation in Hydrogen Transfer Reactions	280
12.5	Summary	282
	<i>References</i>	282
<b>13</b>	<b>Hydrosilylation Reactions Discovered in the Last Decade: Combined Experimental and Computational Studies on the New Mechanisms</b>	<b>285</b>
	<i>Yun-Dong Wu, Lung Wa Chung, and Xin-Hao Zhang</i>	
13.1	Introduction	285
13.2	General Mechanistic Pathways in the 20th Century	286
13.2.1	Chalk–Harrod and Modified Chalk–Harrod Mechanisms	286
13.2.2	Stereochemistry	289
13.2.3	Carbonyl Compounds	291
13.3	New Mechanistic Pathways Discovered at the Beginning of the 21st Century	292
13.3.1	Main Group Metal Complexes (K, Ca, Sr and B)	292
13.3.2	Early Transition Metal Complexes (Zr and Ta)	294

13.3.2.1	Alkenes	294
13.3.2.2	Dinitrogen	296
13.3.3	Middle Transition Metal Complexes (Mo, W and Re)	298
13.3.4	Late Transition Metal Complexes (Ru and Os)	303
13.3.4.1	Alkynes	303
13.3.4.2	Alkenes	309
13.4	Conclusions	312
	<i>References</i>	313
<b>14</b>	<b>Methane Hydroxylation by First Row Transition Metal Oxides</b>	<b>317</b>
	<i>Kazunari Yoshizawa</i>	
14.1	Introduction	317
14.2	Reactivity of the $MO^+$ Species	319
14.3	Energy Profile for Methane Hydroxylation	320
14.4	Intrinsic Reaction Coordinate (IRC) Analysis	324
14.5	Spin–Orbit Coupling (SOC) in Methane Hydroxylation	326
14.6	Kinetic Isotope Effect (KIE) for H-atom Abstraction	329
14.7	Regioselectivity in Alkane Hydroxylation	331
14.8	Concluding Remarks	334
	<i>References</i>	335
<b>15</b>	<b>Two State Reactivity Paradigm in Catalysis. The Example of X–H (X = O, N, C) and C–C Bonds Activation Mediated by Transition Metal Compounds</b>	<b>337</b>
	<i>Maria del Carmen Michelini, Ivan Rivalta, Nino Russo, and Emilia Sicilia</i>	
15.1	Introduction	337
15.2	General Methods	338
15.3	Activation of X–H (X = O, N, C) Bonds by First-row Transition Metal Cations	339
15.3.1	Reaction of the First-row Transition Metal Ions with a Water Molecule	340
15.3.2	Insertion of First-row Transition Metal Ions into the N–H bond of Ammonia	343
15.3.3	Bond Activation of $CH_4$ by bare First-row Transition Metal Cations	347
15.4	Activation of C–C Bond: Cyclotrimerization of Acetylene by Second-row Transition Metal Atoms	351
15.5	Use of the Electron Localization Function to Characterize the Bonding Evolution in Reactions involving Transition Metals	355
15.5.1	Reaction of $Mn^+$ (in its $^7S$ and $^5S$ States) with $H_2O$ , $NH_3$ and $CH_4$ Molecules	356
	<i>References</i>	361
	<b>Subject Index</b>	<b>367</b>

