

## Subject Index

### a

- acetonitrile 299–300
- acetylene, cyclotrimerization 351–355
- acrylate-enolate complexes 185–188
- acrylates
  - complex formation 183–184
  - coupling reactions 188
  - group transfer polymerization 181–214
- activation energy 155, 136, 209
  - C–H activation 268
  - computed 322
  - methane 274
  - 2-methylbutane 333
  - oxidative dehydrogenation 238
- addition reaction, oxidative 112–113
- $\alpha$ -agostic interaction 158
- $\beta$ -agostic interaction modes 168
- $\beta$ -agostic precursors, equilibration 160
- $\beta$ -agostic species
  - olefin propagation 149–150
  - structures 156
- alcohols 276–281
  - hydrogen transfer 279
  - oxidation 241
  - solid-state catalysts 231
- alkaline-earth metal catalysts 292–293
- alkanes
  - C–H activation 238–241
  - C–H bond activation 276
  - hydroxylation 331–334
  - oxidative dehydrogenation 235–238
  - solid-state catalysts 231
- alkenes
  - early transition metal complexes 294–296
  - epoxidation 223
  - hydrosilylation 285
  - late transition metal complexes 309–312
  - organolanthanide complexes 290
- alkyl–alkyl coupling 133

### alkynes

- hydrosilylation 285, 287
- hydrosilylation, Wu–Troost mechanism 305
- intermolecular hydrosilylation 304
- late transition metal complexes 303–309
- aminoacid ligands 27
- ammonia, bond insertion 343–347
- apparent catalyst productivity 173
- asymmetric ring-closing metathesis 247
- asymmetrical R–R' coupling 137–138
- axial ligands
  - B<sub>12</sub> chemistry 38–41
  - chlorophylls 50–51
  - cytochromes 42–44
  - F430 41–42
  - globins 42
  - heme enzymes 44–47, 52
  - His ligand 47–50
  - negative 47
  - neutral 52
  - reduction potentials 51
  - tuning of tetrapyrrole cofactors 38–51

### b

- B<sub>12</sub> chemistry 38–41
- B3LYP 134, 217
  - ammonia reactions 344
  - di-zirconium complexes 105
  - di-zirconocene-N<sub>2</sub> 96
  - $\beta$ -elimination 281
  - hydrosilylation 298
  - olefin metathesis 247
  - olefin propagation 152
  - rhenium(v)-di-oxo catalyst 302
  - Shilov reaction 266
  - tetrapyrrole cofactors 29
  - two state reactivity paradigm 339
- backbiting intermediates, interatomic distances 201

- backbiting reaction 200–201
    - mechanism 199
    - profiles 210
    - side reactions 198
  - bacteriochlorin 33
  - B(C<sub>6</sub>F<sub>5</sub>) 294
  - benzene, C–H activation 265–284
  - bimetallic mechanism 181
  - bimolecular deactivation reaction 174
  - block orbitals 319
  - bond activation 231–245, 270–281, 347–351
    - heterolytic 265–284
    - methane 270–276
    - reactivity paradigm 337–361
  - $\sigma$ -bond activation
    - heterolytic 265–284
    - oxidative addition 112
  - bond addition 133, 265
  - bond cleavage 14
    - barrier 66
  - bond distances
    - changes 323–324
    - epoxidation 225
    - epoxidation, counter cation effect 227
  - bond formation 131
  - bond insertion 343–347
  - bond lengths 92–93, 200
    - C<sub>2</sub>H<sub>2</sub> polymerization 353
    - Mg-ligand 50
  - $\sigma$ -bond metathesis 279
  - bonding evolution 355–360
    - catastrophe theory 355
  - bovine erythrocyte GPx 6
  - BP86 247, 261
  - (Bpym)Cl<sub>2</sub> 273
  - branching ratios 323
  - broken symmetry potential 239
  - broken symmetry solution 234
  - Buchwald–Hartwig reaction 109
  - butadiene elimination 143
- c**
- C–C bond activation 351–355
    - barriers 269
    - intermediate formation 352
    - metal atoms 351–355
    - reactivity paradigm 337–361
  - C–C bond formation 131
    - dissociative mechanism 142–143
    - intermediate III 133
    - ligand effect 142
    - metal effect 141
    - solvent effect 144
    - transition metal catalyzed 131–145
      - unsaturated ligands 133–145
      - unsaturated organic molecules 144
  - C=C bond synthesis 245
  - C–C coupling reaction 139
    - alkynyl groups 141
    - general scheme 134
    - profiles 211
  - C=C double bond, coordination 258
  - C–F bond breaking 275
  - C–H activation, population changes 269
  - C–H bond activation 231–245, 268, 270–274
    - (Bpym)Cl<sub>2</sub> 273
    - methane 270–276
    - methane hydroxylation 324
    - (NH<sub>3</sub>)<sub>2</sub>PtCl<sub>2</sub> 272
    - species 232–233
  - C<sub>2</sub>H<sub>2</sub> 351
  - C<sub>2</sub>H<sub>2</sub> polymerization
    - ground spin states 353
    - rate-determining step 352
  - [( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>Zr]<sub>2</sub>[M<sub>2</sub>, $\eta^2$ , $\eta^2$ -(NH)<sub>2</sub>]] 88–89
  - [( $\eta^5$ -C<sub>5</sub>Me<sub>n</sub>H<sub>5-n</sub>)<sub>2</sub>M]<sub>2</sub>( $\mu_2$ , $\eta^2$ , $\eta^2$ -N<sub>2</sub>) complexes 95–101
  - $\beta$ -carbon
    - complex formation 183–184
    - coupling reactions 188
  - carbon-carbon *see* C–C
  - carbon dioxide, hydrogenation 277–278
  - carbonyl compounds
    - hydrosilylation reactions 285, 291–292
    - reductive elimination 144
  - catalases 45–46
  - catalysis
    - gas-phase 337–366
    - homogeneous 131–145
    - ion-pairing 215–230
    - two state reactivity paradigm 337–361
  - catalyst modifications
    - enolate-polymer model complexes 206
    - ring-opening reaction profile 212
  - catalyst productivity 173
  - catalysts 231–244, 270
    - C–H bond activation 273–274
    - chirality 249
    - polymerization process 151
    - transition metal oxide 235–238
  - catalytic cycles
    - cross-coupling reactions 110
    - GPx 8
    - heme proteins 45
    - metalloenzymes 58
    - molybdenum Co dehydrogenase 78
    - NiFe-hydrogenase 75

- NO reduction 71
- catalytic functions
  - GPx 3–5, 8–12, 16–23
- catalyzation 215–230
  - ethylene epoxidation 228–232
- cationic zirconocene metallocycle 192–193
- cations
  - CH<sub>4</sub> bond activation 347–351
  - X–H (X = O, N, C) bonds activation 339–340
- CCSD (T) calculations 339
- CH<sub>4</sub>
  - bond activation 347–351
  - Mn<sup>+</sup> reactions 356–360
- chain-end control
  - olefin propagation 162
  - ring-opening reactions 190
- chain-transfer reactions 164, 205
  - group transfer polymerization 204–208
  - $\beta$ -hydride elimination 165
  - internal barriers 206
- chain-transfer-to-ethylene 168
- chain-transfer-to-monomer, energies 167
- Chalk–Harrod mechanism 286–289
  - redox couples 288
- change of charge 57
- chirality 256
  - catalyst 249
- chlorin rings 30
- chlorophyll 28, 52
  - absorption spectra 50
  - tetrapyrrole cofactors 50–51
- cis-trans isomerization 127
- cisplatin 270
- Claisen condensation 198, 200
- cleavage of N–O bond, transition state 70
- closed shell ions 242
- closed shell V<sup>v</sup> system 232
- Co–C bond 36
- cobalamin 28
  - bond stability 36
- coenzyme B12 39, 52
- coenzyme F430 52
- complex connection pathway
  - monophosphine systems 121
  - transmetalation 118
- complexes
  - $\sigma$ -bond activation 265–284
  - C–H bond activation 270–273
  - conformations 185–188
  - formation 184–185
  - K, Ca, Sr and B 292–294
  - Mo, W and Re 298–303
  - R<sub>2</sub>M(PH<sub>3</sub>)<sub>2</sub> 134–136
  - RR'M(PH<sub>3</sub>)<sub>2</sub> 137–139
  - Ru and Os 303–312
  - Zr and Ta 294–296
- computational models
  - GPx 5–6
  - group transfer polymerization 182–211
  - olefin epoxidation 217–218
- coordinated complexes
  - end on 92
  - side-on 91
- coordination intermediates
  - Mo-based catalysts 257
  - olefin metathesis 250
  - ring-closing metathesis 255
- corrin rings 30, 52
- Cossee–Arlman mechanism 149
- counter cation effect 222
  - olefin epoxidation 221, 226–228
- counteranion, reaction rates 170
- counterion 152–153
- coupling reactions
  - calculated energetic 139
  - energy profiles 189
  - transition states 188–190
- Cp<sub>2</sub>Zr complex, hydrosilylation 296
- Cr<sup>+</sup>, geometrical parameters 350
- cross-coupling reactions
  - mechanisms 110
  - palladium-catalyzed 109–129
  - Stille reaction 121
- crossing seam 325–326
- crystal structures
  - cytochrome c peroxidase 49
  - GPx 1
- cusp catastrophe, bonding evolution 356–357
- CxH activation, Gibbs free energy 239
- cyano groups, reductive elimination 144
- cyclic pathways, Stille reaction 122
- cyclotrimerization 339, 351–355
- cytochrome C oxidase
  - binuclear center 65
  - bond strength 65
  - energy diagrams 67–69
  - metalloenzymes 64–70
  - N-side 64
  - P-side 64
- cytochrome C peroxidase, crystal structure 49
- cytochrome-like electron transfer, tetrapyrrole cofactors 35–36
- cytochrome models 43
- cytochrome P-450, catalytic cycles 45
- cytochrome P450 220

- cytochromes, tetrapyrrole cofactors 42–44  
 cytosolic (GPx-1) 1
- d**
- d-electrons, metal-oxo bond 319  
 dehydrogenation 235–238  
 density functional theory (DFT) 29, 181–214, 337–366  
 – methane hydroxylation 317–336  
 – olefin epoxidation 215–230  
 – olefin metathesis 245–264  
 50-deoxyadenosylcobalamin (AdoCbl) 36  
*Desulfomicrobium bacalum*, X-ray structure 72–73  
 desymmetrization, Ru-based catalysts 256  
 DFT *see* density functional theory  
 di-V-substituted- $\gamma$ -Keggin  
 [ $\beta$ -1,2-H<sub>2</sub>SiV<sub>2</sub>W<sub>10</sub>O<sub>40</sub>]<sup>4-</sup> polyoxometalates 215–230  
 di-V-substituted  $\gamma$ -Keggin POM 223  
 di-zirconium complexes, stabilization energy 103  
 di-zirconocene-N<sub>2</sub>  
 – dinitrogen hydrogenation 87–91  
 – energetics 94  
 – energy gap 96  
 – reactivity 91  
 diastereomeric zirconocene metallacycles 196  
 diazenido complex 88  
 Dieckmann condensation, side reactions 198  
 dienes  
 – ring-closing 258  
 – ring-closing metathesis 246  
 dihedral angle, olefin metathesis 248–249  
 dihydrogen molecules 276–281  
 dimeric vanadium species, solid-state catalysts 232  
 dinitrogen, early transition metal complexes 296–298  
 dinitrogen hydrogenation  
 – [ $(\eta^5\text{-C}_5\text{Me}_n\text{H}_{5-n})_2\text{M}]_2(\mu_2, \eta^2, \eta^2\text{-N}_2)$  complexes (M = Ti, Zr, or Hf) 95–101  
 – computational insights 83–105  
 – coordinated molecules 87–91, 103–105  
 – di-zirconocene-N<sub>2</sub> complexes 87–91  
 – dizirconium-dinitrogen complexes with bis(amidophosphine) (P2N2) and cyclopentadienyl (CP) ligands 101–103  
 – N<sub>2</sub> coordination modes 91–95  
 – Zr centers 101–103  
 dinuclear complexes 104  
 – hydrogenation 94  
 dioxide cation, Cr<sup>+</sup> 351  
 dioxygen evolution, energy diagram 62–63  
 dioxygen reduction, energy diagram 67–69  
 dissociative pathways  
 – oxidative addition 112–113  
 – Stille reaction 123  
 distal side, tetrapyrrole cofactors 38  
 ditantalum dinitrogen complex 297  
 dizirconium-dinitrogen complexes 296  
 – reactivity 91  
 – with bis(amidophosphine) (P2N2) and cyclopentadienyl (CP) ligands 101–103  
 double spin crossing 337
- e**
- E–Se–NOO complex, glutathione (GSH) 22  
 early transition metal systems 274–276  
 – polymerization process 151  
 – Zr and Ta 294–296  
 effective spin–orbit operator, methane hydroxylation 326  
 eight-membered metallacycles  
 – backbiting reaction 200–201  
 – proton transfer 201  
 electron affinity (EA), photosystem II 59  
 electron localization  
 – bonding evolution 355  
 – function 355–360  
 electron uptake 68  
 electron withdrawing 202  
 electronic configurations, transition-metal oxides 319  
 electronic coupling element 35  
 electronically excited ions 347  
 electrophile addition, C–C bond formation 131  
 electrophilic attack 269  
 $\beta$ -elimination 281  
 elimination reaction  
 – reductive 125, 131–133  
 elliptical umbilic catastrophe, bonding evolution 356–357  
 enantiofaces  
 – Mo-based catalysts 258  
 – olefin metathesis 249  
 enantiomorphic site control, ring-opening reactions 190  
 enantioselectivity 247, 253, 256  
 end-on  
 – coordinated complexes 92  
 –  $\eta^1$  isomers 99  
 energetics  
 – C<sub>2</sub>H<sub>4</sub> epoxidation 223  
 – di-zirconocene-N<sub>2</sub> 94

enolate  $\alpha$ -carbon  
 – complex formation 183–164  
 – coupling reactions 188  
 – proton transfer 201  
 enolate complexes  
 – conformations 185–188  
 – formation 184–185  
 enolate-polymer model complexes, catalyst  
 modifications 206  
 epoxidation 215–230  
 – elementary processes 224  
 – mechanism 225–226  
 – model 218  
 Erker's view, polymer chain propagation 152  
 ethane, reductive elimination 134  
 ethylene 220, 228–232  
 – intrinsic barriers 172  
 – polymerization 163  
 – reaction rates 173  
 extracellular (GPx-3) 1  
 Eyring equation 173

**f**

f-block metallocenes, group transfer  
 polymerization 181–214  
 F430 28  
 – tetrapyrrole cofactors 41–42  
 FeO<sup>+</sup> 318  
 first-row transition metal cations 339–340  
 – CH<sub>4</sub> bond activation 347–351  
 first-row transition metal ions  
 – insertion 343–347  
 – reactions 340–343  
 first row transition metal oxides, methane  
 hydroxylation 317–336  
 fold catastrophe, bonding evolution 356–357  
 formaldehyde  
 – C–H bond activation 233–235  
 – hydrogen transfer 280  
 – intrinsic barriers 234  
 – reaction energy 235  
 Frank–Caro process 84  
 frontier molecular orbitals 98  
 – metallocyclopropene complexes 308  
 frontside attack, ring-opeing reactions 190  
 Fryzuk complex 87  
 Fujiwara–Moritani reaction 267–270

**g**

gas phase 144, 232–233  
 – C–H activation 238–241  
 – catalysis 337–366  
 – reactions 317  
 – Ru-based catalysts 251

gas-phase calculations, oxidative addition  
 112  
 gastrointestinal tract (GPx-2) 1  
 Gaussian 03 program  
 – DFT 217  
 – GPx 5  
 – olefin metathesis 248  
 – olefin propagation 152  
 general mechanistic pathways 286–292  
 generalized gradient approximation (GGA)  
 functionals 338  
 GGA *see* generalized gradient approximation  
 Glaser–Tilley mechanism 311  
 globins, tetrapyrrole cofactors 42  
 glutamate mutase, optimized structures 40  
 $\gamma$ -glutamylcysteinylglycine 6  
 glutathione (GSH) 22  
 – GPx catalytic activity 3  
 GPx *see* selenoprotein glutathione peroxidase  
 group IV metallocenes, homogeneous 149–  
 176  
 group transfer polymerization 181–214  
 – computational details 182–211  
 – interatomic distances 187  
 – states 188–190  
 Grubb's catalysts, olefin metathesis 245–264  
 GTP *see* group transfer polymerization

**h**

H-atom abstraction 329–331  
 – methane hydroxylation 322  
 H–H bond activation 276–279  
 H<sub>2</sub>O molecules, Mn<sup>+</sup> reactions 356–360  
 H<sub>2</sub>O<sub>2</sub>-based olefin epoxidation 215–230  
 [ $\gamma$ -1,2-H<sub>2</sub>SiV<sub>2</sub>W<sub>10</sub>O<sub>40</sub>]<sup>4-</sup> polyoxometalates  
 215–230  
 Haber–Bosch process 84  
 halide replacement 119  
 Heck reaction 109  
 heme enzymes, tetrapyrrole cofactors 44–47  
 heme ligand 52  
 heme peroxidases 45–46  
 heme proteins 44  
 heterocoupling, potential energy surfaces  
 139  
 heterolytic cleavage 74  
 heterolytic H–H bond activation 277–279  
 heterolytic  $\sigma$ -bond activation  
 – characteristic features 266–270  
 – hydrogen transfer reactions 279–281  
 high spin state 32  
 highest occupied molecular orbital (HOMO)  
 85  
 His ligands, tetrapyrrole cofactors 47–50

- homocoupling, versus heterocoupling
    - pathways 140
  - homogeneous catalysis 131–145
  - horseradish peroxidase, amino acids
    - arrangement 48
  - hybrid B3LYP functional, ammonia reactions 344
  - hybrid QM/MM approach, GPx 5
  - hybrid quantum-mechanical (QM) models 183
  - $\beta$ -hydride elimination
    - olefin polymerization 164–165
    - reaction energy 158
    - stability 165
  - hydrocorphin rings 30, 52
  - hydrogen abstraction 236, 280
  - hydrogen peroxide 215–230
    - ethylene epoxidation 228–232
    - GPx catalytic activity 3
  - hydrogen peroxide coordination, GPx 12–14
  - hydrogen reduction, energies 242
  - hydrogen transfer reactions 279–281
  - hydrogenation
    - carbon dioxide 277
    - di-zirconocene- $N_2$  94
    - $N_2$  molecule 104
  - hydrogenolysis reactions 169
  - hydrometallation 286, 306
    - molecular orbitals 287
  - hydroperoxy mechanism, epoxidation 225
  - hydrosilylation 285–316
    - alkali and alkaline-earth metal complexes 293
    - barriers 303
    - bonding 313
    - carbonyl compounds. 292
    - ditantalum dinitrogen complex 297
    - dizirconium dinitrogen complex 296
    - energy barriers 303
    - ionic 299
    - mechanism 298
    - metal-oxo catalysts 301
    - olefin-first mechanism 295
    - organolanthanide-catalyzed 291
    - oxidative addition 286
    - reductive elimination 286
    - relative free energy 312
    - tungsten-silylene catalyzed 299–300
  - hydroxo intermediate, methane hydroxylation 324
  - hydroxyl mechanism, ethylene epoxidation 228–230
  - hydroxylation 317–336
    - barriers 332
    - energy profile 320–324
    - regioselectivity 331–334
    - spin-orbit coupling (SOC) 326–329
- i**
- imido complexes 276
  - impurities, homocoupling 139
  - indirect site-control, olefin propagation 163
  - inner-sphere reorganization energy
    - cytochrome models 43
    - tetrapyrrole cofactors 35–36
  - intermediate spin state 32
  - intermediates
    - GPx structures 9–11
    - Mo-based catalysts 258
    - ONIOM structures 13
    - relative energies 37
    - ring-closing metathesis 255
    - ring-opening, interatomic distances 194
    - silicon-containing 285–316
  - intrinsic reaction coordinate (IRC) 219
    - analysis 324–326
    - methane hydroxylation 317–336
  - iridium complexes, C–C coupling reaction 139
  - isobacteriochlorin 33
  - isoelectronic complexes 186
  - isomerization 21, 126–127, 289
    - barriers 94, 127
    - water molecule reactions 342
- k**
- kinetic isotope effect (KIE) 329–331
    - methane hydroxylation 317–336
    - values 330
- l**
- Lacunary  $[\gamma\text{-(SiO}_4\text{)W}_{10}\text{O}_{32}\text{H}_4]^{4-}$  polyoxometalates 215–230
  - lanthanocenes 274
  - late transition metal catalysts, C–H bond activation 273–274
  - late transition metal complexes, Ru and Os 303–312
  - ligand association 143
  - ligand environment 105
  - ligand structure 27
  - ligand substitution, monophosphine systems 121
  - ligands, axial *see* axial ligands
  - localization domains,  $Mn^+$  reactions 358
  - localization function, bonding evolution 355–360
  - low spin state 32

- lowest unoccupied molecular orbital (LUMO) 83–85
- m**
- $M^+$ -NH<sub>3</sub> bond, dissociation energy 343
- main group metal complexes, K, Ca, Sr and B 292–294
- Marcus equation 35
- Markovnikov hydrosilylation, alkenes 303
- Mars–van Krevelen mechanism 237
- mechanistic pathways
- general 286–292
  - hydrosilylation reactions 313
  - new discovered 292–312
- MeO<sup>−</sup> elimination, backbiting reaction 200
- metal-carbene complexes 347
- metal cations
- CH<sub>4</sub> bond activation 347–351
  - X–H (X = O, N, C) bonds activation 339–340
- metal complexes
- K, Ca, Sr and B 292–294
  - Mo, W and Re 298–303
  - reactivity 141
  - Ru and Os 303–312
  - Zr and Ta 294–296
- metal compounds, reactivity paradigm 337–361
- metal ions 340–343
- bond insertion 343–347
- metal oxides
- C–H bond activation 231–245
  - catalysts 235–238
  - methane hydroxylation 317–336
- metal-oxo bonds 319
- energies 242
- metal-oxo catalysts, hydrosilylation 301
- metal silylene complexes
- alkene hydrosilylation 309
  - structures 311
- metallacycles
- backbiting reaction 200–201
  - decomposition 202
  - group transfer polymerization 198–204
  - interatomic distances 194
  - olefin metathesis 250
  - proton transfer 201
  - ring opening 204
- metallacyclopropene complexes 308
- metallation reaction, tetrapyrrole cofactors 37–38
- metallocene-acrylate-enolate complexes, conformations 185–188
- metallocene-enolate complex, formation 184–185
- metallocene-MA complex, formation 184
- metallocenes
- group IV 149–176
  - group transfer polymerization 181–214
  - ten-membered 201–204
- metalloenzymes
- charge 58
  - cytochrome C oxidase 64–70
  - energy diagrams 59–79
  - modeling 57–80
  - molybdenum CO dehydrogenase 76–79
  - NiFe-hydrogenase 72–76
  - nitric oxide reduction 70–72
  - photosystem II 59–64
  - reaction energy 58
- metallopentacycle formation 355
- metathesis transition state 85
- methane 271
- $\sigma$ -bond activation 270–276
  - dehydrogenate 347
  - metathesis 271
- methane C–H bond activation 265–284
- energy barriers 274
  - ionic radius 274
  - potential energy surfaces 348
- methane hydroxylation 317–336
- angular momentum operators 327
  - energy profile 320–324
  - excited state 325
  - ground state 325
  - isotope effects 329
  - pathways 329
  - reaction efficiencies 322–323
  - spin inversion 318
  - spin-orbit coupling (SOC) 326–329
  - states 325
- methane monooxygenase, soluble 318
- methanol
- binding, model energies 233
  - hydrogen transfer 280
  - oxidation 233–235
  - solid-state catalysts 232
- 3-methyl-2-butanol, energy diagram 332
- 2-methylbutane
- C–H bond 333
  - regioselectivity 331
- methylcobalamin (MeCbl) 36
- Mg-ligand bond length 50
- microsolvation effects, Shilov reaction 266
- middle transition metal complexes, Mo, W and Re 298–303
- migratory insertion, olefin 153

- miomorphic process
  - bonding evolution 355
  - NH<sub>3</sub> (H<sub>2</sub>O) 358
- MM models *see* molecular-mechanical models
- Mn<sup>+</sup> reactions 344
  - potential energy profiles 357
  - states 356–360
  - topological structures 356, 359–360
- Mo-based catalysts 257–260
  - geometry 258–259
- Mo-catalyzed olefin metathesis 245–264
- Mo<sup>+</sup> complexes
  - atomic spin densities 320
  - bond dissociation energy 320
  - reactivity 319–320
  - species 319–320
- modeling, mechanisms for metalloenzymes 57–80
- models
  - group transfer polymerization 183
  - olefin epoxidation 217–218
  - olefin metathesis 247–250
  - solid-state catalysts 231–244
- molecular-mechanical (MM) models 183
- molecular orbitals 319
  - analysis 85
  - frontier 98, 308
  - highest occupied 85
  - lowest unoccupied 83–85
- molecular weight control 175
- molybdenum Co dehydrogenase
  - barriers 78
  - catalytic cycle 78
  - metalloenzymes 76–79
  - optimized structure 77
- mono nuclear early d- and f-block metallocenes 181–214
- monomer addition 200
- monomeric unit, GPx 6
- monomeric vanadium species, solid-state catalysts 232
- mononuclear W(VI)-complex 221
- monophosphine systems 120–121
  - connecting complex 121
- monovanadium, olefin epoxidation 216
- Morokuma–Kitauro energy decomposition analysis 102
- multinuclear transition metal complexes 104
  
- n**
- N–H bond insertion 343–347
- N–N bond lengths 92–93
- N–N stretching frequencies 93
- N<sub>2</sub> coordination modes, dinitrogen hydrogenation 91–95
- N<sub>2</sub> molecule hydrogenation 104
- NH<sub>3</sub> molecules, Mn<sup>+</sup> reactions 356–360
- NH<sub>3</sub> (H<sub>2</sub>O), miomorphic process 358
- (NH<sub>3</sub>)<sub>2</sub>PtCl<sub>2</sub>, C–H bond activation 272
- NiFe-hydrogenase
  - metalloenzymes 72–76
  - reaction rate 75
- nitration pathways, GPx 20–23
- nitric oxide reduction, metalloenzymes 70–72
- nitrogen
  - natural population atomic charges 97
  - reduced 83
- nitrogenase 83
- NO reduction, catalytic cycle 71
- nomenclature, olefin metathesis 250–251
- non-radical mechanism
  - isotope effect 330
  - methane hydroxylation 318
- nucleophile attack 133
  
- o**
- O–O bond 61
  - cleavage 14
  - cytochrome C oxidase 65
- ODH *see* oxidative dehydrogenation
- OH addition, methanol oxidation 233
- olefin-alkyl complex 153
- olefin binding 158
  - reaction rates 170
- olefin epoxidation 215–230
  - computational details 217–218
  - mechanism 218, 223
  - reaction mechanism 224–225
- olefin-first mechanism, hydrosilylation 295
- olefin insertion barriers 172
- olefin metathesis 245–264
  - nomenclature 250–251
  - side-coordinated structures 250
- olefin polymerization
  - absolute rates of reactions 170–172
  - chain propagation 152–163
  - chain-transfer-to-hydrogen 168–169
  - chain-transfer-to-monomer 166–167
  - computational details 152
  - homogeneous group IV metallocenes 149–176
  - β-hydride elimination 164–165
  - kinetics 173–175
- olefin propagation
  - free energy 154

- interactions 162
  - kinetics 154
  - mechanism 150
  - misinsertion 160
  - Oligotropha carboxidovarans*, molybdenum Co dehydrogenase 76
  - ONIOM structures, GPx 13
  - organic electrophile addition 131
  - organoboronate species 114
  - organolanthanide complexes, hydrosilylation 290
  - osmium-silylene complexes, alkene hydrosilylation 310
  - oxidation pathway, GPx 16–20
  - oxidative addition 112–113, 265–284, 306
    - ammonia reactions 343
    - hydrosilylation 286
    - methane 271
    - non-polar  $\sigma$ -bonds 112
    - water molecule reactions 340
  - oxidative dehydrogenation 231, 235–238
    - C–H bond activation 233–235
    - energy barriers 234
    - propane 237
  - oxygen-evolving complex (OEC)
    - photosystem II 59
    - structure 60
  - oxygen radical sites 240
  - oxyheme 42
- p**
- palladium(II) diphosphine 120
  - palladium-catalyzed cross-coupling reactions 109–129
    - oxidative addition 112–113
    - reductive elimination 125
    - transmetalation 114–124
  - peroxidase activity
    - GPx 3, 8–12
  - peroxidase mechanism, GPx 3
  - peroxo species 218
  - peroxynitrite 15
    - concerted oxidation mechanism 17
  - peroxynitrite/peroxynitrous acid 4
    - coordination 17
  - peroxynitrous acid 15
    - concerted oxidation mechanism 18
    - stepwise oxidation mechanism 18
  - PES *see* potential energy surfaces
  - bis(phosphine) systems 118–119
  - phospholipid hydroperoxide (GPx-4)r 1
  - photosystem II
    - metalloenzymes 59–64
    - reaction center 59
  - platinum catalyzation, hydrosilylation 287
  - platinum redox couples, Chalk–Harrod mechanism 288
  - plyomorphic process, bonding evolution 355
  - polymer chain propagation 152
  - polymerization 151
    - acrylates 181–214
    - mechanism 184–195
    - olefin 149–176
  - polymerization barrier 153
  - polymers
    - chain transfer reactions 204–207
    - syndio-enriched 190
  - polyoxometalates 215–230, 228–232
    - catalysts 215–225
  - porphyrin 28, 30, 52
    - model 49
  - potential energy surfaces (PES) 338
    - alkene hydrosilylation 310
    - ammonia reactions 344
    - homocoupling 140
    - $\beta$ -hydride elimination step 164
    - methane activation 348
    - methane hydroxylation 321
    - Mn<sup>+</sup> reactions 345
    - olefin propagation 159–160
    - Sc<sup>+</sup> 341
  - propane
    - oxidative dehydrogenation 237
    - solid-state catalysts 232
  - propyl radical, oxidative dehydrogenation 237
  - propylene polymerization 163
  - proton affinity (PA)
    - molybdenum Co dehydrogenase 78
    - photosystem II 59, 62
  - proton transfer 199, 201, 204
    - epoxidation 224–225
    - pathways 74
  - proton uptakes 68
  - PSII *see* photosystem II
  - Pt(II) complexes, C–H bond activation 270–273
  - Pt(Bpym)Cl<sub>2</sub> 270
- q**
- QM/MM calculations 209
    - olefin metathesis 245–264
  - quantum-mechanical models 183
- r**
- R<sub>2</sub>M(PH<sub>3</sub>)<sub>2</sub> complexes 134–136
  - radical cations, very reactive 242

- reaction profiles
  - backbiting 210
  - C–C coupling 211
  - formaldehyde formation 234
  - polymer chain transfer reaction 205–206
  - ring-opening 212
- reactions
  - backbiting 200–201
  - first-row transition metal ions 340–343
  - Fujiwara–Moritani 267–270
  - hydrosilylation 285–316
  - involving transition metals 355–360
  - Mn<sup>+</sup> 356–360
  - ring-opening 190–195
  - Shilov 266–267
- reactivity paradigm 337–361
- recombination transition state 324
- redox couples, Chalk–Harrod mechanism 288
- reductase activity
  - GPx 3–5, 16–23
- reductase mechanism, GPx 4
- reduction potentials
- reductive elimination 125
  - asymmetrical RROM (PH<sub>3</sub>)<sub>2</sub> complexes 137–139
  - C–C bond formation 131–132
  - carbon-carbon bond formation 131–133
  - carbon dioxide 277
  - Chalk–Harrod mechanism 289
  - homocoupling versus heterocoupling pathways 140
  - hydrosilylation 286
  - symmetrical R<sub>2</sub>M(PH<sub>3</sub>)<sub>2</sub> complexes 134–136
  - unsaturated organic molecules 144
- regioselectivity 290, 331–334
  - hydrosilylation 293
- reorganization energy *see* inner-sphere reorganization energy
- reversible coordination 150
- rhenacyclopentene 307
- rhenium(v)-di-oxo catalyst 301–302
- rhodium catalyst 288
- ring-closing, reaction profile 258
- ring-closing metathesis 246
  - energies 251
  - geometric parameters 254
- ring-opening reactions 190–195
  - backside attack 190
  - energy profiles 191
  - geometric rearrangement 192
  - metallacycle 204
  - reaction energy 195
  - reaction profile 212
- RR'M (PH<sub>3</sub>)<sub>2</sub> complexes 137–139
- Ru-based catalysts 251–257
  - geometry 252–253
  - isomers 251
- Ru-catalyzed olefin metathesis 245–264
- ruthenacyclopentene, X-ray structures 307
- ruthenium-silylene complexes 310
- s**
- S–H bond, GPx 10
- samarocene enolates
  - initiation energies 185
  - MA complexes 204
- samarocene species, energies 209
- samarocene systems 181
  - interatomic distances 187
  - relative energies 188
- sandwich complexes 95
- Sc<sup>+</sup>, potential energy surface 341
- Schrock's catalysts, olefin metathesis 245–264
- second-row transition metal atoms, C–C bond activation 351–355
- second-sphere hydrogen bonds 44
- selenenic acid, [E–Se–OH] 14–16
- selenocysteine
  - active state 12
  - residue 6
- selenol, nitration 20
- selenolate anion, formation 14
- selenoprotein glutathione peroxidase (GPx) 1–24
  - active site 2
  - calculated barrier 9
  - catalytic functions 3–5, 8–12, 16–23
  - computational models 5–6
  - concerted oxidation mechanism 18
  - elementary reaction 10
  - energy diagrams 11, 15
  - formation of selenenic acid [E–Se–OH] 14–16
  - hydrogen peroxide coordination 12–14
  - nitration pathways 20–23
  - oxidation pathway 17–20
  - peroxidase activity 3, 8–12
  - peroxynitrite/peroxynitrous acid coordination 17
  - reductase activity 3–5, 16–23
  - refinement of the active site 6–8
  - surrounding protein effect 12–16
- Shilov reaction 266–270
- Si–H bond 285
- side-on coordinated complexes 91

- side-on  $\eta^2$  isomers 99
- side reactions 182
- condensation 198
  - equivalent structures 207
  - group transfer polymerization 198–204, 207–211
  - minimization 207
- silanes, hydrosilylation 286
- silica surfaces, vanadium oxides 232
- silicon-containing intermediates 285–316
- silsesquioxane structures 232
- silylium ion 298
- silylmetallation 294, 305
- molecular orbitals 287
- single-point energy calculations 339
- $[\gamma\text{-(SiO}_4\text{)W}_{10}\text{O}_{32}\text{H}_4]^{4-}$  218–223
- Sm-catalyzed processes 192
- Sm-eight-membered metallacycles
- backbiting reaction 200–201
  - proton transfer 201
- SOC *see* spin-orbit coupling
- solid-state catalysts 231–244
- solvent effects 31, 144
- counter cation effect 228
  - Shilov reaction 266
  - $[\gamma\text{-(SiO}_4\text{)W}_{10}\text{O}_{32}\text{H}_4]^{4-}$  219
- Sonogashira reaction 109
- spin crossover, two state reactivity paradigm 338
- spin-orbit coupling (SOC), methane hydroxylation 317–336
- state-selective reactivity 337
- stepwise oxidation mechanism
- barriers 19
  - GPx 18
- stereochemistry, hydrosilylation reactions 289–291
- stereoregularity 195–204
- control 192
  - kinetic scheme 195–204
  - rotational movement 195
- steric repulsion 195
- Stille reaction 122–124
- stretching frequencies 93
- surface species, C–H bond activation 232–233
- surrounding protein effect, GPx 12–16
- Suzuki–Miyaura reaction 114–121
- bis(phosphine) systems 118–119
  - cross-coupling reactions 109
  - monophosphine systems 120–121
- symmetrical R–R coupling 135
- syndio-enriched polymers 190
- syndiotacticities, GTP 197
- t**
- ten-membered metallocenes 201–204
- tert-butyl hydroperoxide (TBHP) 216
- tetra-n-butylammonium ion, counter cation effect 226
- tetracoordinated metallocene-enolate-MA complex, symmetry 185
- tetradentate ligands 27
- tetrahedral intermediate, eight-membered metallacycles 203
- tetrahydrofuran (THF), group transfer polymerization 184
- tetramethylammonium ion 218
- 3,4,3',4'-tetramethylated *ansa* system 207
- tetrapyrrole cofactors 27–53
- B<sub>12</sub> chemistry 38–41
  - bond dissociation 40
  - cavity size and flexibility 33–35
  - chlorophylls 50–51
  - comparison of intrinsic chemical properties 31–38
  - cytochrome-like electron transfer 35–36
  - cytochromes 42–44
  - F430 41–42
  - globins 42
  - heme enzymes 44–47
  - His ligand 47–50
  - hole size 33
  - lower axial ligands 38–42
  - metallation reaction 37–38
  - potential energy curves 34
  - proximal side 38
  - reaction energy 37
  - spin states 32–33
  - stability of metal–carbon bond 36–37
  - tuning by axial ligands 38–51
- Ti complexes 95
- Toste mechanism, hydrosilylation 302
- transition metal catalysts 149
- C–C bond activation 131–145, 351–355
  - C–H bond activation 273–274
- transition metal cations
- CH<sub>4</sub> bond activation 347–351
  - X–H (X = O, N, C) bonds activation 339–340
- transition metal center, side-on  $\eta^2$  coordination 104
- transition metal complexes 274–276, 337–361
- $\sigma$ -bond activation 265–284
  - electron localization function 355–360
  - hydrosilylation 292
  - Mo, W and Re 298–303
  - Ru and Os 303–312
  - Zr and Ta 294–296

- transition metal ions 340–343
    - bond insertion 343–347
  - transition metal oxides
    - C–H bond activation 231–245
    - catalysts 235–238
    - methane hydroxylation 317–336
  - transition metal oxo bonds 241
  - transition metal–dinitrogen complexes 86
  - transition states 135, 153, 157, 208, 255–256
    - C<sub>2</sub>H<sub>2</sub> polymerization 354
    - cleavage of N–O bond 70
    - counter-cations 222
    - GPx structures 9–11
    - group transfer polymerization 188–190
    - intramolecular hydrosilylation 306
    - isomerization 127
    - kinetic isotope effect 329
    - Mo-based catalysts 260
    - olefin metathesis 250
    - olefin propagation 159
    - ONIOM structures 13
    - ring-opening reactions 191, 194
    - Shilov reaction 266
    - side reactions 207
    - [ $\gamma$ -(SiO<sub>4</sub>)W<sub>10</sub>O<sub>32</sub>H<sub>4</sub>]<sup>4-</sup> 219
    - [ $\gamma$ -(SiO<sub>4</sub>)W<sub>10</sub>O<sub>28</sub>(OH)<sub>3</sub>(OOH)(H<sub>2</sub>O)]<sup>4-</sup> 220
    - Stille reaction 123
    - water molecule reactions 342
  - transmetalation 114–124
    - base 117–118
    - cis alternative 118
    - cross-coupling reactions 111
    - energy profiles 114
  - tripletelectronic states, frontier orbitals 98
  - trivanadium, olefin epoxidation 216
  - tungsten catalyst, hydrosilylation 298
  - tungsten-silylene complex 299–300
  - turnover-limiting step 154
  - two state reactivity paradigm 337–361
- u**
- unsaturated ligands 133–145
  - unsaturated organic molecules 144
- v**
- vanadium oxide 231–244
    - reducibility 235
  - Vin–Ph reductive elimination 138
  - Vin–Vin reductive elimination 137
  - VinaVin coupling, different ligands 142
  - vinyl bromide, cross-coupling reactions 111
  - vinyl groups, reductive elimination 134
  - vinylboronic acid, cross-coupling reactions 111
  - vinylsilanes, formation 288
- w**
- W-hydroperoxy (W–OOH) species, formation 218–220
  - water-derived ligands, photosystem II 59
  - water molecule 340–343
    - bimolecular reactions 339
    - reaction barriers 343
  - Wu–Trost mechanism, alkyne hydrosilylation 305
- x**
- X–H (X = O, N, C) bonds activation 339–340
    - reactivity paradigm 337–361
- z**
- zirconocene enolate-MA complexes, formation energies 204
  - zirconocene metallacycles, diastereomeric 196
  - zirconocene systems 181
    - energies 209
    - interatomic distances 187
  - Zr-catalyzed processes, stereoregularity control 192
  - Zr centers, dinitrogen hydrogenation 101–103
  - Zr-eight-membered metallacycles
    - backbiting reaction 200–201
    - proton transfer 201