

# Index

## • Symbols and Numerics •

- & (ampersand), for concatenation, 108
- \* (asterisk)
  - as field name in query, 99
  - in queries, 93–94
  - as wildcard character, 67
- [ ] (brackets), for query prompts, 95
- ∞ (infinity symbol), 99, 100
- # (pound sign), for Date/Time field, 92, 118
- “ (quotation marks)
  - for concatenating fields, 109
  - for text field criteria, 92
- 3-D look for datasheet, 69–70

## • A •

- .accdb extension, converting to .mdb, 23–24
- Access
  - basic database parts, 10–11
  - launching, 11–12
  - shortcut keys for, 295–296
  - user interface (UI), 17–20
- Access 2007 Workbook Videos folder, 300
- Access objects, opening using Tabbed Documents interface, 26
- Access Options window
  - basics, 25, 27–28
  - choices in, 292
  - for setting startup form, 278
  - Trust Center, 30
- Action Arguments pane in macro design window, 264–265, 270, 271
- action queries
  - append queries
    - creating, 126–129
    - defined, 125
    - design, 128
    - for single record, 129–130
    - source table creation, 125–126
  - basics, 115
  - delete queries
    - creating, 131–133
    - criteria for, 133–135
    - defined, 131
  - macro to run, 269–270
  - make table query
    - creating, 137–139
    - defined, 137
- Actions pane in macro design window, 264–265
- Add-ins
  - basics, 26
  - options for, 292
- Advanced options, 26
- aligning
  - controls, 200–202
  - text in columns, 71
- Alignment commands, in Layout view, 160
- All tab, on Property Sheet, 165
- Allow Design View property, 177
- Allow Layout View property, 177
- Allow Value List Edits property, for combo boxes and list boxes, 212
- Alternate Fill Color, in Layout view, 160
- ampersand (&), for concatenation, 108
- AND operator, 67
- antivirus software, and software setup, 301
- Append dialog box, 127, 129
- append queries
  - creating, 126–129
  - defined, 125
  - design, 128
  - for single record, 129–130
  - source table creation, 125–126
- ArtistID Footer for report, 244
- asterisk (\*)
  - as field name in query, 99
  - in queries, 93–94
  - as wildcard character, 67
- Attachment data type, 40

- AutoFormat gallery
  - for forms, 191–192, 216
  - for reports, 242
- automating database, 291–292
- AutoNumber data type
  - basics, 40
  - filtering choices, 63
  - as primary key, 288
  - sort choices, 61

## • B •

- background color, of rows, 69
- Background Painter, in Layout view, 160
- backup of database
  - before action query, 126
  - basics, 21–22, 115–116
  - importance of, 287–288
- beep for message box, 271
- blank database, creating, 13–14
- Block layout, 234
- bold font, 68, 159, 160
- Border Color property, 210
- Bottom command, for control alignment, 201
- Bound Column property, for combo boxes and list boxes, 212
- brackets ([ ]), for query prompts, 95
- buttons
  - for closing form, 253–255
  - to open form, 258–261
  - reusing, 261–262
- Bytes setting for number fields, 44

## • C •

- calculated fields
  - creating, 105–109
  - updating, 120–124
- calculations
  - text box for display, 181–183
  - totals
    - adding to report, 243–247
    - calculating, 109–112
    - forms for multiple items with, 186–188
- Can Grow property, 250
- Can Shrink property, 250

- capitalization, in object names, 289
- Caption field property
  - of column, 46
  - of form, 173–174
  - of label, 166–167
- captions, 289–290
- cascades, 80
- CD-ROM
  - basics, 4
  - contents, 300–301
  - copying database backup to, 22
  - system requirements, 299
  - using, 299–300
- child table, 78
- classic interface, 27
- clearing sort, 60–61
- Clipboard
  - basics, 290
  - shortcut keys for, 296, 297–298
- close button, adding to form, 253–255
- Close Button property, 174
- closing windows, 29
- collapsed view of Navigation pane, 19
- color
  - of controls, 159–160
  - of font, 68, 160
  - of rows, 69
- Column Count property, for combo boxes and list boxes, 212
- Column Heads property, for combo boxes and list boxes, 213
- Column Widths property, for combo boxes and list boxes, 212
- columns
  - aligning text in, 71
  - filtering data on multiple, 65–66
  - selecting in Design view, 89
  - sorting data by multiple, 61–62
  - sorting data by single, 59–60
- combining multiple tables, 140–141
- combo box
  - adding to form, 205–208
  - basics, 182
  - defined, 205
  - Property Sheet, 211–213
- Combo Box Wizard, 206

- comma format, in Layout view, 160
  - command button, running macro from, 268–269
  - Command Button Wizard
    - basics, 253–261
    - and macros, 263
  - Compact Database Into dialog box, 23
  - compacting databases, 22–23
  - compressing file, 23
  - concatenated text fields, 108–109, 183–185
  - Conditional Formatting dialog box, 194–195
  - confirmation dialog box, for updates, 118
  - context-sensitive menus, 291
  - contextual tabs, 18
  - Contract Address Book report, 28
  - Control Box property, 174
  - Control Margins gallery, 194
  - Control Padding gallery, 193
  - Control Wizard, 254
  - controls
    - adding and removing, 157–159
    - changing properties of, 166–167
    - changing properties of multiple, 168
    - conditional formatting, 194–195
    - Control Source property of, 181–185
    - defined, 154
    - deleting, 159
    - formatting, 159–162
    - grouping and ungrouping, 197–198
    - moving and aligning, 200–202
    - padding and margins, 192–194
    - right-clicking, 291
    - selecting, 165–166
    - sizing, 199–200
    - sizing and moving, 155–157
    - tab order of, 202–204
  - controls on reports
    - moving between sections, 247–248
    - properties, 239–241
    - sizing, 237–238
  - copy and paste, 290
  - copying
    - buttons between forms, 261–262, 290
    - from CD-ROM to hard drive, 4–5
  - corruption, 22
  - Count() function, 187, 188
  - counting records, 109–111
  - Create New dialog box, 276
  - Create tab on Ribbon
    - basics, 18
    - Forms group
      - Form, 145–146, 191
      - More Forms, 150
      - Multiple Items, 186
      - Split Form, 215
    - Other group Macro, 266
    - Other group, Query Design
      - appending from source table, 126
      - for counting records, 109
      - for delete query, 131
      - for make table query, 137
      - for multi-table select query, 99
      - for numeric calculated fields, 105
      - for query to add data, 97
      - for select query, 86
      - for select query for update, 116
      - update to calculated value, 121
      - update with criteria, 119
      - for values from multiple rows, 111
    - Reports group
      - Labels, 235
      - Report, 227–228
      - Report Wizard, 232
    - Tables group, Table Design, 41, 78
  - criteria, adding to select query, 91–92
  - Currency data type
    - basics, 39
    - filtering choices, 63
    - sort choices, 61
  - currency format, in Layout view, 160
  - Current Record button
    - in Datasheet view, 54
    - in Form view, 146, 148
  - cut and paste, 290
- D •
- data entry
    - basics, 49–50
    - lookup column for, 42–43
    - properties, 175–176
    - with select queries, 97–99
    - shortcut keys for, 297–298
  - Data tab, on Property Sheet, 164

- data types
  - basics, 39
  - filtering choices, 63
  - and sort choices, 61
- database file, double-clicking to open, 11
- database management system (DBMS), 9
- database objects
  - options to customize creation, 25
  - prefix for names, 87
  - right-clicking, 291
- Database to Compact From dialog box, 23
- Database Tools tab on Ribbon
  - basics, 18
  - Database Tools group, Switchboard Manager, 273, 276
  - Decrypt Database, 31
  - Encrypt with Password command, 31
  - Show/Hide group, Relationships, 74, 75, 76, 78
- databases
  - automating, 291–292
  - backup, 21–22
  - basics, 9–11
  - compacting and repairing, 22–23
  - creating
    - blank, 13–14
    - from local template, 14–15
    - from online template, 15–16
  - decrypting, 31
  - design planning, 288
  - encrypting, 30–31
  - opening existing, 16–17
  - options for, 292
  - saving, in different format, 23–24
- Datasheet Formatting dialog box, 70
- Datasheet section in split form
  - basics, 216
  - edits versus read-only, 217
- Datasheet tab, 36
- Datasheet view
  - for queries, 88
  - switching to, 38–40
  - table creation in, 35–37
- datasheets
  - checking spelling, 57
  - font changes, 68
  - options for, 25, 292
- Date and Time dialog box, 185
- Date/Time data type
  - basics, 39
  - filtering choices, 63
  - sort choices, 61
- dates
  - displaying on forms, 185
  - formatting
    - on forms, 167
    - in Layout view, 161–162
  - shortcut key for inserting, 298
- dBase, importing data from, 283
- DBMS (database management system), 9
- decimal display, in Layout view, 160
- Decimal Places field property, 46
- Decimal setting for number fields, 44
- Decrease Decimals, in Layout view, 160
- decrypting databases, 31
- Default Value field property, 46
- default values, for new fields, 45
- default view, changing, 177–178
- delete query
  - changing select query to, 132–133
  - creating, 131–133
  - criteria for, 133–135
  - defined, 131
- deleting
  - cascades for related fields, 80
  - controls in Layout view, 159
  - fields in Design view, 40
    - and file size, 22
    - records, 52–53
    - relationships, 78
    - shortcut keys for, 297
- delimited text file
  - exporting data to, 281
  - importing data from, 283
- design of database, planning, 288
- Design View, 38–43
  - adding fields to table from, 40
  - form properties in, 171–174
  - inserting lookup column in, 42–43
  - for queries, 85–87
  - subform in, 220
  - switching to, 38–40, 154
- Design View command, 36
- desktop, adding Access program icon to, 12

docked Property Sheet, 165  
 document window, 26  
 Double setting for number fields, 44

## • E •

Edit Relationships dialog box, 76, 77  
 Edit Switchboard Item dialog box,  
   274, 276–277  
 Edit Switchboard Page dialog box,  
   274, 276–277  
 editing  
   in Datasheet view, 50–52  
   in Form view, 146–148  
   macros  
     after creation with wizard, 263–266  
     from navigation pane, 269–271  
     preventing by users, 175  
     Switchboard, 275–278  
 Editing record indicator (pencil), 51  
 embedded macro, 263  
 Enabled property, of calculated control, 185  
 encrypting databases, 30–31  
 error messages  
   during CD software setup, 301  
   and corrupt database, 22  
 Event tab, on Property Sheet, 164  
 Excel, 9  
 Excel spreadsheet  
   copying records to, 290  
   exporting data to, 279–281  
   importing data from, 282–283  
 Explorer (Windows)  
   compressing file, 23  
   creating blank database from, 14  
   for database backup, 22  
 Export – Excel Spreadsheet dialog box, 279  
 exporting data  
   basics, 279  
   to Excel spreadsheet, 279–281  
   to other formats, 281  
 External Data tab on Ribbon  
   basics, 18  
 Export group  
   Excel command, 279  
   options for, 281

Import group  
 Excel command, 282  
 options for, 283

## • F •

Field List pane, 157–158  
 Field Properties section, in Design view, 39  
 Field Size property, 44–45  
 fields  
   adding  
     in Layout view, 157–158  
     to table from Design view, 40  
   basics, 10  
   creating calculated, 105–109  
   customizing in select queries, 88–90  
   Design View for changing properties,  
   38–43  
   properties, 43–47  
   in query, rearranging, 90  
   references to duplicate names in different  
   tables, 123  
   removing from query, 89  
   renaming in Datasheet view, 37  
   right-clicking, 291  
   shortcut keys for moving between, 298  
   updating to blank, 120  
 Fields section, in Design view, 39  
 File New Database dialog box, 13  
 Fill color, in Layout view, 160  
 Filter On Empty Master property, for  
   subforms, 223  
 filtering data  
   by form, 66–67  
   on multiple columns, 65–66  
   by multiple values, 64–65  
   preventing by users, 175  
   removing filter, 64  
   by selection, 62  
   turning filter on and off, 64  
 Find dialog box, 230  
 finding and replacing data  
   with Find and Replace dialog box  
   basics, 55–57  
   shortcut key for, 298  
   with Search box, 55

First Record button  
   in Datasheet view, 54  
   in Form view, 148  
 fixed-width text file  
   exporting data to, 281  
   importing data from, 283  
 folder  
   for database, 13  
   as trusted location, 30  
 font name, 160  
 fonts  
   changing, 68  
   for controls, 159–160  
 footers for report, 244, 246  
 Force New Page property, 249, 250  
 form, filtering data by, 66–67  
 form formatting, with AutoFormat, 191–192  
 Form section in split form, 216  
 Form selector, 172  
 Form view  
   adding records, 149  
   editing data in, 146–148  
   navigation buttons, 148–149  
   switching to, 154, 175  
 Form Wizard, 150–152  
 Format field property, 46  
 Format Painter, in Layout view, 160–161  
 Format tab, on Property Sheet, 164  
 formatting  
   conditional based on control values,  
     194–195  
   controls in Layout view, 159–162  
   gridlines, 69  
   numbers and dates  
     on forms, 167  
     in Layout view, 161–162  
   page numbers, 240–241  
   reports, 242  
 forms, 11  
   adding close button, 253–255  
   adding combo box to, 205–208  
   adding list box, 208–210  
   adding picture, 195–196  
   adding subform, 218–221  
   allowing different views, 176–177  
   creating, 145–146  
   date display on, 185

  defined, 145  
   formatting dates and numbers, 167  
   modal pop-up, 178–179  
   multiple items with totals, 186–188  
   names for, 152  
   navigation buttons on, 255–258  
   opening, 258–261  
   properties, 171–174  
   versus reports, 237  
   reusing buttons, 261–262  
   running macro when opening, 269  
   showing and hiding elements, 174  
   split forms  
     changing look, 217  
     creating, 215–217  
     for Switchboard, 275  
     switching between views on, 153–154  
     using existing as subform, 221–222  
 frm prefix, 37, 87, 152, 228  
 function keys, uses of, 295  
 functions, 185–188

## • G •

Get External Data dialog box, 283  
 Get External Data – Excel Spreadsheet  
   dialog box, 283  
 Getting Started with Microsoft Office  
   Access page  
     basics, 12, 13  
   From Microsoft Office Online section, 15  
   Template Categories section, 14  
 graphics, adding to form, 195–196  
 Grid command, for control alignment, 201  
 gridlines, formatting, 69  
 Group, Sort, and Total pane, 245  
 grouping  
   adding to report, 243–247  
   controls, 197–198  
 groups in user interface, 17, 18

## • H •

hackers, 29  
 handles of controls, 199  
 header for reports, 244, 246  
 height, of selected controls, 200

help  
 basics, 20, 293  
 on properties, 169–170  
 shortcut key for, 295

Help button, 17, 18

hiding form elements, 174

Home tab on Ribbon  
 basics, 18

Clipboard group  
 Copy, 261  
 Paste, 262, 290

Datasheet View, 39

Design View, 38, 154

Find group  
 Find, 55  
 Replace, 56  
 Select All, 53

Font group  
 Align Text Left, 71  
 basics, 68  
 Center, 71  
 Fill/Back Color, 69  
 Gridlines, 69

Records group  
 Delete, 52, 175  
 Save, 50, 149  
 Spelling, 57

Sort & Filter group  
 Advanced, 64, 66, 67  
 appearance of, 60  
 Clear All Sorts, 61  
 Descending, 59  
 Selection, 62  
 Toggle Filter, 64, 65, 230

Switch Windows command, 29

Views group  
 Design View, 88  
 Layout view, 154  
 View, 230

Horizontal ruler, in Design view, 172

HTML document  
 exporting data to, 281  
 importing data from, 283

Hyperlink data type  
 basics, 40  
 filtering choices, 63  
 sort choices, 61

## • I •

icons for Access startup, creating, 12

ID Field Add New Field heading, 36

images, adding to form, 195–196

importing data  
 basics, 281  
 from Excel spreadsheet, 282–283  
 from other formats, 283

Increase Decimals, in Layout view, 160, 162

Indexed field property, 46

infinity symbol (∞), 99, 100

Inherit Value List property, for combo boxes  
 and list boxes, 212

inner join, 101

Input Mask field property, 46

Insert Picture dialog box, 196

inserting  
 dates and times, shortcut keys for, 298  
 lookup column, 42–43  
 page breaks in reports, 248–249

installing items from CD, 299–300

Integer setting for number fields, 44

Is Not Null, 93

Is Null, 92

italic font, 68, 160

## • J •

join, changing type, 101–103

join line, in query Design view, 99, 100

Join Properties dialog box, 101, 110–111

## • K •

Keep Together property, 250

## • L •

Label Wizard, 234–236

labels (mailing), creating, 234–236

labels on forms  
 basics, 182  
 changing text in Layout view, 162

landscape orientation, 234

- Last Record button
    - in Datasheet view, 54
    - in Form view, 148
  - launching Access, 11–12
  - layout for form, selecting in Form Wizard, 151
  - Layout view. *See also* controls
    - adding existing field to, 157–158
    - changing control sizes in, 155–156
    - changing label text, 162
    - deleting control, 159
    - Format Painter in, 160–161
    - formatting numbers and dates in, 161–162
    - for reports, 237
    - switching to, 154
  - Left command, for control alignment, 201
  - left outer join, 102, 103
  - Like operator, 93
  - Limit To List property, for combo boxes and list boxes, 212
  - Link Child Fields property, for subforms, 223
  - Link Master Fields property, for subforms, 223
  - list box
    - adding to form, 208–210
    - defined, 205
    - Property Sheet, 211–213
  - List Items Edit Form property, for combo boxes and list boxes, 212
  - List Rows property, for combo boxes and list boxes, 213
  - List Width property, for combo boxes and list boxes, 213
  - local template, creating database from, 14–15
  - location of database, 13
  - logo, adding to form, 195–196
  - Long Integer setting for number fields, 44
  - lookup column, inserting, 42–43
  - Lookup Wizard, 40, 42–43
  - Lotus 1-2-3, importing data from, 283
- **M** ●
- macro design window, 264–265
  - macros
    - for automating database, 291–292
    - creating, 266–267
    - defined, 11, 263
    - editing
      - after creation with wizard, 263–266
      - from navigation pane, 269–271
    - running, 267–269
  - main form, 219
  - Make Table dialog box, 138–139, 141
  - make table query
    - creating, 137–139
    - defined, 137
  - many-to-many relationships, 74
  - margins, for controls, 192–194
  - mathematical calculation display. *See also* calculations
    - text box for, 181–183
  - mcr prefix, 37, 87, 228
  - .mdb extension, converting .accdb to, 23–24
  - Memo data type
    - basics, 39
    - filtering choices, 63
    - sort choices, 61
  - memory (RAM), 301
  - Message bar, 17, 18
  - message box, beep for, 271
  - messages
    - Not enough memory, 301
    - Setup cannot continue, 301
    - "You cannot save this database in an earlier version format", 24
  - Microsoft Office, validating version, 16
  - Microsoft Office Button
    - location on screen, 12
  - Manage
    - Back Up Database, 21
    - Compact and Repair Database, 23
    - Save As, Access 2002-2003 Database, 24
  - Microsoft Office Online
    - for help, 20
    - for templates, 15
  - Microsoft Office Security Options dialog box, 29
  - Microsoft Office Trusted Location dialog box, 30
  - Min Max Buttons property, 174

mistakes  
 in creating relationships, correcting, 76  
 in data entry, undoing changes while editing, 51  
 modal pop-up forms, 178–179  
 Modal property, 179  
 modules, 11  
 Move handle, 199  
 moving between fields, shortcut keys for, 297  
 moving controls  
 basics, 200–202  
 in Layout view, 156–157  
 multiple controls, selecting, 166  
 Multiple Items command, 146, 186  
 multiple tables, combining, 140–141  
 multi-table queries  
 basics, 99–101  
 changing join type, 101–103  
 My Practice Databases folder, 4, 300

## • N •

names  
 for forms, 146, 152  
 for queries, 87  
 for reports, 228  
 for tables, 37  
 naming convention, 289  
 navigation buttons  
 in Datasheet view, 54  
 on form, 255–258  
 in Form view, 147, 148–149  
 main form and subform, 220  
 in Print Preview, 231  
 removing from form, 174  
 reusing, 261–262  
 Navigation pane  
 basics, 17, 18, 19  
 database object display, 116  
 editing macro from, 269–271  
 hiding, 278  
 running macro from, 267–268  
 New Record button  
 in Datasheet view, 54  
 in Form view, 148  
 New Row or Col property, 250

Next Record button  
 in Datasheet view, 54  
 in Form view, 148  
 Not enough memory message, 301  
 Null keyword, for update query, 120  
 null values in queries, 92–93  
 Number data type  
 basics, 39  
 filtering choices, 63  
 sort choices, 61  
 numbers  
 in calculated fields, 105–107  
 formatting  
 on forms, 167  
 in Layout view, 161–162

## • O •

object designers, options for, 292  
 objects  
 naming convention, 289  
 Property Sheets for, 163–166  
 right-clicking, 291  
 ODBC database, importing data from, 283  
 Office. *See* Microsoft Office  
 OLE Object data type, 40  
 On Load property of form, 269  
 On Open property of form, 269  
 one-to-many relationships, 73  
 one-to-one relationships, 73  
 creating, 76  
 online template, creating database from, 15–16  
 open database  
 compacting and repairing, 23  
 options related to current, 25  
 Open dialog box, 16  
 open view of Navigation pane, 19  
 opening  
 database exclusively, 31  
 existing database, 16–17  
 forms, 258–261  
 options for Access, 24–29  
 OR operator, 67  
 orphan records, 78  
 Other tab, on Property Sheet, 165

- outer joins
  - basics, 102, 103
  - for Find Unmatched query, 103–104
- Outlook
  - basics, 9
  - importing data from folder, 283
- Overlapping Windows interface, 27–29

● **p** ●

- padding for controls, 192–194
- page breaks in reports
  - groups and, 246
  - inserting, 248–249
- page header for report, 244
- page numbers, formatting, 240–241
- Paradox, importing data from, 283
- parent table, 78
- password
  - for encrypted database, 30
  - prompt for, and corrupt database, 22
- Password Required dialog box, 31
- Paste Append, 290
- Paste Table As dialog box, 116, 125–126, 290
- pasting buttons between forms, 262
- pencil icon (Editing record indicator), 51
- percent format, in Layout view, 160
- pictures, adding to form, 195–196
- planning database design, 288
- pop-up forms, modal, 178–179
- Pop Up property, 179
- portrait orientation, 234
- pound sign (#), for Date/Time field, 92, 118
- prefix
  - for form name, 152
  - naming convention and, 289
  - for query name, 87
  - for report name, 228
  - for table name, 37
- Previous Record button
  - in Datasheet view, 54
  - in Form view, 148
- primary key
  - basics, 41, 79
  - importance of, 288
  - for imported data, 282

- Print command, 231
- Print dialog box, shortcut key for, 298
- print orientation, portrait versus landscape, 234
- print preview, for reports, 230–232
- printing. *See also* reports
  - labels, 236
- prompt, for query criteria, 94–95
- proofing, options for, 292
- properties
  - of controls
    - changing multiple, 168
    - changing single, 166–167
  - for data entry, 175–176
  - defined, 163
  - of fields, 43–47
  - of forms, 171–174
  - help on, 169–170
  - of report sections, 249–250
- Property Sheet
  - for combo boxes and list boxes, 211–213
  - for command button, 268–269
  - for controls, 168
  - for controls on reports, 239–241
  - displaying and navigating, 163–165
  - docked or undocked, 165
  - for form, 174
  - for reports, 241
  - for split form, 217
  - for subforms, 222–223
- publishers, setting up trusted, 29

● **Q** ●

- qry prefix, 37, 87, 228
- queries
  - changing existing to create new, 104
  - Datasheet view for, 88
  - defining, 10, 85
  - multi-table, 99–101
  - null values in, 92–93
  - prompt for criteria, 94–95
  - rearranging fields, 90
  - removing fields from, 89
  - syntax for creating calculated field, 106
  - wildcard characters in, 93–94

- Query By Example (QBE) grid
    - adding Delete row to, 134
    - basics, 86, 87, 91
  - Quick Access toolbar
    - basics, 17, 18
    - options for, 292
  - Quick Launch toolbar
    - adding Access program icon to, 12
    - starting Access from, 11
  - quotation marks (“)
    - for concatenating fields, 109
    - for text field criteria, 92
- **R** ●
- RAM (memory), 301
  - RDBMS (relational database management system), 10
  - Record selector
    - in Datasheet view, 52–53
    - in Form view, 147
    - removing from form, 174
  - records
    - adding in Form view, 149
    - adding to table, 49–50
    - appending single, 129–130
    - basics, 10
    - counting, 109–111
    - deleting, 52–53
    - editing, 50–52
    - primary key
      - basics, 41, 79
      - importance of, 288
      - for imported data, 282
    - saving in Form view, 150
    - shortcut keys for manipulating, 297
    - sorting in query, 90–91
  - referential integrity, 78–81, 99
  - related table, subform for display
    - on form, 218
  - relational database management system (RDBMS), 10
  - relationships
    - creating, 76–77
    - defining, 73–74
    - deleting, 78
    - editing, 77
    - primary keys and, 288
    - with referential integrity, 79–80
  - Relationships window, 74–75
  - removable media, database backup to, 22
  - removing data. *See* deleting
  - repairing databases, 22–23
  - Repeat Section property, 250
  - replacing data. *See* finding and replacing data
  - ReplicationID setting for number fields, 44
  - Report Footer, 244
  - Report view, 229–230
  - Report Wizard, 232–234
  - reports
    - adding grouping and totals, 243–247
    - basics, 11
    - Contract Address Book, 28
    - creating, 227–228
    - defined, 227
    - formatting, 242
    - formatting page numbers, 240–241
    - versus forms, 237
    - moving controls between sections, 247–248
    - page breaks in, 248–249
    - print preview for, 230–232
    - properties, 241
    - right-clicking, 291
    - saving, 228
    - sizing controls, 237–238
  - Required field property, 46
  - Resizing cursor, 187, 199
  - Ribbon. *See also* Create tab on Ribbon; Database Tools tab on Ribbon; External Data tab on Ribbon; Home tab on Ribbon
    - basics, 17, 18
    - versus right-clicking objects, 291
    - shortcut keys for, 295
  - Right command, for control alignment, 201
  - right outer join, 102, 103
  - right-clicking, 291
  - Row Source property, for combo boxes and list boxes, 212
  - Row Source Type property, for combo boxes and list boxes, 212

- rows
  - adding values from multiple, 111–112
  - limiting number of updates, 119
- rpt prefix, 37, 87, 228
- RTF files, exporting data to, 281
- rulers, in Design view, 172
- running macros
  - from command button, 268–269
  - from navigation pane, 267–268
- S •
- Save As dialog box, 21, 37, 295
- saving
  - database, in different format, 23–24
  - macros, 266
  - records in Form view, 150
  - reports, 228
  - sorted table, 60
  - tables, 37
- screen tips, options for, 292
- Scroll Bars property, 174
- scrolling, shortcut keys for, 298
- Search box
  - in Datasheet view, 54, 55
  - in Form view, 147, 148
- searches, for help, 293
- sections of reports
  - moving controls between, 247–248
  - properties, 249–250
- security
  - basics, 29–31
  - and macros, 270
- select queries
  - to add data, 97–99
  - adding criteria, 91–92
  - changing to delete query, 132–133
  - changing to make table query, 138–139
  - creating
    - in Datasheet view, 88
    - in Design view, 85–87
  - customizing fields in, 88–90
  - defining, 85
  - for delete query, 131–132
  - for make table query, 137–138
  - sorting data in, 90–91
  - for updates, 116–117
- selected row, appearance of, 53
- selecting
  - all records, 53
  - controls on form, 165–166
  - form for property changes, 172
- selection, filtering data by, 62–63
- Set Database Password dialog box, 31
- Setup cannot continue message, 301
- SharePoint List
  - exporting data to, 281
  - importing data from, 283
- Shift key, for selecting multiple controls, 166
- shortcut keys
  - for data entry, 297–298
  - for using Access, 295–296
- Show Date Picker field property, 46
- Show Only Row Source Values property, for
  - combo boxes and list boxes, 212
- Show Table dialog box, 74–75, 86
- Single setting for number fields, 44
- Size handles, 199
- size of font, 68, 160
- sizing controls
  - basics, 199–200
  - in Layout view, 155–156
  - on reports, 237–238
- Sort indicator, 60
- sorting report groups by field, 246
- sorting table data
  - clearing sort, 60–61
  - by multiple columns, 61–62
  - in select query, 90–91
  - by single column, 59–60
- Source Object property, for subforms, 223
- source table
  - appending records from, 126–129
  - creating, 125–126
- spaces, in object names, complications
  - from, 289
- spelling check, 57
- Spelling dialog box, shortcut key for, 298
- Split Form Datasheet property, 217
- Split Form Orientation property, 217

- split forms
    - changing look, 217
    - creating, 215–217
  - splitter bar, in split form, 217
  - spreadsheet in Excel
    - copying records to, 290
    - exporting data to, 279–281
    - importing data from, 282–283
  - SQL (Structured Query Language), 10
  - SQL View, 95–96
  - Stacked command, 198
  - Start menu, adding Access program
    - icon to, 12
  - starting Access, 11–12
  - startup form, setting, 278
  - Status bar, 17, 18
  - Structured Query Language (SQL), 10
  - style for form, selecting in Form Wizard, 151
  - Subform Wizard, 219
  - subforms, 218–221
    - properties, 222–223
    - using existing form as, 221–222
  - Sum() function, 188
  - Switchboard
    - benefits, 292
    - creating, 273–275
    - editing, 275–278
    - opening when opening database, 278
  - Switchboard Manager, 273–274
    - for editing Switchboard, 276–277
- T •**
- Tab Index property of controls
    - basics, 204
    - manually changing, 208
  - Tab Order dialog box, 210
  - tab order of controls, 202–204
  - Tabbed Documents interface, 26–27
  - tables
    - adding fields from Design view, 40
    - adding records, 49–50
    - adding to Relationships window, 74–75
    - basics, 10
    - combining multiple, 140–141
    - creating
      - in Datasheet view, 35–37
      - in Design view, 41
    - editing records, 50–52
    - making backup copy, 116
    - multiple with same field names, 123
    - sorting data, 59–62
    - updating values from another, 122–124
  - tabs in Ribbon, 17, 18
  - tape backup, copying database to, 22
  - Tasks template, 14
  - tbl prefix, 37, 87, 228
  - templates for databases
    - basics, 13
    - creating database from local, 14–15
    - creating database from online, 15–16
  - text, aligning in columns, 71
  - Text box
    - basics, 182
    - for mathematical calculation display, 181–183
    - for totals, 188
  - Text data type
    - basics, 39
    - filtering choices, 63
    - sort choices, 61
  - text fields, concatenated
    - creating, 108–109
    - into single text box, 183–185
  - text files
    - exporting data to, 281
    - importing data from, 283
  - 3-D look for datasheet, 69–70
  - time, shortcut key for inserting, 298
  - To Fit command, for control sizing, 200
  - To Grid command, for control
    - sizing, 200
  - To Narrowest command, for control
    - sizing, 200
  - To Shortest command, for control
    - sizing, 200
  - To Tallest command, for control sizing, 200
  - To Widest command, for control sizing, 200
  - Toggle Filter command, 230
  - Top command, for control alignment, 201

- totals
  - adding to report, 243–247
  - calculating, 109–112
  - forms for multiple items with, 186–188
- troubleshooting, 301
  - errors when creating relationships, 76
- Trust Center
  - basics, 26, 29–30
  - options for, 292

## • U •

- UI (user interface), 17–20
- underlined font, 68, 160
- undocked Property Sheet, 165
- undoing changes while editing
  - basics, 51
  - shortcut keys for, 297
- ungrouping, controls, 197–198
- update queries
  - for calculated fields, 120–124
  - cascading, 80
  - creating, 116–119
  - with criteria, 119–120
  - defining, 115
- USB drive, copying database backup
  - to, 22
- Use Control Wizards command,
  - 206, 219, 254
- user interface (UI), 17–20
- users
  - controlling access to objects by, 273
  - preventing editing and filtering by, 175

## • V •

- validating version of Microsoft Office, 16
- Validation Rule field property, 46
- Validation Text field property, 46
- values of field
  - basics, 10
  - conditional formatting based on, 194–195
  - updating from another table, 122–124
- Vertical ruler, in Design view, 172
- videos, 4

- views
  - allowing different, 176–177
  - changing default, 177–178
  - switching between on form, 153–154
- Visible property
  - of controls, 259
  - of section, 250
- Visual Basic for Application (VBA), 11

## • W •

- width, of selected controls, 200
- wildcard character
  - \* (asterisk) as, 67
  - in queries, 93–94
- windows, closing, 29
- Windows Explorer
  - compressing file, 23
  - creating blank database from, 14
  - for database backup, 22
- Windows SharePoint Services, 15
- wizards
  - Combo Box Wizard, 206
  - Command Button Wizard
    - basics, 253–261
    - and macros, 263
  - Control Wizard, 254
  - editing macro created with, 263–266
  - Form Wizard, 150–152
  - Label Wizard, 234–236
  - Lookup Wizard, 40, 42–43
  - Report Wizard, 232–234
  - Subform Wizard, 219
  - Use Control Wizards command,
    - 206, 219, 254
- Word, exporting data to, 281

## • X •

- .xls file extension, 279
- .xlsb file extension, 279
- .xlsx file extension, 279
- XML file
  - exporting data to, 281
  - importing data from, 283

• **Y** •

Yes/No data type

- basics, 40

- filtering choices, 63

- sort choices, 61

- "You cannot save this database  
in an earlier version format"  
message, 24

• **Z** •

zipping file, 23

Zoom Slider, in Print Preview, 231

Zoom window

- shortcut key for, 296, 298





