

Index

SYMBOLS AND NUMERICS

& (ampersand)

- escaping in HTML/XHTML, 301, 394
- PHP concatenation operator, 301

* (asterisk)

- universal selector prefix, 49
- wildcard character, 49

\ (backslash) comment prefix, 73, 272

]]> (brackets, greater-than sign) XHTML JS delimiter, 393

[] (brackets) heading delimiters, 355–356

, (comma)

- list category separator, 359
- media type attribute separator, 305

> (greater-than sign) child selector prefix, 52

(hash) id selector prefix, 51

<![(less-than sign, exclamation mark, bracket) XHTML JS delimiter, 393

. (period) class selector prefix, 50

“ ” (quotation marks, double)

- filename delimiters, 139–140
- XHTML attribute value delimiters, 392

3D box, 70, 81–82, 91

37signals.com Web site, 130

1976design.com Web site, 130

A

a HTML element, 383

a selector, 67

abbr HTML element, 383

accessibility, 183, 312, 335

acronym

- annotating, 186
- avoiding using on Web site, 182

acronym HTML element, 383

Active X control, 201

activeCSS JS function, 294, 295, 297

AddHandler HTML/XHTML directive, 202

address HTML element, 383

aesthetics, separating content from, 182

after pseudo-element, 93–99, 114–116, 226

alignment

- box, 194
- drop-down menu, 171
- text, 331
- vertical-align CSS property, 404

ampersand (&)

- escaping in HTML/XHTML, 301, 394
- PHP concatenation operator, 301

anchor

- class, assigning to, 223
- logo, 340
- positioning, 223–224
- sizing, 340, 365
- style sheet switching, in, 293, 294

Apache Web server, 201–202

applet HTML element, 384

area HTML element, 384

argument, passing to JS function, 294

array, associative, 302

asterisk (*)

- universal selector prefix, 49
- wildcard character, 49

attribute selector, 52–54, 225, 338

audience

ChristopherSchmitt.com Web site, 321
identifying, 9–10, 14–15, 181, 182
interviewing, 10
need, determining, 8
persona, assigning to, 8–11
UF Web site, 179, 180, 181, 182, 203
WebMag 5000 sample project, 14–15
Web-savvy, 321

auditing existing site, 12–13

author style sheet, 64, 66, 67

AW Stats software, 9

azimuth **CSS property, 395**

B

b **HTML element, 384**

Babble List Web site, 410

background **CSS property, 396**

background-attachment **CSS property, 395**

background-color **CSS property, 396**

background.gif **file, 188**

background-image **CSS property, 396**

background-position **CSS property, 396**

background-repeat **CSS property, 396**

backslash (\) **comment prefix, 73, 272**

backup prior to Suckerfish Dropdowns
implementation, 173

Band Pass Filter technique, 75

base **HTML element, 384**

basefont **HTML element, 384**

bdo **HTML element, 384**

before pseudo-element, 93–98, 112–113, 226

big **HTML element, 384**

block-level element, 38, 246

blockquote **HTML element, 384**

blog

ChristopherSchmitt.com Web site, 320, 352–359,
373–378

FC Weblog feature, 240

footer, 357–358

MSDN blogs Web site, 69

software overview, 320, 352

styling blog post, 320, 352–359

Blogger Web site

Bowman, Douglas (site designer)
interview, 78–81

“A Site for Your Eyes,” 239

Sliding Doors technique, 363

Web site (stopdesign.com), 130, 243, 315

box implementation

after pseudo-element, using in round-corner box,
93–99, 114–116

before pseudo-element, using in round-corner box,
93–98, 112–113

border, 70, 83, 90–91, 103

bottom, rounding, 98–107, 114–117

Firefox implementation, 101, 104–106, 117

hack, 75

height, 96–97, 115

image, placing in pointy-corner box, 85–86

image, placing in round-corner box, 89–90, 91,
102–104, 110–114

implied box, 119–120

liquid, 107–110

margin, 81, 83, 91, 95, 115

Mid Pass Filter, 75

padding, 70, 81, 83, 91, 103

sidebar, 90, 111

3D, 70, 81–82, 91

top of box, rounding, 90–98, 111–114

width, 62, 71, 81, 90, 107–110

XHTML coding, 88–89, 109

div HTML block usage, 120–128

drop shadow, 148, 150

page structure, 120–121

rollover implementation

color, link, 129–134, 135, 138–139

drop shadow, 148, 150

hover attribute, 130, 131, 138–139, 142–144,
146–147

image, link, 134, 136, 137–138, 148–155

line break in link, forcing using rule, 138

list item, 134–137

sizing, link, 136

underline, removing from link, 137

XHTML, 131, 133, 149

sidebar, 120, 122–125, 127

XHTML, 126

blogroll, 373–378

BlogThis! Google Toolbar button, 77

body **HTML element**

div HTML element body attribute versus, 120

ESPN.com Web site implementation, 214–220

font size, specifying in, 333

id attribute, 214, 216–219, 224, 237

leftmargin attribute, 30

marginheight attribute, 30, 35

marginwidth attribute, 30, 35

publishing mode, implementing using, 214–218

border

box, 70, 83, 90–91, 103
 color, 62, 247, 396, 397, 408
 column, 257
 FC Web site, 257
 list section, 191
 navigation bar, 61–62
 paragraph, 70
 spacing, 62, 396
 style, 62, 396, 397
 table, 30–34, 61–62
 width, 62, 94–95, 397

border **CSS properties, 396–397**

bottom **CSS property, 397**

bounding box. See box

Bowman, Douglas (Blogger Web site designer)

interview, 78–81
 “A Site for Your Eyes,” 239
 Sliding Doors technique, 363
 Web site (stopdesign.com), 130, 243, 315

box

alignment, 194
 border, 70, 83, 90–91, 103
 ChristopherSchmitt.com Web site box model, 325
 color, 90, 96, 110
 corner, pointy, 84–86
 corner, rounded
 after pseudo-element, coding using, 93–99, 114–116
 before pseudo-element, coding using, 93–98,
 112–113
 bottom of box, rounding, 98–107, 114–117
 IE implementation, 90, 101–107, 118
 image, placing in round-corner box, 89–90, 91,
 102–104, 110–114
 sidebar, 90, 111
 top of box, rounding, 90–98, 111–114
 width, liquid, 107–110
 XHTML, 88–89
 FC Web site box model, 246, 272
 Firefox implementation, 101, 104–106, 117
 height
 Blogger Web site, 96–97, 115
 UF Web site, 194, 197
 IE implementation
 border, 70
 descendant element, 272
 Mid Pass Filter, using, 75
 padding, 70
 rendering round-corner box, 101–107, 118
 sizing, 71, 90, 272

image

placing in pointy-corner box, 85–86
 placing in round-corner box, 89–90, 91, 102–104,
 110–114

implied, 119–120

inline, 246

margin

Blogger Web site, 81, 83, 91, 95, 115
 UF Web site, 189, 194, 195

Mid Pass Filter, applying to, 75

Opera implementation, 101, 104–106, 117

padding

Blogger Web site, 70, 81, 83, 91, 103
 UF Web site, 189, 197

Safari implementation, 101, 104–106, 117

search box, 327, 336–338

specification, 84

SuperTiny SimCity box model, 325

3D, 70, 81–82, 91

tone of site, setting using box model, 325

width

Blogger Web site, 62, 71, 81, 90, 107–110
 UF Web site, 189, 194

XHTML coding

corner, 88–89

width, liquid, 109

br **HTML element, 43, 384**

**brackets, greater-than sign (])>) XHTML JS
 delimiter, 393**

brackets ([]) heading delimiters, 355–356

Brothercake Web site, 312, 315

browser

Camino, 68

Firefox

box implementation, 101, 104–106, 117

font size rendering, 333

hover attribute support, 147

PGA Championship Web site viewed in, 170

testing site using, 68

Web Developer Toolbar, 410

Gecko-based, 68

HTML support, 30, 35

IE

auto-margin support, 281

Band Pass Filter, workaround using, 75

border in box implementation, 70

centering page, 330–331

comment, rendering, 73

container selector implementation, 281

descendant element in box implementation, 272

browser (continued)

browser (continued)

- Flash movie implementation, 201–202
- font size rendering, 332
- Holly Hack technique, 272
- hover attribute support, 147, 168
- IE7 JS module library, 275
- Internet Options dialog box, 341
- layout, implementing three-column, 267–273
- list implementation, 195–196, 197
- max-width CSS property implementation, 273, 275, 281–282
- Mid Pass Filter, resolving box implementation bug using, 75
- padding in box implementation, 70
- paragraph rendering, bug involving, 70–71
- PNG support, 163
- pseudo-element support, 356
- rollover implementation, 139–140, 156–157, 341
- round-corner box implementation, 101–107, 118
- selector support, 51, 54
- Settings dialog box, 341
- sizing box, 71, 90, 272
- standalone version, 69
- Star HTML Hack, 272
- Suckerfish Dropdowns support, 172, 173
- Temporary Internet Files fieldset, 341
- testing site using, 68–69
- Web standards support, 69
- import rule, testing browser support of CSS technique using, 283
- Mozilla
 - font size rendering, 333
 - Suckerfish Dropdowns support, 172
 - testing site using, 68
 - Web Developer Toolbar, 30, 410
- Netscape, 182, 183
- Opera
 - box implementation, 101, 104–106, 117
 - hover attribute support, 147
 - testing site using, 68
- Safari
 - box implementation, 101, 104–106, 117
 - hover attribute support, 147
 - style sheet, support for alternate, 290
 - Suckerfish Dropdowns support, 173
- style sheet
 - browser style sheet, 65, 67
 - switching support, 290–291
- targeting specific, 36, 74, 271, 321
- testing site using reliable, 68–69, 71

- UF Web site support, 182, 183
- window width, filling, 240–242, 273–275

BrowserMatch **directive**, 201–202

budgeting, 4, 6

Building Accessible Websites (Clark), 183

bullet, removing from list, 60, 134–135, 188, 359

button

- color, 338

- Google Toolbar BlogThis! button, 77

- navigation button, 363–364

- state, indicating, 363

- three-dimensional, 363

button **HTML element**, 384

C

Camino browser, 68

caption **HTML element**, 384

caption-side **CSS property**, 397

card sorting, 182

cascade

- inheritance, role in, 58

- style origin, 64–66

case

- converting, 54

- sensitivity, 39, 393

Cederholm, Dan (FC Web site designer), 242–245

center **HTML element**, 384

centering page, 329–332

chamfer.gif **file**, 196

change, managing, 4–6

child

- element, 57

- selector, 105

chrispederick.com Web site, 170

Christopher.org Web site, 318

ChristopherSchmitt.com Web site

- accessibility, 335

- audience, 321

- blog, 320, 352–359, 373–378

- box model, 325

- browser, targeting, 321

- centering page, 329–332

- color, 325

- column layout

- gutter, 348, 351

- header, 343

- HTML, 344

- main column, 348–352

- side column, 344–347, 359–360

- emotion, communicating, 324
- font, 325, 332–334, 342
- footer, 323, 329, 356–358, 378–379
- header, 320
- history, 317–318
- home page, 328
- image usage, 319–320, 325, 351, 354
- introduction paragraph, 349–350
- inventorying, 321
- logo, 325, 339–343
- meta information, 356, 359, 379
- navigation system
 - button, 363–364
 - JS, 318
 - layout, 327
 - list, unordered, 361–362
 - scope, matching to, 320
 - Sliding Doors technique, role in creating, 363
 - submenu link, hiding, 368
 - user attention, drawing to, 360, 370, 371
- Photoshop role in site design, 319, 321, 328, 344, 363
- planning, 319–320
- Publications menu, 368–370
- rollover implementation, 341–342
- scope, 320–321
- search box, 327, 336–338
- sections, division into, 321–322
- site map, 321–322
- tagline, 342–343
- template system, 321
- tone, 324–327
- traffic, increasing, 320
- width, fixed, 327, 329
- wireframe, 322–323
- Cinnamon Interactive Web site, 21–22**
- `cite` **HTML element, 384**
- clagnut.com Web site, 28, 282**
- Clark, Joe (*Building Accessible Websites*), 183**
- Clarke, Andy (*IOTBS designer*), 311–316**
- class**
 - anchor, assigning to, 223
 - document tree, choosing appropriate position in, 220, 223
 - even, 143
 - HTML element, assigning to, 166
 - inheritance, 167
 - list element, assigning to, 166, 223
 - nav, 220–222
 - odd, 143
- selector
 - class selector, 50
 - content pseudo-class, 226
 - first-letter pseudo-class, 226
 - first-line pseudo-class, 226
 - lang pseudo-class, 226
 - negation pseudo-class, 226
 - structural pseudo-class, 225–226
 - UI element fragments pseudo-class, 226
 - UI element state pseudo-class, 226
 - user action pseudo-class, 226
- stories, 166
- style sheet, adding to, 166
- `ul` HTML element, adding to, 222, 224
- classitis, 40–42**
- `clear` **CSS property, 379, 397**
- client**
 - communication with, importance of, 6
 - goal, identifying with, 7–8
 - interviewing, 10
 - project stage sign-off, 3, 5
 - scope, creating with, 2, 6
 - site content, writing by, 321
- `clip` **CSS property, 397**
- `code` **HTML element, 384**
- `col` **HTML element, 384**
- `colgroup` **HTML element, 384**
- color**
 - background
 - block-level, 409
 - CSS `background-color` property, 396
 - drop shadow, 161, 162–163, 165, 167
 - Flash movie, 162–163
 - table, 33, 59, 143
 - black, simplifying construction using, 316
 - border, 62, 247, 396, 397, 408
 - box, 90, 96, 110
 - button, 338
 - ChristopherSchmitt.com Web site, 325
 - column, 257, 349
 - `div` HTML block, 247
 - FC Web site, 247, 257
 - hexadecimal value, 48
 - image, applying simultaneously with, 164
 - link
 - rollover link, 129–134, 135, 138–139
 - unordered list link, 188
 - list, unordered, 62, 166–167, 170, 188
 - navigation bar, 62

color (continued)

color (continued)

- search box, 337, 338
- selector color declaration, 48
- table row, 140–143
- text, 139, 143–145, 146, 166, 342
- tone of site, setting using, 325

color **CSS property, 398**

column layout

- ChristopherSchmitt.com Web site
 - gutter, 348, 351
 - header, 343
 - HTML, 344
 - main column, 348–352
 - side column, 344–347, 359–360

three-column

- block, top-level, 253
- border, 257
- color, 257
- div element, 258–259, 260
- footer, 254, 257, 259, 263
- header, 253, 254, 257
- IE implementation, 267–273
- inventorying content, 252–253
- margin, 261, 264, 268–269
- padding, 262
- positioning, 258–266
- scroll bar, removing horizontal, 267, 269, 270
- sidebar, 261, 262, 263, 264–266
- style, 256–257
- XHTML, 254–256

two-column

- color, 349
- gutter, 348, 351
- Harvard University Web site, 44
- header, 34
- HTML, 344
- introduced, 30
- main column, 348–352
- margin, 345, 351
- padding, 345
- positioning, 344–345
- side column, 344–347, 359–360

comma (,)

- list category separator, 359
- media type attribute separator, 305

comment

- Holly Hack, 272
- IE for Macintosh comment rendering, 73
- syntax, 73

compression

- GIF, 163
- JPEG, 162
- PNG, 162

conformance **selector, 64**

container **selector, 281–282**

“Containing Floats” (Meyer), **61, 282**

content **CSS property, 398**

content hierarchy, 14–16

content pseudo-class, 226

content **selector, 51, 56**

contrast.css file, 284–285

cookie

- described, 296
- expiration, 297
- JS, 296–300, 302
- PHP, 302–303
- style sheet switching, using in, 296–298

copywriter, hiring, 321

core.css file, 280–281, 282–284

counter-increment **CSS property, 398**

counter-reset **CSS property, 398**

CSF (Critical Success Factor), 7

CSS Zen Garden Web site, 312

css-discuss **mailing list, 410**

cue **CSS properties, 398**

cursor **CSS property, 398**

D

The Daily Telegraph newspaper, 208–210

database developer, 3

Davidson, Mike (ESPN.com Web site designer), 206–208

dd **HTML element, 384**

deconcept.com **Web site, 175**

del **HTML element, 384**

descendant, **HTML element, 57**

designer block, 245

device style, non-browser, 306

dfn **HTML element, 384**

Digital Web Magazine Web site, 295

dir **HTML element, 384**

direct adjacent combinator selector, 226

direction **CSS property, 398**

Disney Store UK Web site, 312

display **CSS property, 398**

div **HTML element**

- Blogger Web site usage, 120–128
- body attribute, 120, 121–126, 127

color, 247
 divitis, 40–42
 frame container, 347
 header attribute, 120
 id attribute, 45, 120–126, 247
 inheritance, `div` block, 249
 inner `div` block, 247–249, 251
 introduction paragraph, placing in, 350
 layout, in three-column, 258–259, 260
 offset, 247, 258
 outer `div` block, 248, 249, 250–252
 positioning `div` block, 163–164, 247–250, 251, 258–259, 260
 sidebar coding, 127–128
 width, 121, 258
 wrapping unordered list in, 185–186, 192–193

dl HTML element, 384

DOCTYPE (document type) declaration, 37, 54–55

Document Type Definition (DTD), 37, 383, 390–391

DOM (Document Object Model), 172

drop shadow

- background color, 161, 162–163, 165, 167
- bandwidth, 161
- Blogger Web site, 148, 150
- PGA Championship Web site, 160–168
- Photoshop, editing shadow image using, 161–163, 165
- rollover, 148, 150
- transparency, 150, 165
- UF Web site, 189
- XHTML, 166, 167–168

drop-down menu

- alignment, 171
- hover attribute, 168
- list, 169–171
- margin, 171–172
- padding, 171
- PGA Championship Web site, 168–174
- positioning, 169–170
- style, 170–174
- Suckerfish Dropdowns, using, 168–174
- text, 171
- unordered list, converting to, 43, 168, 169, 170, 172

dt HTML element, 384

DTD (Document Type Definition), 37, 383, 390–391

E

E element selectors, 225–226

Edit menu (Photoshop), 161

element

- block-level, 38, 246
- box descendant element, IE implementation, 272
- child, 57
- closing, 38–39
- content area, 69
- descendant, 57
- hierarchy, 57–58
- inline, 38, 246
- input element, selecting by attribute value, 227
- naming, 255
- parent, 57
- position property, 246
- pseudo-element
 - after, 93–99, 114–116, 226
 - before, 93–98, 112–113, 226
 - clearing using rule, 100–101, 116
 - IE support, 356
- sibling, 57
- style, 92–93
- syntax, 408–409

elevation CSS property, 399

em HTML element, 384

EM value, sizing font using, 282, 333

emotion, communicating, 324

empty-cells CSS property, 399

enhancement, progressive, 275

ESPN.com Web site

- bandwidth, 206
- body HTML element implementation, 214–220
- CSS implementation by non-technical staff, 212
- Davidson, Mike (site designer), 206–208
- formatting, per-article, 208
- future-proofing, 213
- importance-based design, 208–212
- publishing mode
 - body HTML element, implementing using, 214–218
 - Regular, 209, 211, 214, 215–219
 - Skirmish, 211–212, 214–220
 - War, 210, 212, 213, 215–219, 221
- size, 205
- traffic volume, 205

even class, 143

event handler, JS, 295

eXtensible Hypertext Markup Language (XHTML). See also HTML (Hypertext Markup Language)

- AddHandler directive, 202
- & (ampersand), escaping, 394

eXtensible Hypertext Markup Language (XHTML) (continued)

- attribute
 - id, 393
 - minimization, 392
 - name attribute, 393
 - syntax, 392
 - xmlns, 391
- box coding
 - corner, 88–89
 - width, liquid, 109
- case sensitivity, 39, 393
- DOCTYPE declaration, 37
- drop shadow, 166, 167–168
- DTD, 37, 383, 390–391
- element
 - closing, 38
 - empty, 392
 - nesting, 393
- Flash movie implementation, 202
- frameset, 390, 391
- HTML, converting to, 389–394
- JS, using with, 393
- layout, three-column, 254–256
- li tag, 38
- list, unordered, 165–166, 167, 184–186
- namespace, 391
- p tag, 38
- PHP code, inserting in, 303
- rollover, 131, 133, 149
- strict, 390, 391
- style sheet switching, 278–279, 291–292, 301
- table row color coding, 140–141
- template, outlining, 46
- transitional, 390, 391
- UF Web site navigation system, 184–186, 191–193
- validation, 394
- well-formed, 37–38
- W3C resources, 36
- XML, relation to, 389–390

eXtensible Markup Language (XML), relation to XHTML, 389–390

F

FC (Fast Company) Web site

- border, 257
- box implementation, 246, 272
- browser window width, filling, 240–242, 273–275
- Cederholm, Dan (site designer), 242–245
- color, 247, 257
- element name standard, 255

- flexibility, 240
- home page, 240
- screen resolution, 241
- sidebar, 261, 262, 263, 264–266
- three-column layout
 - block, top-level, 253
 - border, 257
 - color, 257
 - div element, 258–259, 260
 - footer, 254, 257, 259, 263
 - header, 253, 254, 257
 - IE implementation, 267–273
 - inventorying content, 252–253
 - margin, 261, 264, 268–269
 - padding, 262
 - positioning, 258–266
 - scroll bar, removing horizontal, 267, 269, 270
 - sidebar, 261, 262, 263, 264–266
 - style, 256–257
 - XHTML, 254–256
- Weblog feature, 240

fieldset HTML element, 336–337, 384

findWord JS function, 294

Firefox browser

- box implementation, 101, 104–106, 117
- font size rendering, 333
- hover attribute support, 147
- PGA Championship Web site viewed in, 170
- testing site using, 68
- Web Developer Toolbar, 410

first-letter pseudo-class, 226

first-line pseudo-class, 226

Flash movie

- Active X control, 201
- AddHandler HTML/XHTML directive, 202
- background
 - color, 162–163
 - image, 163
- detection, server-side, 201–202
- div HTML block, positioning using, 163–164
- embedding, 174–175, 199–202
- functionality of site, preserving on computer without
 - Flash installed, 199–200
- .htaccess file, 201–202
- IE implementation, 201–202
- layer effect, 161
- loader movie, 200
- PGA Championship Web site, 159, 161–164, 174–175
- PNG file, using for importing bitmap into, 162
- Satay method, 174, 199–202
- shape, 161

spotlight movie, 199–202
 Suckerfish Dropdowns, using with, 173–174
 UF Web site, 199–202

FlashObject embedding method, 175

float **CSS property, 399**

float model, 61

font. See also text

BASEFONT HTML element, 384
 change, local, 384
 ChristopherSchmitt.com Web site, 325, 332–334, 342
 CSS properties, 282, 399
 family, 282, 325, 399
 heading, 325
 logo, 325
 point measurement, 307
 printing, 305, 307, 309
 search box, 337
 serif/sans-serif, 305, 309
 size, 282, 285, 307, 332–334, 399
 style, 399
 style sheet switching, formatting in, 282
 tagline, 342
 tone of site, setting using, 325
 weight, 399

font **CSS properties, 282, 333, 399**

font **HTML element, 384**

footer

blog post, 357–358
 ChristopherSchmitt.com Web site, 323, 329, 356–358,
 378–379
 layout, three-column, 254, 257, 259, 263
 table, 386

footer **selector, 56, 67**

form

control group, 384
 HTML form, 384, 385

frame **HTML element, 384**

frameset **HTML element, 385**

G

garciamedia Web site, 327

Gecko-based browser, 68

GET **variable, 302**

GIF file, 163

goal

identifying, 7–8
 translating into design, 22

Google Toolbar BlogThis! button, 77

greater-than sign (>) child selector prefix, 52

“Grey Box Methodology” (Santa Maria), 21

gutter, column, 348, 351

H

h **HTML element, 42, 55**

hack **selector, 71**

hack **workaround, 69–75. See also specific workaround**

Harvard University Web site

header, 42
 home page, 30–34, 44
 inventorying site, 43
 layout, two-column, 44
 table
 background color, 33
 border, 30–34

hash (#) id selector prefix, 51

head **HTML element, 385**

header

ChristopherSchmitt.com Web site, 320
 column layout
 three-column, 253, 254, 257
 two-column, 343
 div HTML element header attribute, 120
 h HTML element, 42, 55
 Harvard University Web site, 42
 level, 42
 link for skipping content, placing in, 335
 navigation group, adding to, 194
 photo header, 320
 style, 55–56, 189–190, 340
 table header, 386–387
 UF Web site, 189–190
 unordered list, associating with, 185–186, 193

heading

font, 325
 HTML heading level, 385

height **CSS property, 400**

Hicksdesign Web site, 70

hierarchy, content, 14–16

hiring copywriter, 321

Holly Hack technique, 272

Holzschlag, Molly (“Integrated Web Design: Strategies
 for Long-Term CSS Hack Management”), 75

horizontal rule, 385

hot.css file, 288–289

hover **attribute**

drop-down implementation, in, 168
 Firefox support, 147
 IE support, 147, 168

hover attribute (continued)

hover **attribute (continued)**

- Opera support, 147
- rollover implementation, in, 130, 131, 138–139, 142–144, 146–147
- Safari support, 147

hover **selector, 130, 131, 138–139, 142–144, 146–147**

“How to Size Text Using Ems” (Rutter), 282, 333

hr **HTML element, 385**

href **attribute value, selecting link by, 228**

hreflang **attribute value, selecting link by, 228**

.htaccess **file, 201–202**

h3 a **selector, 67**

HTML Dog Web site, 169

HTML Help Web site, 131

HTML (Hypertext Markup Language). See also XHTML (eXtensible Hypertext Markup Language)

- a element, 383
- abbr element, 383
- acronym element, 383
- AddHandler directive, 202
- address element, 383
- & (ampersand), escaping, 301
- applet element, 384
- area element, 384
- attribute, empty, 39
- b element, 384
- base element, 384
- basefont element, 384
- bdo element, 384
- big element, 384
- bloat, 41
- blockquote element, 384
- body element
 - div element body attribute versus, 120
 - ESPN.com Web site implementation, 214–220
 - font size, specifying in, 333
 - id attribute, 214, 216–219, 224, 237
 - leftmargin attribute, 30
 - marginheight attribute, 30, 35
 - marginwidth attribute, 30, 35
 - publishing mode, implementing using, 214–218
 - topmargin attribute, 30
- br element, 43, 384
- browser support, 30, 35
- button element, 384
- caption element, 384
- case sensitivity, 39
- center element, 384
- cite element, 384

- class, assigning to element, 166
- code element, 384
- col element, 384
- colgroup element, 384
- column coding, 344
- dd element, 384
- del element, 384
- dfn element, 384
- dir element, 384
- div element
 - Blogger Web site usage, 120–128
 - body attribute, 120, 121–126, 127
 - color, 247
 - divitis, 40–42
 - frame container, 347
 - header attribute, 120
 - id attribute, 45, 120–126, 247
 - inheritance, div block, 249
 - inner div block, 247–249, 251
 - introduction paragraph, placing in, 350
 - layout, in three-column, 258–259, 260
 - offset, 247, 258
 - outer div block, 248, 249, 250–252
 - positioning div block, 163–164, 247–250, 251, 258–259, 260
 - sidebar coding, 127–128
 - width, 121, 258
 - wrapping unordered list in, 185–186, 192–193
- dl element, 384
- dt element, 384
- element, closing, 38
- em element, 384
- fieldset element, 336–337, 384
- font element, 384
- form, 384, 385
- frame element, 384
- frameset element, 385
- h element, 42, 55
- head element, 385
- heading level, 385
- hr element, 385
- html element, 385
- I element, 385
- iframe element, 385
- img element, 385
- input element, 385
- ins element, 385
- isindex element, 385
- kbd element, 385
- label element, 385

legend element, 385
 li element, 38, 222, 223, 228–237
 link element, 286–287, 385
 map element, 385
 mapping site using, 16
 menu element, 385
 meta element, 385
 noframes element, 385
 noscript element, 386
 object element, 386
 ol element, 386
 optgroup element, 386
 option element, 386
 p element

- child selector, using with, 53
- closing, 38
 - font-weight attribute, 52

 param element, 386
 pre element, 386
 q element, 386
 s element, 386
 samp element, 386
 script element, 386
 search box, 336
 select element, 386
 small element, 386
 span element, 386
 specification, 29, 35, 383
 Star HTML Hack, 272
 strike element, 386
 strong element, 386
 style element, 386
 sub element, 386
 sup element, 386
 table element, 386
 tbody element, 386
 td element, 386
 textarea element, 386
 tfoot element, 386
 th element, 386
 thead element, 387
 title element, 387
 tr element, 387
 tt element, 387
 u element, 387
 ul element, 192, 222, 224
 validation, 407
 var element, 387
 XHTML, converting to, 389–394
 html **selector**, 71

hyperlink. *See* **link**

Hypertext Markup Language. *See* **HTML**

I

I HTML element, 385

IA (information architecture), 11–12, 15

id attribute

- body HTML element, 214, 216–219, 224, 237
- div HTML element, 45, 120–126, 247
- ul HTML element, 192

id selector, 51, 61, 68, 214, 218–220

IE (Internet Explorer)

- auto-margin support, 281
- Band Pass Filter, 75
- box implementation
 - border, 70
 - descendant element, 272
 - Mid Pass Filter, resolving using, 75
 - padding, 70
 - rendering round-corner box, 101–107, 118
 - sizing, 71, 90, 272
- centering page, 330–331
- comment, rendering, 73
- container selector implementation, 281
- Flash movie implementation, 201–202
- font size rendering, 332
- Holly Hack technique, 272
- hover attribute support, 147, 168
- IE7 JS module library, 275
- Internet Options dialog box, 341
- layout, implementing three-column, 267–273
- list implementation, 195–196, 197
- max-width CSS property implementation, 273, 275, 281–282
- paragraph rendering, bug involving, 70–71
- PNG support, 163
- pseudo-element support, 356
- rollover implementation, 139–140, 156–157, 341
- selector support, 51, 54
- Settings dialog box, 341
- standalone version, 69
- Star HTML Hack, 272
- Suckerfish Dropdowns support, 172, 173
- Temporary Internet Files fieldset, 341
- testing site using, 68–69
- Web standards support, 69

iframe HTML element, 385

IIS (Internet Information Server), 9

Illustrator, using in mapping site, 16

image

- background-image CSS property, 396
- box, placing in
 - pointy-corner box, 85–86
 - round-corner box, 89–90, 91, 102–104, 110–114
- ChristopherSchmitt.com Web site image usage, 319–320, 325, 351, 354
- color, applying simultaneously with, 164
- drop shadow image, editing using Photoshop, 161–163, 165
- embedding, 385
- Flash movie background, 163
- link
 - map, 385
 - rollover, 134, 136, 137–138, 148–155
- list
 - replacement list dot, 146
 - selecting image list item, 232–233
 - style image, 400
- navigation system, usage in, 187–188, 244
- photo header, 320
- photobar, revolving, 340
- planning, 319–320
- positioning, 148–155
- rollover link, 134, 136, 137–138, 148–155
- stock photo, free, 319
- title attribute, 227
- tone of site, setting using, 325
- transparency, 134

“Images in Liquid Columns” (Rutter), 28

img HTML element, 385

import rule, 74–75, 182, 282, 283

importance-based design, 208–212

important rule, 64–65, 66

Inc.com Web site, 242, 243

indentation, 195–196, 340

indirect adjacent combinator selector, 226

information architecture (IA), 11–12, 15

inheritance

- cascade, role in, 58
- class, 167
- conflict resolution, 409
- div block, 249
- overriding, 58
- positioning, in relative, 259
- rule, 56–57, 58

initCSS JS function, 298

inline element, 38, 246

inner selector, 248–249, 251

input HTML element, 385

ins HTML element, 385

Integrated Student Information System (ISIS), 186

“Integrated Web Design: Strategies for Long-Term CSS Hack Management” (Holzschlag), 75

Internet Explorer. See IE

Internet Information Server (IIS), 9

Internet Options dialog box, 341

interviewing site stakeholder, 10

introduction paragraph, 349–350

inventorying site, 13–14, 43, 321

!OTBS (Invasion of the Body Switchers) style switcher, 310–316

isindex HTML element, 385

ISIS (Integrated Student Information System), 186

iStockPhoto.com Web site, 319

J

jargon, avoiding, 182

JPEG compression, 162

JS (JavaScript)

- argument, 294
- client-side installation, dealing with missing, 300
- cookie, 296–300, 302
- event handler, 295
- Flash movie, embedding using, 175
- function
 - activeCSS, 294, 295, 297
 - argument, passing to, 294
 - calling, 294
 - findWord, 294
 - initCSS, 298
 - invoking, 294
 - setCookie, 297–298, 302
 - time, 302
- IE7 JavaScript module library, 275
- navigation system, JS-based, 318
- PGA Championship Web site, 175
- PHP versus, 300
- server-side programming versus, 300
- style sheet switching, 292–300
- Suckerfish Dropdowns requirement, 172
- text, comparing using, 294–295
- validation, 175
- XHTML, using with, 393

K

Kaliber10000 Web site, 23, 325

Karova Store platform, 312

kbd HTML element, 385

Koch, Peter-Paul (“Separating behavior and structure”), 295
Kuniavsky, Mike (*Observing the User Experience: A Practitioner’s Guide to User Research*), 182

L

label HTML element, 385
lang pseudo-class, 226
layout
 fixed, 23–25
 float model as layout tool, 61
 liquid, 25–28
 style sheet switching, declaring layout property in, 285
 three-column
 block, top-level, 253
 border, 257
 color, 257
 div element, 258–259, 260
 footer, 254, 257, 259, 263
 header, 253, 254, 257
 IE implementation, 267–273
 inventorying content, 252–253
 margin, 261, 264, 268–269
 padding, 262
 positioning, 258–266
 scroll bar, removing horizontal, 267, 269, 270
 sidebar, 261, 262, 263, 264–266
 style, 256–257
 XHTML, 254–256
 tone of site, setting using, 327
 two-column
 color, 349
 gutter, 348, 351
 Harvard University Web site, 44
 header, 34
 HTML, 344
 introduced, 30
 main column, 348–352
 margin, 345, 351
 padding, 345
 positioning, 344–345
 side column, 344–347, 359–360
 width of page
 fixed, 23–25, 327, 329
 liquid, 25–28
 screen resolution considerations, 24–26, 27, 327
lcol selector, 167
left CSS property, 400
leftmargin attribute, 30
legend HTML element, 385
legibility, improving using style sheet switching, 284–286
less-than sign, exclamation mark, bracket (<[!]) XHTML JS delimiter, 393
letter-spacing CSS property, 400
li HTML element, 38, 222, 223, 228–237
li selector, 67, 139
li XHTML tag, 38
line break, forced, 138, 384
line-height CSS property, 351, 400
link
 anchor
 class, assigning to, 223
 logo, 340
 positioning, 223–224
 sizing, 340, 365
 style sheet switching, in, 293, 294
 background, 147
 color
 rollover link, 129–134, 135, 138–139
 unordered list link, 188
 hiding, 335, 368
 href attribute value, selecting by, 228
 hreflang attribute value, selecting by, 228
 image
 map, 385
 rollover, 134, 136, 137–138, 148–155
 line break, forcing using rule, 138
 media
 attribute, 305
 independence, 385
 sizing, 136
 skipping content, for, 335
 style
 hiding link using style sheet, 335
 print-specific style sheet, identifying using link, 308
 switching, prioritizing using link element, 286–288, 293, 294–295
 underline, removing, 137, 188–189, 362
link HTML element, 286–287, 385
list
 array, associative, 302
 border, list section, 191
 category separator, 359
 class, assigning to list element, 166, 223
 definition list, 384
 directory list, 384
 drop-down menu, 169–171

list (continued)

list (continued)

- float model, 61
- grouping list items, 228–230
- height, 190
- IE implementation, 195–196, 197
- image
 - replacement list dot, 146
 - selecting image list item, 232–233
 - style image, 400
- indenting, 195–196
- named list, 302
- navigation bar, 60–63
- padding, 135, 136, 166, 188, 362
- PGA Championship Web site news item list, 166–167
- rollover, list item, 134–137
- selecting list item
 - child element, 233–234
 - definition title element, by, 234
 - even-numbered list item, 229, 230, 232
 - grouping list items before, 228–229, 230–231
 - href attribute, by, 228
 - hreflang attribute, by, 228
 - image list item, 232–233
 - odd-numbered list item, 230, 232
 - position in list, by, 229–230, 231–234
 - rel attribute, by, 227–228
 - text content, by, 235–237
 - type attribute, by, 227
- style, 135, 190–191, 400
- unordered
 - bullet, removing, 60, 134–135, 188, 359
 - class, assigning to unordered list element, 166, 223
 - color, 62, 166–167, 170, 188
 - div HTML block, wrapping in, 185–186, 192–193
 - drop-down menu, converting to, 43, 168, 169, 170, 172
 - header, associating with, 185–186, 193
 - introduced, 43
 - margin, 135, 188, 362
 - navigation system, using in, 185–186, 188, 190–191, 192, 361–362
 - nesting, 43, 170–171, 184–185, 362
 - padding, 135, 188, 362
 - positioning, 167
 - XHTML, 165–166, 167, 184–186
- list-style **CSS properties, 400**
- logging, **9–10**
- logo
 - anchor, 340
 - ChristopherSchmitt.com Web site, 325, 339–343

- font, 325
- printing, 340

M

Macromedia Flash movie

- Active X control, 201
- AddHandler HTML/XHTML directive, 202
- background
 - color, 162–163
 - image, 163
- detection, server-side, 201–202
- div HTML block, positioning using, 163–164
- embedding, 174–175, 199–202
- functionality of site, preserving on computer without
 - Flash installed, 199–200
- .htaccess file, 201–202
- IE implementation, 201–202
- layer effect, 161
- loader movie, 200
- PGA Championship Web site, 159, 161–164, 174–175
- PNG file, using for importing bitmap into, 162
- Satay method, 174, 199–202
- shape, 161
- spotlight movie, 199–202
- Suckerfish Dropdowns, using with, 173–174
- UF Web site, 199–202

main **selector, 128**

main.css **file, 283**

map **HTML element, 385**

mapping site, **16–18, 321–322**

margin

- block-level, 408
- blogroll, 375
- box
 - Blogger Web site, 81, 83, 91, 95, 115
 - UF Web site, 189, 194, 195
- column
 - three-column layout, 261, 264, 268–269
 - two-column layout, 345, 351
- container selector, controlling using, 281
- default, 408
- drop-down menu, 171–172
- IE auto-margin support, 281
- list, unordered, 135, 188, 362
- search box, 337
- zero, setting to, 408

margin **CSS properties, 400–401**

marginheight **attribute, 30, 35**

marginwidth **attribute, 30, 35**

max-height **CSS property, 401**
 max-width **CSS property, 273–275, 281, 401**

media

link
 independence, 385
 media attribute, 305
 screen media, 305–306
 type, 305–309, 314

menu

drop-down menu
 alignment, 171
 hover attribute, 168
 list, 169–171
 margin, 171–172
 padding, 171
 PGA Championship Web site, 168–174
 positioning, 169–170
 style, 170–174
 Suckerfish Dropdowns, using, 168–174
 text, 171
 unordered list, converting to, 43, 168, 169, 170, 172
 hiding submenu link, 368
 SoS menu script, 43, 169

menu **HTML element, 385**

meta information, **356, 359, 379, 385**

Meyer, Eric (“Containing Floats”), **61, 282**

mezzoblu.com Web site, **130, 315**

Microsoft software. *See* **IE (Internet Explorer); IIS (Internet Information Server)**

Mid Pass Filter technique, **75**

min-height **CSS property, 401**

min-width **CSS property, 401**

Movable Type software, **352**

Mozilla browser

font size rendering, 333
 Suckerfish Dropdowns support, 172
 testing site using, 68
 Web Developer Toolbar, 30, 410

MSDN blogs Web site, **69**

N

nav **class, 220–222**

nav **selector, 61**

navDropShadow .jpg **file, 187–188**

navigation

bar
 border, 61–62
 color, 62
 id selector, using in, 61

list, 60–63

table, 40–41, 58–64

button, navigation, 363–364

ChristopherSchmitt.com Web site navigation system

button, 363–364

JS, 318

layout, 327

list, unordered, 361–362

scope, matching to, 320

Sliding Doors technique, role in creating, 363

submenu link, hiding, 368

user attention, drawing to, 360, 370, 371

HTML header, adding to navigation group, 194

image usage in navigation system, 187–188, 244

JS-based, 318

layout, 327

rollover, 183–184

style, navigation system

main system, 189–191

supplementary system, 193–195

utility system, 194–195

UF Web site navigation system

image usage, 187–188

list, unordered, 185–186, 188, 190–191, 192

main, 183–191

role-based, 178–179, 181, 192, 196–197

supplementary, 191–198

utility, 191–192, 194–195

XHTML, 184–186, 191–193

negation pseudo-class, **226**

nesting

list, unordered, 43, 170–171, 184–185, 362

XHTML element, 393

Netscape browser, **182, 183**

newspaper implementation of importance-based design, **208–212**

1976design.com Web site, **130**

noframes **HTML element, 385**

normal flow positioning scheme, **246**

noscript **HTML element, 386**

O

object **HTML element, 386**

Observing the User Experience: A Practitioner’s Guide to User Research (Kuniavsky), **182**

odd **class, 143**

ol **HTML element, 386**

Olejniczak, Brandon (“Using XHTML/CSS for an Effective SEO Campaign”), **40**

OmniGraffle, using in mapping site, 16

“The One I Never Tried” (Pilgrim), 74

Opera browser

- box implementation, 101, 104–106, 117
- hover attribute support, 147
- testing site using, 68

optgroup **HTML element, 386**

option **HTML element, 386**

orphans **CSS property, 401**

other-news **selector, 67**

outline **CSS properties, 401–402**

outside-in approach, 329, 336

overflow **CSS properties, 376, 402**

P

p **HTML element**

- child selector, using with, 53
- closing, 38
- font-weight attribute, 52

p **XHTML tag, 38**

padding

- block-level, 408
- box, 70, 81, 83, 91, 103
- column, 262, 345
- default, 408
- drop-down menu, 171
- list, 135, 136, 166, 188, 362
- paragraph, 70
- search box, 337
- zero, setting to, 408

padding **CSS properties, 402**

page **CSS properties, 402**

page-title **selector, 51**

paragraph

- border, 70
- box, 70
- br **HTML element, defining using, 43, 384**
- id selector, 68
- introduction paragraph, 349–350
- p tag
 - HTML, 38**
 - XHTML, 38**
- padding, 70
- positioning, 249–250
- rendering bug, 70–71
- text
 - introduction paragraph, 349–350
 - list item paragraph element, selecting, 235–237
 - positioning text paragraph, 249–250
- width, 70

param **HTML element, 386**

pause **CSS properties, 402**

peer review, 181–182

period (.) **class selector prefix, 50**

persistent style sheet, 286–287

persona, assigning to audience, 8–11

PGA Championship Web site

- drop shadow, 160–168
- drop-down menu system, 168–174
- Firefox, viewed in, 170
- Flash movie, 159, 161–164, 174–175
- home page, 160
- JS, 175
- news item list, 166–167
- SoS, 169
- Suckerfish Dropdowns, use of, 168–174

photobar, revolving, 340

Photoshop software

- ChristopherSchmitt.com Web site design, role in, 319, 321, 328, 344, 363
- Edit menu, 161
- mapping site using, 16
- Rectangular Marquee tool, 161–162, 165
- shadow image, editing using, 161–163, 165

PHP programming language, 300–303

PIE (Position Is Everything) Web site, 72, 90, 272, 410

Pilgrim, Mark (“The One I Never Tried”), 74

pitch **CSS properties, 402–403**

planning

- ChristopherSchmitt.com Web site, 319–320
- diagram of site content, using in, 13–14
- hierarchy of site content, using in, 14–16
- image usage, 319–320
- inventorying site, 13–14, 43
- scope, 2–6
- strategy, documenting, 2
- time, budgeting, 4

play-during **CSS property, 403**

PNG file, 150, 161–162, 163

point font measurement, 307

pointer.gif **file, 187–188**

Position Is Everything (PIE) Web site, 72, 90, 272, 410

position **property**

- CSS, 403
- element, 246

positioning

- absolute, 246, 250, 260, 264–265, 344–345
- anchor, 223–224
- box, inline, 246
- class in document tree, 220, 223

- column, 258–266, 344–345
 - div HTML block, 163–164, 247–250, 251, 258–259, 260
 - drop-down menu, 169–170
 - element position property, 246
 - fixed, 246
 - Flash movie, 163–164
 - image, 148–155
 - list, unordered, 167
 - normal flow positioning scheme, 246
 - overriding default positioning rule, 246
 - paragraph, 249–250
 - relative, 246, 250–252, 259–266, 346–347
 - rollover link background, 147
 - text block, 171
 - pre **HTML element, 386**
 - presentational hack, 259**
 - print.css **file, 306–307**
 - printing**
 - font, 305, 307, 309
 - logo, 340
 - style sheet specific to, creating, 305, 306–309, 340
 - project, planning, 2–6**
 - projection media type, 305**
 - property, CSS**
 - azimuth, 395
 - background, 396
 - background-attachment, 395
 - background-color, 396
 - background-image, 396
 - background-position, 396
 - background-repeat, 396
 - bottom, 397
 - caption-side, 397
 - clear, 379, 397
 - clip, 397
 - color, 398
 - content, 398
 - counter-increment, 398
 - counter-reset, 398
 - cursor, 398
 - direction, 398
 - display, 398
 - elevation, 399
 - empty-cells, 399
 - float, 399
 - height, 400
 - left, 400
 - letter-spacing, 400
 - line-height, 351, 400
 - max-height, 401
 - max-width, 273–275, 281, 401
 - min-height, 401
 - min-width, 401
 - orphans, 401
 - play-during, 403
 - position, 403
 - quotes, 403
 - richness, 403
 - right, 403
 - rule property/value pair, 48
 - speech-rate, 403
 - stress, 403
 - style sheet switching, declaring layout property in, 285
 - table-layout, 403
 - top, 404
 - unicode-bidi, 404
 - vertical-align, 404
 - visibility, 404
 - voice-family, 404
 - volume, 404
 - white-space, 404
 - widows, 404
 - width, 405
 - word-spacing, 405
 - z-index, 174, 405
 - pseudo-element**
 - after, 93–99, 114–116, 226
 - before, 93–98, 112–113, 226
 - IE support, 356
 - rule, clearing using, 100–101, 116
 - Publications menu (ChristopherSchmitt.com Web site), 368–370**
 - publish **selector, 139**
 - publishing mode**
 - body HTML element, implementing using, 214–218
 - Regular, 209, 211, 214, 215–219
 - Skirmish, 208, 211–212, 214–220
 - War, 210, 212, 213, 215–219, 221
- ## Q
- q **HTML element, 386**
 - query string, 301**
 - quotation marks, double (“ ”)**
 - filename delimiters, 139–140
 - XHTML attribute value delimiters, 392
 - quotes **CSS property, 403**

R

Rational Unified Process software project, 7

rcol selector, 167

Rectangular Marquee tool (Photoshop), 161–162, 165

Regular publishing mode, 209, 211, 214, 215–219

rel attribute

- list item, selecting by `rel` attribute value, 227–228
- persistent style sheet, specifying using, 287

resolution, screen, 24–26, 27, 241, 327

richness CSS property, 403

right CSS property, 403

right selector, 271

rollover

- ChristopherSchmitt.com Web site, 341–342
- concealing underlying architecture, 183–184
- drop shadow, 148, 150
- hover selector, 130, 131, 138–139, 142–144, 146–147
- IE implementation, 139–140, 156–157, 341
- JS, 129
- link
 - background position, 147
 - color, 129–134, 135, 138–139
 - image, 134, 136, 137–138, 148–155
 - line break, forcing using rule, 138
 - sizing, 136
 - underline, removing, 137
- list item, 134–137
- navigation tool, using as, 183–184
- XHTML, 131, 133, 149

rule, CSS

- declaration block, 48
- `import`, 74–75, 182, 282, 283
- `important`, 64–65, 66
- inheritance, 56–57, 58
- introduced, 48
- positioning rule, overriding default, 246
- precedence, 131
- property/value pair, 48
- pseudo-element, clearing using, 100–101, 116
- rollover link line break, forcing using, 138
- sorting selector by, 66, 67–68
- style sheet switching, declaring in, 285

rule, horizontal, 385

Rutter, Richard

- “How to Size Text Using Ems,” 282, 333
- “Images in Liquid Columns,” 28

S

s HTML element, 386

Safari browser

- box implementation, 101, 104–106, 117
- hover attribute support, 147
- style sheet, support for alternate, 290
- Suckerfish Dropdowns support, 173

samp HTML element, 386

sans-serif font, 305, 309

Santa Maria, Jason (“Grey Box Methodology”), 21

Satay method, 174, 199–202

Schmitt, Christopher. See ChristopherSchmitt.com

Web site

scope of site, 2–6, 320–321

screen

- media, 305–306
- resolution, 24–26, 27, 241, 327

script HTML element, 386

scripts.js file, 293, 297, 299–300

scroll bar

- blogroll, 375–376
- positioning vertical scroll bar, 375
- removing horizontal scroll bar, 267, 269, 270, 376

search box, 327, 336–338

select HTML element, 386

selector

- after pseudo-element, 226
- attribute selector, 52–54, 225, 338
- before pseudo-element, 226
- child, 52
- class, 50
- color declaration, 48
- container, 281–282
- content pseudo-class selector, 226
- descendant, 49–50, 337
- direct adjacent combinator, 226
- E element selectors, 225–226
- first-letter pseudo-class selector, 226
- first-line pseudo-class selector, 226
- id, 51, 61, 68, 214, 218–220
- IE support, 51, 54
- indirect adjacent combinator, 226
- inner, 248–249, 251
- lang pseudo-class selector, 226
- negation pseudo-class selector, 226
- right, 271
- sorting, 66–68
- specification, 224
- specificity rating, 66–68

- structural pseudo-class selector, 225–226
- switcher, 303
- type, 48
- UI element fragments pseudo-class selector, 226
- UI element state pseudo-class selector, 226
- universal, 49, 188
- user action pseudo-class selector, 226
- utilNav, 196
- “Separating behavior and structure” (Koch), 295**
- serif font, 305, 309**
- Server Logistics Web site, 301**
- setCookie **JS function, 297–298, 302**
- Settings dialog box (IE), 341**
- shadow, drop**
 - background color, 161, 162–163, 165, 167
 - bandwidth, 161
 - Blogger Web site, 148, 150
 - PGA Championship Web site, 160–168
 - Photoshop, editing shadow image using, 161–163, 165
 - rollover, 148, 150
 - transparency, 150, 165
 - UF Web site, 189
 - XHTML, 166, 167–168
- ShortStat software, 10**
- sibling element, 57**
- sidebar**
 - Blogger Web site, 120, 122–125, 127
 - box, round-corner, 90, 111
 - column sidebar in three-column layout, 261, 262, 263, 264–266
 - div HTML element coding, 127–128
 - FC Web site, 261, 262, 263, 264–266
 - selector, 90, 111, 127
- sidesh0w.com Web site, 26, 130**
- SimCity box model, 325**
- SimpleBits Web site, 130, 242, 312**
- “A Site for Your Eyes” (Bowman), 239**
- Skirmish publishing mode, 211–212, 214–220**
- Slashdot.org Web site, 69**
- Sliding Doors technique, 363**
- small **HTML element, 386**
- SoS (Son of Suckerfish) menu script, 43, 169**
- span **HTML element, 386**
- speak **CSS properties, 403**
- specification**
 - CSS
 - after pseudo-element, 93
 - agent conformance, 64
 - before pseudo-element, 93
 - box, 84
 - element content, 69
 - important rule conformance, 65
 - property listing, 405
 - selector, 224
 - text, structured, 38
 - HTML, 29, 35, 383
 - speech-rate **CSS property, 403**
 - Star HTML Hack, 272**
 - stopdesign.com Web site, 130, 243, 315**
 - stories **class, 166**
 - strategy, documenting, 2**
 - stress **CSS property, 403**
 - strike **HTML element, 386**
 - strong **HTML element, 386**
 - structural pseudo-class, 225–226**
 - structure, abstracting from style, 39–47**
 - Stuff and Nonsense Web site, 309–310, 311, 313**
 - style**
 - alternate style sheet, 283, 287–291
 - author style sheet, 64, 66, 67
 - blog post, 320, 352–359
 - border, 62, 396, 397
 - browser style sheet, 65, 67
 - class, adding to style sheet, 166
 - device, non-browser, 306
 - drop-down menu, 170–174
 - element, 92–93
 - font, 399
 - grouping style sheets by title, 287
 - header, 55–56, 189–190, 340
 - layout, three-column, 256–257
 - link
 - hiding using style sheet, 335
 - print-specific style sheet, identifying using, 308
 - switching style sheet, prioritizing using link element, 286–288, 293, 294–295
 - list, 135, 190–191, 400
 - main style sheet, 282–283
 - Mid Pass Filter, delivering style sheet using, 75
 - navigation system
 - main system, 189–191
 - supplementary system, 193–195
 - utility navigation element, 194–195
 - origin, 64–66
 - persistent style sheet, 286–287
 - preferred, designating style sheet as, 287
 - printing, creating style sheet specific to, 305, 306–309, 340

style (continued)

rule

- declaration block, 48
- import, 74–75, 182, 282, 283
- important, 64–65, 66
- inheritance, 56–57, 58
- introduced, 48
- positioning rule, overriding default, 246
- precedence, 131
- property/value pair, 48
- pseudo-element, clearing using, 100–101, 116
- rollover link line break, forcing using, 138
- sorting selector by, 66, 67–68
- style sheet switching, declaring in, 285

structure, abstracting from, 39–47

supplementary style sheet, 286

switching, style sheet

- alternate style sheet, 283, 287–291
- anchor, 293, 294
- browser support, 290–291
- container selector, using in, 281–282
- cookie, 296–298
- font, formatting, 282
- grouping style sheets by title, 287
- interface, creating to accommodate, 291–292
- interface, forwarding to another using, 289
- introduced, 278
- IOTBS style switcher, 310–316
- JS, 292–300
- legibility, improving using, 284–286
- link element, prioritizing style sheet using, 286–288, 293, 294–295
- main style sheet, 282–283
- persistence, 286–287
- PHP, using, 300–303
- preferred, designating style sheet as, 287
- print-specific style, 309
- rule, declaring, 285
- supplementary style sheet, 286
- XHTML, 278–279, 291–292, 301

user style sheet, 64, 66, 67

wrapper style sheet, 282

style HTML element, 386

Stylegala Web site, 23

sub HTML element, 386

Suckerfish software

- Dropdowns, 168–174
- SoS menu script, 43, 169

sup HTML element, 386

SuperTiny SimCity box model, 325

supplement selector, 56

suppNav selector, 193–194

switcher selector, 303

switch.php file, 301–302

T

table

- border, 30–34, 61–62
- caption, 384
- cell
 - data cell, 386
 - empty, 399
- color
 - background, 33, 59, 143
 - row, 140–143
- column, 384
- footer, 386
- header, 386–387
- navigation bar, 40–41, 58–64
- row, 140–143, 387

table HTML element, 386

table-layout CSS property, 403

tagline, 342–343

tbody HTML element, 386

td HTML element, 386

technical writer, hiring, 321

template

- ChristopherSchmitt.com Web site, 321
- UF Web site, 203
- XHTML, 46

Temporary Internet Files fieldset (IE), 341

testing site using reliable browser, 68–69, 71

text

- aligning, 331
- block, positioning, 171
- bold, 384
- case
 - converting, 54
 - sensitivity, 39, 393
- color, 139, 143–145, 146, 166, 342
- comparing using JS, 294–295
- drop-down menu, 171
- field, multiline, 386
- font
 - BASEFONT HTML element, 384
 - change, local, 384
 - ChristopherSchmitt.com Web site, 325, 332–334, 342
 - CSS properties, 282, 399
 - family, 282, 325, 399

- heading, 325
 - logo, 325
 - point measurement, 307
 - printing, 305, 307, 309
 - search box, 337
 - serif/sans-serif, 305, 309
 - size, 282, 285, 307, 332–334, 399
 - style, 399
 - style sheet switching, formatting in, 282
 - tagline, 342
 - tone of site, setting using, 325
 - weight, 399
 - indenting, 195–196, 340
 - italic, 385
 - jargon, avoiding, 182
 - large, 384
 - line height, 351, 400
 - list item, selecting by text content, 235–237
 - monospaced, 387
 - paragraph
 - introduction paragraph, 349–350
 - list item paragraph element, selecting, 235–237
 - positioning, 249–250
 - preformatted, 386
 - size, 282, 285, 307, 332–334, 399
 - small, 386
 - spacing, 189, 400, 405
 - strikethrough, 386
 - subscript, 386
 - superscript, 386
 - teletype, 387
 - tone of site, setting using typography, 325
 - underlining, 387
 - writing site content, 321
 - text **CSS properties, 331, 403–404**
 - textarea **HTML element, 386**
 - tfoot **HTML element, 386**
 - th **HTML element, 386**
 - thead **HTML element, 387**
 - TheCounter.com Web site, 300**
 - 37signals.com Web site, 130**
 - three-column layout**
 - block, top-level, 253
 - border, 257
 - color, 257
 - div element, 258–259, 260
 - footer, 254, 257, 259, 263
 - header, 253, 254, 257
 - IE implementation, 267–273
 - inventorying content, 252–253
 - margin, 261, 264, 268–269
 - padding, 262
 - positioning, 258–266
 - scroll bar, removing horizontal, 267, 269, 270
 - sidebar, 261, 262, 263, 264–266
 - style, 256–257
 - XHTML, 254–256
 - 3D box, 70, 81–82, 91**
 - time, budgeting, 4, 6**
 - time **JS function, 302**
 - title **HTML element, 387**
 - tone of site, 21–22, 324–327**
 - top **CSS property, 404**
 - top-down approach, 329**
 - topmargin **attribute, 30**
 - tr **HTML element, 387**
 - transparency**
 - drop shadow, 150, 165
 - image, 134
 - PNG file, 162
 - tt **HTML element, 387**
 - two-column layout**
 - color, 349
 - gutter, 348, 351
 - Harvard University Web site, 44
 - header, 34
 - HTML, 344
 - introduced, 30
 - main column, 348–352
 - margin, 345, 351
 - padding, 345
 - positioning, 344–345
 - side column, 344–347, 359–360
 - type **attribute, selecting list item by, 227**
 - typography, setting tone of site using, 325**
- ## U
- u **HTML element, 387**
 - UF (University of Florida) Web site**
 - accessibility, 183
 - aesthetics, separating content from, 182
 - audience, 179, 180, 181, 182, 203
 - box implementation
 - alignment, 194
 - height, 194, 197
 - margin, 189, 194, 195
 - padding, 189, 197
 - width, 189, 194

UF (University of Florida) Web site (continued)

- browser support, 182, 183
- drop shadow, 189
- Flash movie, 199–202
- header system, 189–190
- history, 177–179
- home page, 178, 179
- ISIS, 186
- management team, 181
- navigation system
 - image usage, 187–188
 - list, unordered, 185–186, 188, 190–191, 192
 - main, 183–191
 - role-based, 178–179, 181, 192, 196–197
 - supplementary, 191–198
 - utility, 191–192, 194–195
 - XHTML, 184–186, 191–193
- peer review, 181–182
- template system, 203
- Web standard conformance, 182

UI element fragments pseudo-class, 226

UI element state pseudo-class, 226

ul HTML element, 192, 222, 224

ul selector, 67, 196

unicode-bidi CSS property, 404

University of Florida (UF) Web site. See UF Web site

Usability News Web site, 25

useit.com Web site, 327

user action pseudo-class, 226

user style sheet, 64, 66, 67

**“Using XHTML/CSS for an Effective SEO Campaign”
(Olejniczak), 40**

utilNav selector, 196

V

validation

CSS, 408, 409

DTD, 37

HTML, 407

JS, 175

XHTML, 394

var HTML element, 387

vertical-align CSS property, 404

visibility CSS property, 404

Visio, using in mapping site, 16

voice-family CSS property, 404

volume CSS property, 404

W

War publishing mode, 210, 212, 213, 215–219, 221

WDG (Web Design Group) HTML Help Web site, 131

Web browser

Camino, 68

Firefox

box implementation, 101, 104–106, 117

font size rendering, 333

hover attribute support, 147

PGA Championship Web site viewed in, 170

testing site using, 68

Web Developer Toolbar, 410

Gecko-based, 68

HTML support, 30, 35

IE

auto-margin support, 281

Band Pass Filter, workaround using, 75

border in box implementation, 70

centering page, 330–331

comment, rendering, 73

container selector implementation, 281

descendant element in box implementation, 272

Flash movie implementation, 201–202

font size rendering, 332

Holly Hack technique, 272

hover attribute support, 147, 168

IE7 JS module library, 275

Internet Options dialog box, 341

layout, implementing three-column, 267–273

list implementation, 195–196, 197

max-width CSS property implementation, 273, 275,
281–282

Mid Pass Filter, resolving box implementation bug
using, 75

padding in box implementation, 70

paragraph rendering, bug involving, 70–71

PNG support, 163

pseudo-element support, 356

rollover implementation, 139–140, 156–157, 341

round-corner box implementation, 101–107, 118

selector support, 51, 54

Settings dialog box, 341

sizing box, 71, 90, 272

standalone version, 69

Star HTML Hack, 272

Suckerfish Dropdowns support, 172, 173

Temporary Internet Files fieldset, 341

testing site using, 68–69

Web standards support, 69

- import rule, testing browser support of CSS technique using, 283
- Mozilla
 - font size rendering, 333
 - Suckerfish Dropdowns support, 172
 - testing site using, 68
 - Web Developer Toolbar, 30, 410
- Netscape, 182, 183
- Opera
 - box implementation, 101, 104–106, 117
 - hover attribute support, 147
 - testing site using, 68
- Safari
 - box implementation, 101, 104–106, 117
 - hover attribute support, 147
 - style sheet, support for alternate, 290
 - Suckerfish Dropdowns support, 173
- style sheet
 - browser style sheet, 65, 67
 - switching support, 290–291
- targeting specific, 36, 74, 271, 321
- testing site using reliable, 68–69, 71
- UF Web site support, 182, 183
- window width, filling, 240–242, 273–275
- Web Design Group (WDG) HTML Help Web site, 131**
- Web Developer extension, 170**
- Web Developer Toolbar (Mozilla), 30, 410**
- Webalizer software, 9–10**
- WebMag 5000 sample project**
 - audience, 14–15
 - auditing existing site, 12–13
 - content
 - diagram, 13–14
 - hierarchy, 14–16
 - IA, 15
 - introduced, 12
 - inventorying site, 13–14
 - mapping site, 16–18
 - wireframe, using to represent site architecture, 18–21
- white-space CSS property, 404**
- Wichita State University Usability News Web site, 25**
- widows CSS property, 404**
- width**
 - border, 62, 94–95, 397
 - box
 - Blogger Web site, 62, 71, 81, 90, 107–110
 - UF Web site, 189, 194
 - browser window width, filling, 240–242, 273–275
 - page
 - fixed, 23–25, 327, 329
 - liquid, 25–28, 109
 - screen resolution considerations, 24–26, 27, 327
 - paragraph, 70
 - width CSS property, 405**
 - wildcard**
 - * (asterisk), 49
 - selector, universal, 49
 - Wired News Web site, 239, 243**
 - wireframe, 18–21, 322–323**
 - WordPress software, 320, 352**
 - word-spacing CSS property, 405**
 - workaround hack, 69–75. See also specific workaround wrapper style sheet, 282**
 - writing site content, 321**
 - W3C (World Wide Web Consortium)**
 - CSS specification
 - after pseudo-element, 93
 - agent conformance, 64
 - before pseudo-element, 93
 - box, 84
 - element content, 69
 - important rule conformance, 65
 - property listing, 405
 - selector, 224
 - text, structured, 38
 - home page, 29
 - HTML specification, 29, 35, 383
 - validator, 175, 394
 - XHTML resources, 36

X

XHTML (eXtensible Hypertext Markup Language). See also **HTML (Hypertext Markup Language)**

- AddHandler directive, 202
- & (ampersand), escaping, 394
- attribute
 - id, 393
 - minimization, 392
 - name attribute, 393
 - syntax, 392
 - xmlns, 391
- box coding
 - corner, 88–89
 - width, liquid, 109
- case sensitivity, 39, 393
- DOCTYPE declaration, 37

XHTML (eXtensible Hypertext Markup Language) (continued)

XHTML (eXtensible Hypertext Markup (continued))

drop shadow, 166, 167–168

DTD, 37, 383, 390–391

element

 closing, 38

 empty, 392

 nesting, 393

Flash movie implementation, 202

frameset, 390, 391

HTML, converting to, 389–394

JS, using with, 393

layout, three-column, 254–256

li tag, 38

list, unordered, 165–166, 167, 184–186

namespace, 391

p tag, 38

PHP code, inserting in, 303

rollover, 131, 133, 149

strict, 390, 391

style sheet switching, 278–279, 291–292, 301

table row color coding, 140–141

template, outlining, 46

transitional, 390, 391

UF Web site navigation system, 184–186, 191–193

validation, 394

well-formed, 37–38

W3C resources, 36

XML, relation to, 389–390

xmlns **XHTML attribute, 391**

Z

z-index **CSS property, 174, 405**