

Index

Note: page numbers in *italics* refer to figures, those in **bold** refer to tables

- Abbreviated Mental Test Score (AMTS) 161, 164, 165
- Abbreviated Mental Test Score (AMTS) 161, 164, 165
- ABCDE (airway, breathing, circulation, disability, exposure) 5–8
- abdomen, examination 11–12
- abdominal ultrasound 186
- abdominal pain, upper 94–101
- N*-acetyl cysteine 132, 193, 194, 195, 196, 197, 198, 221, 222
- acid–base balance 25
- acute medicine
- definition 1
 - emergency medicine interface 2
 - history 1
 - models of care 2–3
- acute renal failure (ARF) 173–81
- causes **178**
 - history taking 177
 - hyperkalaemia 174–5, 180
 - management 175, **176**, 177
 - metabolic acidosis 177
 - reversal **176**
 - signs/symptoms **174**
- adenosine, intravenous **59**
- adrenaline 99
- advanced life support algorithm 6
- agitation
- acute confusion 152, 156, 158
 - opiate toxicity 133
- air travel 44
- pulmonary embolism 37, 39, 40, 44
- airway 5
- acute asthma 62
 - acute shortness of breath 79
 - chronic obstructive pulmonary disease 70
 - management 125
 - obstruction 5
 - seizures 118
 - shocked patient 88
 - upper gastrointestinal bleeding 94
- albumin levels in shock 89
- alcohol consumption 47–8
- acute confusion 152, 153, **154**, 208, 209
 - atrial fibrillation 50
 - control 53, 54
 - drug overdose
 - in young man 217
 - in young woman 191, 198
- peptic ulcer 96, 101
 - seizures 119, 221
 - unconscious patient 130
- alcohol withdrawal 133
- acute 153, **154**, 155
 - sedation 155
- alcoholic cardiomyopathy 221
- alteplase **34**
- ambulatory care 3–4
- aminophylline
- acute asthma 222
 - chronic obstructive pulmonary disease 76
 - intravenous **67**
- amiodarone 52, 54
- ventricular tachycardia 58, 59, 60
- amlodipine 142
- anaemia
- acute confusion 163
 - acute shortness of breath 81, 84
 - pyrexia of unknown origin 182
- analgesia
- sudden severe headache 111, 115, 116
 - see also* opiate analgesia
- anaphylactic shock **90**
- angina, risk score for unstable **36**
- angiotensin-converting enzyme (ACE)
- inhibitors 34, 142
- ankle oedema 48, 49
- acute shortness of breath 81
 - cellulitis 201
- anterior communicating artery berry aneurysm 116
- antibiotics
- acute confusion 155, 156
 - acute shortness of breath 85
 - cellulitis 203, 204
 - chronic obstructive pulmonary disease **76**
 - exacerbation 75
- diarrhoea 107, 108, 110
 - Helicobacter pylori* eradication 101
 - infective endocarditis **188**, 189
 - pulmonary oedema 86
 - septic shock 91, 92, 93
 - urinary tract infection 171
- anticoagulants, pulmonary embolism 41, 42
- anticoagulation
- atrial fibrillation 51
 - monitoring 53
- anti-emetics 34
- anti-epileptic therapy 122
- aortic dissection, thoracic **30**, 32
- aphasia 142
- approach to the patient 5–26
- assessment/resuscitation 5–11
- argon plasma coagulation 99
- arterial blood gas 211
- acute asthma 66
 - acute renal failure 175, 180
 - acute shortness of breath 80, 81, 84
 - chronic obstructive pulmonary disease 70, 72, 75–6
- diarrhoea 103
- dominant metabolic disturbance 25
- interpretation 24–6
 - measurement 5
 - pleuritic chest pain 37
 - seizures 120
 - shocked patient 88, 89, 91, 93
 - unconscious patient 125
- arterial occlusion 220
- aspirin
- cardiac chest pain 28, **29**, 34
 - overdose 192
 - stroke patient 141, 142, 143
 - toxicity 193
 - ventricular tachycardia 60
- assessment of patient 5–11
- asthma
- acute 62–9, 208, 210
 - acute shortness of breath **82**
 - bronchospasm 221
 - chest radiography **64**, 65
 - deterioration 65–7
 - elevated pCO₂ 222
 - follow-up 68
 - intravenous bronchodilators **67**
 - severe 225–6
 - viral infections 221
 - wheeze 217
- adenosine contraindication **59**
- beta-blocker contraindication 53
- chronic obstructive pulmonary disease
- differential diagnosis **71**
- differential diagnosis 65
- exacerbation **63**, **64**, 65, 69
- causes **66**
- inhaler technique 67–8
- management plan 63, 68
- poor compliance with medication 65, 67, 69
- severity grading **63**, **64**
- asthma specialist nurses 67

- atenolol 34
 - contraindication 85
- athlete's foot 201
- atrial fibrillation **48**
 - acute ischaemic stroke **140**
 - anticoagulation 51
 - classification **49**
 - control 221
 - fast 15, **16**
 - acute-onset 49
 - heart rate control 52–3
 - inpatient electrical cardioversion 52
 - paroxysmal 49, 54
 - precipitants **50**
 - sinus rhythm restoration 51, **52**
 - stroke patient 141, 142
 - treatment 50
- atrial flutter **16, 48**
 - with 2:1 block 16, **17, 17**
- auscultation, chest 5, 6–7
- AVPU (Alert, Voice, Pain, Unresponsive) score 7, 127
- bacterial infection
 - chronic obstructive pulmonary disease
 - exacerbation 73, **74, 75**
 - diarrhoea **105**
 - infective endocarditis 188–9
- base excess 25
- beclomethasone 62, 65
- benzodiazepine overdose **130**
 - reduced consciousness 128
- benzodiazepines, acute confusion 155, 156
- berry aneurysm 111, 116
- beta-agonists **176**
- beta-blockers 34
 - contraindication 53, 85
- bicarbonate
 - chronic obstructive pulmonary disease 72
 - metabolic acidosis 177
 - standard 25
- biphasic positive airway pressure (BiPAP) 77
- bisoprolol 54
- blood pressure
 - acute confusion 162
 - acute renal failure 173, 175
 - broad complex tachycardia 56, 57
 - control 54
 - diabetic ketoacidosis 169
 - diarrhoea 103
 - hemiparesis 136, 139, 142
 - measurement 7
 - overdose in young woman 191
 - physiology **89**
 - pyrexia of unknown origin 182
 - seizures 119
 - shock 88, 89
 - sudden severe headache 111, 112, 115
 - transient loss of consciousness 146
 - unconscious patient 125, 134
 - upper gastrointestinal bleeding 95, 99
 - see also* hypertension; hypotension, postural
- blood sampling, protocol-driven 12
- blood tests 12–13
 - interpretation 13
 - near patient 13
 - normal ranges 229
- bradycardia 16, 19, 19–20
- breath sounds 5
- breathing 5–7
 - ineffective 6–7
 - management 125
 - see also* Kussmaul breathing
- breathlessness 44, 47, 49, 79–87, 205
 - acute renal failure 175
 - blood tests **83**
 - broad complex tachycardia 56
 - causes **82**
 - chronic obstructive pulmonary disease 73, 74, 218
 - coarse crepitations 209
 - diagnosis 212
 - hospital admission 79
 - pleuritic chest pain 38–9
 - pyrexia of unknown origin 182, 189
- Bristol Stool Scale **109**
- broad complex tachycardia 56–61, 173, 175, 208
 - mechanisms 57
- bronchial carcinoma 223
- bronchodilators, intravenous **67**
- bundle branch block 16, 22–4
 - left 23, 59, 60, 222
 - right 23, 24
- caffeine consumption 54
- calcium gluconate 174, **176**
- calcium levels
 - acute confusion 163, 164
 - low 223
 - see also* hypercalcaemia
- calcium resonium 174, **176**
- Campylobacter* 106
- capillary refill time, acute renal failure 175
- carbon dioxide narcosis 26
 - chronic obstructive pulmonary disease 71–2
- carbon dioxide partial pressure (pCO₂) 25, 26
 - acute asthma 63
 - rising in asthma 72
- cardiac arrhythmias 7
 - ECG 213
 - paroxysmal 47
 - phenytoin 120
- cardiac monitoring
 - acute renal failure 173, 174
 - hyperglycaemic patient 167
 - syncope 149, 150, 151
- cardiac syncope 147, **148, 151, 220**
 - risk factors **149**
- cardiogenic shock **90**
- cardioversion
 - chemical 51, **52, 58, 59**
 - inpatient electrical 52, 54, 58–9
 - synchronised DC 59, 60, 221
- carotid artery disease, stroke **141**
- carotid Doppler scan 141
- cellulitis 203, 204, Plate 6
 - antibiotics 203, 204
 - intravenous therapy 204
- central venous cannula 7
 - hyperkalaemia 177
 - insertion indications **95**
 - shock 91
 - upper gastrointestinal bleeding 95
- central venous pressure, shock 91, 92
- cerebral autoregulation of blood flow 142
- cerebral oedema 168, 169, 171
- cerebral pathology, impaired consciousness **126**
- cerebral tumours, metastases 124
- cerebrospinal fluid
 - opening pressure 114
 - results 114–15
 - samples 114
 - shunt 116
- cerebrovascular disease, risk factors **138, 139**
- chaperone 192, 194
- charcoal, activated 193
- Charcot–Bouchard aneurysms 139
- chest
 - auscultation 5, 6–7
 - examination 11
 - physiotherapy 75
- chest pain 9
 - cardiac-type 28–35, **36**
 - clinical features 30, **31**
 - non-cardiac causes 30, 35
 - terminology **29**
 - central 210, 216
 - pleuritic 37–45, 205, 219
 - differential diagnosis **38**
 - precipitating factors **10**
 - relieving factors **10**
- chest radiography
 - acute asthma **64, 65**
 - acute confusion 153, 163
 - acute shortness of breath 83, 84, 86
 - chronic obstructive pulmonary disease 74–5, 76
 - pulmonary embolism 41, 42
 - pyrexia of unknown origin 186, 187–8
 - shock 89, 91
 - unconscious patient 132
 - upper gastrointestinal bleeding 95
- chlordiazepoxide 155, 156
- chronic obstructive pulmonary disease
 - breathlessness 73, **74, 218**
 - chest radiography 74–5, 76
 - ECG 74, 75
 - exacerbation 70–7
 - acute shortness of breath 81, **82**
 - cause 73
 - severity 73
 - monitoring 75
 - oxygen delivery 7, 62
 - severity 73
- circulation 7
 - acute shortness of breath 79
 - chronic obstructive pulmonary disease 70
 - ineffective 7
 - management 125
- clopidogrel
 - cardiac chest pain 28, **29, 34**
 - ventricular tachycardia 60

- Clostridium difficile* 105, 106, 108, 110
 pseudomembranous colitis 107
 codeine phosphate 111
 cognitive impairment 158
 colitis 106, 220
 causes 107
 diarrhoea 110
 investigations 206
 ischaemic 106, 107
 severity indicators 108
 colon
 endoscopy 108, 109
 perforation risk 106, 108
 colonoscopy 109, 219–20
 compression stockings 115, 141
 computed tomography (CT)
 acute confusion 153, 156, 208
 seizures 122
 sudden severe headache 113–14, 116
 suspected stroke 140–1, 142
 unconscious patient 130, 132, 134
 computed tomography (CT) pulmonary
 angiography 43, 44
 pulmonary embolism 42, 44
 computed tomography (CT) venography 203
 confusion, acute
 alcohol consumption 152, 153, 154, 208,
 209
 causes 159
 chest radiography 153, 163
 CT brain scan 153, 156
 diagnosis 161–2, 163–4
 excess alcohol consumption 152–7
 history taking 160–1
 hyperglycaemia 166, 171
 infection 226
 intracranial pathology 221
 investigations 162–3
 management 152, 155, 158, 164
 monitoring 155–6
 older persons 214, 217
 older woman 158–65
 post-ictal 153, 154
 quantification 161
 sedation 158–60, 165
 conscious level
 acute shortness of breath 80
 assessment 127
 reduced 7–8
 shocked patient 88
see also Glasgow Coma Scale
 consciousness
 impaired 126–7
 transient loss 145–51, 207
 causes 146
 management 145
 constipation, acute confusion 161, 164
 continuous positive airway pressure (CPAP),
 pulmonary oedema 85, 86
 coronary arteries, unblocking 32
 coronary artery disease, risk factors 30, 31
 C-reactive protein
 acute renal failure 180
 acute shortness of breath 84, 85
 cellulitis 203, Plate 6
 diarrhoea 106
 pulmonary embolism 41, 44
 pyrexia of unknown origin 182
 shock 89
 type 1 diabetes mellitus 169, 170
 creatinine
 acute renal failure 173, 179, 180
 upper gastrointestinal bleeding 97, 98
 Crohn's disease 105, 107
 cyanosis, unconscious patient 125
 cyclizine 34
 D-dimer 44
 deep vein thrombosis diagnosis 203,
 220
 pulmonary embolism 41, 44
 deep vein thrombosis 43, 44, 220
 clinical probability 201
 clinical signs 207
 diagnostic tests 201, 203
 differential diagnosis 201, 204
 duplex scan 200, 203, 204
 prevention 34
 prophylaxis 115, 133
 risk 85
 risk factors 201, 204
 Wells score 201, 202, 204
 dehydration
 acute confusion 161
 acute renal failure 178, 180
 delirium 158
 dementia 158
 acute confusion in older people 217
 dental history 183, 184, 189
 dental radiography, pyrexia of unknown origin
 186
 dextrose 174, 176
 diabetes mellitus
 acute renal failure 177, 178, 180
 driving 170, 171
 type 1 170, 171, 218
 diabetes nurse specialist 170, 171
 diabetic ketoacidosis 26, 166–72, 227
 diagnosis 168
 insulin sliding scale 167
 management 170
 precipitants 167, 169–70
 diarrhoea 103–10
 acute 105, 206
 causes 104
 chronic illness 105
 classification 104
 diagnosis 106, 212–13
 infection control 105
 management 103, 106–7
 nocturnal 219, 220
 with rectal bleeding 206
 diathermy 99, 100
 diazepam 120, 155
 digoxin 53, 54
 stroke patient 142
 toxicity 161
 disability 7–8
 disseminated intravascular coagulation (DIC)
 91
 diuretics
 acute confusion 164, 165
 acute shortness of breath 80, 84, 85
 thiazide 142
 diverticular disease 219
 diverticulitis 107
 driving
 diabetes mellitus 170, 171
 seizures 123, 124
 syncope 54, 150
 drowsiness, hyperglycaemia 166, 171
 duodenal ulcer 206
 stigmata of recent haemorrhage 98–9, Plate
 3
 DVLA *see* driving
 dysphasia 136, 142
 early warning score 6
 echocardiography 149
 pyrexia of unknown origin 186, 188,
 189
 ectopic beats 48
 multiple 15, 16
 electrocardiogram (ECG) 14–16, 17, 17–18,
 19–24
 abnormalities 211
 acute renal failure 174, 175
 acute shortness of breath 80
 arrhythmias 213
 broad complex tachycardia 57, 58
 bundle branch block 22–4
 chronic obstructive pulmonary disease 74,
 75
 heart rate 15
 abnormality 14–15
 hemiparesis 136, 138
 hyperkalaemia 174, 175, 176
 myocardial infarction/ischaemia 19–22
 palpitations 48
 pulmonary embolism 41–2
 pyrexia of unknown origin 186
 rhythm
 abnormality 14–15
 irregular/regular 15
 shock 89, 90
 standard 12-lead 14
 syncope 146, 147
 treadmill 54
 upper gastrointestinal bleeding 95
 electroencephalogram (EEG), seizures
 123
 electrolytes
 imbalance in acute confusion 161, 164
 management in diarrhoea 106
 monitoring 53
 embolisation 51
 emergency medicine, acute medicine interface
 2
 employment
 seizures 123
 syncope 150
 endoscopy
 colon 108, 109
 gastrointestinal 98, 101, 206
 endotracheal intubation 5, 42

- enoxaparin 34, 41
atrial fibrillation 51
thromboprophylaxis 85, 133
- enterococcal infection 189
- epilepsy 124
diagnosis 123
see also seizures
- epilepsy nurse specialist 123
- erythema, swollen leg 201, 204, Plate 6
- erythrocyte sedimentation rate (ESR), pyrexia
of unknown origin 182
- Escherichia coli* O157 106
- examination of patient 9–10
- exposure 8
- face, examination 11
- factor VII 195
- fainting 216
- falls, older people 161, 163, 165
- family members, history taking 192
- feet, examination 12
- fever
pyrexia of unknown origin 182
swollen leg 201
- fibrinolysis regimens 34
- finger nails
clubbing Plate 1
splinter haemorrhages 185, 186
- fluid balance, upper gastrointestinal bleeding 95
- fluid therapy/resuscitation
chronic obstructive pulmonary disease 70
diabetic ketoacidosis 168–9
hyperkalaemia 175, 177
requirement calculation 168, 169
shock 91, 92
stroke patient 141
upper gastrointestinal bleeding 94–5
- flumazenil 130
- furosemide, acute shortness of breath 80, 84, 85, 86
- gastrointestinal bleeding 205, 219
diagnosis 212
risk score 3
- gastrointestinal bleeding, upper 94–101, 225, Plate 3, Plate 4
acid suppression 99, 101
causes 95, 96
diagnosis 96
endoscopic therapy 99, 100
history 97
management 94–6
rebleeding 100
prevention 99
repeat endoscopy 101
severity 96
surgical intervention 99
- gastrointestinal endoscopy 98, 99, 100, 101, 206
- gastro-oesophageal reflux, chest pain 9
- general medicine 1
- Glasgow Coma Scale 7, 8
conscious level assessment 127
hyperglycaemic patient 166, 167
- overdose in young woman 191
seizures 120, 121
sudden severe headache 111, 115
- glomerular filtration rate, estimated 179
- glucose
blood levels
overdose in young woman 191
raised 26
type 1 diabetes mellitus 218
- capillary blood level 8, 119
- hemiparesis 136
hyperglycaemia 166
seizures 118
unconscious patient 128, 130
see also hyperglycaemia; hypoglycaemia
- glyceryl trinitrate (GTN)
pulmonary oedema 85, 86
sublingual 34
- Guedel airway 5, 125, 127
- haematemesis 94, 95–6, 101
- haemodialysis/haemofiltration, indications 179, 180
- haemoglobin
acute shortness of breath 81
chronic obstructive pulmonary disease 74
upper gastrointestinal bleeding 97, 98
- haemolytic–uraemic syndrome 106
- hands, examination 11
- head injury 8
intracranial bleeding 153, 154
reduced consciousness 128
- headache, sudden severe 111–17, 207, 217, 227
- heart, protection 176
- heart block
first-degree 19
second-degree 19, 19–20
third degree (complete) 19, 20, 150, 151
- Helicobacter pylori* 100–1
- hemiparesis 136–43
causes 137
history taking 138–9
management 136
- hemiplegia 136, 139, 143
carotid Doppler scan 141
management 141
prognosis 143
- heparin
atrial fibrillation 50–1
fibrinolysis 34
intravenous 32
low molecular weight 41, 42, 44, 54
ventricular tachycardia 60
thromboprophylaxis 85
- hepatic encephalopathy 154
- hepatic failure, paracetamol overdose 194
- heroin taking 133
- history taking 8–9
family member presence 192
relatives presence 192
- HMGCoA reductase inhibitors 34
- hospital admissions 3
prevention of unnecessary 3–4
- hydrocephalus, obstructive 116
- hydrocortisone 76
- β -hydroxybutyrate 168
- hypercalcaemia
acute confusion 163, 164
causes 210
hyperparathyroidism 223
- hypercapnia 25
- hyperglycaemia
acute 166–72
management 166–7
- hyperkalaemia 220
acute renal failure 174–5, 180
diabetic ketoacidosis 168
ECG changes 174, 175, 176
history taking 177
management 174–5, 176, 177
- hyperparathyroidism 223
- hypertension
acute renal failure 177, 178, 180
chronic 139
stroke patient 142, 143
syncope 145, 151
- hyperventilation
acute shortness of breath 82
transient loss of consciousness 146
- hypocalcaemia 223
- hypocapnia 25
- hypoglycaemia 136
acute confusion 154
agitation 133
reduced consciousness 128
seizures 118, 136
transient loss of consciousness 146
- hypokalaemia 50, 53, 54, 220
chronic obstructive pulmonary disease 74
syncope 149
- hyponatraemia, acute confusion 163
- hypotension, postural 148, 150
- hypothermia 136
- hypovolaemia 7
chronic obstructive pulmonary disease 70
diarrhoea 105, 110
- hypovolaemic shock 90
upper gastrointestinal bleeding 94, 96
- hypoxaemia 25
acute confusion 155
chronic and oxygen delivery 7
pleuritic chest pain 37–8
- hypoxia 25, 26
agitation 133
chronic 71
chronic obstructive pulmonary disease 71
- ibuprofen 96, 101
- immunodeficiency 189
- immunosuppression, pyrexia of unknown origin 184
- impedance plethysmography 203
- infection
acute confusion 226
intracranial 155
pyrexia of unknown origin 183, 184
see also bacterial infection; viral infection

- infective endocarditis 183, 185, 186
 antibiotics **188**, 189
 blood cultures 189
 causative organisms 188–9
 diagnosis 188
 Duke criteria for diagnosis **188**
 inflammatory bowel disease 105, 106, **107**
 inflammatory markers, acute confusion 163
 inhaler technique 67–8
 insulin
 acute renal failure 174, **176**, 177, 180
 fast-acting 174
 hyperkalaemia 174, **176**, 177, 180
 intravenous 167, 168, 169, 170, 171
 subcutaneous 170–1
 insulin sliding scale
 hyperkalaemia 177, 180
 intravenous 167
 international normalized ratio (INR) 42, 44
 factor VII measurement 195
 paracetamol overdose 221–2
 shock 89
 intracerebral haemorrhage 139
 intracranial bleeding
 acute confusion 161
 head injury 153, **154**
 intracranial infection 155
 intracranial pressure, raised 132
 intracranial tumours 139
 intravenous drug abuse 128, 134
 intravenous fluid resuscitation
 stroke patient 141
 upper gastrointestinal bleeding 94–5
 ipratropium bromide 62, 65, 69
 chronic obstructive pulmonary disease 70, 72, 75, **76**, 77
 respiratory failure 228

 joints, examination 12
 junior doctors, medical emergencies 3

 ketones, diabetic ketoacidosis 167, 168, 170
 ketonuria 171
 Korsakoff's psychosis 155, 221
 Kussmaul breathing 166, 168, 169

 laxatives 164
 left bundle branch block 23, 59, 60, 222
 left ventricular failure, acute shortness of breath 81
 leg, acutely swollen 200–4, 207
 diagnosis 214–15
 differential diagnosis 201, **202**
 legs
 duplex scanning **43**
 examination 12
 venography **43**
 liver damage, paracetamol overdose 194, 195–6, 221–2
 liver disease, chronic 130
 liver transplantation, paracetamol overdose 194, 222
 locomotor system examination 12
 lorazepam 120, 123, 156, 160

 lower limb
 duplex scanning/venography **43**
 foot examination 12
 lumbar puncture
 contraindications **114**
 meningitis 122
 subarachnoid haemorrhage 227
 sudden severe headache 114
 lumbar vertebra crush fracture 163, 164, 165
 lung fields, percussion 7
 lung perfusion, pulmonary embolism **43**

 magnesium sulphate 63, 69
 acute asthma 225
 magnetic resonance angiography (MRA) 115
 subarachnoid haemorrhage 116
 magnetic resonance imaging (MRI)
 seizures 122
 venography **203**
 malignancy
 acute confusion 161–2
 deep vein thrombosis 44
 pulmonary embolism 44
 pyrexia of unknown origin 184, 186
 malnutrition, seizures 119
 mechanical ventilation 7
 acute asthma exacerbation 67
 chronic obstructive pulmonary disease 76–7
 respiratory failure 228
 medical emergencies, junior doctors 3
 melaena 94, 96, 99, 101, 205
 gastrointestinal endoscopy 206
 meningitis 122
 bacterial 155
 reduced consciousness 128
 meningococcal septicaemia, reduced consciousness 128
 mental capacity 196–8
 Mental Health Act, detention 133, 196–7, 198
 metabolic acidosis 25
 acute renal failure 177
 acute shortness of breath **82**
 diabetic ketoacidosis 168, 171
 seizures 120
 shock 93
 metabolic alkalosis 25, 26
 metabolic disease, impaired consciousness **126**
 metastases, cerebral tumours 124
 metered dose inhaler 68, Plate 2
 middle cerebral artery territory infarct 142
 migraine 220
 mitral valve vegetation 186, 188, 189
 models of care 2–3
 morphine sulphate 34
 broad complex tachycardia 56
 pleuritic chest pain 37
 pulmonary oedema 86
 sudden severe headache 111
 muscle aches 182, 183
 myeloma 163–4, 165, 223
 myocardial infarction (MI) 19–22
 cardiac chest pain 28
 drug prescribing 32, 34

 left bundle branch block 222
 non-ST elevation 9, 21, 22
 previous 22
 T-waves 21, 22
 underlying 54
 see also ST elevation myocardial infarction (STEMI)
 myocardial ischaemia 19–22
 risk score 3

 N-acetyl cysteine 132, 193, 194, 195, 196, 197, 198, 221, 222
 naloxone 130, 132, 133, 134, 226
 nasogastric tube, stroke patient 141
 nasopharyngeal airway 5, 127
 National Institute for Health and Clinical Excellence (NICE), antithrombotic therapy in atrial fibrillation **51**
 neck examination 11
 needle track marks 128
 nephrologists, specialist 180
 nephrotoxic drugs 179–80
 neurological observations
 seizures 120
 unconscious patient 130, *131*
 neurological system examination 12
 neutrophil count
 acute confusion 153
 acute shortness of breath 84, 85
 cellulitis 203
 chronic obstructive pulmonary disease 74
 diarrhoea 106
 pulmonary embolism 41, 44
 pyrexia of unknown origin 186, 187
 shock 89
 unconscious patient 132
 nimodipine 115, 220
 non-ST elevation myocardial infarction (NSTEMI) 9, 21, 22
 risk score **36**
 non-steroidal anti-inflammatory drugs (NSAIDs) 96, 101

 obesity, acute shortness of breath 80, 81
 objective structured clinical examination (OSCE) checklist 11–12
 oesophageal varices 96
 band application 99, Plate 4
 bleeding 98, 99, Plate 4
 oesophagogastrroduodenoscopy 98
 older people
 abnormal renal function 173–81
 acute confusion 158–65, 214, 217
 sedation 158–60
 seizures 124
 omeprazole 100, 101, 219
 opiate analgesia 34
 acute confusion 161
 broad complex tachycardia 56
 pleuritic chest pain 37
 sudden severe headache 111
 toxicity 134
 opiate drugs
 overdose 226–7
 withdrawal 133

- opiate toxicity 134
 agitated patient 133, 134
 agitation 133
 analgesics 134
 reduced consciousness 128
 unconscious patient 130, 132–5
- oral contraceptives, pulmonary embolism 37, 40, 44
- overdose in young man 217
 opiates 226–7
- overdose in young woman 191–9, 209
 antidotes 192–3
 history taking 192
 identification of drug 192
 management 191
 mental capacity 196–8
 mental state 194
 risk assessment 195, **196**
 treatment 192–3
- oxygen, inspired concentration (FiO₂) 25, 26
- oxygen administration
 acute asthma 62, 65
 acute confusion 155
 acute shortness of breath 79
 broad complex tachycardia 56
 high-flow for pleuritic chest pain 37
 seizures 118
 stroke patient 141
 unconscious patient 125, 134
 upper gastrointestinal bleeding 94
- oxygen delivery 7
 uncontrolled 26
- oxygen partial pressure (pO₂) 25, 26
- oxygen saturation
 acute asthma 62, 66
 acute renal failure 173
 acute shortness of breath 79, 80, 85
 chronic obstructive pulmonary disease 70, 71–2, 76
 hemiparesis 136, 138
 hyperglycaemia 166
 measurement 5
 pulmonary oedema 85
 seizures 119
 shock 88, 89
 unconscious patient 125, 132
- pacemaker, permanent 150, 151
- palpitations 47–54
 causes **48**, 49, 208
- pamidronate 164, 165
- paracetamol, blood levels 132
- paracetamol overdose 192–9, 209, 217
 international normalized ratio 221–2
 investigations 195
 liver damage 194, 195–6, 221–2
 management **197**
 mental capacity 196–8
 staggered 194
- paroxysmal arrhythmias 47
- patients, review 2–3
- peak expiratory flow rate 67
- peak flow 63
- peak flow meter 63, 68
- peptic ulcer 94–101, 219, 225, Plate 3
 rebleeding 99, 100, 219
- percutaneous coronary intervention (PCI) 32, **33**
- perindopril 142
- pH 25, 26
 chronic obstructive pulmonary disease 72
- pharmacological toxicity, impaired consciousness 127
- phenytoin 120, 123
- platelets, upper gastrointestinal bleeding 97, 98
- pleural effusion 74
- pneumonia
 chronic obstructive pulmonary disease exacerbation **74**
 community-acquired **81**, **82**
 unconscious patient 132, 133, 134
- pneumothorax 42
 acute shortness of breath **82**
 chronic obstructive pulmonary disease exacerbation **74**
- polydipsia 166, 171
- post-take ward round 2
- postural hypotension **148**, 150
- potassium
 accumulation prevention **176**
 diabetic ketoacidosis 168
 removal **176**
see also hyperkalaemia; hypokalaemia
- potassium supplementation 149, 171
 diabetic ketoacidosis 168, 169, 170
- precipitating factors 9–10
- precordium, examination 11
- prednisolone 63, 68, 69
 chronic obstructive pulmonary disease **76**
- pressor agents 99
- pretest probability score 40
- prolactin serum levels 124
- prothrombin time 195
- proton pump inhibitors 101
- pseudomembranous colitis **107**, 108
- pseudoseizures 124
- pulmonary angiography, pulmonary embolism 42, **43**, 44, 44
- pulmonary embolism 37, 38, 219
 acute shortness of breath **81**, **82**
 anticoagulants 41
 cause 42, 44
 chronic obstructive pulmonary disease exacerbation **74**
 confirmatory investigations 42
 diagnostic tests 42, **43**
 risk factors 39–40, 200
 risk score 3
 signs/symptoms 39
 treatment 42
 Wells score 40, 205, 219
- pulmonary infarction, segmental 42
- pulmonary oedema 222
 acute shortness of breath **81**, **82**, 84, 85–7
 deterioration 85–6
 diagnosis 86
 pyrexia of unknown origin 186, 187–8, 189
- pulse oximetry 5
 unconscious patient 125
- pulse rate 7, 111
 acute confusion 162
 acute renal failure 173, 175
 acute shortness of breath 79
 chronic obstructive pulmonary disease 76
 diabetic ketoacidosis 169
 diarrhoea 103
 hemiparesis 136, 139
 hyperglycaemia 166
 overdose in young woman 191
 palpitations 48
 pyrexia of unknown origin 182
 seizures 119
 shock 88
 transient loss of consciousness 146
 upper gastrointestinal bleeding 95, 99
- pulse volume 7
- pupils
 examination 8
 reduced consciousness 128, 134
- pyelonephritis, acute 170
- pyrexia of unknown origin 182–90, 218
 blood tests 186, **187**
 chest radiography 186, 187–8
 dental history 183, 184, 189
 dental radiography 186
 differential diagnosis 182, **183**, 185, 189
 history taking 183–4
 infection 183, **184**
 investigations 186–8
 physical examination 185
 pulmonary oedema 186, 187–8, 189
 transthoracic echocardiogram 186, 188, 189
- Q scan 42, **43**
- QRS complex, narrow calibre 57
- Q-waves, previous myocardial infarction 22
- radionuclide scintigraphy **43**
 pulmonary embolism 42
- ramipril 34, 53
- rash
 petechial 128, Plate 5
 urticarial 63
- Raynaud's phenomenon 184
- rectal bleed, fresh **96**, 206
- relatives, history taking 192
- relieving factors 9–10
- renal failure *see* acute renal failure (ARF)
- renal function
 abnormal in older person 173–81
 acute confusion 164, 165
 shock 89, 91
 test result interpretation 179
- renal impairment
 acute confusion 163
 opiate toxicity with analgesics 134
 pulmonary oedema 84, 86
- renal tract ultrasound 179
- respiration, sighing 166
- respiratory acidosis 25, 26, 77
 chronic obstructive pulmonary disease 76
 compensated 26
 unconscious patient 125

- respiratory alkalosis 25
respiratory disease, impaired consciousness 126
respiratory failure, Type 2 228
respiratory rate 5
acute renal failure 173, 175
diarrhoea 103
pulmonary oedema 85
shock 88, 89
unconscious patient 125, 134
respiratory tract infection
acute confusion 161
viral in asthma exacerbation 65
resuscitation 5–11
intravenous in upper gastrointestinal bleeding 94–5
shock 89
see also fluid therapy/resuscitation
repeplase 34
right atrial pressure, measurement 7
right bundle branch block 23, 24
risk scores, evidence-based 3, 35, 36
risk stratification 3
Rockall score 3, 99, 100
R-waves, previous myocardial infarction 22
- salbutamol 62, 63, 65, 69, 176, 221
acute asthma 210, 222, 225, 226
acute shortness of breath 84, 85, 86
chronic obstructive pulmonary disease 70, 72, 75, 76, 77
intravenous 67
respiratory failure 228
saline resuscitation, diabetic ketoacidosis 168–9
salmeterol 62, 65
Salmonella 106
sarcoidosis 223
sectioning *see* Mental Health Act, detention
sedation, acute confusion 155, 158–60, 165
seizures 118–24
alcohol consumption 153, 221
causes 119
differential diagnosis 119
driving 124
restrictions 123
employment 123
examination 121
first 124
follow-up 123
generalised tonic–clonic 118, 123
history 121
hospital stay 122
hypoglycaemic 136
imaging 122, 123
management 118–19
older people 124
post-ictal confusion 153, 154
prolonged 122, 123
syncopal 146, 147
syncope differential diagnosis 147
Todd's paralysis 139–40
transient loss of consciousness 145, 146
treatment 119
- self-harm risk 196, 197, 198, 226–7
sepsis 7
acute confusion 153, 154, 155
agitation 133
chest 153, 154
impaired consciousness 126
radioisotope-labelled white cell scanning 189
septic shock 90, 91–3
shaking
syncope 145, 146, 220
transient loss of consciousness 145, 146
shock 88–93, 227–8
causes 89, 90
chest radiography 89, 91
fluid management 91, 92
hypovolaemic 90, 94, 96
management 91–2
resuscitation 89
septic 90, 91–3
sigmoidoscopy, flexible/rigid 109
simvastatin 34
sinus bradycardia 16, 19
sinus rhythm restoration 51, 52, 54
synchronised DC cardioversion 59, 60
sinus tachycardia 16, 17, 18, 48
acute asthma 63
hyperglycaemic patient 167
pulmonary embolism 41, 42
seizures 120
shocked patient 89
smoking 47–8
acute shortness of breath 80–1
chronic obstructive pulmonary disease 70
deep vein thrombosis risk 201, 204
discontinuation 53, 54
sodium levels, acute confusion 163
sodium valproate 122, 123
specialist acute physicians 1
splinter haemorrhages 185, 186
ST elevation myocardial infarction (STEMI) 7, 21, 22, 31, 32, 35, 222
diagnosis 225
thrombolytic therapy contraindications 210
ST segment abnormalities 21
elevation 31, 32
Staphylococcus aureus 188–9
Staphylococcus epidermidis 189
statins 34
status epilepticus 118, 119–20
steroids
acute asthma 62, 65, 68
diarrhoea 107
stools
black
tarry 205, 216
without pungent odour 96
types 109
upper gastrointestinal bleeding 94, 95
see also diarrhoea
Streptococcus viridans 188, 189
streptokinase 34
stroke
acute ischaemic 51, 136, 138, 139–43
acute confusion 161
atrial fibrillation 140
classification 139
management 143
carotid artery disease 141
cerebral autoregulation of blood flow 142
CT brain scan 140–1, 142
embolic 139
hemiparesis 136
management 141, 143
presentations 213–14
prognosis 143
thrombolytic therapy 136, 138
subarachnoid haemorrhage 111, 227
clinical examination 112–13
clinical features 112
conscious level deterioration 115, 116
diagnosis 113, 116
differential diagnosis 113, 116
investigations 113
magnetic resonance angiography 116
management 115, 116, 207
symptoms 112
subdural haematoma
acute confusion 156
agitation 133
sudden onset of symptoms 9
suicide risk 196, 197
supraventricular tachycardia 16, 17, 18, 48, 56, 57
broad complex tachycardia 57–8, 220–1
with bundle branch block 57–8
Surviving Sepsis Resuscitation Care Bundle 92
swallowing
assessment 142
stroke patient 141, 143
sweats, night 183, 189
symptom onset, sudden 9
syncopal seizures 146, 147
syncope
cardiac 147, 148, 149, 151, 220
cardiac monitoring 149, 150
causes 147, 148
clinical features 207
driving 54, 150
employment 150
investigations 149, 149
management 149–50
monitoring 149
neurally mediated 148
postprandial 150
recurrence 150
shaking 145, 146, 220
transient loss of consciousness 145, 146
treatment 149
systolic murmur 185, 186
- tachycardia 7
broad complex 56–61, 173, 175, 208
irregular 15, 16, 208
narrow complex 208, 220
regular 16, 17, 17–18
tenecteplase 32, 34, 35
terlipressin 99
thiamine 221
alcoholism 155, 156

- thiazide diuretics 142
- thirst 166, 169, 171
- thromboembolic disease 141
 - risk factors 39–40
- thromboembolic disease (TED) stockings 115, 141
- thrombolysis in myocardial infarction (TIMI) score 3, 35, **36**
- thrombolytic therapy 32, 33
 - contraindications 33, 210
 - exclusion criteria **138**
 - inclusion criteria **138**
 - indications 33
 - ischaemic stroke 136, 138
- thromboprophylaxis, acute shortness of breath 85
- thyroid function tests 149
- thyrotoxicosis 106
- tinea pedis 201
- Todd's paralysis 136
 - seizures 139–40
- total anterior circulation infarct (TACI) 139, 143
- TOXBASE 192, 193
- toxic confusional state 158
- tranexamic acid 99
- transient ischaemic attacks (TIAs) 143
- transient loss of consciousness (TLOC) 145–51, 207
- transthoracic echocardiogram, pyrexia of unknown origin 186, 188, 189
- trauma
 - reduced consciousness 128
 - see also* head injury
- troponin
 - assay **13**
- cardiac 32, 34, 35
- elevation in ventricular tachycardia 59–60
- T-wave abnormalities 22
- ulcerative colitis 105, **107**, 218, 219
 - acute exacerbation 227
- unconscious patient 125–35
 - causes **126–7**
 - chest radiography 132
 - collateral history 130
 - diagnosis 211–12
 - investigations **129**
 - management 125
 - urgent CT scan 130, 132, 134
- upper respiratory tract infection, asthma exacerbation 65
- urea
 - acute renal failure 173, 179, 180
 - upper gastrointestinal bleeding 97, 98
- urinalysis 12
 - acute renal failure 179
 - type 1 diabetes mellitus 170, 171
- urinary obstruction 177, 178
- urinary tract infection
 - acute confusion 161
 - antibiotics 171
- urine dipstick analysis 179, 180
- urticaria 63
- venography, ascending **203**
- ventilation
 - non-invasive 76–7
 - positive pressure 85
 - see also* mechanical ventilation
- ventricular ectopic beats 174
- ventricular tachycardia 16, 17, 18, **48**, 56
- broad complex tachycardia 57–9, 220–1
 - with bundle branch block 57–8
 - pulseless 173
 - treatment 58–9
- vertebrobasilar insufficiency **146**
- viral infection
 - acute asthma 221
 - asthma exacerbation 65
 - chronic obstructive pulmonary disease exacerbation **74**
 - respiratory 65
- vomit, coffee-ground **96**
- vomiting
 - hyperglycaemia 166, 171
 - sudden severe headache 111
 - upper gastrointestinal bleeding 95–6
- V/Q scan 42, **43**, 44
- warfarin 41, 42, 44, 52, 53
 - stroke patient 143
- weakness, unilateral 136–43
 - causes **137**
 - history taking 138–9
 - management 136, 141
- Wells score 3
 - for deep vein thrombosis 201, **202**, 204
 - for pulmonary embolism 40, 205, 219
- Wernicke's encephalopathy 119, 153, **154**, 155, 221
- wheeze 217
 - acute asthma 62, 63, 65, 208
 - acute shortage of breath 81, 86
 - chronic obstructive pulmonary disease 73
- white cell count *see* neutrophil count
- Wolff–Parkinson–White syndrome, adenosine contraindication **59**

