

# Index

---

## • A •

- abstraction layers, 62
- Access Control List (ACL), 145
- Actions tab, 258
- Active Directory (AD), 212
- Active Directory Interface, 144
- active partition, 65
- AD (Active Directory), 212
- adapters
  - active, 116–118
  - Ethernet, 163
  - failed, 116
  - host bus adapters (HBAs), 59, 125
  - network, 103–106
  - standby, 116–118
  - unused, 116–118
  - uplink, 95, 98–99
- Add a Host link, 159
- Add Host Wizard, 159–160, 201
- Add Network Wizard, 101
- Address Resolution Protocol (ARP), 116
- Admin window (VIC interface), 88
- Administrator password, 183
- Administrator role, 216
- Akorri BalancePoint, 308–309
- Alarm Settings dialog box, 256
- alarms, 256–258
- alarms management, 141
- Alarms tab, 246, 248
- All Cluster Resources pool, 238
- Apple Boot Camp, 296
- arbitrated loop, 43
- ARP (Address Resolution Protocol), 116
- Assign Permissions window, 221
- available memory, 233
- average bandwidth, 113
- average CPU usage, 34
- averaging method, 35

## • B •

- Backup Exec, 266
- Backuproot option, 265
- backups
  - LAN-free, 261
  - overview of, 260
  - restoring from, 269
  - scripts, 266–268
  - software, 263
  - tape, 260
- balloon memory, 165, 169
- bandwidth, 113
- baselines, 244
- Beacon Probing, 116
- Below Reservation state, 238
- block-level protocols, 41
- blocks, 40
- blogs
  - SearchVMware.com, 292–293
  - ServerVirtualization.com, 291–292
- blue-screens, 275
- Boot Camp, 296
- boot partition, 69, 71
- booting, from SAN, 41
- built-in roles, 216
- burst size, 113
- bus, 40

## • C •

- capacity, exceeding, 273
- Capacity Planner, 147, 302–303
- capacity planning. *See also* virtualization
  - cost of virtualization, 20–21
  - data-gathering tools, 36–37
  - failure, 28–29
  - hardware, 37–38
  - overview of, 24–27
  - reasons for, 24–28

- capacity planning (*continued*)
    - adding capacity, 24–27
    - for future growth, 27–28
    - preventing network congestion, 24
  - resource usage, 29–36
    - memory, 35–36
    - networking, 31–32
    - processors, 33–34
    - storage, 29–31
  - tightly coupled systems in, 24
  - cards
    - Ethernet, 103
    - network interface cards (NICs)
      - minimum requirement for, 149
      - promiscuous mode, 103
      - and virtual switches, 96
  - CD-ROM drives, 163
  - central processing units (CPUs), 164
  - Challenge-Handshake Authentication Protocol (CHAP), 47
  - Change Chart Options link, 251
  - CHAP (Challenge-Handshake Authentication Protocol), 47
  - CIFS (Common Internet File System), 52
  - client device, 170
  - clusters
    - adding ESX host to, 200–201
    - creating, 198–200
    - fault tolerance in, 194–198
    - migration in, 204–208
    - monitoring, 248–252
    - single points of failure, 193–194
  - cold migration, 205
  - Common Internet File System (CIFS), 52
  - compact disk format, 176
  - complete disaster, 195
  - Config.js file, 265–266
  - Configuration section (VI Client), 75
  - Configuration tab, 100
  - consolidation, 130–131
  - constraints, placement, 202–203
  - Contention for Expandable Resources
    - Before Limit is Met state, 239
  - cooling costs, lower, 16
  - core services. *See also* VirtualCenter
    - alarms and events management, 141
    - host and virtual machine
      - configuration, 143
    - inventory management, 141
    - overview of, 140
    - statistics logging, 141–142
    - task scheduler, 143
    - VM provisioning, 141
  - co-scheduling, 13
  - CPU Reservation, 234
  - CPU resources, sharing, 234
  - CPU usage
    - average, 34
    - calculating, 33
    - in iSCSI, 51
    - maximum, 34
    - monitoring, 244, 251–252
    - overview of, 33
    - resource pools, 238–239
    - templates, 26
  - CPUs (central processing units), 164
  - Create a Datacenter link, 158
  - Create Resource Pool window, 241
  - creating
    - clusters, 198–200
    - data stores, 133–134
    - ESX clusters, 198–199
    - resource pools, 241–242
    - roles, 217–218
    - server, 175–183
    - URLs for virtual machines, 174
    - virtual machine templates, 178–180
    - virtual machines, 167–170, 179–183
  - custom roles, creating, 217–218
  - Customization Wizard, 182
- D •
- data centers, 157–158, 245–247
  - data stores
    - browsing, 134
    - creating, 133–134
    - extending, 135
    - overview of, 132
  - Database Interface, 144
  - databases
    - calculating size of, 149–150
    - installing, 150–151

- overview of, 147–148
  - server, 148–149
  - supported for VirtualCenter 2.5, 148
  - DataCenter Administration role, 216
  - datacenter-level monitoring, 248
  - default partitions, 69–70
  - Deploy Template Wizard, 181
  - Deploy.Cab file, 178
  - Details pane (VIC interface), 87
  - device drivers, 164
  - differential file, 184
  - disaster recovery
    - backup scripts, 266–268
    - config file, 265
    - disabling automatic drive letter assignment, 264
    - LAN-free backups, 261
    - overview of, 259
    - restoring from backups, 269
    - software interoperability module, 265
  - disk partitions
    - extended, 65
    - logical unit numbers, 123–126
    - overview of, 120–121
    - primary, 65
    - RAID levels, 121–123
  - diskpart, 264
  - disks
    - bottlenecks, 25
    - recommended free space, 149
    - striping, 121
    - throughputs, 29–30
    - usage, 26, 29–31, 244, 253
  - disk-to-disk-tape backups, 260
  - Distributed Power Management (DPM), 18, 144
  - Distributed Resource Scheduler (DRS)
    - automation level, 199
    - cluster-level monitoring, 249
    - configuration page, 144
    - configuring, 203
    - creating ESX clusters with, 198–199
    - description of, 18
    - installing ESXi, 73
    - overview of, 143
    - in virtual clusters, 195
  - distributed services. *See also* VirtualCenter
    - Distributed Power Management (DPM), 144
    - Distributed Resource Scheduler (DRS), 143–144
    - High Availability (HA), 143
    - overview of, 143
    - Storage VMotion, 144
    - VMotion, 143
  - DNS name, 73–78, 156, 173, 174
  - DPM (Distributed Power Management), 18, 144
  - drive letters, 69–70, 264
  - drivers, 164
  - drives
    - CD-ROM, 163
    - floppy, 163
    - IDE drives, 65
    - logical, 65
    - serial ATA, 71
  - DRS (Distributed Resource Scheduler)
    - automation level, 199
    - cluster-level monitoring, 249
    - configuration page, 144
    - configuring, 203
    - creating ESX clusters with, 198–199
    - description of, 18
    - installing ESXi, 73
    - overview of, 143
    - in virtual clusters, 195
  - DRS configuration page, 200
  - dual-core processors, 61
- E •**
- EDI (Electronic Data Interchange), 27
  - electric costs, lower, 16
  - Electronic Data Interchange (EDI), 27
  - EMC2, 290–291
  - Engagement Simulation Exercise. *See* ESX
  - Enterprise Resource Planning (ERP), 27
  - ERP (Enterprise Resource Planning), 27
  - error conditions, 206
  - estimation, 243
  - ESX (Engagement Simulation Exercise), 13

- ESX host
    - adding to VirtualCenter server, 158–160
    - backup, 265
    - booting on local hard disk, 42
    - clusters, 196–203
    - default roles, 216
    - description of, 17, 57
    - disk partitions, 64–65, 120–123
    - fault-tolerant design, 59
    - installing, 67–79
      - ESXi, 73
        - hardware preparation, 71
        - steps in, 72–74
        - VI Client, 73–74
    - networking model, 63–64
    - object hierarchy, 212–213
    - operating systems, 62–63
    - preinstallation tasks, 67–70
      - CPU resources, 68
      - default partitions, 70
      - hardware compatibility, 68–69
      - memory, 68
      - mount points vs. drive letters, 69–70
      - text vs. graphics-based install, 68
    - selecting, 181
    - server sizes, 60–61
    - storage control, 64
    - symmetrical multiprocessing, 13
    - troubleshooting, 277–278
      - and virtual machines, 58
  - ESX host layer, 119
  - ESX layer, 14
  - ESX license model, 153
  - ESX Server Management, 144
  - ESX Web page, 74, 84
  - ESXi, 17, 42, 73
  - Ethereal, 36
  - Ethernet adapters, 163
  - Ethernet cards, 103
  - Ethernet frames, 103
  - events management, 141
  - Events window (VIC interface), 92–93
  - exceptions, policy
    - failover order, 116–117
    - load balancing, 114–115
    - network failover detection, 115–116
    - notify switches, 116
    - rolling failover, 116
  - expandable reservations, 23
  - expandable resource pools, 236–240
  - explicit failover order, 114–115
  - extended partitions, 65
  - external problems, troubleshooting, 273
- **F** ●
- failed adapters, 116
  - failover order, 116–117
  - failure
    - hardware, 272
    - mean time between failure (MTBF), 121
    - single points of, 193–194
  - fault tolerance
    - clusters in, 196–198
    - layers of protection, 194–196
    - overview of, 59
  - fibre channel SANs. *See also* storage area network (SAN)
    - arbitrated loop, 43
    - multipathing with, 127–128
    - point-to-point, 42
    - pros and cons of, 46
    - switched fabric, 43–45
    - topologies, 42–44
  - file systems
    - Common Internet File System (CIFS), 52
    - main discussion, 69–70
    - Network File System (NFS), 51, 120
    - Virtual Machine File System (VMFS), 18, 71
    - VMware File System (VMFS)
      - concurrent access to, 130
      - data stores, 132–134
      - definition of, 129
      - designing, 130–132
      - overview of, 129–130
  - file-level protocols, 41
  - files
    - Config.js, 265–266
    - Deploy.Cab, 178
    - differential, 184
    - main discussion, 40–41

swap, 165–166  
 sysprep, 176–178  
 VMX, 287–288  
 Fixed Path, 127  
 floppy drives, 163  
 forged transmit, 110

## ● G ●

gateways, 46  
 government regulations, 27  
 graphics-based installation, 68  
 groups, 213, 224  
 guest operating systems  
   adding hardware with, 163–164  
   description of, 17  
   installing, 170–171

## ● H ●

HA (High Availability)  
   configuring, 200–202  
   description of, 18  
   in distributed services, 143  
   in fault-tolerant design, 59  
   support in ESXi, 73  
   troubleshooting, 272  
   in virtual clusters, 195  
 HA Configuration page, 201  
 hard disks, 163, 169  
 hardware, 37–38, 59  
 Hardware Acceleration settings, 171  
 Hardware Compatibility List (HCL), 38,  
   68–69  
 hardware failure, 272  
 hardware usage, 16  
 hardware-based iSCSI, 47  
 HBAs (host bus adapters), 59, 125  
 HCL (Hardware Compatibility List), 38,  
   68–69  
 Hide LUNs link, 124  
 High Availability (HA)  
   configuring, 200–202  
   description of, 18  
   in distributed services, 143  
   in fault-tolerant design, 59

  support in ESXi, 73  
   troubleshooting, 272  
   in virtual clusters, 195  
 high-performance NAS, 53  
 high-priority migrations, 208  
 host bus adapters (HBAs), 59, 125  
 Host Summary screen, 160  
 host-based licenses, 152  
 hosts  
   adding to VirtualCenter server, 158–160  
   backup, 265  
   booting on local hard disk, 42  
   clusters, 196–203  
   connecting to, 265  
   default roles, 216  
   description of, 17  
   device, 170  
   disk partitions, 64–65, 120–123  
   fault-tolerant design, 59  
   installing, 67–79  
     ESXi, 73  
     hardware preparation, 71  
     steps in, 72–74  
     VI Client, 73–74  
   networking model, 63–64  
   object hierarchy, 212–213  
   operating systems, 62–63  
   overview of, 57–59  
   preinstallation tasks, 67–70  
     CPU resources, 68  
     default partitions, 70  
     hardware compatibility, 68–69  
     memory, 68  
     mount points vs. drive letters, 69–70  
     text vs. graphics-based install, 68  
   selecting, 181  
   server sizes, 60–61  
   storage control, 64  
   symmetrical multiprocessing, 13  
   troubleshooting, 277–278  
   and virtual machines, 58  
 Hosts & Clusters folder, 245–247  
 Hosts tab, 246–247  
 hot migration, 205  
 hybrid approach, 130–131  
 hyperthreading, 14

## • 1 •

- IDE drives, 65
- IEEE 802.1q standard, 102
- infrastructure outage, 196
- inheritance, 221–222, 224
- initiators, 40
- installing ESX host
  - ESXi, 73
  - hardware preparation, 71
  - preinstallation tasks, 67–70
    - CPU resources, 68
    - default partitions, 70
    - hardware compatibility, 68–69
    - memory, 68
    - mount points vs. drive letters, 69–70
    - text vs. graphics-based install, 68
  - steps in, 72–73
  - VI Client, 73–74
- interface services. *See also* VirtualCenter
  - Active Directory Interface, 144
  - Database Interface, 144
  - ESX Server Management, 144
  - VI API, 144–145
- internal problems, troubleshooting, 272–273
- internal virtual switch, 206
- Inventory pane (VIC interface), 86
- Inventory section (VI Client), 75
- Inventory window (VIC interface), 86–87
- IP address, 73–78, 156, 173, 174
- IP hash, 114–115
- iSCSI SAN. *See also* storage area network (SAN)
  - communications in, 48–50
  - components of, 48
  - hardware-based, 47
  - multipathing with, 127
  - overview of, 47
  - pros and cons of, 50–51
  - protocol initiator, 47
  - query method, 49
  - software-based, 47
  - static configuration method, 49
- ISO disk images, 77–78, 163, 167
- isolation, 130–131

## • J •

- Jumpbox for SugarCRM 4.5.1h, 313–314
- Jumpbox for Twiki 4.2, 315–316

## • L •

- lack of resource issues, 272
- Laverick, Mike, 289–290
- layers
  - abstraction, 62
  - ESX, 14, 119
  - raw storage, 120
  - secure sockets layer (SSL), 68
  - Shared Resources, 15
  - Virtual Machine, 14, 119
- license server, 145, 147, 152–153
- licenses
  - grace period, 152
  - host-based, 152
  - models, 153
  - server-based, 152
  - standard, 153
  - starter, 153
- Licenses tab (VIC interface), 88
- Limit Met state, 239
- Limit View to Remote Console, 174
- Limit View to Single Virtual Machine, 174
- Link Status Only, 115–116
- Linux, 64, 65, 168, 214–216
- load balancing, 114–118
- local disks, 120
- local SCSI, 42
- logical drives, 65
- logical items, 86
- logical unit numbers (LUN)
  - backup, 265
  - definition of, 40
  - and ESX installation, 71
  - Hide LUNs link, 124
  - hiding, 124
  - masking, 46
  - partitions, 123–125
  - scanning for, 125–126
- low-priority migrations, 208
- LUN (logical unit numbers)

- backup, 265
- definition of, 40
- and ESX installation, 71
- Hide LUNs link, 124
- hiding, 124
- masking, 46
- partitions, 123–125
- scanning for, 125–126

## • M •

- MAC (Media Access Control), 96, 110
- MAC addresses, 103, 110
- MAC hash, 114–115
- Mac OS X operating system, 52
- machine check exception (MCE), 277
- Magic ISO, 163
- Maps tab, 207
- Maps window (VIC interface), 93
- maximum CPU usage, 34
- MCE (machine check exception), 277
- mean time between failure (MTBF), 121
- Media Access Control (MAC), 96, 110
- memory
  - assessing needs for, 35–36
  - available, 233
  - balloon, 165–166
  - capacity planning, 25
  - limit, 233
  - management of, 165–166
  - non-guaranteed, 165
  - page sharing, 165
  - requirements, 35–36
  - reservation, 233
  - resource pools, 238–239
  - sharing, 233–234
  - VMkernel swap file, 165–166
- memory state file, 184
- memory usage, 26, 244, 251
- Microsoft .NET Framework, 84
- Microsoft Windows, 168
- Migrate Virtual Machine Wizard, 143
- migrations
  - cold, 205
  - description of, 143
  - error conditions, 206

- high-priority, 208
- hot, 205
- low-priority, 208
- with VMotion, 204–208
- warning conditions, 205
- Migrations tab, 249–250
- MindTouch Deki Wiki, 316–317
- mirroring, 122
- mission critical system outage, 195
- monitoring
  - alarms, 256–258
  - baselines for, 244
  - cluster level, 248–252
  - datacenter level, 248
  - hosts and cluster level, 244–248
  - memory usage, 35
  - metrics, 244
  - reasons for, 243
  - resource pool level, 254
  - server level, 252
  - virtual machine level, 254
- Most Recently Used (MRU), 127
- mount points, 69–70
- mouse, hardware acceleration for, 164
- MRU (Most Recently Used), 127
- MTBF (mean time between failure), 121
- multipathing
  - with fibre channel, 127–128
  - with iSCSI, 128
  - overview of, 126
- multiple CPUs, 13–14, 234
- multiple snapshots, 186–189

## • N •

- NAS. *See* Network Attached Storage
- nested resource pools, 235–236
- NETBIOS, 24
- network adapters, 103–106
- network analysis tools, 36–37
- Network Attached Storage (NAS). *See also*
  - storage area network (SAN)
  - best practices, 53–54, 118
  - connecting to, 136
  - conversion overhead, 52
  - high-performance, 53

Network Attached Storage (NAS) *(continued)*

- inherent delays in, 52
- overview of, 51–52
- pros and cons of, 53
- protocols, 51
- in raw storage layer, 120
- supported protocols, 51
- VMWare requirements, 52

network cards, 59

network congestion, 24

Network File System (NFS), 51, 120

network interface cards (NICs)

- minimum requirement for, 149
- promiscuous mode, 103
- and virtual switches, 96

Network Probe, 36

network requirements, 31–32

network usage, 26, 31–32, 244, 254

networking, 63–64

Networking section, 100

networks, 25

new tasks, scheduling, 90–92

New Template wizard, 179

New Virtual Machine Wizard, 167

NFS (Network File System), 51, 120

NIC Teaming tab, 113–114

NICs (network interface cards)

- minimum requirement for, 149
- promiscuous mode, 103
- and virtual switches, 96

NMI (non maskable interrupt), 277

No Access role, 216

non maskable interrupt (NMI), 277

non-guaranteed memory, 165

normal disk format, 176

Notify Switches, 116

Novel NetWare, 168



object hierarchies, 212–213

objectplanet.com, 36

objects, 219

Open Systems Interconnection (OSI), 103

operating systems

- file systems, 69–70
- functions of, 1
- guest, 170–171
  - adding hardware with, 163–164
  - description of, 17
  - installing, 170–171
- installing, 168
- Mac OS X, 52
- Service Console, 62–63
- sysprep files, 176–178
- in virtual machines, 163–164
- VMkernel, 62

Oracle 10g, 148

Oracle 9i, 148

OSI (Open Systems Interconnection), 103

outages

- infrastructure, 196
- mission critical system, 195
- user workstation, 196

overspending, 28



parallel ports, 163

partitions

- default, 70
- extended, 65
- and logical unit numbers, 123–125
- overview of, 120–121
- primary, 65
- RAID levels, 121–123

passwords, 73, 183, 265

PC (personal computer), 1

peak bandwidth, 113

Percent of Entitled Resources Delivered

- graph, 249

Performance Monitor, 29

Performance tab, 251, 252

permissions, 219–221

personal computer (PC), 1

Physical Compatibility mode, 132

physical items, 86

- physical machines, 25–26, 190–192
- physical memory, 36
- placement constraints, 202–203
- planning, capacity. *See also* virtualization
  - cost of virtualization, 20–21
  - data-gathering tools, 36–37
  - failure, 28–29
  - hardware, 37–38
  - overview of, 24–27
  - reasons for, 24–28
    - adding capacity, 24–27
    - for future growth, 27–28
    - preventing network congestion, 24
  - resource usage, 29–36
    - memory, 35–36
    - networking, 31–32
    - processors, 33–34
    - storage, 29–31
  - tightly coupled systems in, 24
- point-in-time reading, 244
- point-to-point fibre channel SAN, 42
- policy exceptions
  - failover order, 116–117
  - load balancing, 114–115
  - network failover detection, 115–116
  - notify switches, 116
  - rolling failover, 116
- poor performance, 28
- ports
  - backup, 265
  - changing number of, 107–109
  - groups, 106–107
  - modifying security, 109–111
  - overview of, 102–103
  - parallel, 163
  - security policies, 109–111
- PostPath server, 308
- power-on algorithm, 237
- Preferred Path, 127
- preinstallation tasks
  - CPU resources, 68
  - default partitions, 70
  - hardware compatibility, 68–69
  - memory, 68
  - mount points vs. drive letters, 69–70
  - text vs. graphics-based install, 68
- Pre/Post Commands options, 267–268
- primary partitions, 65
- primitive data structures, 3
- primitives, 3
- privileges, 213
- proactive problem prevention, 243
- problems
  - external, 273
  - internal, 272–273
  - proactive stance in, 279
  - scenarios, 273–278
    - ESX host, 277–278
    - virtual machine blue-screens, 275
    - virtual machine will not power on, 274–275
  - VMware Infrastructure Client (VIC), 275–276
- processor fragmentation, 14
- processors, 25, 33–34
- Production resource pool, 238
- products
  - VMware ACE, 295–296
  - VMware Capacity Planner, 302–303
  - VMware Converter, 303–304
  - VMware ESXi, 299–300
  - VMware Fusion, 296–297
  - VMware Player, 297–298
  - VMware Server, 298–299
  - VMware Storage VMotion, 301–302
  - VMware Update Manager, 300–301
  - VMware Workstation, 304–305
- Proficient software, 314–315
- promiscuous mode, 103, 110
- Propagate to Child Objects check box, 220
- Properties window, 102
- proportional share system, 230–233
- protocols
  - Address Resolution Protocol (ARP), 116
  - block-level, 41
  - Challenge-Handshake Authentication Protocol (CHAP), 47
  - file-level, 41
  - Remote Desktop Protocol (RDP), 172
  - Reverse Address Resolution Protocol (RARP), 204
  - Purple Screen of Death (PSOD), 62, 277
  - PUTTY, 75–77

## • Q •

query method, 49  
quiescing, 165

## • R •

RAID 0 (disk striping), 121  
RAID 1 (mirroring), 122  
RAID 1+0 (RAID 10), 122–123  
RAID 1+5, 123  
RAID 5 (striping with parity), 122  
RAM (random access memory), 26, 35–36, 148, 163, 233–234  
RARP (Reverse Address Resolution Protocol), 204  
Raw Device Mapping (RDM), 132–133  
Raw Disk Mapping (RDM), 132–133  
raw storage layer, 120  
RDM (Raw Device Mapping), 132–133  
RDP (Remote Desktop Protocol), 172  
Read Only role, 216  
Recent Tasks pane (VIC interface), 87  
Recent Tasks section (VI Client), 75–76  
recovery from disaster  
  backup scripts, 266–268  
  config file, 265  
  disabling automatic drive letter assignment, 264  
  LAN-free backups, 261  
  overview of, 259  
  restoring from backups, 269  
  software interoperability module, 265  
recovery time objectives (RTOs), 195  
Red Hat Linux, 65  
redundant array of independent disks (RAID), 59, 120–123, 195  
regulations, government, 27  
Remote Desktop Protocol (RDP), 172  
Reporting tab, 257  
Rescan, 124  
Reservation Threshold state, 239  
resource inventory management, 141  
Resource Pool Administrator role, 216

resource pools  
  creating, 241–242  
  expandable, 236–240  
  monitoring, 254  
  moving machines into, 242  
  nesting, 235–236  
  overview of, 229–230  
  proportional share system in, 230–233  
  securing, 242  
  sharing CPU resources, 234  
  sharing memory resources, 233–234  
  system states, 238–240  
  uses of, 230  
Resources Allocation tab, 249–250  
resources, lack of, 272  
restoring from backups, 269  
return on investment, 20–21  
Reverse Address Resolution Protocol (RARP), 204  
rights, applied  
  inheriting security roles, 221–222  
  role conflicts and inheritance, 224–227  
  roles in multiple groups, 222–224  
  users in multiple groups, 222–224  
roles  
  built-in, 216  
  conflicts, 224–227  
  creating, 217–218  
  definition of, 213  
  inheriting, 221–222  
  in multiple groups, 222–224  
  permissions, 214–215, 219  
Roles tab (VIC interface), 88  
Rolling Failover, 116  
root directory, 70  
root password, 73  
routing, 51  
routing methods, 114–115  
RTOs (recovery time objectives), 195

## • S •

SAM (SCSI Architecture Model), 39  
Samba, 52  
same instruction set (SSE), 205

- SAN (storage area network). *See also* Network Attached Storage (NAS)
    - best practices, 53–54
    - booting from, 41
    - fibre channel, 42–46. *See also* storage area network (SAN)
      - arbitrated loop, 43
      - multipathing with, 127–128
      - point-to-point, 42
      - pros and cons of, 46
      - switched fabric, 43–45
      - topologies, 42–44
    - iSCSI, 46–51. *See also* storage area network (SAN)
      - communications in, 48–50
      - components of, 48
      - hardware-based, 47
      - multipathing with, 127
      - overview of, 47
      - pros and cons of, 50–51
      - protocol initiator, 47
      - query method, 49
      - software-based, 47
      - static configuration method, 49
    - overview of, 41
    - pros and cons of, 41
  - SAN Identifier, 124
  - Sarbanes-Oxley, 27
  - SATA (serial ATA) drives, 71
  - Scheduled Tasks window (VIC interface), 89–91
  - SCSI (Small Computer System Interface)
    - architecture model, 39–40
    - block-level protocol, 41
    - booting from SAN, 41
    - commands, 39
    - file-level protocols, 41
    - interconnects, 40
    - local, 42
    - transport protocols, 40
  - SCSI Architecture Model (SAM), 39
  - SCSI devices, 164
  - SearchVMware.com (blog), 292–293
  - secure sockets layer (SSL), 68
  - security
    - applied rights, 221–227
      - inheriting security roles, 221–222
      - role conflicts and inheritance, 224–227
    - roles in multiple groups, 222–224
    - users in multiple groups, 222–224
  - built-in roles, 216
  - custom roles, 217–218
  - overview of, 211
  - permissions, 219–221
- Security Policy tab, 111
- SendTargets method, 49, 128
- serial ATA (SATA ) drives, 71
- serial ports, 163
- server
  - connecting to, 75–79
    - PUTTY, 75–77
    - WinSCP, 75, 77–79
  - creating, 175–183
    - creating templates, 178–180
    - deploying virtual machines from templates, 180–183
    - preparing templates, 176–178
  - deployment, 16
  - hardware requirements, 148–149
  - host size, 60–61
  - license, 145, 147, 152–153
  - overview of, 148
  - PostPath, 308
  - sizes, 60–61
  - SQL Server 2000, 147–148
  - SQL Server 2005 Enterprise, 148
  - SQL Server 2005 Express, 148, 151
  - super servers, 61
  - virtual center, 145
    - adding data centers to, 157–158
    - adding ESX host to, 158–160
    - description of, 147
    - installing, 153–160
    - installing VirtualCenter, 153–160
    - sysprep files, 177–178
  - VMware License, 145, 147
  - VMware Server, 298–299
  - VMware VirtualCenter Server
    - adding data centers to, 157–158
    - adding ESX host to, 158–160
    - description of, 145, 147
    - installing, 153–160
    - installing VirtualCenter, 153–160
    - sysprep files, 177–178
- Windows, 214–216

- Server Message Block (SMB), 51–52
- server-based licenses, 152
- server-level monitoring, 252
- ServerVirtualization.com (blog), 291–292
- Service Console
  - components of, 63
  - connecting to, 75, 97–99
  - description of, 68
  - functions of, 62–63
  - and iSCSI storage, 49
- services
  - core. *See also* VirtualCenter
    - alarms and events management, 141
    - host and virtual machine configuration, 143
    - inventory management, 141
    - overview of, 140
    - statistics logging, 141–142
    - task scheduler, 143
    - VM provisioning, 141
  - distributed. *See also* VirtualCenter
    - Distributed Power Management (DPM), 144
    - Distributed Resource Scheduler (DRS), 143–144
    - High Availability (HA), 143
    - overview of, 143
    - Storage VMotion, 144
    - VMotion, 143
  - interface. *See also* VirtualCenter
    - Active Directory Interface, 144
    - Database Interface, 144
    - ESX Server Management, 144
    - VI API, 144–145
- Sessions tab (VIC interface), 88
- Shared Resources layer, 15
- Single ESX, 15
- single points of failure, 193–194
- Small Computer System Interface (SCSI)
  - architecture model, 39–40
  - block-level protocol, 41
  - booting from SAN, 41
  - commands, 39
  - file-level protocols, 41
  - interconnects, 40
  - local, 42
  - transport protocols, 40
- SMB (Server Message Block), 51–52
- Snapshot Manager, 184–190
- snapshots
  - backup options, 266
  - benefits of, 17
  - creating, 185
  - in data protection, 22
  - deleting, 189
  - description file, 184
  - differential file, 184
  - multiple, 186–189
  - reverting, 189–190
  - uses of, 183–184
- sniffers, 36, 103
- software interoperability module, 264
- software-based iSCSI, 47
- Solaris, 168
- space costs, lower, 16
- SQL Server 2000, 147–148
- SQL Server 2005 Enterprise, 148, 151
- SQL Server 2005 Express, 148, 151
- SSE (same instruction set), 205
- SSL (secure sockets layer), 68
- standard license, 153
- standby adapters, 116–118
- starter license, 153
- static configuration method, 49
- Statistics Collection Level, 150
- statistics logging, 141
- storage
  - block-level protocol, 41
  - booting from SAN, 41
  - capacity planning, 29–31
  - disk partitions, 64–65, 120–126
  - ESX host, 64
  - fibre channel SANs, 43–46
  - file-level protocols, 41
  - iSCSI, 47–51
  - local SCSI, 42
  - multipathing, 126–128
  - network attached storage, 51–54
  - SCSI architecture model, 39–40
  - VMware File System (VMFS), 129–135
  - storage area network (SAN). *See also* Network Attached Storage (NAS)
    - best practices, 53–54
    - booting from, 41

fibre channel, 42–46. *See also* storage area network (SAN)  
arbitrated loop, 43  
multipathing with, 127–128  
point-to-point, 42  
pros and cons of, 46  
switched fabric, 43–45  
topologies, 42–44

iSCSI, 46–51. *See also* storage area network (SAN)  
communications in, 48–50  
components of, 48  
hardware-based, 47  
multipathing with, 127  
overview of, 47  
pros and cons of, 50–51  
protocol initiator, 47  
query method, 49  
software-based, 47  
static configuration method, 49  
overview of, 41  
pros and cons of, 41  
storage arrays, 120  
Storage VMotion, 18, 144, 205, 301  
striping with parity, 122  
Summary tab, 248, 252–253, 255  
super servers, 61  
swap file, 165–166  
switched fabric, 43–45  
symmetrical multiprocessing, 13–14, 18  
sysprep files, 176–178  
System Logs tab (VIC interface), 88  
system states, 238–240

## • T •

Take Virtual Machine Snapshot  
dialog box, 185  
tape backups, 260  
targets, 40  
task scheduler, 143  
TCP/IP, 24, 47, 51, 128, 265, 276  
TCP/IP Offload Engine (TOE), 47  
TechTarget.com (Web site), 291–293  
Template Inventory Location field, 179  
Template Name field, 179

templates  
creating, 178–180  
creating virtual machines from, 179–183  
customizing, 179–183  
formats, 176  
overview of, 175  
Test resource pool, 238  
text-based installation, 68  
tightly coupled systems, 24  
TOE (TCP/IP Offload Engine), 47  
tolerance range, 257  
tools  
network analysis, 36–37  
VMware, 164  
traffic shaping, 111–113  
transfer rates, 29  
Triggers tab, 256  
troubleshooting  
external problems, 273  
internal problems, 272–273  
proactive stance in, 279  
problem scenarios, 273–278  
ESX host, 277–278  
virtual machine blue-screens, 275  
virtual machine will not power on, 274–275  
VMware Infrastructure Client (VIC), 275–276  
steps in, 278–279

## • U •

Ubuntu JeOs with VMware drivers, 309–310  
unicast mode, 116  
Uniform Resource Locators (URLs),  
creating, 174  
Unix-based machines, 70  
unused adapters, 116–118  
Update Manager, 18, 156–157, 300–301  
Update Manager Service, 147  
uplink adapters, 95, 98–99  
UPS system, 16  
URLs (Uniform Resource Locators),  
creating, 174  
user workstation outage, 196  
username, 265

## users

- conflicting roles, 224
- in multiple groups, 222–224
- permissions, 219
- roles, 213

Utilization Percent graph, 248

## • U •

## VCB (Virtual Consolidated Backup)

- backing up virtual machines with, 260–263
- connectivity diagram, 262
- description of, 18
- overview of, 260
- requirements, 260–261
- setting up, 263–269
  - backup scripts, 266–268
  - backup software, 263
  - config file, 265–266
  - disabling automatic drive letter assignment, 264
  - framework, 264
  - restoring from backups, 269
  - software interoperability module, 265
- using, 261–263

VCB (VMware Consolidated Backup). *See* Virtual Consolidated Backup (VCB)

## VI Client

- description of, 73
- installing, 74
- management interface, 75–76

VI Enterprise, 153

VI Foundation, 153

VI Standard, 153

## VI3 (VMware Infrastructure 3)

- benefits of, 16–17
- components of, 17–19
- description of, 11
- layered storage model, 119–120
- monitoring, 243–245
- product offerings, 15–16
- virtualization with, 19–22

VIC (Virtual Infrastructure Clients), 98, 146

VIC (VMware Infrastructure Client)  
installing, 84–86

interface, 86–94

- Admin window, 88
- Events window, 92–93
- Inventory window, 86–87
- Maps window, 93
- Scheduled Tasks window, 89–91
- overview of, 83–84
- troubleshooting, 275–276

## virtual appliances

- Akorri BalancePoint, 308–309
- Jumpbox for SugarCRM 4.5.1h, 313–314
- Jumpbox for Twiki 4.2, 315–316
- MindTouch Deki Wiki, 316–317
- overview of, 307
- PostPath server, 308
- Proficient software, 314–315
- Ubuntu JeOs with VMware drivers, 309–310
- VKernel, 311–312
- vmSight, 312–313
- VMware Infrastructure Perl Toolkit 1.5, 310–311

Virtual Compatibility mode, 133

## Virtual Consolidated Backup (VCB)

- backing up virtual machines with, 260–263
- connectivity diagram, 262
- description of, 18
- overview of, 260
- requirements, 260–261
- setting up, 263–269
  - backup scripts, 266–268
  - backup software, 263
  - config file, 265–266
  - disabling automatic drive letter assignment, 264
  - framework, 264
  - restoring from backups, 269
  - software interoperability module, 265
- using, 261–263

Virtual Infrastructure Clients (VIC), 98, 146

virtual items, 86

virtual LANs (VLANs), 102–103

Virtual Machine Administrator role, 216

Virtual Machine File System (VMFS), 18, 71

Virtual Machine layer, 14, 119

- Virtual Machine Network, 106–107
- Virtual Machine Power User role, 214–216
- Virtual Machine Properties window, 169
- Virtual Machine User role, 216
- virtual machines
  - adding hardware to, 163–164
  - alarm, 256–258
  - connecting to, 172
  - converting physical machines to, 190–192
  - creating, 167–170
  - creating URLs for, 174
  - definition of, 2, 161
  - description of, 12
  - file structure, 161–162
  - guest operating system, 163–164, 170–171
  - inventory management, 141
  - managing from Web, 173
  - memory management in, 165–166
  - migrating, 204–207
  - monitoring, 246, 254
  - moving into resource pools, 242
  - operating system, 168
  - ports, 97, 98
  - power-on algorithm, 237
  - pros and cons of, 12–13
  - provisioning of, 141
  - race condition, 230–233
  - snapshots, 183–190
  - templates, 175–183
    - creating, 178–180
    - deploying, 179–183
    - preparing, 177–178
  - tools, 164
  - troubleshooting, 272, 274–275
    - blue-screens, 275
    - connectivity, 275–276
    - ESX host problems, 277–278
    - external problems, 273
    - internal problems, 272–273
    - power-on problems, 274–275
    - security, 275
    - service problems, 278
  - Web interface, 172–174
- Virtual Machines tab, 246–247, 248
- Virtual Mount Manager Extended, 147
- virtual networking
  - best practices, 118
  - model, 99
  - port groups, 106–111
  - switches, 95–106
  - traffic shaping, 111–113
- Virtual SMP, 18
- virtual switches
  - adding network adapters to, 103–106
  - creating, 100–106
  - description of, 95
  - differences with physical switches, 96
  - functions of, 97–99
  - internal, 206
  - options, 95–96
  - ports, 102–103
  - similarities with physical switches, 96
- VirtualCenter
  - components of, 145–146
  - core services, 136–143
  - databases, 147–152
  - default roles, 216
  - description of, 18–19
  - distributed services, 143–144
  - installing, 153–160
  - interface services, 144–145
  - licenses, 152–153
  - management window, 140
  - overview of, 139–140
  - security model, 212–213
  - Web page, 172
  - Windows services, 146–147
- VirtualCenter Agents, 146
- VirtualCenter Database, 146
- VirtualCenter Server
  - adding data centers to, 157–158
  - adding ESX host to, 158–160
  - description of, 145, 147
  - installing, 153–160
  - installing VirtualCenter, 153–160
  - sysprep files, 177–178
- virtualization
  - capacity planning, 20–21
  - data protection, 22
  - definition of, 2
  - designing and building, 20–21

- virtualization (*continued*)
  - return on investment, 20–21
  - stages in, 19–22
  - virtualizing the physical machines, 21
- VKernel, 311–312
- VLANs (virtual LANs), 102–103
- VM10000001-delta.vmdk, 162
- VM1-flat.vmdk, 162
- VM1.nvram, 162
- VM1-some hex numbers.vms, 162
- VM1.vmdk, 162
- VM1.vmsn, 162
- VM1.vmx, 161–162
- VM1.vswp, 162
- VMBlog.com (Web site), 288–289
- VMFS (VMware File System)
  - concurrent access to, 130
  - data stores, 132–134
    - browsing, 134
    - creating, 133–134
    - extending, 135
  - definition of, 129
  - designing, 130–132
  - overview of, 129–130
- VMkernel
  - functions of, 68, 97–98
  - and iSCSI storage, 49
  - overview of, 62
  - port, 52
  - roles of, 14–15
  - swap file, 165–166
  - virtualization model, 14–15
- VMotion
  - checking constraints, 207
  - dependencies, 93
  - description of, 18, 97
  - in distributed services, 143
  - error conditions, 206
  - in fault-tolerant design, 59
  - migrating virtual machines with, 204–205, 208
  - overview of, 204
  - prerequisites, 205–206
  - troubleshooting, 272
  - warning conditions, 206
- vmSight, 312–313
- VMware ACE, 295–296
- VMware Capacity Planner, 147, 302–303
- VMware Consolidated Backup (VCB). *See* Virtual Consolidated Backup (VCB)
- VMware Converter, 10, 144, 167, 190–192, 303–304
- VMware Converter Enterprise Service, 147
- VMware ESX, 17
- VMware ESXi, 299–300
- VMware File System (VMFS)
  - concurrent access to, 130
  - data stores, 132–134
    - browsing, 134
    - creating, 133–134
    - extending, 135
  - definition of, 129
  - designing, 130–132
  - overview of, 129–130
- VMware Fusion, 296–297
- VMware Infrastructure 3 (VI3)
  - benefits of, 16–17
  - components of, 17–19
  - description of, 11
  - layered storage model, 119–120
  - monitoring, 243–245
  - product offerings, 15–16
  - virtualization with, 19–22
- VMware Infrastructure API, 144
- VMware Infrastructure Client (VIC)
  - installing, 84–86
  - interface, 86–94
    - Admin window, 88
    - Events window, 92–93
    - Inventory window, 86–87
    - Maps window, 93
    - Scheduled Tasks window, 89–91
  - overview of, 83–84
  - troubleshooting, 275–276
- VMware Infrastructure Enterprise, 16
- VMware Infrastructure Foundation, 15
- VMware Infrastructure Perl Toolkit 1.5, 310–311
- VMware Infrastructure Standard, 16
- VMware License Server, 145, 147
- VMware Player, 297–298
- VMWare products
  - ACE, 295–296
  - Capacity Planner, 302–303
  - Converter, 303–304

- ESXi, 299–300
- Fusion, 296–297
- Player, 297–298
- Server, 298–299
- Storage VMotion, 301–302
- Update Manager, 300–301
- VMware Server, 298–299
- VMware Tools, 164
- VMware Update Manager, 300–301
- VMware Update Manager Service, 147
- VMware Virtual Mount Manager Extended, 147
- VMware VirtualCenter
  - components of, 145–146
  - core services, 136–143
  - databases, 147–152
  - default roles, 216
  - description of, 18–19
  - distributed services, 143–144
  - installing, 153–160
  - interface services, 144–145
  - licenses, 152–153
  - management window, 140
  - overview of, 139–140
  - security model, 212–213
  - Web page, 172
  - Windows services, 146–147
- VMware VirtualCenter Server
  - adding data centers to, 157–158
  - adding ESX host to, 158–160
  - description of, 145, 147
  - installing, 153–160
  - installing VirtualCenter, 153–160
  - sysprep files, 177–178
- VMware Workstation, 304–305
- vmware#.log, 162
- VMware.com
  - education services, 284–285
  - products, 285–286
  - resources, 283–284
  - support, 286–287
- vmware.log, 162
- VMX files, 287–288
- VPXUSER, 214–216
- vSwitch1, 101–102

## • W •

- warning conditions, 206
- Web Access, 146, 147
- Web Management Interface, 172–174
- Web sites
  - EMC2, 290–291
  - Mike Laverick's website/blog, 289–290
  - SearchVMware.com, 292–293
  - ServerVirtualization.com, 291–292
  - TechTarget.com, 291–293
  - VMBlog.com, 288–289
  - VMware products, 295–305
    - ACE, 295–296
    - Capacity Planner, 302–303
    - Converter, 303–304
    - ESXi, 299–300
    - Fusion, 296–297
    - Player, 297–298
    - Server, 298–299
    - Storage VMotion, 301–302
    - Update Manager, 300–301
    - Workstation, 304–305
  - VMware.com, 283–287
    - education services, 284–285
    - products, 285–286
    - resources, 283–284
    - support, 286–287
  - VMX files, 287–288
- Windows server, 214–216
- Windows-based machines, 69
- WinSCP, 75, 77–79
- wizards
  - Add Host, 159–160, 201
  - Add Network, 101
  - Customization, 182
  - Deploy Template, 181
  - Migrate Virtual Machine, 143
  - New Template, 179
  - New Virtual Machine, 167
- workgroups, 183
- World Wide Name (WWN), 124

## • X •

- x86 computers, 11, 65, 148





