

Subject Index

Volume 25

A

Almond domestication, 290–291
Anthocyanin pigmentation, 89–114
Apple domestication, 286–289
Apricot domestication, 291–292
Avocado domestication, 307

B

Banana & plantain domestication,
298–299
Biography, Stanley J. Peloquin, 1–19
Biotechnology politics, 21–55
Blueberry domestication, 304
Bramble domestication, 303
Breeding
doubled haploids, 57–88
drought tolerance, maize, 173–253
flower color, 89–114
fruit crops-, 255–320
maize drought tolerance, 173–253
mitochondrial genetics, 115–138
potato, 1–19
sorghum male sterility, 139–172
transgene technology, 105–108

C

Cherry domestication, 202–293
Citrus domestication, 296–298
Cranberry domestication, 304–305
Cytoplasm,
breeding, 115–138
incompatibility, 115–138
male sterility, 115–138, 139–172
sorghum male sterility, 139–172

D

Date palm domestication, 272–277
Doubled haploid breeding, 57–88
Drought resistance, maize, 173–253

F

Fig domestication, 281–285
Flavonoid chemistry, 91–94
Flower color, 89–114
Fruit:
breeding, 255–320
domestication, 255–320
origins, 255–320

G

Genetics
domestication, 255–320
flower color, 89–114
mitochondrial, 115–138
Germplasm rights, 21–55
Grain breeding,
maize drought tolerance 173–253
sorghum male sterility, 139–172
Grape domestication, 279–281

H

Haploidy, doubled, 57–88

K

Kiwifruit domestication, 300–301

L

Lingonberry domestication, 305–307

M

Maize drought tolerance, 173–253

Male sterility:

genetics, 115–138, 139–172

sorghum, 139–172

Mango domestication, 299

Mitochondrial genetics, 115–138

O

Olive domestication, 277–279

P

Papaya domestication, 307–308

Peach domestication 294–296

Pear domestication, 289–290

Peloquin, Stanley J., (biography), 1–19

Persimmon domestication, 299–300

Pineapple domestication, 305–307

Plant breeders' rights, 21–55

Plant breeding politics, 21–55

Plum domestication, 293–294

Pomegranate domestication, 285–286

S

Sorghum male sterility, 139–172

Strawberry domestication, 302–303

Cumulative Subject Index (Volumes 1–25)

A

Adaptation:

- blueberry, rabbiteye, 5:351–352
- durum wheat, 5:29–31
- genetics, 3:21–167
- testing, 12:271–297

Aglaonema breeding, 23:267–269

Alexander, Denton, E. (biography),
22:1–7

Alfalfa:

- honeycomb breeding, 18:230–232
- inbreeding, 13:209–233
- in vitro culture, 2:229–234
- somaclonal variation, 4:123–152
- unreduced gametes, 3:277

Allard, Robert W. (biography), 12:1–17

Allium cepa, see Onion

Almond:

- breeding self-compatible, 8:313–338
- domestication, 25:290–291
- transformation, 16:103

Alocasia breeding, 23:269

Astroemaria, mutation breeding, 6:75

Amaranth:

- breeding, 19:227–285
- cytoplasm, 23:191
- genetic resources, 19:227–285

Animals, long term selection

- 24(2):169–210, 211–234–

Aneuploidy:

- alfalfa, 10:175–176
- alfalfa tissue culture, 4:128–130
- petunia, 1:19–21
- wheat, 10:5–9

Anther culture:

- cereals, 15:141–186
- maize, 11:199–224

Anthocyanin

- maize aleurone, 8:91–137
- pigmentation, 25:89–114

Anthurium breeding, 23:269–271

Antifungal proteins, 14:39–88

Antimetabolite resistance, cell selection,
4:139–141, 159–160

Apomixis:

- breeding, 18:13–86
- genetics, 18:13–86
- reproductive barriers, 11:92–96
- rice, 17:114–116

Apple:

- Domestication, 25:286–289
- genetics, 9:333–366
- rootstocks, 1:294–394
- transformation, 16:101–102

Apricot:

- domestication, 25:291–292
- transformation, 16:102

Arachis, see Peanut

- in vitro culture, 2:218–224

Artichoke breeding, 12:253–269

Avena sativa, see Oat

Avocado domestication, 25:307

Azalea, mutation breeding, 6:75–76

B

Bacillus thuringensis, 12:19–45

Bacteria, long-term selection,
24(2):225–265

Bacterial diseases:

- apple rootstocks, 1:362–365
- cell selection, 4:163–164
- cowpea, 15:238–239
- potato, 19:113–122

- Bacterial diseases (*cont.*)
 raspberry, 6:281–282
 soybean, 1:209–212
 sweet potato, 4:333–336
 transformation fruit crops, 16:110
- Banana:
 breeding, 2:135–155
 domestication, 25:298–299
 transformation, 16:105–106
- Barley:
 anther culture, 15:141–186
 breeding methods, 5:95–138
 diversity, 21:234–235
 doubled haploid breeding, 15:141–186
 gametoclonal variation, 5:368–370
 haploids in breeding, 3:219–252
 molecular markers, 21:181–220
 photoperiodic response, 3:74, 89–92, 99
 vernalization, 3:109
- Bean (*Phaseolus*):
 breeding, 1:59–102; 10:199–269;
 23:21–72
 breeding mixtures, 4:245–272
 breeding (tropics), 10:199–269
 heat tolerance, 10:149
 in vitro culture, 2:234–237
 long-term selection, 24(2):69–74
 photoperiodic response, 3:71–73,
 86–92; 16:102–109
 protein, 1:59–102
 rhizobia interaction, 23:21–72
- Beet (table) breeding, 22:357–388
- Beta*, *see* Beet
- Biochemical markers, 9:37–61
- Biography:
 Alexander, Denton E., 22:1–7
 Allard, Robert W., 12:1–17
 Bringham, Royce S., 9:1–8
 Burton, Glenn W., 3:1–19
 Coyne, Dermot E., 23:1–19
 Downey, Richard K., 18:1–12
 Dudley, J.W., 24(1):1–10
 Draper, Arlen D., 13:1–10
 Duvick, Donald N., 14:1–11
 Gabelman, Warren H., 6:1–9
 Hallauer, Arnel R., 15:1–17
 Harlan, Jack R., 8:1–17
 Jones, Henry A., 1:1–10
 Laughnan, John R. 19:1–14
 Munger, Henry M., 4:1–8
 Peloquin, Stanley J., 25:1–19
 Ryder, Edward J., 16:1–14
 Sears, Ernest Robert, 10:1–2
 Simmonds, Norman W., 20:1–13
 Sprague, George F., 2:1–11
 Vogel, Orville A., 5:1–10
 Vuylsteke, Dirk R., 21:1–25
 Weinberger, John H., 11:1–10
 Yuan, Longping, 17:1–13
- Biotechnology politics, 25:21–55
- Birdsfoot trefoil, tissue culture, 2:228–229
- Blackberry, 8:249–312
 mutation breeding, 6:79
- Black walnut, 1:236–266
- Blueberry:
 breeding, 13:1–10
 domestication, 25:304
 rabbiteye, 5:307–357
- Brachiaria*, apomixis, 18:36–39, 49–51
- Bramble:
 domestication, 25:303
 transformation, 16:105
- Brassica*, *see* Cole crops
- Brassica*:
napus, *see* Canola, Rutabaga
rapa, *see* Canola
- Brassicaceae:
 incompatibility, 15:23–27
 molecular mapping, 14:19–23
- Breeding:
Aglaonema, 23:267–269
 alfalfa via tissue culture, 4:123–152
 almond, 8:313–338
Alocasia, 23:269
 amaranth, 19:227–285
 apomixis, 18:13–86
 apple, 9:333–366
 apple rootstocks, 1:294–394
 banana, 2:135–155
 barley, 3:219–252; 5:95–138
 bean, 1:59–102; 4:245–272; 23:21–72
 beet (table), 22:357–388
 biochemical markers, 9:37–61
 blackberry, 8:249–312
 black walnut, 1:236–266
 blueberry, rabbiteye, 5:307–357
 bromeliad, 23:275–276
 cactus, 20:135–166
Calathea, 23:276
 carbon isotope discrimination,
 12:81–113
 carrot, 19:157–190
 cassava, 2:73–134
 cell selection, 4:153–173
 chestnut, 4:347–397
 chimeras, 15:43–84

- chrysanthemum, 14:321–361
citrus, 8:339–374
coffee, 2:157–193
coleus, 3:343–360
competitive ability, 14:89–138
cowpea, 15:215–274
cucumber, 6:323–359
cytoplasmic DNA, 12:175–210
diallel analysis, 9:9–36
Dieffenbachia, 271–272
doubled haploids, 15:141–186; 25:57–88
Dracaena, 23:277
drought tolerance, maize, 25:173–253
durum wheat, 5:11–40
Epepremmum, 23: 272–2mn
epistasis, 21:27–92
exotic maize, 14:165–187
fern, 23:276
fescue, 3:313–342
Ficus, 23:276
Flower color, 25:89–114
foliage plant, 23:245–290
forest tree, 8:139–188
fruit crops, 25:255–320
gene action 15:315–374
genotype x environment interaction,
16:135–178
grapefruit, 13:345–363
grasses, 11:251–274
guayule, 6:93–165
heat tolerance, 10:124–168
Hedera, 23:279–280
herbicide-resistant crops, 11:155–198
heritability, 22:9–111
heterosis, 12:227–251
homeotic floral mutants, 9:63–99
honeycomb, 13:87–139; 18:177–249
hybrid, 17:225–257
hybrid wheat, 2:303–319; 3:169–191
induced mutations, 2:13–72
insect and mite resistance in cucurbits,
10:199–269
isozymes, 6:11–54
lettuce, 16:1–14; 20:105–133
maize, 1:103–138, 139–161; 4:81–122;
9:181–216; 11:199–224; 14:139–163,
165–187, 189–236; 25:173–253
mitochondrial genetics, 25:115–238
molecular markers, 9:37–61,
10:184–190; 12:195–226; 13:11–86;
14:13–37, 17:113–114, 179, 212–215;
18:20–42; 19:31–68, 21:181–220,
23:73–174
mosaics, 15:43–84
mushroom, 8:189–215
negatively associated traits,
13:141–177
oat, 6:167–207
oil palm, 4:175–201; 22:165–219
onion, 20:67–103
palms, 23:280–281
pasture legumes, 5:237–305
pea, snap, 212:93–138
peanut, 22:297–356
pearl millet, 1:162–182
perennial rye, 13:265–292
persimmon, 19:191–225
Philodendron, 23:273
plantain, 2:150–151; 14:267–320;
21:211–25
potato, 3:274–277; 9:217–332;
16:15–86; 19:59–155, 25:1–19
proteins in maize, 9:181–216
quality protein maize (QPM),
9:181–216
raspberry, 6:245–321
recurrent restricted phenotypic
selection, 9:101–113
recurrent selection in maize,
9:115–179; 14:139–163
rice, 17:15–156; 23:73–174
rose, 17:159–189
rutabaga, 8:217–248
sesame, 16:179–228
snap pea, 21:93–138
somatic hybridization, 20:167–225
sorghum male sterility, 25:139–172
soybean, 1:183–235; 3:289–311;
4:203–243; 21:212–307
soybean hybrids, 21:212–307
soybean nodulation, 11:275–318
soybean recurrent selection,
15:275–313
spelt, 15:187–213
statistics, 17:296–300
strawberry, 2:195–214
sugar cane, 16:272–273
supersweet sweet corn, 14:189–236
sweet cherry, 9:367–388
sweet corn, 1:139–161; 14:189–236
sweet potato, 4:313–345
Syngonium, 23:274
tomato, 4:273–311
transgene technology, 25:105–108
triticale, 5:41–93; 8:43–90
Vigna, 8:19–42

Breeding (*cont.*)

- virus resistance, 12:47–79
- wheat, 2:303–319; 3:169–191; 5:11–40; 11:225–234; 13:293–343
- wheat for rust resistance, 13:293–343
- white clover, 17:191–223
- wild rice, 14:237–265
- Bringhurst, Royce S. (biography), 9:1–8
- Broadbean, *in vitro* culture, 2:244–245
- Bromeliad breeding, 23:275–276
- Burton, Glenn W. (biography), 3:1–19

C

Cactus:

- breeding, 20:135–166
- domestication, 20:135–166
- Cajanus*, *in vitro* culture, 2:224
- Calathea* breeding, 23:276
- Canola, R.K. Downey, designer, 18:1–12
- Carbohydrates, 1:144–148
- Carbon isotope discrimination, 12:81–113
- Carnation, mutation breeding, 6:73–74
- Carrot breeding, 19: 157–190
- Cassava:
 - breeding, 2:73–134
 - long-term selection, 24(2):74–79
- Castanea*, *see* Chestnut
- Cell selection, 4:139–145, 153–173
- Cereal breeding, *see* Grain breeding
- Cereal diversity, 21:221–261
- Cherry, *see* Sweet cherry
 - domestication, 25:202–293
- Chestnut breeding, 4:347–397
- Chickpea, *in vitro* culture, 2:224–225
- Chimeras and mosaics, 15:43–84
- Chinese cabbage, heat tolerance, 10:152
- Chromosome, petunia, 1:13–21, 31–33
- Chrysanthemum:
 - breeding, 14:321–361
 - mutation breeding, 6:74
- Cicer*, *see* Chickpea
- Citrus:
 - domestication, 25:296–298
 - protoplast fusion, 8:339–374
- Clonal repositories, *see* National Clonal Germplasm Repository
- Clover:
 - in vitro* culture, 2:240–244
 - molecular genetics, 17:191–223
- Coffea arabica*, *see* Coffee
- Coffee, 2:157–193

Cold hardiness:

- breeding nectarines and peaches, 10:271–308
- wheat adaptation, 12:124–135
- Cole crops:
 - Chinese cabbage, heat tolerance, 10:152
 - gametoclonal variation, 5:371–372
 - rutabaga, 8:217–248
- Coleus, 3:343–360
- Competition, 13:158–165
- Competitive ability breeding, 14:89–138
- Controlling elements, *see* Transposable elements
- Corn, *see* Maize; Sweet corn
- Cotton, heat tolerance 10:151
- Cowpea:
 - breeding, 15:215–274
 - heat tolerance, 10:147–149
 - in vitro* culture, 2:245–246
 - photoperiodic response, 3:99
- Coyne, Dermot E. (biography), 23:1–19
- Cranberry domestication, 25:304–305
- Crop domestication and selection, 24(2):1–44
- Cryopreservation,
 - 7:125–126, 148–151, 167
 - buds, 7:168–169
 - genetic stability, 7:125–126
 - meristems, 7:168–169
 - pollen, 7:171–172
 - seed, 7:148–151, 168
- Cucumber, breeding, 6:323–359
- Cucumis sativa*, *see* Cucumber
- Cucurbitaceae, insect and mite resistance, 10:309–360
- Cybrids. 3:205–210; 20: 206–209
- Cytogenetics:
 - alfalfa, 10:171–184
 - blueberry, 5:325–326
 - cassava, 2:94
 - citrus, 8:366–370
 - coleus, 3:347–348
 - durum wheat, 5:12–14
 - fescue, 3:316–319
 - Glycine*, 16:288–317
 - guayule, 6:99–103
 - maize mobile elements, 4:81–122
 - maize-tripsacum hybrids, 20:15–66
 - oat, 6:173–174
 - pearl millet, 1:167
 - perennial rye, 13:265–292
 - petunia, 1:13–21, 31–32

potato, 25:1–19
 rose, 17:169–171
 rye, 13:265–292
Saccharum complex, 16:273–275
 sesame, 16:185–189
 triticale, 5:41–93; 8:54
 wheat, 5:12–14; 10:5–15; 11:225–234
 Cytoplasm:
 breeding, 23: 175–210; 25:115–138
 cybrids, 3:205–210; 20:206–209
 incompatibility, 25:115–138
 male sterility, 25:115–138, 139–172
 molecular biology of male sterility,
 10:23–51
 organelles, 2:283–302; 6:361–393
 pearl millet, 1:166
 petunia, 1:43–45
 sorghum male sterility, 25:139–172
 wheat, 2:308–319

D

Dahlia, mutation breeding, 6:75
 Date palm domestication, 25:272–277
Daucus, see Carrot
 Diallel cross, 9:9–36
Dieffenbachia breeding, 23:271–272
Diospyros, see Persimmon
 Disease and pest resistance:
 antifungal proteins, 14:39–88
 apple rootstocks, 1:358–373
 banana, 2:143–147
 blackberry, 8:291–295
 black walnut, 1:251
 blueberry, rabbiteye, 5:348–350
 cassava, 2:105–114
 cell selection, 4:143–145, 163–165
 citrus, 8:347–349
 coffee, 2:176–181
 coleus, 3:353
 cowpea, 15:237–247
 durum wheat, 5:23–28
 fescue, 3:334–336
 herbicide-resistance, 11:155–198
 host-parasite genetics, 5:393–433
 induced mutants, 2:25–30
 lettuce, 1:286–287
 potato, 9:264–285, 19:69–155
 raspberry, 6:245–321
 rutabaga, 8:236–240
 soybean, 1:183–235
 spelt, 15:195–198
 strawberry, 2:195–214

 virus resistance, 12:47–79
 wheat rust, 13:293–343
 Diversity in land races, 21:221–261
 DNA methylation, 18:87–176
 Doubled haploid breeding, 15:141–186;
 25:57–88
 Downey, Richard K. (biography), 18:1–12
Dracaena breeding, 23:277
 Draper, Arlen D. (biography), 13:1–10
 Drought resistance:
 durum wheat, 5:30–31
 maize, 25:173–253
 soybean breeding, 4:203–243
 wheat adaptation, 12:135–146
 Dudley, J.W. (biography), 24(1):1–10
 Durum wheat, 5:11–40
 Duvick, Donald N. (biography), 14:1–11

E

Elaeis, see Oil palm
 Embryo culture:
 in crop improvement, 5:181–236
 oil palm, 4:186–187
 pasture legume hybrids, 5:249–275
 Endosperm:
 balance number, 25:6–7
 maize, 1:139–161
 sweet corn, 1:139–161
Endothia parasitica, 4:355–357
Epepremmum breeding, 23:272–273
Escherichia coli, long-term selection,
 24(2):225–224
 Epistasis, 21:27–92.
 Evolution:
 coffee, 2:157–193
 fruit, 25: 255–320
 grapefruit, 13:345–363
 maize, 20:15–66
 sesame, 16:189
 Exploration, 7:9–11, 26–28, 67–94

F

Fabaceae, molecular mapping, 14:24–25
 Fern breeding, 23:276
 Fescue, 3:313–342
Festuca, see Fescue
 Fig domestication, 25:281–285
 Flavonoid chemistry, 25:91–94
 Floral biology:
 almond, 8:314–320
 blackberry, 8:267–269

Floral biology (*cont.*)

- black walnut, 1:238–244
- cassava, 2:78–82
- chestnut, 4:352–353
- coffee, 2:163–164
- coleus, 3:348–349
- color, 25:89–114
- fescue, 3:315–316
- garlic: 23:211–244
- guayule, 6:103–105
- homeotic mutants, 9:63–99
- induced mutants, 2:46–50
- pearl millet, 1:165–166
- pistil in reproduction, 4:9–79
- pollen in reproduction, 4:9–79
- reproductive barriers, 11:11–154
- rutabaga, 8:222–226
- sesame, 16:184–185
- sweet potato, 4:323–325

Flower color, 25:89–114

Forage breeding:

- alfalfa inbreeding, 13:209–233
- diversity, 21:221–261
- fescue, 3:313–342
- perennials, 11:251–274
- white clover, 17:191–223

Foliage plant breeding, 23:245–290

Forest crop breeding:

- black walnut, 1:236–266
- chestnut, 4:347–397
- ideotype concept, 12:177–187
- molecular markers, 19:31–68
- quantitative genetics, 8:139–188

Fragaria, *see* Strawberry

Fruit, nut, and beverage crop breeding:

- almond, 8:313–338
- apple, 9:333–366
- apple rootstocks, 1:294–394
- banana, 2:135–155
- blackberry, 8:249–312
- blueberry, 13:1–10
- blueberry, rabbiteye, 5:307–357
- breeding, 25:255–320
- cactus, 20:135–166
- cherry, 9:367–388
- citrus, 8:339–374
- coffee, 2:157–193
- domestication, 25:255–320
- ideotype concept, 12:175–177
- genetic transformation, 16:87–134
- grapefruit, 13:345–363
- mutation breeding, 6:78–79
- nectarine (cold hardy), 10:271–308

origins, 25:255–320

- peach (cold hardy), 10:271–308
- persimmon, 19:191–225
- plantain, 2:135–155
- raspberry, 6:245–321
- strawberry, 2:195–214
- sweet cherry, 9:367–388

Fungal diseases:

- apple rootstocks, 1:365–368
- banana and plantain, 2:143–145, 147
- cassava, 2:110–114
- cell selection, 4:163–165
- chestnut, 4:355–397
- coffee, 2:176–179
- cowpea, 15:237–238
- durum wheat, 5:23–27
- host-parasite genetics, 5:393–433
- lettuce, 1:286–287
- potato, 19:69–155
- raspberry, 6:245–281
- soybean, 1:188–209
- spelt, 15:196–198
- strawberry, 2:195–214
- sweet potato, 4:333–336
- transformation, fruit crops, 16:111–112
- wheat rust, 13:293–343

G

Gabelman, Warren H. (biography), 6:1–9

Gametes:

- almond, self compatibility, 7:322–330
- blackberry, 7:249–312
- competition, 11:42–46
- forest trees, 7:139–188
- maize aleurone, 7:91–137
- maize anthocyanin, 7:91–137
- mushroom, 7:189–216
- polyploid, 3:253–288
- rutabaga, 7:217–248
- transposable elements, 7:91–137
- unreduced, 3:253–288

Gametoclonal variation, 5:359–391

- barley, 5:368–370
- brassica, 5:371–372
- potato, 5:376–377
- rice, 5:362–364
- rye, 5:370–371
- tobacco, 5:372–376
- wheat, 5:364–368

Garlic breeding, 6:81, 23:211–244

Genes:

- action, 15:315–374

- apple, 9:337–356
- Bacillus thuringensis*, 12:19–45
- incompatibility, 15:19–42
- incompatibility in sweet cherry, 9:367–388
- induced mutants, 2:13–71
- lettuce, 1:267–293
- maize endosperm, 1:142–144
- maize protein, 1:110–120, 148–149
- petunia, 1:21–30
- quality protein in maize, 9:183–184
- Rhizobium*, 23:39–47
- rye perenniality, 13:261–288
- soybean, 1:183–235
- soybean nodulation, 11:275–318
- sweet corn, 1:142–144
- wheat rust resistance, 13:293–343
- Genetic engineering:
 - bean, 1:89–91
 - DNA methylation, 18:87–176
 - fruit crops, 16:87–134
 - host-parasite genetics, 5:415–428
 - maize mobile elements, 4:81–122
 - salt resistance, 22:389–425
 - transformation by particle bombardment, 13:231–260
 - transgene technology, 25:105–108
 - virus resistance, 12:47–79
- Genetic load and lethal equivalents, 10:93–127
- Genetics:
 - adaptation, 3:21–167
 - almond, self compatibility, 8:322–330
 - amaranth, 19:243–248
 - Amaranthus*, *see* Amaranth
 - apomixis, 18:13–86
 - apple, 9:333–366
 - Bacillus thuringensis*, 12:19–45
 - bean seed protein, 1:59–102
 - beet, 22:357–376
 - blackberry, 8:249–312
 - black walnut, 1:247–251
 - blueberry, 13:1–10
 - blueberry, rabbiteye, 5:323–325
 - carrot, 19:164–171
 - chestnut blight, 4:357–389
 - chimeras, 15:43–84
 - chrysanthemums, 14:321
 - clover, white, 17:191–223
 - coffee, 2:165–170
 - coleus, 3:3–53
 - cowpea, 15:215–274
 - cytoplasm, 23:175–210
 - DNA methylation, 18:87–176
 - domestication, 25:255–320
 - durum wheat, 5:11–40
 - forest trees, 8:139–188
 - flower color, 25:89–114
 - fruit crop transformation, 16:87–134
 - gene action, 15:315–374
 - history, 24(1):11–40
 - host-parasite, 5:393–433
 - incompatibility, 15:19–42
 - incompatibility in sweet cherry, 9:367–388
 - induced mutants, 2:51–54
 - insect and mite resistance in Cucurbitaceae, 10:309–360
 - isozymes, 6:11–54
 - lettuce, 1:267–293
 - maize aleurone, 8:91–137
 - maize anther culture, 11:199–224
 - maize anthocyanin, 8:91–137
 - maize endosperm, 1:142–144
 - maize male sterility, 10:23–51
 - maize mobile elements, 4:81–122
 - maize mutation, 5:139–180
 - maize seed protein, 1:110–120, 148–149
 - male sterility, maize, 10:23–51
 - mapping, 14:13–37
 - markers to manage germplasm, 13:11–86
 - maturity, 3:21–167
 - metabolism and heterosis, 10:53–59
 - mitochondrial, 25:115–138.
 - molecular mapping, 14:13–37
 - mosaics, 15:43–84
 - mushroom, 8:189–216
 - oat, 6:168–174
 - organelle transfer, 6:361–393
 - overdominance, 17:225–257
 - pea, 21:110–120
 - pearl millet, 1:166, 172–180
 - perennial rye, 13:261–288
 - petunia, 1:1–58
 - photoperiod, 3:21–167
 - plantain, 14:264–320
 - potato disease resistance, 19:69–165
 - potato ploidy manipulation, 3:274–277; 16:15–86
 - quality protein in maize, 9:183–184
 - quantitative trait loci, 15:85–139
 - quantitative trait loci in animals selection, 24(2):169–210, 211–224
 - reproductive barriers, 11:11–154

- Genetics (*cont.*)
- rhizobia, 21–72
 - rice, hybrid, 17:15–156, 23:73–174
 - rose, 17:171–172
 - rutabaga, 8:217–248
 - salt resistance, 22:389–425
 - selection, 24(1):111–131, 143–151, 269–290
 - snap pea, 21:110–120
 - sesame, 16:189–195
 - soybean, 1:183–235
 - soybean nodulation, 11:275–318
 - spelt, 15:187–213
 - supersweet sweet corn, 14:189–236
 - sweet corn, 1:139–161; 14:189–236
 - sweet potato, 4:327–330
 - temperature, 3:21–167
 - tomato fruit quality, 4:273–311
 - transposable elements, 8:91–137
 - triticale, 5:41–93
 - virus resistance, 12:47–79
 - wheat gene manipulation, 11:225–234
 - wheat male sterility, 2:307–308
 - wheat molecular biology, 11:235–250
 - wheat rust, 13:293–343
 - white clover, 17:191–223
 - yield, 3:21–167
- Genome:
- Glycine*, 16:289–317
 - Poaceae, 16:276–281
- Genotype x environment, interaction, 16:135–178
- Germplasm, *see also* National Clonal Germplasm Repositories; National Plant Germplasm System
- acquisition and collection, 7:160–161
 - apple rootstocks, 1:296–299
 - banana, 2:140–141
 - blackberry, 8:265–267
 - black walnut, 1:244–247
 - cactus, 20:141–145
 - cassava, 2:83–94, 117–119
 - chestnut, 4:351–352
 - coffee, 2:165–172
 - distribution, 7:161–164
 - enhancement, 7:98–202
 - evaluation, 7:183–198
 - exploration and introduction, 7:9–18, 64–94
 - genetic markers, 13:11–86
 - guayule, 6:112–125
 - isozyme, 6:18–21
 - maintenance and storage, 7:95–110, 111–128, 129–158, 159–182; 13:11–86
 - maize, 14:165–187
 - management, 13:11–86
 - oat, 6:174–176
 - peanut, 22:297–356
 - pearl millet, 1:167–170
 - plantain, 14:267–320
 - potato, 9:219–223
 - preservation, 2:265–282; 23:291–344
 - rights, 25:21–55
 - rutabaga, 8:226–227
 - sesame, 16:201–204
 - spelt, 15:204–205
 - sweet potato, 4:320–323
 - triticale, 8:55–61
 - wheat, 2:307–313
- Gesneriaceae, mutation breeding, 6:73
- Gladiolus, mutation breeding, 6:77
- Glycine*, genomes, 16:289–317
- Glycine max*, *see* Soybean
- Grain breeding:
- amaranth, 19:227–285
 - barley, 3:219–252, 5:95–138
 - diversity, 21:221–261
 - doubled haploid breeding, 15:141–186
 - ideotype concept, 12:173–175
 - maize, 1:103–138, 139–161; 5:139–180; 9:115–179, 181–216; 11:199–224; 14:165–187; 22:3–4; 24(1): 11–40, 41–59, 61–78; 24(2): 53–64, 109–151; 25:173–253
 - maize history, 24(2): 31–59, 41–59, 61–78
 - oat, 6:167–207
 - pearl millet, 1:162–182
 - rice, 17:15–156; 24(2):64–67
 - sorghum, 25:139–172
 - spelt, 15:187–213
 - transformation, 13:231–260
 - triticale, 5:41–93; 8:43–90
 - wheat, 2:303–319; 5:11–40; 11:225–234, 235–250; 13:293–343; 22:221–297; 24(2):67–69
 - wild rice, 14:237–265
- Grape:
- domestication, 25:279–281
 - transformation, 16:103–104
- Grapefruit:
- breeding, 13:345–363
 - evolution, 13:345–363

Grass breeding:

- breeding, 11:251–274
- mutation breeding, 6:82
- recurrent selection, 9:101–113
- transformation, 13:231–260

Growth habit, induced mutants, 2:14–25

Guayule, 6:93–165

H

Hallauer, Arnel R. (biography), 15:1–17

Haploidy, *see also* unreduced and
polyplod gametes

- apple, 1:376
- barley, 3:219–252
- cereals, 15:141–186
- doubled, 15:141–186; 25:57–88
- maize, 11:199–224
- petunia, 1:16–18, 44–45
- potato, 3:274–277; 16:15–86

Harlan, Jack R. (biography), 8:1–17

Heat tolerance breeding, 10:129–168

Herbicide resistance:

- breeding needs, 11:155–198
- cell selection, 4:160–161
- decision trees, 18:251–303
- risk assessment, 18:251–303
- transforming fruit crops, 16:114

Heritability estimation, 22:9–111

Heterosis:

- gene action, 15:315–374
- overdominance, 17:225–257
- plant breeding, 12:227–251
- plant metabolism, 10:53–90
- rice, 17:24–33
- soybean, 21:263–320

Honeycomb:

- breeding, 18:177–249
- selection, 13:87–139, 18:177–249

Hordeum, *see* Barley

Host-parasite genetics, 5:393–433

Hyacinth, mutation breeding, 6:76–77

Hybrid and hybridization, *see also*

Heterosis

- barley, 5:127–129
- blueberry, 5:329–341
- chemical, 3:169–191
- interspecific, 5:237–305
- maize high oil selection, 24(1):153–175
- maize long-term selection, 24(2):43–64,
109–151
- maize history, 24(1): 31–59, 41–59, 61–78

overdominance, 17:225–257

rice, 17:15–156

soybean, 21:263;320

wheat, 2:303–319

I

Ideotype concept, 12:163–193

In vitro culture:

- alfalfa, 2:229–234; 4:123–152
- barley, 3:225–226
- bean, 2:234–237
- birdsfoot trefoil, 2:228–229
- blackberry, 8:274–275
- broadbean, 2:244–245
- cassava, 2:121–122
- cell selection, 4:153–173
- chickpea, 2:224–225
- citrus, 8:339–374
- clover, 2:240–244
- coffee, 2:185–187
- cowpea, 2:245–246
- embryo culture, 5:181–236, 249–275
- germplasm preservation, 7:125,162–167
- introduction, quarantines, 3:411–414
- legumes, 2:215–264
- mungbean, 2:245–246
- oil palm, 4:175–201
- pea, 2:236–237
- peanut, 2:218–224
- petunia, 1:44–48
- pigeon pea, 2:224
- pollen, 4:59–61
- potato, 9:286–288
- sesame, 16:218
- soybean, 2:225–228
- Stylosanthes*, 2:238–240
- wheat, 12:115–162
- wingbean, 2:237–238
- zein, 1:110–111

Inbreeding depression, 11:84–92

alfalfa, 13:209–233

cross pollinated crops, 13:209–233

Incompatibility:

- almond, 8:313–338
- molecular biology, 15:19–42
- pollen, 4:39–48
- reproductive barrier, 11:47–70
- sweet cherry, 9:367–388

Incongruity, 11:71–83

Industrial crop breeding, guayule,
6:93–165

Insect and mite resistance:
 apple rootstock, 1:370–372
 black walnut, 1:251
 cassava, 2:107–110
 clover, white, 17:209–210
 coffee, 2:179–180
 cowpea, 15:240–244
 Cucurbitaceae, 10:309–360
 durum wheat, 5:28
 maize, 6:209–243
 raspberry, 6:282–300
 rutabaga, 8:240–241
 sweet potato, 4:336–337
 transformation fruit crops, 16:113
 wheat, 22:221–297
 white clover, 17:209–210

Interspecific hybridization:
 blackberry, 8:284–289
 blueberry, 5:333–341
 citrus, 8:266–270
 pasture legume, 5:237–305
 rose, 17:176–177
 rutabaga, 8:228–229
Vigna, 8:24–30

Intersubspecific hybridization, rice,
 17:88–98

Introduction, 3:361–434; 7:9–11, 21–25

Ipomoea, *see* Sweet potato

Isozymes, in plant breeding, 6:11–54

J

Jones, Henry A. (biography), 1:1–10
Juglans nigra, *see* Black walnut

K

Karyogram, petunia, 1:13
 Kiwifruit:
 domestication, 25:300–301
 transformation, 16:104

L

Lactuca sativa, *see* Lettuce
 Landraces, diversity, 21:221–263
 Laughnan, Jack R. (bibliography),
 19:1–14
 Legume breeding, *see also* Oilseed,
 Soybean:
 cowpea, 15:215–274
 pasture legumes, 5:237–305
Vigna, 8:19–42

Legume tissue culture, 2:215–264
 Lethal equivalents and genetic load,
 10:93–127

Lettuce:

genes, 1:267–293
 breeding, 16:1–14; 20:105–133

Lingonberry domestication, 25:300–301

Linkage:

bean, 1:76–77
 isozymes, 6:37–38
 lettuce, 1:288–290
 maps, molecular markers, 9:37–61
 petunia, 1:31–34

Lotus:

hybrids, 5:284–285
 in vitro culture, 2:228–229

Lycopersicon, *see* Tomato

M

Maize:

anther culture, 11:199–224;
 15:141–186
 anthocyanin, 8:91–137
 apomixis, 18:56–64
 breeding, 1:103–138, 139–161
 carbohydrates, 1:144–148
 cytoplasm, 23:189
 doubled haploid breeding, 15:141–186
 drought tolerance, 25:173–253
 exotic germplasm utilization,
 14:165–187
 high oil, 22:3–4; 24(1):153–175
 history of hybrids, 23(1): 11–40, 41–59,
 61–78
 honeycomb breeding, 18:226–227
 hybrid breeding, 17:249–251
 insect resistance, 6:209–243
 long-term selection 24(2):53–64,
 109–151
 male sterility, 10:23–51
 marker-assisted selection.
 24(1):293–309
 mobile elements, 4:81–122
 mutations, 5:139–180
 origins, 20:15–66
 origins of hybrids, 24(1):31–50, 41–59,
 61–78
 overdominance, 17:225–257
 physiological changes with selection,
 24(1):143–151
 protein, 1:103–138
 quality protein, 9:181–216

- recurrent selection, 9:115–179;
14:139–163
 - RFLF changes with selection,
24(1):111–131
 - selection for oil and protein,
24(1):79–110, 153–175
 - supersweet sweet corn, 14:189–236
 - transformation, 13:235–264
 - transposable elements, 8:91–137
 - unreduced gametes, 3:277
 - Male sterility:
 - chemical induction, 3:169–191
 - coleus, 3:352–353
 - genetics, 25:115–138, 139–172
 - lettuce, 1:284–285
 - molecular biology, 10:23–51
 - pearl millet, 1:166
 - petunia, 1:43–44
 - rice, 17:33–72
 - sesame, 16:191–192
 - sorghum, 139–172
 - soybean, 21:277–291
 - wheat, 2:303–319
 - Malus* spp, *see* Apple
 - Malus × domestica*, *see* Apple
 - Malvaceae, molecular mapping,
14:25–27
 - Mango:
 - domestication, 25:277–279
 - transformation, 16:107
 - Manihot esculenta*, *see* Cassava
 - Medicago*, *see also* Alfalfa
 - in vitro culture, 2:229–234
 - Meiosis, petunia, 1:14–16
 - Metabolism and heterosis, 10:53–90
 - Microprojectile bombardment,
 - transformation, 13:231–260
 - Mitochondrial genetics, 6:377–380;
25:115–138
 - Mixed plantings, bean breeding,
4:245–272
 - Mobile elements, *see also* transposable
elements:
 - maize, 4:81–122; 5:146–147
 - Molecular biology:
 - apomixis, 18:65–73
 - comparative mapping, 14:13–37
 - cytoplasmic male sterility, 10:23–51
 - DNA methylation, 18:87–176
 - herbicide-resistant crops, 11:155–198
 - incompatibility, 15:19–42
 - molecular mapping, 14:13–37;
19:31–68
 - molecular markers, 9:37–61, 10:184–190;
12:195–226; 13:11–86; 14:13–37;
17:113–114, 179, 212–215; 18:20–42;
19:31–68, 21:181–220, 23:73–174
 - quantitative trait loci, 15:85–139
 - salt resistance, 22:389–425
 - somaclonal variation, 16:229–268
 - somatic hybridization, 20:167–225
 - soybean nodulation, 11:275–318
 - strawberry, 21:139–180
 - transposable (mobile) elements,
4:81–122; 8:91–137
 - virus resistance, 12:47–79
 - wheat improvement, 11:235–250
 - Molecular markers, 9:37–61, 10:184–190;
12:195–226; 13:11–86; 14:13–37;
17:113–114, 179, 212–215; 18:20–42;
19:31–68, 21:181–220, 23:73–174
 - alfalfa, 10:184–190
 - apomixis, 18:40–42
 - barley, 21:181–220
 - clover, white, 17:212–215
 - forest crops, 19:31–68
 - fruit crops, 12:195–226
 - maize selection, 24(1):293–309
 - mapping, 14:13–37
 - plant genetic resource management,
13:11–86
 - rice, 17:113–114, 23:73–124
 - rose, 17:179
 - somaclonal variation, 16:238–243
 - wheat, 21:181–220
 - white clover, 17:212–215
- Monosomy, petunia, 1:19
- Mosaics and chimeras, 15:43–84
- Mungbean, 8:32–35
 - in vitro culture, 2:245–246
 - photoperiodic response, 3:74, 89–92
- Munger, Henry M. (biography), 4:1–8
- Musa*, *see* Banana, Plantain
- Mushroom, breeding and genetics,
8:189–215
- Mutants and mutation:
 - alfalfa tissue culture, 4:130–139
 - apple rootstocks, 1:374–375
 - banana, 2:148–149
 - barley, 5:124–126
 - blackberry, 8:283–284
 - cassava, 2:120–121
 - cell selection, 4:154–157
 - chimeras, 15:43–84
 - coleus, 3:355
 - cytoplasmic, 2:293–295

Mutants and mutation (*cont.*)
 gametoclonal variation, 5:359–391
 homeotic floral, 9:63–99
 induced, 2:13–72
 long term selection variation,
 24(1):227–247
 maize, 1:139–161, 4:81–122; 5:139–180
 mobile elements, *see* Transposable
 elements
 mosaics, 15:43–84
 petunia, 1:34–40
 sesame, 16:213–217
 somaclonal variation, 4:123–152;
 5:147–149
 sweet corn, 1:139–161
 sweet potato, 4:371
 transposable elements, 4:181–122;
 8:91–137
 tree fruits, 6:78–79
 vegetatively-propagated crops, 6:55–91
 zein synthesis, 1:111–118

Mycoplasma diseases, raspberry,
 6:253–254

N

National Clonal Germplasm Repository
 (NCGR), 7:40–43
 cryopreservation, 7:125–126
 genetic considerations, 7:126–127
 germplasm maintenance and storage,
 7:111–128
 identification and label verification,
 7:122–123
 in vitro culture and storage, 7:125
 operations guidelines, 7:113–125
 preservation techniques, 7:120–121
 virus indexing and plant health,
 7:123–125

National Plant Germplasm System
 (NPGS), *see also* Germplasm
 history, 7:5–18
 information systems, 7:57–65
 operations, 7:19–56
 preservation of genetic resources,
 23:291–34

National Seed Storage Laboratory
 (NSSL), 7:13–14, 37–38, 152–153

Nectarines, cold hardiness breeding,
 10:271–308

Nematode resistance:
 apple rootstocks, 1:368

banana and plantain, 2:145–146
 coffee, 2:180–181
 cowpea, 15:245–247
 soybean, 1:217–221
 sweet potato, 4:336
 transformation fruit crops, 16:112–113

Nicotiana, *see* Tobacco

Nodulation, soybean, 11:275–318

O

Oat, breeding, 6:167–207

Oil palm:
 breeding, 4:175–201, 22:165–219
 in vitro culture, 4:175–201

Oilseed breeding:
 canola, 18:1–20
 oil palm, 4:175–201; 22:165–219
 sesame, 16:179–228
 soybean, 1:183–235; 3:289–311;
 4:203–245; 11:275–318; 15:275–313

Olive domestication, 25:277–279

Onion, breeding history, 20:57–103

Opuntia, *see* Cactus

Organelle transfer, 2:283–302; 3:205–210;
 6:361–393

Ornamentals breeding:
 chrysanthemum, 14:321–361
 coleus, 3:343–360
 petunia, 1:1–58
 rose, 17:159–189

Ornithopus, hybrids, 5:285–287

Orzya, *see* Rice

Overdominance, 17:225–257

Ovule culture, 5:181–236

P

Palm (Arecaceae):
 foliage breeding, 23:280–281
 oil palm breeding, 4:175–201;
 22:165–219.

Panicum maximum, apomixis, 18:34–36,
 47–49

Papaya
 domestication, 25:307–308
 transformation, 16:105–106

Parthenium argentatum, *see* Guayule

Paspalum, apomixis, 18:51–52

Paspalum notatum, *see* Pensacola
 bahiagrass

Passionfruit transformation, 16:105

- Pasture legumes, interspecific hybridization, 5:237–305
- Pea:
 breeding, 21:93–138
 flowering, 3:81–86, 89–92
 in vitro culture, 2:236–237
- Peach:
 cold hardiness breeding, 10:271–308
 domestication, 25:294–296
 transformation, 16:102
- Peanut:
 breeding, 22:297–356
 in vitro culture, 2:218–224
- Pear:
 domestication, 25:289–290
 transformation, 16:102
- Pearl millet:
 apomixis, 18:55–56
 breeding, 1:162–182
- Pecan transformation, 16:103
- Peloquin, Stanley, J. (biography), 25:1–19
- Pennisetum americanum*, see Pearl millet
- Pensacola bahiagrass, 9:101–113
 apomixis, 18:51–52
 selection, 9:101–113
- Pepino transformation, 16:107
- Peppermint, mutation breeding, 6:81–82
- Perennial grasses, breeding, 11:251–274
- Perennial rye breeding, 13:261–288
- Persimmon:
 breeding, 19:191–225
 domestication, 25:299–300
- Petunia* spp., genetics, 1:1–58
- Phaseolin, 1:59–102
- Phaseolus vulgaris*, see Bean
- Philodendrum* breeding, 23:273
- Phytophthora fragariae*, 2:195–214
- Pigeon pea, in vitro culture, 2:224
- Pineapple domestication, 25:305–307
- Pistil, reproductive function, 4:9–79
- Pisum*, see Pea
- Plant breeders; rights, 25:21–55
- Plant breeding politics, 25:21–55
- Plant introduction, 3:361–434; 7:9–11, 21–25
- Plant exploration, 7:9–11, 26–28, 67–94
- Plantain:
 breeding, 2:135–155; 14:267–320; 21:1–25
 domestication, 25: 298
- Plastid genetics, 6:364–376, see also Organelle
- Plum:
 domestication, 25:293–294
 transformation, 16:103–140
- Poaceae:
 molecular mapping, 14:23–24
Saccharum complex, 16:269–288
- Pollen:
 reproductive function, 4:9–79
 storage, 13:179–207
- Polyploidy, see also Haploidy
 alfalfa, 10:171–184
 alfalfa tissue culture, 4:125–128
 apple rootstocks, 1:375–376
 banana, 2:147–148
 barley, 5:126–127
 blueberry, 13:1–10
 gametes, 3:253–288
 isozymes, 6:33–34
 petunia, 1:18–19
 potato, 16:15–86; 25:1–19
 reproductive barriers, 11:98–105
 sweet potato, 4:371
 triticale, 5:11–40
- Pomegranate domestication, 25:285–286
- Population genetics, see Quantitative Genetics
- Potato:
 breeding, 9:217–332, 19:69–165
 cytoplasm, 23:187–189
 disease resistance breeding, 19:69–165
 gametoclonal variation, 5:376–377
 heat tolerance, 10:152
 honeycomb breeding, 18:227–230
 mutation breeding, 6:79–80
 photoperiodic response, 3:75–76, 89–92
 ploidy manipulation, 16:15–86
 unreduced gametes, 3:274–277
- Protein:
 antifungal, 14:39–88
 bean, 1:59–102
 induced mutants, 2:38–46
 maize, 1:103–138, 148–149; 9:181–216
- Protoplast fusion, 3:193–218; 20:167–225
 citrus, 8:339–374
 mushroom, 8:206–208
- Prunus*:
amygdalus, see Almond
avium, see Sweet cherry
- Pseudograin breeding, amaranth, 19:227–285

Psophocarpus, in vitro culture,
2:237–238

Q

Quantitative genetics:

- epistasis, 21:27–92
- forest trees, 8:139–188
- gene interaction, 24(1):269–290
- genotype x environment interaction,
16:135–178
- heritability, 22:9–111
- maize RFLP changes with selection,
24(1):111–131
- mutation variation, 24(1): 227–247
- overdominance, 17:225–257
- population size & selection,
24(1):249–268
- selection limits, 24(1):177–225
- statistics, 17:296–300
- trait loci (QTL), 15:85–139; 19:31–68
- variance, 22:113–163

Quantitative trait loci (QTL), 15:85–138;
19:31–68

animal selection, 24(2):169–210,
211–224

selection limits: 24(1):177–225

Quarantines, 3:361–434; 7:12, 35

R

Rabbiteye blueberry, 5:307–357

Raspberry, breeding, 6:245–321

Recurrent restricted phenotypic
selection, 9:101–113

Recurrent selection, 9:101–113, 115–179;
14:139–163

soybean, 15:275–313

Red stele disease, 2:195–214

Regional trial testing, 12:271–297

Reproduction:

barriers and circumvention, 11:11–154

foliage plants, 23:255–259

garlic, 23:211–244

Rhizobia, 23:21–72

Rhododendron, mutation breeding,
6:75–76

Rice, *see also* Wild rice:

anther culture, 15:141–186

apomixis, 18:65

cytoplasm, 23:189

doubled haploid breeding, 15:141–186

gametoclonal variation, 5:362–364

heat tolerance, 10:151–152

honeycomb breeding, 18:224–226

hybrid breeding, 17:1–15, 15–156;
23:73–174

long-term selection 24(2): 64–67

molecular markers, 73–174

photoperiodic response, 3:74, 89–92

Rosa, *see* Rose

Rose breeding, 17:159–189

Rubus, *see* Blackberry, Raspberry

Rust, wheat, 13:293–343

Rutabaga, 8:217–248

Ryder, Edward J. (biography), 16:1–14

Rye:

gametoclonal variation, 5:370–371

perennial breeding, 13:261–288

triticale, 5:41–93

S

Saccharum complex, 16:269–288

Salt resistance:

cell selection, 4:141–143

durum wheat, 5:31

yeast systems, 22:389–425

Sears, Ernest R. (biography), 10:1–22

Secale, *see* Rye

Seed:

apple rootstocks, 1:373–374

banks, 7:13–14, 37–40, 152–153

bean, 1:59–102

garlic, 23:211–244

lettuce, 1:285–286

maintenance and storage, 7:95–110,
129–158, 159–182

maize, 1:103–138, 139–161, 4:81–86

pearl millet, 1:162–182

protein, 1:59–138, 148–149

rice production, 17:98–111, 118–119,
23:73–174

soybean, 1:183–235, 3:289–311

synthetic, 7:173–174

variegation, 4:81–86

wheat (hybrid), 2:313–317

Selection, *see also* Breeding

bacteria, 24(2): 225–265

bean, 24(2): 69–74

cell, 4:139–145, 153–173

crops of the developing world,
24(2):45–88

divergent selection for maize ear
length, 24(2):153–168

domestication, 24(2):1–44

- Escherichia coli*, 24(2): 225–265
 gene interaction, 24(1):269–290
 genetic models, 24(1):177–225
 honeycomb design, 13:87–139;
 18:177–249
 limits, 24(1):177–225
 maize high oil, 24(1):153–175
 maize history, 24(1):11–40, 41–59, 61–78
 maize long term, 24(1):79–110, 111–131,
 133–151; 24(2):53–64, 109–151
 maize oil & protein, 24(1):79–110, 153–175
 maize physiological changes,
 24(1):133–151
 maize RFLP changes, 24(1):111–131
 marker assisted, 9:37–61, 10:184–190;
 12:195–226; 13:11–86; 14:13–37;
 17:113–114, 179, 212–215; 18:20–42;
 19:31–68, 21:181–220, 23:73–174,
 24(1):293–309
 mutation variation, 24(1):227–268
 population size, 24(1):249–268
 productivity gains in US crops,
 24(2):89–106
 quantitative trait loci, 24(1):311–335
 recurrent restricted phenotypic,
 9:101–113
 recurrent selection in maize,
 9:115–179; 14:139–163
 rice, 24(2): 64–67
 wheat, 24(2): 67–69
 Sesame breeding, 16:179–228
Sesamum indicum, *see* Sesame
 Simmonds, N.W. (biography), 21:1–13
 Snap pea breeding, 21:93–138
 Solanaceae:
 incompatibility, 15:27–34
 molecular mapping, 14:27–28
Solanum tuberosum, *see* Potato
 Somaclonal variation, *see also*
 Gametoclonal variation
 alfalfa, 4:123–152
 isozymes, 6:30–31
 maize, 5:147–149
 molecular analysis, 16:229–268
 mutation breeding, 6:68–70
 rose, 17:178–179
 transformation interaction, 16:229–268
 utilization, 16:229–268
 Somatic embryogenesis, 5:205–212;
 7:173–174
 oil palm, 4:189–190
 Somatic genetics, *see also* Gametoclonal
 variation; Somaclonal variation:
 alfalfa, 4:123–152
 legumes, 2:246–248
 maize, 5:147–149
 organelle transfer, 2:283–302
 pearl millet, 1:166
 petunia, 1:43–46
 protoplast fusion, 3:193–218
 wheat, 2:303–319
 Somatic hybridization, *see also*
 Protoplast fusion
 20:167–225
 Sorghum:
 male sterility, 25:139–172
 photoperiodic response, 3:69–71,
 97–99
 transformation, 13:235–264
 Southern pea, *see* Cowpea
 Soybean:
 cytogenetics, 16:289–317
 disease resistance, 1:183–235
 drought resistance, 4:203–243
 hybrid breeding, 21:263–307
 in vitro culture, 2:225–228
 nodulation, 11:275–318
 photoperiodic response, 3:73–74
 recurrent selection, 15:275–313
 semidwarf breeding, 3:289–311
 Spelt, agronomy, genetics, breeding,
 15:187–213
 Sprague, George F. (biography), 2:1–11
 Sterility, *see also* Male sterility, 11:30–41
 Starch, maize, 1:114–118
 Statistics:
 advanced methods, 22:113–163
 history, 17:259–316
 Strawberry:
 biotechnology, 21: 139–180
 domestication, 25:302–303
 red stele resistance breeding,
 2:195–214
 transformation, 16:104
 Stress resistance:
 cell selection, 4:141–143, 161–163
 transformation fruit crops, 16:115
Stylosanthes, in vitro culture, 2:238–240
 Sugarcane:
 mutation breeding, 6:82–84
 and *Saccharum* complex, 16:269–288
 Sweet cherry:
 Domestication, 25:202–293
 pollen-incompatibility and self-
 fertility, 9:367–388
 transformation, 16:102

- Sweet corn, *see also* Maize:
 endosperm, 1:139–161
 supersweet (*shrunken2*), 14:189–236
 Sweet potato breeding, 4:313–345;
 6:80–81

T

- Tamarillo transformation, 16:107
 Taxonomy:
 amaranth, 19:233–237
 apple, 1:296–299
 banana, 2:136–138
 blackberry, 8:249–253
 cassava, 2:83–89
 chestnut, 4:351–352
 chrysanthemum, 14:321–361
 clover, white, 17:193–211
 coffee, 2:161–163
 coleus, 3:345–347
 fescue, 3:314
 garlic, 23:211–244
Glycine, 16:289–317
 guayule, 6:112–115
 oat, 6:171–173
 pearl millet, 1:163–164
 petunia, 1:13
 plantain, 2:136; 14:271–272
 rose, 17:162–169
 rutabaga, 8:221–222
Saccharum complex, 16:270–272
 sweet potato, 4:320–323
 triticale, 8:49–54
Vigna, 8:19–42
 white clover, 17:193–211
 wild rice, 14:240–241
 Testing:
 adaptation, 12:271–297
 honeycomb design, 13:87–139
 Tissue culture, *see* In vitro culture
 Tobacco, gametoclonal variation,
 5:372–376
 Tomato:
 breeding for quality, 4:273–311
 heat tolerance, 10:150–151
 Toxin resistance, cell selection,
 4:163–165
 Transformation:
 alfalfa, 10:190–192
 cereals, 13:231–260
 fruit crops, 16:87–134
 mushroom, 8:206

- rice, 17:179–180
 somaclonal variation, 16:229–268
 white clover, 17:193–211
 Transpiration efficiency, 12:81–113
Trilobium, long-term selection,
 24(2):211–224
 Transposable elements, 4:81–122;
 5:146–147; 8:91–137
 Tree crops, ideotype concept, 12:163–193
 Tree fruits, *see* Fruit, nut, and beverage
 crop breeding
Trifolium, *see* Clover, White Clover
Trifolium hybrids, 5:275–284
 in vitro culture, 2:240–244
Tripsacum:
 apomixis, 18:51
 maize ancestry, 20:15–66
 Trisomy, petunia, 1:19–20
 Triticale, 5:41–93; 8:43–90
Triticosecale, *see* Triticale
Triticum:
Aestivum, *see* Wheat
Turgidum, *see* Durum wheat
 Tulip, mutation breeding, 6:76

U

- United States National Plant Germplasm
 System, *see* National Plant
 Germplasm System
 Unreduced and polyploid gametes,
 3:253–288; 16:15–86
 Urd bean, 8:32–35

V

- Vaccinium*, *see* Blueberry
 Variance estimation, 22:113–163
 Vegetable breeding:
 artichoke, 12:253–269
 bean, 1:59–102; 4:245–272, 24(2):69–74
 bean (tropics), 10:199–269
 beet (table), 22:257–388
 carrot 19: 157–190
 cassava, 2:73–134; 24(2):74–79
 cucumber, 6:323–359
 cucurbit insect and mite resistance,
 10:309–360
 lettuce, 1:267–293; 16:1–14; 20:105–
 133
 mushroom, 8:189–215
 onion, 20:67–103

pea, 21:93–138
 peanut, 22:297–356
 potato, 9:217–232; 16:15–86;
 19:69–165
 rutabaga, 8:217–248
 snap pea, 21: 93–138
 tomato, 4:273–311
 sweet corn, 1:139–161; 14:189–236
 sweet potato, 4:313–345
Vicia, in vitro culture, 2:244–245
Vigna, see Cowpea, Mungbean
 in vitro culture, 2:245–246; 8:19–42
 Virus diseases:
 apple rootstocks, 1:358–359
 clover, white, 17:201–209
 coleus, 3:353
 cowpea, 15:239–240
 indexing, 3:386–408, 410–411,
 423–425
 in vitro elimination, 2:265–282
 lettuce, 1:286
 potato, 19:122–134
 raspberry, 6:247–254
 resistance, 12:47–79
 soybean, 1:212–217
 sweet potato, 4:336
 transformation fruit crops, 16:108–110
 white clover, 17:201–209
 Vogel, Orville A. (biography), 5:1–10
 Vuylsteke, Dirk R. (biography), 21:1–25

W

Walnut (black), 1:236–266
 Walnut transformation, 16:103
 Weinberger, John A. (biography), 11:1–10
 Wheat:
 anther culture, 15:141–186
 apomixis, 18:64–65

chemical hybridization, 3:169–191
 cold hardiness adaptation, 12:124–135
 cytogenetics, 10:5–15
 cytoplasm, 23:189–190
 diversity, 21:236–237
 doubled haploid breeding, 15:141–186
 drought tolerance, 12:135–146
 durum, 5:11–40
 gametoclonal variation, 5:364–368
 gene manipulation, 11:225–234
 heat tolerance, 10:152
 hybrid, 2:303–319; 3:185–186
 insect resistance, 22:221–297
 in vitro adaptation, 12:115–162
 long-term selection, 24(2):67–69
 molecular biology, 11:235–250
 molecular markers, 21:191–220
 photoperiodic response, 3:74
 rust interaction, 13:293–343
 triticale, 5:41–93
 vernalization, 3:109
 White clover, molecular genetics,
 17:191–223
 Wild rice, breeding, 14:237–265
 Winged bean, in vitro culture, 2:237–238

Y

Yeast, salt resistance, 22:389–425
 Yuan, Longping (biography), 17:1–13.

Z

Zea mays, see Maize, Sweet corn
 Zein, 1:103–138
Zizania palustris, see Wild rice

Cumulative Contributor Index

(Volumes 1–25)

- Abdalla, O.S., 8:43
 Acquaah, G., 9:63
 Aldwinckle, H.S., 1:294
 Alexander, D.E., 24(1): 53
 Anderson, N.O., 10:93;
 11:11
 Aronson, A.I., 12:19
 Ascher, P.D., 10:93
 Ashri, A., 16:179
- Baggett, J.R. 21:93
 Baltensperger, D.D., 19:227
 Barker, T., 25:173
 Basnizki, J., 12:253
 Beck, D.L., 17:191
 Beebe, S., 23:21–72
 Beineke, W.F., 1:236
 Bell, A.E., 24(2): 211
 Below, F.E., 24(1):133
 Berzonsky, W.A., 22:221
 Bingham, E.T., 4:123;
 13:209
 Binns, M.R., 12:271
 Bird, R. McK., 5:139
 Bjarnason, M., 9:181
 Bliss, F.A., 1:59; 6:1
 Boase, M.R., 14:321
 Borlaug, N.E., 5:1
 Boyer, C.D., 1:139
 Bravo, J.E., 3:193
 Brenner, D.M., 19:227
 Bressan, R.A., 13:235;
 14:39; 22:389
 Bretting, P.K., 13:11
 Broertjes, C., 6:55
 Brown, A.H.D., 221
 Brown, J.W.S., 1:59
 Brown, S.K., 9:333,367
 Bünger, L., 24(2):169
- Burnham, C.R., 4:347
 Burton, G.W., 1:162; 9:101
 Burton, J.W., 21:263
 Byrne, D., 2:73
- Campbell, K.G., 15:187
 Campos, H., 25: 173
 Cantrell, R.G., 5:11
 Carputo, C., 25:1
 Carvalho, A., 2:157
 Casas, A.M., 13:235
 Cervantes-Martinez, C.T.,
 22:9
 Chen, J., 23: 245
 Chew, P.S., 22:165
 Choo, T.M., 3:219
 Christenson, G.M., 7:67
 Christie, B.R., 9:9
 Clark, R.L., 7:95
 Clarke, A.E., 15:19
 Clegg, M.T., 12:1
 Condon, A.G., 12:81
 Cooper, M, 24(2):109;
 25:173
 Cooper, R.L., 3:289
 Cornu, A., 1:11
 Costa, W.M., 2:157
 Cregan, P., 12:195
 Crouch, J.H., 14:267
 Crow, J.F., 17:225
 Cummins, J.N., 1:294
- Dana, S., 8:19
 De Jong, H., 9:217
 Dekkers, J.C.M., 24(1):311
 Deroles, S.C., 14:321
 Dhillon, B.S., 14:139
 Dickmann, D.I., 12:163
 Ding, H., 22:221
- Dodds, P.N., 15:19
 Dolan, D., 25:175
 Donini, P., 21:181
 Draper, A.D., 2:195
 Dudley, J.W. 24(1): 79
 Dumas, C., 4:9
 Duncan, D.R., 4:153
 Duvick, D.N., 24(2):109
- Echt, C.S., 10:169
 Edmeades, G., 25:173
 Ehlers, J.D., 15:215
 England, F., 20:1
 Eubanks, M.W., 20:15
 Evans, D.A., 3:193; 5:359
 Everett, L.A., 14:237
 Ewart, L.C., 9:63
- Farquhar, G.D., 12:81
 Fasoula, D.A., 14:89;
 15:315; 18:177
 Fasoula, V.A., 13:87;
 14:89; 15:315; 18:177
 Fasoulas, A.C., 13:87
 Fazuoli, L.C., 2:157
 Fear, C.D., 11:1
 Ferris, R.S.B., 14:267
 Flore, J.A., 12:163
 Forsberg, R.A., 6:167
 Forster, B.P., 25:57
 Forster, R.L.S., 17:191
 Fowler, C., 25:21
 Frusciante, L., 35:1
 Frei, U., 23:175
 French, D.W., 4:347
- Gai, J., 21:263
 Galiba, G., 12:115
 Galletta, G.J., 2:195

- Gepts, P., 24(2):1
 Gmitter, F.G., Jr., 8:339;
 13:345
 Gold, M.A., 12:163
 Goldman, I.L. 19:15; 20:67;
 22:357; 24(1):61;
 24(2):89
 Goodnight, C.J, 24(1):269
 Gradziel, T.M., 15:43
 Gressel, J., 11:155; 18:251
 Gresshof, P.M., 11:275
 Griesbach, R.J., 25:89
 Grombacher, A.W., 14:237
 Grosser, J.W., 8:339
 Grumet, R., 12:47
 Gudín, S., 17:159
 Guimarães, C.T., 16:269
 Gustafson, J.P., 5:41;
 11:225
 Guthrie, W.D., 6:209

 Habben, J., 25:173
 Haley, S.D., 22:221
 Hall, A.E., 10:129; 12:81;
 15:215
 Hall, H.K., 8:249
 Hallauer, A.R., 9:115;
 14:1,165; 24(2):153
 Hamblin, J., 4:245
 Hancock, J.F., 13:1
 Hancock, J.R., 9:1
 Hanna, W.W., 13:179
 Harlan, J.R., 3:1
 Harris, M.O., 22: 221
 Hasegawa, P.M. 13:235;
 14:39; 22:389
 Havey, M.J., 20:67
 Henny, R.J., 23:245
 Hill, W.G., 24(2):169
 Hillel, J., 12:195
 Hodgkin, T., 21:221
 Hokanson, S.C., 21:139
 Holbrook, C.C., 22: 297
 Holland, J.B: 21: 27; 22: 9
 Hor, T.Y., 22:165
 Hunt, L.A., 16:135
 Hutchinson, J.R., 5:181
 Hymowitz, T., 8:1; 16:289

 Janick, J., 1:xi; 23:1, 25:255
 Jansky, S., 19:77
 Jayaram, Ch., 8:91

 Jenderek, M.M., 23:211
 Johnson, A.A.T., 16:229;
 20:167
 Johnson, R., 24(1):293
 Jones, A., 4:313
 Jones, J.S., 13:209
 Ju, G.C., 10:53

 Kang, H., 8:139
 Kann, R.P., 4:175
 Karmakar, P.G., 8:19
 Kartha, K.K., 2:215, 265
 Kasha, K.J., 3:219
 Keep, E., 6:245
 Kleinhofs, A., 2:13
 Keightley, P.D., 24(1):227
 Knox, R.B., 4:9
 Koebner, R.M.D., 21:181
 Kollipara, K.P., 16:289
 Kononowicz, A.K., 13:235
 Konzak, C.F., 2:13
 Krikorian, A.D., 4:175
 Krishnamani, M.R.S.,
 4:203
 Kronstad, W.E., 5:1
 Kulakow, P.A., 19:227

 Lamb, R.J., 22:221
 Lambert, R.J., 22: 1;
 24(1):79, 153
 Lamborn, C., 21:93
 Lamkey, K.R., 15:1;
 24(1):xi; 24(2):xi
 Lavi, U., 12:195
 Layne, R.E.C., 10:271
 Lebowitz, R.J., 3:343
 Lee, M., 24(2):153
 Lehmann, J.W., 19:227
 Lenski, R.E., 24(2):225
 Levings, III, C.S., 10:23
 Lewers, K.R., 15:275
 Li, J., 17:1,15
 Liedl, B.E., 11:11
 Lin, C.S., 12:271
 Lovell, G.R., 7:5
 Lower, R.L., 25:21
 Lukaszewski, A.J., 5:41
 Lyrene, P.M., 5:307

 McCoy, T.J., 4:123; 10:169
 McCreight, J.D., 1:267;
 16:1

 McDaniel, R.G., 2:283
 McKeand, S.E., 19:41
 McKenzie, R.I.H., 22: 221
 McKrae, D.H., 3:169
 Mackenzie, S.A., 25:115n
 Maas, J. L., 21: 139
 Maheswaran, G., 5:181
 Maizonnier, D., 1:11
 Marcotrigiano, M., 15:43
 Martin, F.W., 4:313
 Matsumoto, T.K. 22:389
 Medina-Filho, H.P., 2:157
 Mejaya, I.J., 24(1): 53
 Mikkilineni, V., 24(1):111
 Miles, D., 24(2):211
 Miles, J.W., 24(2):45
 Miller, R., 14:321
 Mondragon Jacobo, C.,
 20:135
 Moose, S.P., 24(1):133
 Morrison, R.A., 5:359
 Mowder, J.D., 7:57
 Mroginski, L.A., 2:215
 Muir, W.M., 24(2):211
 Mumm, R.H., 24(1):1
 Murphy, A.M., 9:217
 Mutschler, M.A., 4:1
 Myers, J.R., 21:93
 Myers, O., Jr., 4:203
 Myers, R.L., 19:227.

 Namkoong, G., 8:139
 Navazio, J., 22:357
 Neuffer, M.G., 5:139
 Newbigin, E., 15:19
 Nyquist, W.E., 22:9

 Ohm, H.W., 22:221
 O'Malley, D.M., 19:41
 Ortiz, R., 14:267; 16:15;
 21:1; 25:1, 139

 Palmer, R.G., 15:275,
 21:263
 Pandy, S., 14:139; 24(2):45
 Pardo, J. M., 22:389
 Parlaman, B.J., 3:361
 Paterson, A.H., 14:13
 Patterson, F.L., 22:221
 Peairs, F.B., 22:221
 Pedersen, J.F., 11:251
 Perdue, R.E., Jr., 7:67

- Peiretti, E.G., 23:175
 Peterson, P.A., 4:81; 8:91
 Polidorus, A.N., 18:87
 Porter, D.A., 22:221
 Porter, R.A., 14:237
 Powell, W., 21:181
 Proudfoot, K.G., 8:217

 Rackow, G., 18:1
 Raina, S.K., 15:141
 Ramage, R.T., 5:95
 Ramesh, S., 25:139
 Ramming, D.W., 11:1
 Ratcliffe, R.H., 22:221
 Ray, D.T., 6:93
 Reddy, B.V.S., 25:139
 Redei, G.P., 10:1; 24(1):11
 Reimann-Phillipp, R.,
 13:265
 Reinbergs, E., 3:219
 Rhodes, D., 10:53
 Richards, R.A., 12:81
 Roath, W.W., 7:183
 Robinson, R.W., 1:267;
 10:309
 Rocheford, T.R., 24(1):111
 Ron Parra, J., 14:165
 Roos, E.E., 7:129
 Ross, A.J., 24(2):153
 Rotteveel, T., 18:251
 Rowe, P., 2:135
 Russell, W.A., 2:1
 Rutter, P.A., 4:347
 Ryder, E.J., 1:267; 20:105

 Samaras, Y., 10:53
 Sansavini, S., 16:87
 Saunders, J.W., 9:63
 Savidan, Y., 18:13
 Sawhney, R.N., 13:293
 Schaap, T., 12:195
 Schaber, M.A. 24(2):89
 Schussler, J., 25:173
 Schneerman, M.C. 24(1):133
 Schroeck, G., 20:67
 Scott, D.H., 2:195
 Seabrook, J.E.A., 9:217
 Sears, E.R., 11:225
 Seebauer, J.R., 24(1):133
 Shands, Hazel L., 6:167
 Shands, Henry L., 7:1, 5
 Shannon, J.C., 1:139

 Shanower, T.G., 22:221
 Shattuck, V.I., 8:217; 9:9
 Shaun, R., 14:267
 Sidhu, G.S., 5:393
 Simmonds, N.W., 17:259
 Simon, P.W., 19:157;
 23:211
 Singh, B.B., 15:215
 Singh, R.J., 16:289
 Singh, S.P., 10:199
 Singh, Z., 16:87
 Slabbert, M.M., 19:227
 Sleper, D.A., 3:313
 Sleugh, B.B., 19
 Smith, J.S.C., 24(2):109
 Smith, S.E., 6:361
 Snoeck, C., 23:21
 Socias i Company, R., 8:313
 Sobral, B.W.S., 16:269
 Stalker, H.T., 22:297
 Soh, A.C., 22:165
 Sondahl, M.R., 2:157
 Spoor, W., 20: 1
 Steadman, J.R., 23:1
 Steffensen, D. M., 19:1
 Stevens, M.A., 4:273
 Stoner, A.K., 7:57
 Stuber, C.W., 9:37; 12:227
 Sugiura, A., 19:191
 Sun, H. 21:263

 Tai, G.C.C., 9:217
 Talbert, L.E., 11:235
 Tan, C.C., 22:165
 Tarn, T.R., 9:217
 Tehrani, G., 9:367
 Teshome, A., 21:221
 Thomas, W.T.B., 25:57
 Thompson, A.E., 6:93
 Tiefenthaler, A.E. 24(2):89
 Towill, L.E., 7:159, 13:179
 Tracy, W.F., 14:189;
 24(2):89
 Troyer, A.F., 24(1):41
 Tsaftaris, A.S., 18:87
 Tsai, C.Y., 1:103

 Ullrich, S.E., 2:13
 Uribebarrea, M., 24(1):133

 Vanderleyden, J., .23:21
 Van Harten, A.M., 6:55

 Varughese, G., 8:43
 Vasal, S.K., 9:181; 14:139
 Veilleux, R., 3:253; 16:229;
 20:167
 Villareal, R.L., 8:43
 Vogel, K.P., 11:251
 Volk, G.M., 23:291
 Vuylsteke, D., 14:267

 Wallace, D.H., 3:21; 13:141
 Walsh, B. 24(1):177
 Wan, Y., 11:199
 Waters, C., 23:291
 Weber, K., 24(1):249
 Weeden, N.F., 6:11
 Wehner, T.C., 6:323
 Wenzel, G. 23:175
 Westwood, M.N., 7:111
 Whitaker, T.W., 1:1
 White, D.W.R., 17:191
 White, G.A., 3:361; 7:5
 Widholm, J.M., 4:153,
 11:199
 Widmer, R.E., 10:93
 Widrechner, M.P., 13:11
 Wilcox, J.R., 1:183
 Williams, E.G., 4:9; 5:181,
 237
 Williams, M.E., 10:23
 Wilson, J.A., 2:303
 Wong, G., 22: 165
 Woodfield, D.R., 17:191
 Wright, D., 25:173
 Wright, G.C., 12:81
 Wu, L., 8:189
 Wu, R., 19:41

 Xin, Y., 17:1,15
 Xu, S., 22:113
 Xu, Y., 15:85; 23:73

 Yamada, M., 19:191
 Yan, W., 13:141
 Yang, W.-J., 10:53
 Yonemori, K., 19:191
 Yopp, J.H., 4:203
 Yun, D.-J., 14:39

 Zeng, Z.-B., 19:41
 Zimmerman, M.J.O., 4:245
 Zinselmeier, C., 25:173
 Zohary, D., 12:253