
INDEX

- Abrasion: 482, 517, 674.
ABS: 134, 624, 632, 661.
Absolute modulus: 429, 430.
Abstraction (reaction): 261, 262, 269, 272, 279, 282, 292, 322.
Acetals (poly): 556–557.
Acetals [poly(vinyl)]: 544.
Acids (Lewis): 313, 326, 327, 329, 332, 333, 340, 347.
Acids (nucleic): 115, 118.
Acids (protonic): 310, 330, 331.
Acronyms: 10, 11, 12.
Acrylic (s): 4, 15, 251, 274, 276, 321, 324, 325, 326, 352, 359, 361, 362, 490, 518, 528, 532, 542, 545–549.
Acrylonitrile: 134, 274, 276, 278, 297, 304, 524, 532, 548–551.
Activated monomer: 322, 336, 342.
Activity (catalytic): 347, 350, 351, 353, 519.
Activity (optical): 28, 31, 33.
Additives (formulation): 477–483, 490, 492, 495, 504, 533, 535, 540, 544, 552, 553.
Adhesion promoters: 480.
Adhesives: 7, 284, 496, 518, 525, 526, 528, 535, 544, 545, 546, 548, 552, 554, 573, 576, 589, 590, 592, 594, 596, 602, 606.
Affine (displacement and model): 429, 435, 436, 438.
Affinity (methyl): 272, 273.
Agostic (bond): 351.
AIBN: 268, 386.
Alanine: 507, 510.
Alfrey-Price (relation): 300, 301.
Alkali-cellulose: 498, 499, 501.
Alkoxyamine: 291.
Alkyd (resins): 583–585.
Alkyne: 355, 356.
Allyl (monomer or group): 274, 278, 280, 553.
Alternations, alternating (copolymer): 23, 24, 26, 28, 524, 532, 566, 572, 578.
Aluminoxane (MAO): 350.
Amidation (poly): 216, 236
Amino acids: 115, 118, 507.
Aminoplasts (amino resins): 590–594.
Amilopectin: 502, 503.
Amylose: 502, 503.
Anionic (polymerization): 3, 251, 257, 309–328, 341, 356, 379, 383–389, 391, 398, 523, 524, 526, 531, 545, 548, 549, 551, 554, 555, 567.
Anisotropy (molecular): 136, 138, 139, 142.
Atom transfer (radical polymerization): 292, 293.
Antioxidants: 375, 481.
Aromatic polyamides (Aramides): 248, 569, 570.
Architecture (molecular): 5, 22, 108, 154, 194, 258, 259, 294, 309, 327, 377, 383, 388, 394, 400, 599.
Arginine: 507, 510.
Artificial (polymers): 1, 3, 6, 493–511.
Asparagine: 507.
Aspartic acid: 507.
Asymmetry (molecular): 30, 31.
Atactic, Atacticity: 28, 37, 275, 321, 509, 524, 542, 545, 546, 548, 555.

- Athermal solution: 50.
Autocorrelation function: 178,179.
Avrami (equation, exponent): 421, 423–425.
Azeotropic (copolymerization): 297.
Azo compound (as initiator): 268, 288, 531, 549, 552.
- Back-biting: 339, 341, 342.
Baekeland: 3, 587.
Balata: 496.
Bases (Lewis): 316, 317, 340, 345, 347, 349, 350.
Benzoquinone: 283.
Bernouillian statistics: 24, 255, 256, 295, 296.
Bicontinuous phase: 132.
Binodal points: 58–60, 64.
Biopolymers: 493.
Bipolymers: 23.
Bisphenol A: 562, 563, 576, 579, 587, 588, 596–598.
Bisphenol F: 597.
Blend (polymer-polymer): 49, 82–87, 131, 133, 478, 480, 528, 531, 579.
Blobs: 79–81.
Block (copolymers): 24, 25, 48, 86, 87, 167, 176, 382, 384, 385, 398, 520, 523, 524–526, 572.
Boltzmann (equation): 53.
Boltzmann superposition principle: 445–447.
Branch, branching: 42–44, 106, 107, 149, 192, 193, 194, 281, 285, 338, 340, 380, 390, 391, 394–398, 410, 415, 515–517, 532, 536, 538, 602.
Breaking: 431, 459, 461, 464
Brookhart (catalyst): 552.
in Bulk (polymerization): 108, 277, 302–304, 317, 514, 515, 530, 531, 534, 535, 537, 542, 546, 548, 552, 560.
Buna (rubber): 309.
Bunn (model): 109.
Burgers (model): 452.
Butadiene (and poly...): 12, 14, 22, 87, 112, 131–135, 273, 275, 280, 297, 302, 312, 323, 349, 378, 380, 383, 416, 522–532.
- Butyl rubber: 521.
Butyllithium: 313, 316, 383, 523, 526.
- Calendering: 471, 479, 483, 488.
Calorimetry: 144, 206, 413.
Cannon-Ubbelohde (viscometer): 194.
Cellulose acetate: 152, 500, 503.
Cellulose acetobutyrate: 500.
Chain transfer, Chain transfer agents: 250, 256, 257, 258, 261, 272, 276, 278–281, 284–286, 288, 303, 304, 337–341, 348, 353.
Caprolactam, Polycaprolactam: 10, 15, 109, 322, 567.
Carbanions, Carbanionic species: 310–316, 321, 324–325, 334, 379, 380, 384, 389, 391, 392.
Carbocations, Carbocationic species: 329, 332–335, 339–350, 342, 343, 366, 389.
Carbon fibers: 550, 551, 582.
Carbon black: 375, 481, 482.
Carboxymethylcellulose: 501.
Carothers: 2, 3, 557.
Carothers relation: 217, 220, 225, 242.
Casein: 511.
Catalysis by coordination, catalysts: 344, 345, 347, 351–353.
Cationic polymerization: 251, 328–343, 381, 396, 399, 521, 526, 552, 556.
Ceiling temperature: 252, 253, 301, 336, 341, 372, 373, 548.
Cellobiose: 497.
Celluloid: 1, 499, 500.
Cellulose: 3, 6, 10, 15, 208, 358, 363–365, 373, 489, 490, 496–506, 511.
Cellulose esters: 499, 500.
Cellulose ethers: 501.
Cellulose nitrate (CN): 499–500.
Cellulose xanthate: 499.
Chain folding: 122, 123, 125, 403, 410.
Chain with restricted rotations: 100–102.
Chain with smooth curvatures (worm-like chain): 103.
Chain transfer: 278–281.
Cholesteric (mesophases): 139–141.
Classification of polymers: 6–8.

- CMC (critical micellar concentration): 306.
- Cocatalysis, Cocatalyst: 345, 347.
- Cohesion, cohesive energy: 13–17, 84, 85, 127, 128, 134, 137, 208, 410, 415, 416, 497, 498, 503, 513, 517, 520, 532, 535, 537, 538, 543, 548, 556, 558–561, 564, 565, 567, 569, 571, 572, 574, 589, 602.
- Colligative (methods): 147, 149, 151, 153–154.
- Collodion: 3, 490, 491, 536, 539, 570, 573.
- Comb-like polymers: 20, 25, 380, 381, 388, 390, 399.
- Combination (of free radicals): 261, 263, 276, 277, 548.
- Commodity polymers: 7, 517.
- Comonomers: 4, 20, 23, 24, 28, 32, 44, 51, 53, 76, 77, 294–299, 301, 315, 323, 382, 384, 412, 417, 517, 518, 524, 550, 552, 568, 584, 586, 591.
- Compatibilization, Compatibilizers: 131, 133, 376, 528.
- Compliance (mechanical): 441, 444, 445, 449, 450, 455, 464.
- Complex (of coordination): 351, 355, 493.
- Combinations (number of): 52, 53.
- Composite (materials): 482, 505, 550, 571, 575, 586, 590, 602.
- Compression (mechanical properties in): 428, 439, 459.
- Compression (processing by): 479, 483, 484, 492, 540, 541, 589.
- Configuration, Configurational: 27–37, 50, 90, 110, 112, 114, 119, 121, 255, 256, 275, 312, 344, 537.
- α (alpha) and β (beta)-conformations (of polypeptides): 116, 117, 508, 509, 510.
- Conformation (local): 90, 91, 101.
- Conformation (molecular): 90, 101.
- Conformational entropy:
- Connectivity: 42, 51, 83, 420, 468.
- Constitutional repeat units: 2, 109.
- Contour length: 91, 104.
- Controlled (polymerization): 256, 258, 288–294, 310, 340, 343, 377, 379, 382, 383, 391.
- Convergent (method of synthesis): 390, 391, 392, 395.
- Coordination (polymerization by): 251, 256, 321, 328, 344, 348–354, 514–516, 519, 523, 531.
- Copolymerization, Copolymers: 3, 4, 8, 15, 23–27, 43, 44, 82, 86, 87, 117, 131, 134, 167, 176, 283, 294–302, 309, 323, 349, 351, 352, 377, 380–388, 391, 400, 480, 514–518, 520–528, 530–537, 543–544, 548–553, 556–557, 559–561, 567, 572, 579.
- Correlation length: 78–81, 87, 88.
- Cotton: 497, 499, 500.
- Coupling (agent and reaction of): 249, 277, 278, 282, 284, 338, 379, 380, 382, 383, 385, 388, 390, 395, 523, 526, 581.
- Cram (representation): 6.
- Cracks: 134, 460–464.
- Crazes: 459, 460.
- Creep: 440–442, 446, 448–452, 455, 470, 503, 516, 525, 526, 532, 572.
- Crick and Watson (structure DNA): 3, 118.
- Critical volume fraction: 61.
- Cross-linking density: 20, 46, 245, 357, 524, 584, 585, 588, 589, 593, 598, 602.
- Cross-links (of networks): 20, 45, 46, 47, 495, 505, 517, 518, 521, 546, 554, 574, 584, 589, 590, 594, 604.
- Cross-section: 180, 181.
- Crystallinity, Crystallization, Crystal: 3, 92, 108, 111–113, 120–130, 137, 139, 401–404, 406, 413–426, 513–517, 519–523, 526–541, 543, 549, 550, 553–565, 567–569, 571, 581.
- Crystallization (kinetics): 420–423, 425.
- Crystallites: 127, 535.
- Crystalline growth: 419, 420, 422–424.
- Cycle strain: 254, 336.
- Cyclization (reaction): 215, 216, 221, 226, 227, 231, 246, 389, 390, 550, 557.
- Cysteine: 507, 509, 510.
- Dangling chain: 45, 46, 47, 464.

- de Gennes: 2, 3, 78, 81, 88, 145, 152, 191, 473.
- Debye (interactions): 14.
- Debye-Scherrer pattern: 202–203.
- Degree of crystallinity: 125–128.
- Degree of substitution: 499–501, 504.
- Demixing (parameter of interaction of): 61.
- Denaturation of proteins: 510.
- Dendrimer: 392–398.
- Deoxyribonucleic acid (DNA): 103, 115–118, 136.
- Depolymerization: 338, 341, 373, 374, 548.
- DGEBA: 587, 597.
- DGEBF: 597.
- Dilatometry: 289, 423–425.
- Dilute solutions: 49, 52, 54, 65–77, 78, 79, 80.
- Dimensionality: 5, 7–8, 19, 20, 42, 401, 409, 532, 574, 583–606.
- Dioctylphthalate (DOP): 413, 481.
- Disproportionation: 261, 263, 277, 278, 284, 288, 307.
- Dislocation: 128.
- Dispersion (forces): 14.
- Dispersion polymerization: 304, 534, 537, 549.
- Dispersity, Dispersity index: 7, 38–39, 41, 42, 89, 133, 167, 219, 224, 246, 247, 248, 257, 258, 268, 327, 402, 516.
- Disproportionation: 261, 263, 277, 278, 285, 288.
- Dissociating agent: 314, 318, 328, 330, 334, 554.
- Dissolution (of a polymer): 57.
- Ditacticity: 30–32.
- Divergent (method of synthesis):
- Divergent (method of synthesis): 391, 393, 394, 395.
- Doi-Edwards model: 473.
- Double helix: 118, 136.
- DPPH (diphenylpicrylhydrazyl): 262, 282.
- Ductility: 457–460, 464.
- Dyad: 22, 26, 29, 34, 35, 38, 112, 131, 255, 256, 275, 295, 296, 359, 361, 362, 524, 526, 546, 548.
- Efficiency (of initiators): 257, 263, 271–274, 279, 282, 285, 288, 324, 330, 340, 347, 351, 354, 356.
- Einstein relations: 179, 185.
- Elasticity (rubber): 431, 434.
- Elastic deformation: 427, 428, 440, 443, 447, 457, 458, 462–464.
- Elastic modulus: see Young modulus.
- Electron transfer: 315, 332.
- Elongational compliance: 441.
- Elution volume (SEC): 195–199.
- Emulsion polymerization: 268, 305–308, 523, 524, 528, 534, 537, 538, 541, 542, 546, 549, 268.
- End-to-end distance: 69, 74, 79, 80, 92–96, 99, 103, 104, 107, 434, 469.
- Entanglement: 50, 119, 183, 401, 403, 416, 431, 434, 438, 439, 457, 458, 459, 469–470, 473, 475, 476.
- Enthalpy of polymerization: 251–253, 274, 310, 336.
- Enthalpy of mixing: 50, 55–57, 62–63, 66, 78, 82, 83.
- Entropy of mixing: 50–54, 57, 62, 63, 65–68, 78, 82–84, 86, 149, 196.
- EPDM (elastomer): 349, 517–518.
- Equivalent sphere: 66.
- Ethyl cellulose (EC): 501.
- Excluded volume: 54, 55, 64, 66–81.
- Expanded polystyrene: 533.
- Expansion coefficient: 74, 76, 77, 85, 105, 192.
- Extended chain (chain in extension): 92, 103, 112, 122, 123, 125, 561, 567, 573.
- Extent of reaction: 217–220, 224, 225, 227, 259, 268, 280, 360, 362, 363, 584.
- Extrusion, Extruder: 136, 403, 471, 478, 482, 483, 486–488, 490, 518, 520, 537, 540, 541, 550, 561, 573, 578.
- Fiber pattern: 199–201.
- Fiber period: 109, 112, 113, 121, 497, 503, 508, 509, 510, 511, 515, 543, 560, 561, 565, 567, 569, 571.

- Fibers (textile): 123, 136–138, 143, 429, 430, 458, 482, 489–491, 497–500, 505, 506, 510, 511, 513, 516, 518, 536, 538, 540, 544, 545, 549, 550, 553, 561, 566, 568, 570, 571, 573, 574, 581.
- Fibrillae: 137, 138, 459–460.
- Fibrous crystallization: 138.
- Fillers: 480, 482, 495, 496, 536, 542, 589, 592, 602.
- Films: 123, 139, 144, 479, 487, 488, 491, 499, 500, 510, 518, 520, 536–539, 573, 575.
- Finemann-Ross equation: 299, 300.
- Fischer projection: 5.
- Fitch (theory): 309.
- Flory: 2, 3, 47, 51, 53, 55, 57, 62–70, 72–74, 77, 81, 83, 85, 104, 141, 190, 191, 221, 227, 229, 357, 395, 412, 413, 417, 434, 435, 469.
- Flory-Fox model: 74.
- Flory-Huggins (theory): 51, 53, 55, 57, 62–70, 72–74, 77, 81, 83, 85, 86, 104, 186, 412, 417.
- Flory-Krigbaum (theory): 69–70, 72, 73, 77.
- Flory-Rehner (equation): 47, 435.
- Fluctuations (theory of): 155–209.
- Formo-phenolic resins (see phenoplasts).
- Fracture: 123, 137, 138, 457–464.
- Free radical polymerization: 261–328.
- Free volume: 54, 82–83, 119, 405–407, 408–412, 481, 538, 545.
- Freely jointed chain: 92, 93, 96, 99
- Freely rotating chain: 99, 103.
- Friction (coefficient): 179, 189, 190, 454, 456, 459, 473, 474, 479, 485.
- Gas phase process: 515.
- Gaussian (distribution): 69, 74, 77, 80, 95, 98, 99, 106, 119.
- Gel effect (Trommsdorff): 302–304.
- Gel point: 42, 44, 45, 225–227, 232, 584.
- Geometrical isomerism: 32, 33.
- Gibbs and Di-Marzio theory: 409.
- Glass transition: 404, 414, 431, 454, 455, 456, 457, 459, 460, 467, 468, 478, 481, 483.
- Glutamine: 507.
- Glutamic acid: 507, 510.
- Glycero-phtalic resins (see Alkyd resins).
- Gordon-taylor relationship: 411.
- Graft copolymers: 25, 133, 134, 141, 194, 380, 385–388, 399, 410, 411, 480, 530, 531.
- Griffith theory: 460–464.
- Group transfer (polymerization): 325.
- Guinier (approximation): 166, 174, 176, 182.
- Gutta-percha*: 496.
- Hardeners (epoxy resins): 595–599.
- HDPE: 515–518.
- Head-to-tail placement: 22, 275.
- Head-to-head placement: 22, 275.
- Heeger: 2, 4.
- Hermans function: 138–140.
- Hevea brasiliensis*: 494.
- Hexamethylenetetramine: 238, 589–590.
- Hexamethylenediamine: 568, 569, 599.
- High Impact Polystyrene (HIPDS): 134, 135, 520, 524, 525, 531–532, 579.
- High pressure (process): 280, 303, 304, 344, 348, 514–515.
- Hildebrand (solubility parameter): 16.
- Hookean body: 427–431, 438441, 443, 445, 447, 450, 452.
- Hydrocelluloses: 498.
- Hydrolytic degradation: 361, 362, 367, 368, 478, 481, 498, 506, 542, 548, 568, 575, 580, 589, 591, 597.
- Hydroperoxides: 266, 267, 279.
- Hydroquinone: 283.
- Hyperbranched (polymer): 395–398.
- Ideal solutions: 50, 54, 55, 66.
- Initiation, Initiators (of polymerizations): 249, 250, 256–258, 260, 262, 263, 265, 266, 268–274, 278–280, 282–286, 288–294, 302–307, 309–317, 322–327, 330–337, 340–345, 348–350, 379, 381–386, 389–392, 397, 521, 523, 524, 528, 530, 537–540, 542, 549, 552, 554, 556, 558, 567, 599.
- Inhibition (of a polymerization): 250, 282, 283, 347, 515, 547, 548.

- Injection molding: 471, 484, 485–486, 488, 518, 540, 541, 557, 562.
 Interaction parameter (χ_{12}): 56, 57, 64, 151, 478, 535.
 Interfacial polycondensation: 236, 562, 570.
 Intrinsic viscosity: 185, 188, 191–193.
 Inversion of phases (HIPS): 134.
 Ionic bond: 15.
 Ionizing radiation (as initiator): 270, 334.
 Ionomer: 15, 532.
 Irregular polymer: 22, 23, 26.
 Isoleucine: 507.
 Isoregulation: 356, 352.
 Isotacticity, Isotactic polymers: 27–30, 33, 35, 36, 38, 255, 321, 345, 347, 349, 518, 519, 524, 548, 559.
 IUPAC rules (nomenclature): 7, 9, 12.

 Keesom interactions: 13, 14.
 Kelen-Tüdös method (copolymerization): 300.
 Keratin: 508, 509, 510.
 Kirkwood-Riseman model: 189, 190.
 Kinetic chain length (radical polymerization): 284–288.
 Kovacs theory: 408.
 Kraft process: 506.
 Kratky-Porod model: 103–104.
 Kuhn chain equivalent, Kuhn length: 102–104.

 Ladder polymer: 20, 21.
 Lamellae: 124, 125, 127–130, 132, 138, 210, 420, 457.
 Latex: 306, 307, 309, 6534, 539, 543.
 LCST (Lower Critical Solution Temperature): 62, 64, 82, 87.
 LDPE: 514–517.
 LLDPE: 515, 517, 520.
 Leucin: 508, 510.
 Light scattering (by solutions): 155–180.
 Light scattering (by solids): 209.
 Lignin: 497, 504–506.
 Ligno-sulfonate process: 506.
 Liquid crystalline polymers (LCP): 139–145.
 London (interactions): 14, 138.

 Loss (angle, compliance, factor, modulus): 442, 444, 456, 457.
 Lyotropic polymer: 139, 142, 143.
 Lysine: 507.

 Macrocycles (polymeric): 20, 21, 215, 388, 389.
 Mark-Houwink-Sakurada (equation): 187, 189.
 Markovian statistics: 102, 255.
 Mass average molar mass: 40–42, 105, 176, 223, 229, 231, 287, 516.
 Mass distribution curve: 38.
 Master curve: 453, 454.
 Maxwell model: 447–453.
 Mayo-Lewis (equation): 295, 299.
 Melamine-formaldehyde resins: 591, 593–594.
 Mean field (theory): 51, 74, 77, 78, 80, 123.
 Melting (of crystalline polymers): 137, 142, 143, 414–422, 515, 522, 523, 528, 529, 535–541, 543, 549, 554, 557, 558, 560–563, 565, 570, 575, 581.
 Mercerization: 364, 365.
 Mesogens (intra- or side-chain): 139–143.
 Mesomorphic state: 139–142, 144.
 Mesophase: 139–144.
 Methacrylic(s): 15, 283, 312, 321, 324, 325, 326, 386, 528, 545–548.
 Metallocenes: 349–352, 515, 519, 531.
 Metathesis (polymerization by): 353–356.
 Methionine: 507.
 Methylcellulose: 501.
 Methylol phenol: 237, 238, 241, 589, 591.
 Micelles (crystalline): 127.
 Micelles (emulsion): 306–309.
 Micrography, Microscopy (electron): 123, 124, 128, 129, 131, 134, 135, 138.
 Microscopy AFM (Atomic Force Microscopy):
 Miller-Macosko approach: 227, 229.
 Miscibility: 50, 56, 57, 59, 82, 85, 133, 412, 477, 478–482, 520, 525, 528, 570.
 Molar attraction constant: 16, 17.

- Molecular interactions: 13–17, 48, 108, 109, 111, 120, 130, 138, 142, 183, 207, 363, 373, 402, 410, 411, 415, 429, 433, 482, 495, 498, 513, 521, 522, 540.
- Mooney-Rivlin model: 438.
- Natta: 2, 344–350, 353.
- N-carboxyanhydrides: 322–323.
- Necking: 458, 459.
- Nematic phase: 140, 141, 143, 144.
- Network: 20, 21, 42–48, 583–606.
- Neutron scattering: 154–156, 161, 180–182.
- Newtonian liquid: 185.
- Nitroxide-mediated polymerization: 291–294.
- Nitroxyl radical: 291.
- NMR analysis of polymers: 33–38, 147, 148, 149, 206, 208, 210.
- Nomenclature of polymers: 9–12.
- Noncoherent scattering: 180–181.
- Novolac: 588, 589, 590, 598.
- Nucleation, Nuclei (crystallization): 128, 129, 138, 419–425, 480.
- Nucleation of phase separation: 60, 64, 65.
- Nucleophilic substitution (polymerization by): 233–236.
- Nucleotide: 117, 118.
- Number average molar mass: 20, 26, 39, 41, 147–150, 153, 217, 220, 223, 225, 232, 233, 289.
- Number-standard deviation: 41.
- Numerical distribution curve: 38.
- Oligomers: 4, 38, 215, 237, 238, 243, 246, 249, 250, 274, 309, 344, 368, 378, 471, 482, 519, 531, 554, 558, 560, 584, 588, 594, 596, 601, 603, 606.
- Orientation (chain): 67, 123, 128, 129, 136, 137–140, 144, 165, 200, 201, 203, 209, 210, 429–434, 457, 459, 464, 473, 482, 486, 489, 490, 510, 520, 521, 532, 538, 539, 560, 561, 566, 566, 567.
- Osmometry, Osmometer (membrane and vapour phase): 149–153, 153–154.
- Osmotic pressure: 61, 62, 65, 74, 88, 149–154, 172, 173.
- Oxidizing degradation: 365, 367–370, 375, 478, 479, 495, 496, 509, 516, 518, 520, 574, 575.
- Packing (chain): 119–122, 127, 201.
- Parameter (polymer-solvent interaction) (χ_{12}): 56–57, 61, 63, 64.
- Pectin: 502, 503.
- Percolation: 42.
- Peroxides (as initiators): 266–268, 272, 279, 280, 288, 302, 514, 516, 517, 523, 530, 531, 537, 538, 539, 542, 549, 552.
- Persistence length: 103, 104.
- Perturbations (theory): 77, 78.
- Perturbed chain: 187, 190, 191.
- Perturbed dimensions: 74, 81.
- Phantom (model): 64, 92, 435, 437, 438.
- Phase separation: 56–65, 82, 85, 86.
- Phenoplasts, Phenolic resins: 3, 237–239, 483, 587–590.
- Phenyl alanine: 507.
- Phenylglycidyl ether (PGE): 598.
- Phillips catalysis: 352, 515.
- Photochemical degradation: 367, 370, 481.
- Photochemical initiation: 269–271, 282, 289, 304, 334, 354, 552.
- Physical networks, Physical cross-linking: 47–48, 127, 133, 459, 469, 479, 503, 535, 539.
- Plastic deformation: 457–460, 464.
- Plasticizers, Plasticization: 412–413, 431, 477, 481–483, 498, 499, 500, 504, 516, 533, 535, 536, 542, 558, 565.
- Poisson ratio: 428, 440, 462.
- Poisson distribution: 281, 288.
- Polyacetals: 556–557.
- Polyacrylamide: 551–552.
- Poly(acrylic acid) PAA: 545–546.
- Polyacrylonitrile (PAN): 11, 17, 136, 275, 490, 545, 548–551, 570.
- Polyalkenamers: 254, 353–354.
- Polyamides (aliphatic) (PA): 490, 550, 551, 557, 564–569.
- Polyamides (aromatic) (aramids): 569–572.
- Polyarylethersulfones: 579.
- Poly(β -hydroxybutyrate): 558, 559.

- Polybutadiene: 12, 14, 17, 22, 110, 112, 131, 132, 133, 134, 135, 280, 349, 378, 380, 383, 416, 522–525, 531, 532.
- Poly(butylene terephthalate): 558, 561–562.
- Polycaprolactam (PA-6): 322, 567.
- Polycarbonates: see polyurethanes.
- Polycarbonate (PC): 562–563.
- Polychloroprene: 527–528.
- Polychlorotrifluoroethylene (PCTFE): 541.
- Polydimethylsiloxane (PDMS): 602, 603.
- Polyepoxides (EP): 321, 595–602.
- Polyesterification: 233–236.
- Polyesters (aliphatic): 557–559.
- Polyesters (aromatic): 559–564.
- Polyesters (unsaturated) (UP): 532, 581–587.
- Polyetheretherketone (PEEK): 581.
- Polyethylene (PE): 1, 7, 9, 10, 11, 14, 17, 91, 100, 101, 109, 112, 123, 124, 128, 129, 130, 138, 205, 206, 209, 281, 303, 345, 348, 349, 365, 367, 374, 410, 416, 429, 430, 459, 460, 514–518.
- Poly(ethylene oxide) (PEO): 111, 305, 381, 394, 416, 479, 553–555, 572.
- Poly(ethylene terephthalate) (PET): 11, 122, 414, 416, 418, 490, 558, 559–560.
- Polyglycolide (PG): 558.
- Polyimides (PI): 574–578.
- Polyisobutene (PIB): 111, 328, 416, 454, 470, 476, 520–522.
- Polyisoprene (IR): 5, 11, 12, 32, 349, 365, 410, 416, 522, 525–526.
- Poly lactide: 558–559.
- Polymerizability: 251–253, 254, 274, 280, 310, 312, 327, 329, 330, 335, 340, 344, 351, 354.
- Poly(methacrylic acid) (PMA): 545–547.
- Poly(methylmethacrylate) (PMMA): 5, 17, 88, 122, 136, 151, 183, 275, 373, 403, 459, 546, 547.
- Poly(*m*-phenyleneisophthalamide) (MPD-I): 570, 571.
- Poly(oxytetramethylene) - PolyTHF: 555, 572.
- Poly(oxymethylene) (POM): 556–557.
- Polypeptides: 48, 114, 116, 117, 143, 354, 507, 510.
- Poly(phenylene oxide) (PPO): 554, 578–580.
- Poly(*p*-phenyleneisophthalamide): 570.
- Poly(*p*-phenyleneterephthalamide) (PPD-T): 123, 142, 570, 571.
- Polypropylene (PP): 9, 11, 28, 36, 37, 112, 113, 202, 205, 345, 348, 517–519.
- Poly(propylene oxide) (PPrO): 554, 555.
- Polysaccharides: 496–504.
- Polysiloxanes (SI): 141, 254, 470, 476, 602–606.
- Polystyrene (PS): 1, 3, 7, 10, 17, 48, 57, 82, 86, 105, 106, 113, 122, 131–136, 148, 184, 187, 191, 197, 205, 275, 277, 352, 379, 380, 383, 387, 390, 391, 394, 400, 410, 459, 470, 473, 476, 524, 525, 530–533, 579.
- Polysulfides (aromatic): 581.
- Polytetrafluoroethylene (PTFE): 11, 110, 120, 123, 205, 410, 415, 416, 539–540.
- Polytetrahydrofuran: see polyoxytetramethylene.
- Polyurethanes (linear): 241, 242, 525, 554, 555, 558, 571, 572, 573.
- Polyurethanes (tridimensional) (PUR): 241, 242, 594–595.
- Poly(vinyl acetals): 544.
- Poly(vinyl acetate) (PVAc): 541–545.
- Poly(vinyl alcohol) (PVAL): 534, 542–545.
- Poly(vinyl chloride) (PVC): 7, 9, 10, 17, 26, 82, 136, 205, 275, 412, 413, 481.
- Poly(vinyl ether): 381, 389, 552.
- Poly(vinyl fluoride) (PVF): 536, 537.
- Poly(vinyl pyrrolidone) (PVP): 552–553.
- Poly(vinylidene chloride) (PVDC): 26, 27, 274, 297, 304, 375, 537, 538.
- Poly(vinylidene fluoride) (PVDF): 538, 539.
- Potassium persulfate: 268, 523, 546, 549.
- Powder pattern (see Debye-Scherrer pattern).
- Productivity (of a catalytic system): 340, 348.
- Proline: 507.

- Proteins: 15, 103, 114, 115, 506–511.
Pyrolytic chromatography: 27.
- Q-e system: 300–302.
Quasi-elastic scattering: 155, 177, 179, 180.
Quaterpolymers: 23.
Quencher: 481.
Quenching: 145, 154, 414, 418, 419, 489, 560, 565.
- Radius of gyration: 69, 70, 74, 76, 79, 94, 96, 104, 105, 106, 107, 155, 166, 167, 174, 175, 176, 182, 188–192, 469, 474.
Rayleigh ratios: 158–162, 164, 165, 168–170, 172, 173, 175, 176, 180.
Rayleigh scattering: 158, 209.
Reactivity ratios: 294–302, 323, 382, 524, 532.
Real solutions: 50, 62, 69, 78, 154.
Refractive index: 136, 155–157, 160, 161, 165, 167, 168, 170, 171, 176, 196, 210, 480.
Regioselectivity: 22, 274, 275.
Regular polymers: 22–23, 26, 32, 290, 519, 521, 531, 537, 548, 555, 556, 559, 560, 563, 569.
Regular solutions: 50, 51, 55, 62, 65, 68.
Relaxation time: 407, 408, 448, 449, 450, 451.
Resol, Resitol, Resite: 589, 590.
Rheopectic (behaviour): 471, 472.
Rodriguez and Van Loy: 345–348.
Rods: 67, 92, 104, 139, 141, 154, 166, 187, 191, 192.
Rouse model: 189, 473–477.
Rubber (natural): 3, 6, 12, 366, 374, 493–496.
Rubbery plateau: 471, 475.
- SBR: 523, 524, 531.
SBS: 523, 524, 525, 526.
Scaling concepts (by de Gennes): 3, 78, 87, 88.
Scattering length: 155, 180, 181.
Schotten-Baumann (reaction): 236.
Segmented (copolymer): 25, 572.
Self-extinguishing (property): 481, 571.
- Semi-crystalline state: 125, 127, 137, 139, 526, 529, 536, 549, 555, 558, 561.
Semi-dilute solutions: 78–80.
Sequence: 19, 23, 24, 29, 30, 33, 34, 35, 36, 42, 88, 108, 118, 119, 127, 255, 256, 295, 296, 347, 359, 361, 370, 372, 375, 409, 410, 419, 457, 502, 503, 507, 510, 515, 519, 521, 529, 531, 534, 535, 536, 551, 557, 569, 572.
Serine: 507, 510.
Shearing: 428, 438–445, 457, 471–473.
Shear bands: 459.
Shift factor: 407, 453.
Shirakawa: 2, 4.
Shish-kebab (structure): 138.
Shrinkage: 482.
Silk: 6, 114, 506, 510, 511.
Single crystal: 122, 124, 125, 126.
Sintering: 517, 540, 575.
SIS (rubber): 526.
Size exclusion chromatography: 49, 194–197.
Skeist (equation): 299.
Smectic phase: 140–141.
Smith-Ewart (theory): 306, 309.
Smoluchowski-Einstein theory: 168–169.
Sol-gel transition: 42, 45.
Solution polymerization: 304.
Solvating agent: 312–316, 318, 325, 328, 330, 523.
Solubility parameter (Hildebrand): see Hildebrand.
Spacers: 142–143.
Spandex fibers: 556, 573, 574.
Spherulite: 128–130, 137, 200, 209–210, 419, 420, 422, 423, 424, 425, 480.
Spinning: 3, 136, 471, 489–492, 499, 511, 536, 540, 545, 549, 550, 568, 570, 571, 573.
Spinodal (points and decomposition): 58–60, 64–65.
Stabilization (against degradation): 478, 479, 482, 489, 524.
Star polymer: 192–194, 390–392.
Starch: 501, 503, 504.
Statistical coil: 48, 69–72, 74, 79, 92, 96, 103, 119, 122, 136, 137, 154, 166, 180, 187–190, 469, 473.

- Statistical copolymers: 23, 24, 25, 37, 417, 522, 523, 524, 532, 548.
- Staudinger: 1, 2, 3. 186, 189.
- Steady-state conditions: 264, 271, 289, 295, 304, 343.
- Stereoregulation: 321, 345, 349.
- Stereoselectivity: 349, 555.
- Storage modulus: 443, 444, 455, 456, 457.
- Stretching: 427–439, 452, 460, 521.
- Stress relaxation: 440, 441, 445.
- Stress-strain curves: 427, 453, 457, 458, 459, 460.
- Styrene-based polymers: 530–533.
- Surfactant: 133, 305, 306, 308, 309, 534, 539, 553.
- Suspension polymerization: 303–306, 515, 531, 534–542, 544, 546, 548, 551.
- Swelling (of networks): 47, 74, 437.
- Syndiotactic polymers, Syndiotacticity: 28–30, 36, 112, 127, 361, 362, 518, 519, 522, 524, 531, 534, 536, 548.
- Szwarc: 3, 257, 309, 341.
- Tacticity: 27–38, 108, 110, 112, 122, 275, 276, 349, 361, 362, 410, 519, 522, 534, 536, 541, 546, 548, 555.
- Tail-to-tail placement: 22, 302.
- Tapered copolymer: 48, 524.
- Telechelics: 349, 378, 381, 383, 523, 525, 555, 558.
- Telomerization, Telomer: 281, 378, 379.
- TEMPO: 262, 282.
- Tenacity, tensile strength: 458, 544, 557, 562, 571, 574.
- Tensile modulus: see Young modulus.
- Terpolymer: 23, 523, 522, 542.
- Thermal degradation: 183, 367, 374, 375, 478, 480, 489, 498, 500, 513, 535, 540, 542, 543, 549, 550.
- Thermal expansion: 433.
- Thermoforming: 489.
- Thermoplastic elastomer (TPE): 132, 133, 383, 524–526, 556, 572.
- Thermotropic polymer: 139, 143.
- Theta* (θ) conditions: 50, 64, 68, 73, 151, 181, 187, 188, 192, 193, 469.
- Thixotropy: 471, 479.
- Threonine: 507.
- Time-temperature superposition: 452–457.
- Titration (of end groups): 147–149.
- Toluenediisocyanate (TDI): 594.
- Topology: 8, 19, 377, 388–400.
- Torsion: 428.
- Transfer constant: 278, 279.
- Triad: 22, 26–31, 35–37, 255, 256, 296, 321, 349, 519.
- Trommsdorff effect: see gel effect.
- Tryptophane: 507.
- Two-dimensional polymers: 7, 8.
- Tyrosine: 507.
- UHMWPE: 516–517.
- Upper Critical Solution Temperature (UCST): 60, 62, 63, 82, 87.
- Universal calibration (SEC): 198–199.
- “Universal” Flory constant: 190.
- Unperturbed dimensions: 74, 76, 81, 102, 104, 105, 106, 189, 190, 469, 474.
- Unperturbed statistical coil: 102, 104–106, 189–190.
- Urea-formaldehyde resins, Amino resins: 590–562.
- Valence: 5, 8, 20, 42–44, 213, 216, 225, 229, 230, 244, 365, 429, 430, 435, 436, 445, 525, 526, 583–589, 593, 594, 596, 599, 604.
- Valine: 507.
- Van der Waals (interactions): 13–14, 48, 57, 489.
- Vapor phase osmometry: see osmometry.
- Vinyl esters: 587.
- Virial coefficient: 62, 64, 68, 69, 73, 151–152, 173, 175.
- Viscoelasticity: 428, 440–457, 467, 468, 483.
- Viscometers: 194, 199, 471, 472.
- Viscometry: 185–193.
- Viscosity: 154, 179, 185–194, 358, 363, 392, 406, 407, 418, 421, 440, 444, 445, 456, 459, 469–477, 482, 490, 515, 517, 540, 543, 554, 575, 578.
- Voigt model: 450–452.
- Vulcanization: 365–366, 517, 518, 521, 522, 523, 524, 528.

- Wettability: 480.
Williams-Landel and Ferry (relation): 407, 455, 456.
Wool: 6, 507, 508, 510, 550, 561, 574.
Worm-like chain: 103.
- X-ray diffractometry: 144, 199–203, 404, 429.
X-ray scattering: 180–182.
- Yamakawa (model): 77.
Yield point: 457, 458, 459.
- Young modulus: 137, 138, 429, 430, 439, 454, 455, 459, 462, 511, 517, 518, 520, 557, 562, 567, 570, 571, 572, 580, 581.
- Zener model: 451.
Ziegler-Natta polymerization: 344–349, 350, 351, 353, 515, 516, 517, 518, 519, 523, 526.
Zimm: 165, 168, 193.
Zimm plot: 175.
Zwitterions: 333.

