

## Index

### a

adsorbent 11  
 adsorbent (stationary phase) 10  
 accumulation 219, 221, 236  
 accuracy parameter 254, 257, 263  
 activated carbon 64  
 adsorbent 220, 253, 275, 301  
   – activity parameter 134  
   – classification 62  
   – designed 63  
   – generic 63  
   – low affinity 237, 241  
   – morphology 87  
   – storage 105  
   – tailored 63  
 adsorpt 11  
 adsorption  
   – chemical 11  
   – competitive 133, 281, 293, 295  
   – enthalpy 12  
   – equilibrium 18, 133, 220, 224, 227, 231, 232, 236, 253  
   – kinetic 219, 224, 233, 235, 236, 241, 259, 291  
   – physical 11  
   – rate 224, 236  
 adsorption kinetic 234  
 adsorption model 131  
 adsorption-desorption method 274, 277, 279  
 adsorptive 11  
 agarose 79  
 alkylsilica 67, 74, 122, 154, 161  
 alkylsilica C<sub>18</sub> silica 150  
 amylose-based phase 83  
 analysis moment 254, 257, 263, 265, 269, 271, 272, 277  
 analysis of disperse fronts 275  
 analytical chromatography 107, 124  
 analytical solution 231, 232, 234, 240, 254, 263, 265, 285, 384  
 annular chromatography 190  
 approach model 216, 240

at-column-dilution 128  
 axial compression 22, 54  
 axial dispersion 20, 57, 222, 230, 233, 235, 243, 253, 254, 257, 259, 271, 318, 321

### b

balance 216, 218, 299  
   – differential 217, 218, 227, 230, 232, 233, 234, 235, 236, 243, 301  
   – overall 231, 239, 279  
 band broadening 20, 23, 229, 230, 231, 239, 244, 260  
   – artificial 248  
 baseline 257  
 baseline separation 183, 369  
 batch method 274, 277  
 bed structure 95  
 boundary  
   – condition 223, 231, 237, 238, 244, 246, 297, 299, 379  
   – layer 222, 234  
 breakthrough 228, 268, 283  
   – curve 241, 253, 278, 279  
 brush type adsorbent 123

### c

C<sub>18</sub> silica 70, 154  
 calibration 254, 257, 268, 282, 284, 289  
   – detector 253, 257, 268  
 capacity factor 14, 29  
 catalyst 378  
   – distribution of 372  
 cellulose-based phase 83  
 chiral selector 83  
 chiral separation 162  
   – enantioselectivity 163  
   – optimization 165  
   – practical hints 166  
   – racemization 166  
 chiral stationary phase 83, 86, 162  
 chromatogram 18, 255, 265, 269

- chromatographic batch reactor 372, 375, 378
  - application 373, 393, 396
- chromatographic column 325
- chromatographic plant 174, 182
- chromatographic reactor 372
  - chrom. batch reactor 372
  - contin. an. chrom. reactor 373
  - Hashimoto process 377
  - modeling 378
  - simulated moving bed reactor 375
- chromatographic separation
  - development of 110
  - goal 107
  - working area 170
- chromatographic system 6, 10, 252, 273
  - properties 114
  - selection of 107, 124, 373
- chromatography
  - analytical 107, 124
  - column switching 190
  - flash 112
  - normal phase 91, 121
  - preparative 107
  - reversed phase 150
  - supercritical-fluid 10
  - thin layer 10, 131, 136, 147
- chromatography
  - history 1
- circulation method 274, 278, 279
- cleaning in place 101
- closed-loop recycling chromatography 185
- coefficient, axial
  - porosity Henry constant dispersion 260
- coefficient, effective
  - transfer 260
- coefficient, film
  - transfer 260
- coherence condition 229, 286
- collection 293
- collocation 250
- column 10, 105, 105, 177, 334
  - analytical 52
  - bed structure 95
  - conical 60
  - dead time 227, 257, 271
  - design 51
  - dimensions 51
  - efficiency 25, 29, 98, 240
  - frit 57
  - maintenance 101
  - model 216, 288, 292, 299, 382
  - parameter 245
  - permeability 57
  - preparative 53
  - pressure drop 56
  - radial 61
  - rating 100
  - regeneration 101
  - semi-preparative 275
  - stability 52
  - supplier 54
- column efficiency 25, 29, 98, 240
- column packing 93
  - (circle suspension) flow packing technology 441
  - dynamic axial compression technology 439
  - procedures 435
  - slurry preparation 438
  - vacuum technology 440
- column performance 96
- column porosity 15
- column testing 97
- competitive
  - adsorption 281, 293, 295
- component 11
- concentration
  - average 221
  - discontinuity
  - distribution 221, 236
  - plateau 268, 278, 285
  - pore 220, 224, 227, 230, 234
  - profile 257, 377
  - shock 228, 280
- condition
  - boundary 244, 297, 299
- continuous annular chromatographic reactor 373, 375
  - application 374
- continuously stirred tank 239, 246, 270
- control 401
- control horizon 402, 415
- convection 219, 221, 226, 232, 236, 243, 301, 380
- conversion 386, 388
- correlation 254, 272, 291
- cost 253, 275
  - total separation 316, 317, 341
- costs
  - fixed 316
  - variable 316, 332
- cross-linked organic polymer 78
- cross-linked polymer 122, 150
- crystallization 112
- curve fitting 254, 264, 265, 275, 288, 289
- curves
  - breakthrough 253
- cut strategy 369
- cycle time 194, 297
- CycloJet 187

**d**

Darcy equation 57, 273, 334, 355, 445  
 dead plant 296  
 dead time 254  
 – column 14, 227, 257, 271  
 – plant 14, 229, 246, 247, 257, 269, 279  
 – total 14  
 dead volume 269, 296  
 – plant 269  
 – simulated moving-bed 300, 304  
 – SMB 304  
 deconvolution 265  
 designed adsorbent 66  
 detector 177, 245, 279, 299, 305  
 – calibration 253, 254, 257, 268, 282, 284, 286, 289  
 – diode array 180  
 – limit 119, 178  
 – mass light scattering 181  
 – mass spectrometer 181  
 – mass spectrometry 152  
 – model 246  
 – noise 178, 257, 260, 264, 286, 289  
 – polarimetry 181, 280, 293, 309  
 – refractive index 119, 181  
 – ultra violet 180, 280, 293, 309  
 determination  
 – parameter 253, 290  
 differential  
 – balance 230, 301  
 – equation 243, 247  
 – total 229  
 – volume element 216, 218  
 diffusion  
 – Eddy 22, 271, 320, 324  
 – Fickian 24, 236  
 – film 24  
 – film, pore 291  
 – intraparticle 222, 237, 292  
 – macro 222  
 – molecular 271, 320  
 – pore 24, 219, 222, 223, 236, 241, 259  
 – surface 24, 219, 222, 223, 236, 241, 291  
 Dirac pulse 240, 258, 259  
 discretization 247  
 disperse front 228, 275, 283, 286  
 dispersion 219  
 – angular 380  
 – axial 222, 230, 233, 235, 243, 253, 254, 257, 259, 378, 379, 380  
 – coefficient  
 – – axial 291, 301  
 – coefficient, apparent 232, 261  
 – coefficient, axial 230, 234, 252, 261, 271  
 – numerical 248  
 displacement effect 44, 114, 171, 229, 280,

293  
 distortion  
 – peak 245  
 distribution 88  
 divinylbenzene 82  
 downstream processing 112  
 driving force 222, 378  
 dynamic axial compression 93  
 dynamic method 274, 278

**e**

Eddy diffusion 22, 271  
 effect  
 – extra column 244, 253  
 efficiency  
 – column 240  
 effusion  
 – molecular 292  
 eluent 10, 341, 365, 367, 368  
 – consumption 363  
 – degassing 176  
 – reservoir 176  
 – specific 363  
 – specific consumption 315, 337, 341, 365, 367, 368  
 eluotropic series 134  
 elution  
 – gradient 46, 130, 146, 152, 175, 188, 189  
 – isocratic 46, 154, 183, 189  
 – order 114, 123, 150, 165  
 – profile 231, 240, 257, 290, 293  
 endcapping 69, 161  
 equation  
 – differential 238, 247  
 equilibrium 227, 277, 278  
 – adsorption 253  
 – model, ideal 226  
 – theory 229, 283, 285  
 equilibrium dispersive model 230, 241, 261, 262  
 equilibrium stage model 380  
 equilibrium transport dispersive model 378, 392  
 Ergun equation 56  
 estimation parameter 254, 257, 263, 269, 272, 288, 291  
 Exponential-Modified-Gauss function 265  
 extra column 244, 258, 269, 296, 300  
 – effect 244, 253, 254, 257, 270, 284  
 extra column effect 21

**f**

factor  
 – loading 319, 335, 336, 337  
 feedback control 401  
 Fickian diffusion 24

- finite difference method 249
- first moment 271
- fitting peak 257, 265
- flammability 117
- flash chromatography 112
- flip-flop chromatography 184
- flow
  - dispersive 246
  - ideal plug 246
- flow rate 444
- flow rate ratio 319, 322, 348
- flowsheet
  - simulation 244, 297
- fluid distribution 21, 22, 54, 58
- forced elution step 171
- fraction collection 174, 182, 279, 293
- fractionation mode (cut strategy) 330
- frontal analysis 274, 286
- fronting 19
  
- g**
- Gaussian equation 231, 240, 265
- general rate model 235, 259, 408
- gradient
  - elution 130, 146, 152
  - generic 130, 153
- gradient elution 46, 175, 188, 189
- linear gradient 189
- step gradient 188
  
- h**
- Hashimoto process 377, 377
  - application 378, 396
- Henry constant 18, 34, 244, 254, 261, 273, 276, 284, 290, 304
- HETP 25, 232, 257, 261, 263, 265, 291, 320, 321, 445
- HPLC plant 51
- hydrophilicity 63
- hydrophobicity 63, 67, 76, 122, 161
  
- i**
- ideal adsorbed solution theory 37, 275, 288, 295
- ideal model 226, 240, 260
- improved SMB 200
- inflection point 279, 280, 287
- initial condition 231, 238
- injection 229, 239, 257
  - amount 128, 231
  - solvent 127, 177
  - system 244, 246
  - time 239, 244, 246, 335
- injection time 229, 386
- inorganic oxide 65
- integrated process 372, 392
  - degree of integration 396
  - distributed functionalities 396
  - partial deintegration 377
- interparticle porosity 53
- interstitial porosity 53
- interval switch 297
- isocratic elution 46, 183, 189
- isotherm 18, 34, 224, 227, 236, 252, 273, 289, 293, 298, 310, 379, 445
  - anti-Langmuir 281
  - concave 18, 287
  - convex 18, 280
  - effect on elution profile 227, 283, 290
  - Langmuir 35, 228, 281, 293, 319
  - linear 224, 231, 235, 239, 258, 277, 290, 310
  - multi-component 229, 293
  - multi-component Langmuir 36, 224, 236, 244, 281, 288
  - peak 253
  - togh model 36
- isotherm determination 254, 273, 273
  - accuracy 273, 282, 288, 289
  - adsorption-desorption-method 274, 277, 279
  - analysis of disperse fronts 275, 283, 286
  - batch method 274, 277
  - circulation method 274, 279
  - curve fitting of the chromatogram 275, 288
  - dynamic methods 274, 278, 289
  - frontal analysis 274, 278, 286
  - minor disturbance method 285
  - peak-maximum method 275, 285
  - perturbation method 285
  - perturbation method (minor disturbance method) 275
  - pulse response 278
  - static method 274, 277
  - step response 278
  - teristic point 275
  
- k**
- kinetic adsorption 235, 259
  
- l**
- linear driving 223
- linear driving force 234, 378
- lipophilicity/lipophobicity 63
- lipophobicity 121
- load
  - solid 32
  - total 32
- loadability 99, 125, 127
- loading 18, 220, 224, 226, 235, 277
  - average 221
  - distribution 221, 236
  - factor 319, 322, 335, 336, 337
- lumped rate model 233, 241, 259, 261

**m**

manual control 404  
 mass balance  
   – differential 379  
 mass spectrometry 152  
 mass transfer 219, 222, 232, 234, 235, 237, 241,  
   243, 257, 259, 291, 310, 318, 321, 324, 378,  
   380  
 mercury intrusion 91  
 method development 10  
 minor disturbance method 275, 285  
 mobile phase 10, 114  
   – detection property 117  
   – optimization 115  
   – selection of 125  
   – water content 122  
 model 215  
   – approach 216, 240  
   – classification of 217  
   – column 240, 288, 292, 299  
   – differential mass balance 218  
   – equilibrium transport dispersive 378  
   – equilibrium dispersive 230, 241, 261, 262  
   – equilibrium stage 380  
   – equilibrium transport dispersive 392  
   – general rate 235, 241, 259  
   – ideal 226, 240, 260  
   – lumped rate 233, 241, 259, 261  
   – parameter 215, 241, 242, 252, 253, 259, 269,  
   288, 291, 304, 384, 443  
   – plant 244, 269, 288  
   – pore diffusion 237  
   – reaction 233, 241  
   – reaction dispersive 235  
   – simulated moving bed reactor 380, 382, 384  
   – stage 239, 241  
   – theoretical plate 239, 380  
   – transport 232  
   – transport dispersive 234, 241, 252, 253, 260,  
   262, 291, 301, 303, 307, 325, 328  
   – true moving bed reactor 382, 384  
   – validation 292  
 model parameter 241  
 model-predictive control (MPC) 401, 402  
 ModiCon 201, 300, 376  
 moment  
   – analysis 254, 257, 262, 263, 265, 269, 271,  
   272, 277, 291  
   – first 27, 231, 240, 259, 271  
   – second 27, 231, 240, 259, 266, 272  
 monolithic column 55, 87

**n**

net flow rate 389  
 nitrogen sorption 91  
 node balance 382

noise detector 257  
 nonlinear model predictive controller 413  
 nonlinear MPC (NMPC) 403  
 normal phase chromatography  
   – practical hints 103  
 normal phase silica 103  
 normal phase system 130  
   – gradient 130, 146  
   – optimization 136, 142  
   – practical hints 127, 133  
   – retention 123, 131  
   – selectivity 121, 136, 142  
   – solvent strength 143  
 number of stages 231, 232, 240, 266, 320, 322,  
   334, 335, 336, 337, 365  
 number of states 262  
 numerical simulation 215, 239, 247, 263, 293,  
   307

**o**

objective function 264, 290  
 online optimizing control 406  
 optimization 255, 264, 289, 329, 330  
   – batch process 331  
   – model-based 325  
   – parameter 355  
   – simulated moving bed 345, 362  
   – strategy 333  
 optimizing control 401  
 overload 41, 42  
   – column 41  
   – concentration 41  
   – mass 41  
   – volume 41

**p**

packing 10, 22, 52, 62  
   – axial compression 93  
   – characterization factor 271  
   – non-ideality 22  
   – procedure 22, 304  
   – properties 86, 230, 234, 241, 245, 271  
   – slurry 95  
 parameter  
   – accuracy 254, 257, 263, 264, 268, 273, 290  
   – column 245  
   – design 251, 317  
   – determination 251, 253, 290  
   – estimation 254, 257, 269, 272, 288, 291, 409  
   – model 215, 241, 242, 252, 253, 259, 269, 288,  
   291, 304, 318, 384, 443  
   – operating 252, 304, 317, 385, 387  
   – plant 252  
 parameter estimation 263, 411  
 partial feed 199

- particle size 71, 88
    - distribution 71, 88, 94
  - peak 14
    - asymmetry 20, 231, 234, 265, 270
    - distortion 127, 160, 245, 284
    - fitting 254, 257, 263, 265
    - isotherm 253
    - resolution 26, 44
    - sharp front 228
    - shaving 186
    - symmetric 20
  - peak shape 128
  - peak-maximum 285
  - peak-maximum method 275
  - permeability 57
  - perturbation method 275, 285
  - phase system 120
    - selection 125
  - plant
    - dead time 229, 246, 247, 257, 269
    - dead volume 296
    - model 244, 269
    - parameter 252
  - plate height 25, 96
  - plate number 25, 27, 96
  - plateau concentration 268
  - polyacrylamide packing 79
  - polymer coating 72
  - polymeric packing
    - polymerization 81
  - polysaccharide-type packing 79
  - polysaccharide-type phase 83
  - pore 220
    - connectivity 55, 91
    - diffusion 241
    - macro 55, 236
    - meso 55, 222
    - micro 55, 222, 236
    - structural parameters 90
    - texture 90
  - pore diffusion model 237
  - porosity 55, 252, 289
    - column 15
    - interparticle 53
    - interstitial 53, 55
    - particle 17
    - total 16, 17, 55, 227, 261, 271
  - porosity
    - solid phase 16
  - porosity Henry constant dispersion
    - coefficient, axial 260
  - porous glass 66
  - porous oxide 65
  - porous silica 65, 69
  - powerfeed 199, 376
  - practical hints 160
  - pre-column 184
  - pre-purification
    - crystallization 112
    - extraction 112
  - prediction horizon 402, 408, 415
  - pressure drop 56, 217, 253, 273, 334, 355, 455
  - PRISMA model 137
    - selectivity optimization 139
  - procedure
    - packing 304
  - process development 108, 145
  - production rate 314
  - productivity 315, 337, 341, 363, 365, 367, 368, 392, 398
  - profile concentration 257
  - pulse period 385
  - pulsed operation 385
  - pump 175, 244, 299
  - purity 316, 398
  - purity constraint 409
  - purity control 405
- r**
- rate
    - adsorption 236
  - reaction dispersive model 235
  - reaction model 233, 241
  - reaction region 387, 391, 394
  - reciprocal approach 83
  - regeneration 101
  - resolution 168
  - retardation factor 131
  - retention factor 14, 205, 260
  - retention time 13, 14, 18, 228, 259, 261, 269, 283, 285
    - linear isotherm 228, 240
  - retention-time method 285
  - reversed phase chromatography 150
  - reversed phase silica 63, 67, 74, 122
  - reversed phase system 122, 150, 160
    - gradient 130, 156
    - optimization 154, 159
    - practical hints 127, 152
    - retention 123
    - selectivity 123, 155
  - reversed phase system-grading 152
- s**
- sample 174
    - characterization 110
    - injection 127
    - purity 129
  - sanitization in place 104
  - saturation capacity 34, 224, 236, 273
  - scale
    - laboratory 108, 124, 204

- production 108, 125, 204
  - technical 108, 124, 146, 148
  - scale-up 53, 215, 245, 435
    - factor 435
  - second moment 266
  - section 193, 374
  - selectivity 15, 29, 34, 37, 76
  - selectivity point 139
  - selectivity range 163
  - self-displacement effect 44
  - separation factor 15
  - separation region 387
  - separation scenario 112
  - separation strategy 5
  - sequential process 396
  - shape selectivity 76
  - shifting
    - asynchronous 300, 308
    - interval 194, 297, 305
    - time 194, 297, 300, 302, 319
  - shifting time 304
  - short-cut-method 384
  - silanisation 68
  - silanol activity 77, 161
  - silica monolith 55
  - simulated moving bed 193, 344, 375
    - five-section 196
    - gradient 201
    - improved 200
    - model 302, 308
    - optimization 329
    - supercritical fluid 202
    - three-section 196
  - simulated moving bed reactor 375, 375, 377, 406
    - application 376, 393, 396
    - design 376
    - examined 376
    - five section 393
    - four section 394
    - model 380, 382, 384
    - operation 376, 387
    - three section 396
  - simulated-Moving-Bed 297
    - dead volume 300, 304, 308
    - model 232, 297, 299
    - model validation 304, 307
    - profile 298, 302, 305, 308
    - start-up 308
  - simulation 297, 307
  - size exclusion chromatography 78
  - slurry packing 54
  - slurry preparation
    - column packing 438
  - sol-gel process 65
  - solubility 125
    - limitation 127, 129
  - solute 10, 114, 258, 259, 261, 263
  - solvent 174
    - miscibility 117
    - mixture 119, 126
    - optimization 115
    - strength 46
  - solvent strength 133, 134
  - specific surface area 91, 223
  - stage model 239, 241
  - static method 274, 277
  - stationary phase 105
  - steady state recycling chromatography 187
  - stereoisomer separation 121, 126, 141
  - stirred tank continuously 239
  - storage 105
  - styrene 82
  - supercritical-fluid 10
  - surface chemistry 91, 121
  - surface group 121
  - switching
    - interval 194
    - time 194
  - synthetic zeolites 65
- t**
- tag-along effect 44, 114, 171, 229
  - tailing 24, 231
  - tailored adsorbent 66
  - temperature
    - influence of 120, 126, 151
  - theory
    - equilibrium 283, 285
  - thin layer chromatography 136, 147
    - equipment 144
    - screening approach 142, 148
  - thin-layer 10
  - thin-layer chromatography 131
  - time
    - injection 244
    - shifting 297
  - tortuosity 271, 292
  - touching band 183
  - toxicity 117
  - tracer 14, 257, 259, 260, 261, 263, 269, 271
  - transfer coefficient 291
    - effective 234, 252, 253, 260, 261, 288, 291, 301
    - film 223, 260, 291
    - lumped film 234
  - transport dispersive model 234, 241, 252, 253, 260, 262, 291, 293, 301, 307
    - dimensionless 243
  - transport model 232
  - transport-dispersive model 305
  - triangle diagram 348, 350

triangle theory 387  
true moving bed 193, 346, 347, 374  
– model 298, 301, 302  
– profile 302  
true moving bed reactor 374  
– application 375  
– model 380, 382, 384  
two-layer control architecture 405

**u**

UV cut-off 118  
UV detection 118, 180

**v**

van Deemter equation 27, 262  
van der Waals forces 11  
variable costs 332  
variance 27, 240

VariCol 197, 300, 376, 398  
velocity  
– effective 227, 231  
– interstitial 16, 222, 227, 230, 243, 302  
– superficial 56  
viscosity 117, 119  
void fraction 15, 17, 220, 252, 257, 261, 271,  
289  
– porosity 253  
volume element  
– differential 216, 219

**w**

water content 122, 133  
wave 227

**y**

yield 314, 336, 341