

Index

a

- ABA-type brushes, properties 159
- ABC triblock copolymer 57
- acetone solution, binary polymer brushes 434–437
- activated monomer mechanism 91–93
- active sites, solid surfaces 320
- addition of persistent radical 53
- addition of sacrificial initiator 53–54
- adhesion, affected by polymer brushes 337–341
- adhesion force distributions, pNIPAAm brushes 396
- adsorption process 73
- AFM *see* atomic force microscopy
- agglomeration, stabilization against 341–343
- AIBN *see* azobis-isobutyronitrile
- Alexander model 16–17
- aligned polypeptide brush 88
- alkaline earth metal ions
 - interaction with PAA gels 258
 - interaction with PMAA brushes 257–260
- alkanethiols 171
- alkanethiol-stabilized cold nanoparticles 217–218
- alkylsiloxanes 171
- alloc *see* allyloxycarbonyl
- alloc-amide approach 99
- allyloxycarbonyl 99
- alternate polyelectrolyte deposition (APD) 193–194
- aluminum, interaction with PMAA brushes 263
- amine chain-end functionalized polystyrene 320
- amine-initiated grafting polymerization 93–94
- amine-initiated polymerization 90–91
- analysis, polymer brushes 189–212
- anionic chains, polyelectrolyte brushes 233
- anomalous small-angle x-ray scattering *see* ASAXS
- APD *see* alternate polyelectrolyte deposition
- aqueous environments, weak polyelectrolyte brushes 253–265
- aqueous polymerization 106
- aqueous solution, pNIPAAm polymerization 381–402
- ASAXS, spherical polyelectrolyte brushes 239
- atomic force microscopy 195
 - binary polymer brushes 435–436
 - height images 56
 - PMMA brushes 277
 - pNIPAAm 385–386, 389, 393–399
 - poly(*n*-isopropyl acrylamide) brushes 376–377
 - spherical polyelectrolyte brushes 242
- atom transfer radical polymerization 45, 47, 51–86, 106, 151, 153, 274–276, 371
 - controlled 53–54
 - pNIPAAm 388
- ATRP *see* atom transfer radical polymerization
- ATRP initiator 157
- aziridines, monomers 183
- azobis-isobutyronitrile 133, 156, 454
 - initiators, synthesis 143
- azo free radical initiator 41
- azo initiators 156
 - surface-initiated polymerization 453–455

b

- BAA 73–77
- BAM 198
- BCH 215
 - synthesis 218–219
- 5-(bicycloheptenyl)-triethoxysilane *see* BCH

- binary brushes, synthesis 38
 - binary mixed brushes 403–425
 - binary polymer brushes, local chain organization 427–440
 - binary polymer brush layer 38
 - biological cells, photostructured polymer brushes 467
 - biosensor applications, polymer brushes 451
 - biosurfaces 337–340
 - functionalized 348
 - block copolymer brushes 58, 151–165
 - on flat surfaces 54–55
 - rearrangement 160–164
 - synthesis 154–159
 - block copolymers, synthesis 18
 - block copolymer shells 62–63
 - blood proteins 5
 - bottle brush 105–117
 - synthetic route 108
 - bovine serum albumin, interaction with
 - spherical polyelectrolyte brushes 244–245
 - branched architecture, polymers 167
 - brewster angle microscopy *see* BAM
 - bridging, ion interaction with PMAA brushes 265
 - bromoacetic acid *see* BAA
 - brushes
 - see also* polymer brushes
 - block copolymer 58
 - copolymer 54–55, 151–165
 - peptide 88–89
 - polyelectrolyte 231–248
 - polypeptide 87–103
 - spherical 58, 61–63
 - synthesis 35–50
 - brush thickness 78, 141
 - determination 73
 - pH dependence 236
 - BSA *see* bovine serum albumin
 - bulk analysis, in-situ investigations 207
 - bulk polymerization, surface-initiated 386–390
- c**
- carbon black colloidal dispersions, stabilization 342–343
 - carbon black fillers, modification 63
 - carbonyl absorption region, PMAA brushes 261
 - carboxyisopropylacrylamide 339
 - carboxylate groups, PMAA brushes 256–265
 - carboxyl terminated poly-(2-vinylpyridine) 410–411
 - carboxyl terminated polystyrene 410–411
 - carpets, switchable polymer 441–448
 - cast films, PMMA brushes 280–281
 - cationic polyelectrolyte chains, polyelectrolyte brushes 233
 - cationic surface-initiated polymerization 119–128
 - cations, interaction with PMAA brushes 254–264
 - CdS nanoparticles, stabilization 342
 - cell growth control 339
 - chain, polymer 39
 - chain-end functionalized polystyrene 320, 323
 - chain growth, initiation 19
 - chain length, dry PMMA brushes 279–282
 - chain propagation 77
 - chains
 - charged 232
 - covalently grafting 36
 - grafted 80
 - polyelectrolyte 231
 - tethered 36
 - chain stretching, PMMA brushes 278
 - chain transfer
 - polymerization 136
 - reversible 39
 - charged chains 232
 - charge density, polyelectrolyte brushes 297–299
 - charged macromolecules, at surfaces 289
 - charged polymer brushes 289
 - charged surfaces, spherical polyelectrolyte brushes 242
 - charge regulation, high-density polymer brushes 282
 - checkerboard morphology, mixed polymer brushes 407
 - chemical bonding, polymer brush synthesis 36
 - chemical grafting 70
 - chemical patterning, at the nanoscale 403–425
 - chemical patterning of surfaces 449–451
 - chemisorbed species 227
 - chemisorption 19
 - 2-(4-chlorosulfonylphenyl)ethyltrichloro-silane 274–275
 - chromatographic separation 346–347
 - CIPAAM *see* carboxyisopropylacrylamide
 - classification, ion interaction with PMAA brushes 264–265
 - cleaved polymer 156

- coatings 3–6
see also surface coatings; thin films
- cold nanoparticles 217–218
- collapse, PMAA brushes 253, 257–266
- colloidal dispersions, stabilization 341–343
- colloidal initiator, TEM image 59
- colloidal particle, surface-initiated polymerization 205
- colloids
 inorganic 58
 multilayered 58–61
- compatibilization *see* stabilization
- complex formation, PMAA brushes 249–272
- computer hard disk 5
- confinement, counterions 237
- conjugated polymer brushes, synthesis 377–379
- contact angle measurements 196
- contact mode AFM, pNIPAAm brushes 397
- contour length, spherical polyelectrolyte brushes 234–235
- control, polymerization 214
- controlled ATRP 53–54
- controlled free radical polymerization 152
- controlled polymerization techniques 41
- controlled radical polymerizations *see* CRP
- coordination-insertion mechanism, ring-opening polymerization 111
- copolymer brushes 54–55, 151–165
 diblock 154–158, 441–447
 synthesis 154–159
 triblock 158–159
- copolymerization, high-density polymer brushes 282–283
- copolymerization approach 95–98
- copolymers, densely grafted 64
- copper ions, interaction with PMAA brushes 260–263
- core, near-monodisperse 234
- core radius, spherical polyelectrolyte brushes 234–235
- core-shell colloids 58–61
 preparation 60
- core-shell particles, stabilization 341–343
- counterion condensation 238
- counterions 235–237
 confinement 237–238
 correlation 238
- coupling agent-coated particles 227
- covalently attached initiators 120
- covalently grafting chains, polymer brush synthesis 36
- crosslinking, polymers 114
- CRP 42–43
- CTS *see* 2-(4-chlorosulfonylphenyl)ethyltrichlorosilane
- 4-cyano-4-(azo-[4'-cyano-(butyl)pentanoate])-(1,10-dimercaptodecyl)pentanoate 144
- 4-cyano-4-(azo-[4'-cyano-(butyl)pentanoate])-pentanoic acid (14) 144
- cyclic esters 107
- d**
- deactivator, persistent radical 53
- deep UV ablation, polymer brushes 455–460
- degrafted polymers 208
- dehydration, ion interaction with PMAA brushes 264–265
- delamination 8
- dendrimers 170
 preparation 171
- dendritic macroinitiators 65
- densely grafted copolymers 64
- densely grafted polymer brushes 449–469
- design, photoinitiators 135–137
- desorption, film 8
- dewetting 8
- diastereomers, SAM 137
- diblock copolymer brushes 154–158, 441–447
 rearrangement 160–164
- diffusion control, initiation 84
- dimethyl acrylamide, polymerization 460–462
- dimple morphology, mixed polymer brushes 404–407
- dimple phase, binary polymer brushes 430
- dip-coating 74
- dip-pen nanolithography 381, 383, 396–399
- direct ion-beam writing, microstructured polymer brushes 460
- disorder, SAM 137
- displacement, film 8
- disulfide initiator 139
- divalent cations, interaction with PMAA brushes 257–263
- DNS chip 3
- DPN *see* dip-pen nanolithography
- dry brushes, PMMA 279–282
- dry state analysis, binary polymer brushes 433
- DUV *see* deep UV
- e**
- EBCL *see* electron beam chemical lithography

electromechanical interferometry, PMMA brushes 281
 electron beam chemical lithography 132
 electronic surfaces, functionalized 350
 electron microscopy, X-ray photoemission 414–416
 electrostatic interaction 236
 ellipsometry 146, 196
 multiple-angle nulling 252–253
 pNIPAAm 385
 end-functionalized polymers 191
 entropy, polymer brush formation 297
 environment-dependent surface behavior, mixed polymer brushes 403–425
 environment-responsive lithography 422
 equilibrium polymerization 113
 experimental verification, spherical polyelectrolyte brushes 236

f

films
 aging 75
 characterization 193–198
 destruction 7–8
 formation 194
 growth 140, 142
 organic 129
 preparation 70
 see also thin films; ultra-thin films
 film thickness 177
 limitations 12
 flat surfaces 52–57, 192–193
 polymer brushes 189–212
 flow behavior, spherical polyelectrolyte brushes 240–242
 formation of patterns 200–201
 free energy
 chains 15
 polymer brush formation 297
 free initiator 120, 156
 free-radical photochemical initiators 134
 free radical polymerization 70, 152–153
 free radical polymerization of styrene 141
 free radicals 133–134
 FT-IR spectra, PAA brushes 300–302
 FT-IR spectroscopy, pNIPAAm 385
 FT-RAIRS 146
 functional groups 71
 polymers 23
 functionalized particles, polymer brush 341–343
 functionalized silicon wafer 176

functionalized surfaces 71, 332–336, 345–350, 450
 functional materials, polymer brushes 22–24
 functional organic thin films 129

g

gas chromatography 216
 GC-MS 216
 glass, substrate 131
 glass transition temperature, polymer films 279–281
 glassy state, binary polymer brushes 434
 glycidoxypropyl trimethoxysilane 38
 mixed polymer brushes 409–411
 glycidyl methacrylate 282–283
 GMA *see* glycidyl methacrylate
 gold nanoparticles
 stabilization 342
 synthesis 222
 thiol-stabilized 221
 gold substrates, surface-initiated polymerization 383–384
 gold surfaces 40, 88, 105
 planar 131–132
 GPS *see* glycidoxypropyltrimethoxysilane
 gradient, of the polymerization initiator 292–293
 grafted chains 80
 grafted polymer chains, isolation 220
 grafting block copolymers 283
 grafting density 41, 83, 142
 IB 123
 paa brushes 287–315, 308–310
 PMMA brushes 278
 polymer chains 58
 polypeptide brush 88
 spherical polyelectrolyte brushes 234–235
 grafting-from approach 41–50, 52, 57–63, 129, 173–175, 333–334, 451–453
 mixed polymer brushes 411–412
 PMAA brushes 251
 grafting from grafts 173–175
 grafting-off approach 333–334
 grafting polymerization 90, 93–94, 274–276, 317
 chemical 70
 multi-step 172
 grafting-to approach 11, 37–41, 88–89, 332–333
 analysis methods 205–208
 hyperbranched polymers 170
 mixed polymer brushes 409–411
 grafting to grafts 172–173

gravimetric methods, in-situ investigations 206
 growth, termination 113

h

halogen exchange, ATRP 77
 hexylisocyanate 221
 high-density polymer brushes 273–286
 highly branched polymers 177
 high molecular-weight polymer 114
 high solubility, branched polymers 167
 homogeneous polymerization 224
 homopolymer shells, polar 61–62
 hybrid nanoparticles, PtBuA-silica 180
 hybrid nanostructures 119–128
 hybrids, synthesis 170–172, 175–181
 hydrodynamic diameter, polymer chains 124
 hydrodynamic volume 180
 hydrolysis, PtBA 304–306
 hydroxy groups, initiators 110
 hydroxyl ligands 221
 n-(n-hydroxy-undecylsulfanyl)-undecanol 145
 hyperbranched polymer, synthesis 169
 hyperbranched polymer brush synthesis 46
 hyperbranched polymers 167–186

i

IB 119, 122–125
 indium tin oxide 373
 conjugated polymer brushes 377–379
 individual spherical brushes 61
 infrared monitoring, polymer formation 216–217
 infrared spectra, PMAA brushes 260–261
 infrared spectroscopy 226
 inimers 45, 174, 176, 349
 initiating site, concentration 125
 initiation efficiency 83
 initiator/monomer single molecule *see* inimers
 initiator concentration 81
 polymerization 226
 initiator functionalized surfaces 71
 initiator monolayer 27
 initiators
 azo 453–455
 covalently attached 120
 coverage 54
 disulfide 139
 free 122–125
 hydroxy groups 110
 lifetime 192

photochemical 134
 polymerization 292–293, 383
 sacrificial 46–47, 53–54
 synthesis 144–145
 initiator sites 106
 inorganic colloids 58
 in-situ investigations, particles 206–208
 interfacial properties, branched polymers 168
 intramolecular transesterification, PHEMA-g-PLA 113
 intrinsic viscosity, branched polymers 167
 inverse-piezoelectric effect 101
 investigating polymer brush systems 198–204
 ion beams, microstructured polymer brushes 460
 ionic strength, polymer solution 296, 306–308
 isobutylene *see* IB
 ITO *see* indium tin oxide

k

kinetics
 polymer brush formation 317–328
 surface-initiated ATRP 374–375

l

lactide 105–117
 Langmuir-Blodgett technique 6
 Langmuir monolayer, synthesis 18
 LASIP *see* living anionic surface-initiated polymerization
 layer-by-layer technique, polyelectrolyte complexes 265, 268–270
 layered profile, binary polymer brushes 429–430
 LBL technique, polyelectrolyte complexes 265, 268–270
 LCST *see* lower critical solution temperature
 light scattering, in-situ investigations 206
 linear polymeric macroinitiators 64–65
 linear polymers 177
 lithographic imaging 202
 lithography
 dip-pen nano- 381, 383, 396–399
 environment-responsive 422
 photo- 421
 living anionic surface-initiated polymerization 206
 living cationic surface-initiated polymerization 119–128
 living free radical polymerization 153

- living grafting polymerization 95
- living polymerization technique, polymer brushes 119
- living radical polymerization 274–276
- local chain organization, binary polymer brushes 427–440
- long-chain macromolecules 190
- lower critical solution temperature
 - pNIPAAm 388–389, 391–392
 - polymer brushes 338–339
- LRP *see* living radical polymerization

- m**
- macroipoles
 - peptides 101
 - interaction 89
- macroinitiators 69–86
 - ATRP 77
 - dendritic 65
 - linear 64–65
 - silica 125
 - synthesis 73–77, 121
- macroion, correlation 238
- macromolecules
 - charged 289
 - long-chain 190
- mark-houwink exponent 180
- masks
 - photoablation of polymer brushes 458
 - photopolymerization 464
- materials
 - functional 22–24
 - reagents 115
 - surface-initiated polymerization 120–121
- membrane surfaces, functionalized 347–349
- MeOH *see* methanol solution
- MePVP brushes 265–269
- metal ions, interaction with PMAA brushes 256–263
- metal-mediated polymerization 213
- methanol solution, pNIPAAm
 - polymerization 381–402
- methyl methacrylate
 - polymerization 106
 - surface-initiated ATRP 374–375
- mica 61–63
- micelles, block polymers 238
- microactuators, mixed polymer brushes 403
- microchannels, tunable 422–423
- microelectronics, adhesion effects 340
- microfluidic channels, functionalized 349
- micromechanical analysis, binary polymer brushes 434, 437–439
- micropatterned brushes 26
- micropatterning, surfaces 449–451
- microscopy
 - atomic force *see* atomic force microscopy
 - brewster angle *see* brewster angle microscopy
 - electron *see* electron microscopy
 - film properties 195–198
 - in-situ investigations 207
 - photoemission electron *see* photoemission electron microscopy
 - scanning electron *see* SEM
 - scanning probe *see* SPM
 - X-ray photoemission electron *see* X-ray photoemission electron microscopy
- microstructured polymer brushes 24–28
- microstructuring, densely grafted polymer brushes 449–469
- microvalves, polymer brushes in membranes 348
- miscibility, branched polymers 167
- mixed polymer brushes 403–425
 - local chain organization 427–440
- MMA *see* methyl methacrylate; *see also* micromechanical analysis
- molecular brushes 63
 - synthesis 64–65
- molecular modeling 147
- molecular parameters, polymers 182
- molecular weight control 122
- molecular weight measurements 147
- molecular weights, graft polymer 126
- molecules, polymer 1–3
- monolayers
 - characterization 137–138
 - self-assembled 129–130
- monomer amount, alloc-amide approach 100
- monomer conversion 126
- monomer mechanism, activated 91–93
- monomers 335
 - cyclic 183
 - types 174
- monomer solution, preparation 115
- monovalent cations, interaction with PMAA brushes 254–257
- morphology, mixed polymer brushes 404–408
- multicomponent polymer brushes 201
- multifunctional patterns 465–466
- multilayer build-up, PMAA brushes 265–270
- multilayered core-shell colloids 58–61
- multiple-angle nulling ellipsometry, PMAA brushes 252–253

- multi-stage growth, polymerization 142
 multi-step grafting approach 172
- n**
- nanocomposite particles, core-shell 342
 nanocomposites
 diameter 225
 formulations 229
 silica-poly(norbornene) 219–220
 nanocontact printing *see* nCP
 nanofabrication, polymer brushes 349–350
 nanoimprinting 26
 nanomorphology, surface 164
 nanomotors, switchable polymer carpets 441
 nano-objects, motion 441–448
 nanoparticles 133
 characterization 204–205
 hybrids 121
 polymer brushes 189–212
 silica 119–128, 218
 surfaces, characterization 213–230
 synthesis 217–218
 thiol-stabilized 221
 nanopattern formation 161
 nanopatterning
 mixed polymer brushes 403–425
 pNIPAAm brushes 396–399
 polymerization initiators 383
 nanoscale features, polymer brushes 52
 nanostructures, hybrid 119–128
 NCA-polymerization 90
 nickel-mediated 93
 N-carboxyanhydride *see* NCA
 nCP 132
 NCSEOS 215
 synthesis 218–219
 near-edge x-ray absorption fine structure *see*
 NEXAFS
 near-monodisperse core 234
 neuronal cells, photostructured polymer
 brushes 467
 neutral brush regime 290–291
 neutral polymer brushes 288
 neutron reflectometry, PMMA brushes 281
 NEXAFS spectra
 PAA brushes 303–304
 mixed polymer brushes 414
 nickel-mediated polymerization 92–93
 NIPAAm *see* N-isopropylacrylamide
 N-isopropylacrylamide, polymerization 382,
 384–400
 nitroxide-mediated polymerization reaction
 scheme *see* NMP
- NMP 44
 NMR, in-situ investigations 207
 nonfouling biosurfaces 339–340
 nonlithographic methods 203–204
 5-norbornen-2-yl(ethyl)ethoxydimethylsilane
see NCSEOS
 norbornene coupling agents 226
- o**
- OB regime *see* osmotic brush regime
 n-octyltrichlorosilane 292–293
 one-step reaction, polymerization 23
 optical techniques, polymer films 194–195
 organic coatings *see* thin films
 organic films *see* thin films
 organic-inorganic hybrid nanostructures,
 preparation 119–128
 osmotic brush regime 288, 290–291, 309–
 310
 osmotic measurements 237
 OTS *see* n-octyltrichlorosilane
- p**
- P2VP-COOH *see* carboxyl terminated poly-
 (2-vinylpyridine)
 PAA
 interaction with alkaline earth metal ions
 258
 interaction with silver ions 256
 PAA brushes, surface-anchored 287–315
 paraffin oil 292
 partial electron yield NEXAFS, PAA brushes
 303–304
 particles
 characterization 204–205
 coated 227
 polymer brushes 205–208
 particle substrates 192–193
 patterning 45, 204
 mixed polymer brushes 420–424
 nonlithographic 203
 polymers 24
 surfaces 449–451, 453–464
 patterns
 formation 200–201
 multifunctional 465–466
 PDI *see* polydispersity
 PDMAA *see* poly(dimethyl acrylamide)
 PDMS *see* polydimethylsiloxane
 PEL brushes *see* polyelectrolyte brushes
 PEL-PEL complexes 265–270
 PEMA *see* 1-propoxyethyl methacrylate
 PEN *see* poly(ethylene naphthalate)

- peptide brushes, preparation 88–95
 peptides, density 88
 persistent radical 53
 PET *see* poly(ethylene terephthalate)
 PGMA 73–77
 image 75
 pH, polymer solution 235, 254, 296
 phase behavior, pNIPAAm 390–393
 phase diagram, mixed polymer brushes 406–408
 phase segregation 200–201
 mixed polymer brushes 412
 PHEMA 105–117
 PHEMA-g-PLA
 intramolecular transesterification 113
 synthesis 109
 photoablation, polymer brushes 455–460
 photochemical strategies, densely grafted
 polymer brushes 449–469
 photochemical surface-initiated
 polymerization 129
 photodecomposition, initiators 460–462
 photoemission electron microscopy, X-ray
 414–416
 photo-emulsion polymerization 232
 photo-iniferters 135
 photoinitiated polymerization 129
 photoinitiated radical polymerization
 mechanisms 133–135
 photoinitiators 136
 photolithography 132
 microstructured polymer brushes 453–464
 mixed polymer brushes 421
 photopatterning of substrates 132
 photopolymerization 71, 462–464
 photoresist layer, sacrificial 202
 photosensitizers 134–135
 photostructured polymer brushes,
 applications 466–468
 physical attachment, polymer brushes 35
 physisorbed species 227
 physisorption, polymer brush synthesis 36
 piezoelectric effect, inverse 101
 planar brushes 232
 planar gold, substrate 131–132
 plasmon absorption, gold 221
 PMA *see* polymethylacrylate
 PM-IRRAS *see* polarization modulator
 infrared reflection adsorption spectroscopy
 PMMA 106, 250–269, 374–375
 graft polymerization 274–275
 high-density brushes 277–282
 mixed polymer brushes 412–424
 PMMA-b-PGMA *see* poly(methyl
 methacrylate-b-glycidyl methacrylate)
 PNIPAM *see* poly(N-isopropyl acrylamide)
 PO *see* paraffin oil
 polar block copolymer shells 62–63
 polar homopolymer shells 61–62
 polarization modulator infrared reflection
 adsorption spectroscopy 195
 poly(acrylic acid) *see* PAA
 poly(dimethyl acrylamide), photoablation
 458–459
 poly(ethylene naphthalate) 372, 375–376
 poly(ethylene terephthalate) 372, 375–376
 poly(glycidyl methacrylate) *see* PGMA
 poly(hydroxyethyl methacrylate) *see* PHEMA
 poly(methacrylic acid) *see* PMAA
 poly(methyl methacrylate) *see* PMMA
 poly(methyl methacrylate-b-glycidyl
 methacrylate) 443–447
 poly(NIPAAm) *see* poly(N-
 isopropylacrylamide)
 poly(N-isopropylacrylamide) 338–339, 348
 atomic force microscopy 376–377
 poly(styrene-co-2,3,4,5,6-pentafluorostyrene)
 binary polymer brushes 431–432
 mixed polymer brushes 412–424
 poly(tert-butyl acrylate) 288–313
 poly(tetrafluoroethylene) *see* PTFE
 poly(triphenylamine acrylate) 373, 377–379
 poly(vinylidene difluoride) 337
 poly-(2-vinylpyridine), carboxyl terminated
 410–411
 polydimethylsiloxane 37, 424
 polydispersity 106, 224
 polydispersity index 275
 polyelectrolyte brushes 17, 231–248
 spherical 240–246
 weak 249–272
 polyelectrolyte complexes, surface-attached
 265–270
 polyelectrolyte multilayers 265–270
 polyelectrolyte thin films 289
 polymer brushes
 applications 331–370
 atom transfer radical polymerization 51–
 86
 characterization 193–198, 213–230
 charged 289
 chemically attached 36
 conformation 199–200
 conjugated 377–379
 definition 51
 densely grafted 449–469

- formation 317–328
- generation 21
- high-density 273–286
- microstructured 24–28
- mixed 403–425
- models 428–429
- molecular 63–65
- multicomponent 201
- neutral 288
- planar 232
- regimes 199–200
- stimulus-responsive 54, 381–402
- surface-grafted hyperbranched 189–212
- synthesis 18–22, 33–185, 332–336
- taylor-made surfaces 1–31
- theory 15–17
- thickness 141
- polymer brush functionalized particles 341–343
- polymer chains
 - control 124
 - isolation 220
 - surface grafting 168
 - tethered 70
 - vinyl-terminated 39
- polymer films
 - characterization 193–198
 - formation 194
 - ultra-thin 279–282
- polymeric macroinitiators 64–65
- polymeric substrates, surface-initiated ATRP 375–377
- polymerization 138–146
 - AlBN-type SAMs 135
 - amine-initiated 90–91, 93–94
 - anionic 199
 - aqueous 106
 - atom transfer radical 274–276
 - free radical 70, 152–153
 - grafting 90, 95
 - living radical 274–276
 - mechanisms 133–135, 201–204, 214
 - metal-mediated 213
 - nickel-mediated 92
 - photoinitiated 129
 - reactions 174
 - radical 130
 - ring-opening 105–117
 - self-condensing 175–181
 - styrene 141
 - surface-initiated 119–129, 199
 - systems, well-defined 125
 - thermal 460–462
 - uncontrolled 135
- polymerization initiators
 - gradient 292–293
 - attachment 71
 - nanopatterning 383
- polymerization ratio, soluble polymers 179
- polymer layer 69
- polymers 1–3
 - degrafted 208
 - end-functionalized 191
 - formation 216–217
 - grafting 317
 - growth, disulfide initiator 140
 - hyperbranched 167–186
 - molecular parameters 182
 - molecular-weight 114
 - surface attached 10–13
 - stability test 220
 - tethering 87
- polymer surface modification 427
- polymethylacrylate, binary polymer brushes 431–432
- polypeptide brushes
 - aligned 88
 - synthesis 87–103
- polypeptides, rigid rod-like 87
- polystyrene
 - carboxyl terminated 410–411
 - chain-end functionalized 320, 323
- polystyrene brushes 78–84, 143
 - photoablation 457–458
 - surface coatings 343–345
- polystyrene latex 234
- polystyrene layer, dewetted 14
- polystyrene resins 343
- polyterfluoropolyether 5
- post-polymerization analysis 209
- primary layer, highly reactive 72
- primary polymer layer approach 69
- propagation reactions, NCA-polymerization 91
- 1-propoxyethyl methacrylate 282–283
- proteins in solution, interaction with spherical polyelectrolyte brushes 243–246
- PS *see* polystyrene
- PS-COOH *see* carboxyl terminated polystyrene
- PSF *see* poly(styrene-co-2,3,4,5,6-pentafluorostyrene)
- PSF/PMMA mixed brushes 417
- PSPS/P2VP mixed brushes 417–424
- PSSNa brushes 265–269
- PtBA *see* poly(tert-butyl acrylate)

- PtBuA-silica hybrid nanoparticles 180
 PTFE 39, 419–420
 PTPAA *see* poly(triphenylamine acrylate)
 PVDF *see* poly(vinylidene difluoride)
 pyrolysis 216, 227
- q**
 QCM 196
 quartz crystal microbalance *see* QCM
- r**
 radical initiator, azo free 41
 radical polymerization 45–46, 130
 mechanisms 133–135
 radicals
 free 133–134
 persistent 53
 radius of gyration 16, 191
 RAFT techniques 39–40, 151, 153
 reflectance FT-IR spectroscopy, pNIPAAm 385, 387
 reflection absorption infrared spectroscopy *see* FT-RAIRS
 regimes, polymer brush conformation 199–200
 resins, polymer brush functionalized particles 343
 responsive surfaces
 mixed polymer brushes 403–425
 stimulus 345–346, 381–402
 temperature 338–339
 reversible addition-fragmentation chain transfer *see* RAFT
 reversible switching 153
 RG *see* radius of gyration
 rheology, in-situ investigations 207
 Rühle's initiator 41
 ring-opening polymerization 41, 105–117
 ripple morphology, mixed polymer brushes 404–407
 ripple profile, binary polymer brushes 429–430
 ROP *see* ring-opening polymerization
 rubbery state, binary polymer brushes 434
- s**
 sacrificial initiator 53–54,
 free 122–125
 sacrificial photoresist layer 202
 salt concentration, polyelectrolyte solution 290
 salted brush regime 236, 288, 290–291, 308
 SAM *see* self-assembled monolayers
 SB regime *see* salted brush regime
 scaling theories
 mixed polymer brushes 405–408
 polyelectrolyte brushes 289, 310–314
 weak polyelectrolyte brushes in aqueous solutions 257–258
 scanning electron microscopy *see* SEM
 scanning near-field optical microscopy 207
 scanning probe microscopy *see* SPM
 SCF *see* self-consistent field
 SCVP *see* self-condensing vinyl (co)polymerization
 SEC *see* size-exclusion chromatography
 segmental adsorption, polymer brush formation 317–328
 self-assembled covalently attached initiators 120
 self-assembled monolayers 129, 130, 135, 292, 295, 450
 ITO surfaces 379
 preparation 383
 self-condensing vinyl (co)polymerization 175–181
 self-consistent field approach, mixed polymer brushes 405–408, 416
 self-limiting, brush density 191
 SEM 195–196
 semi-dilute brushes, PMMA 279
 sensors
 mixed polymer brushes 403, 423
 polymer brushes 451
 separation of mixtures 346–349
 SFA 196
 shells
 block copolymer 62–63
 homopolymer 61–62
 silane coupling agents, surface-initiated polymerizations 225
 silica, substrate 131
 silica macroinitiators 125
 silica nanoparticles 119–128
 synthesis 218
 silica-poly(norbornene) nanocomposites, synthesis 219–220
 silica-polymer mixture, synthesis 219
 silicon surface 131, 171
 ATRP 374–375
 silicon wafers 176
 PMAA brushes 260–261
 substrate 72
 silver ions
 interaction with PAA gels 256
 interaction with PMAA brushes 256

- silver nanoparticles 157
- SIP *see* surface-initiated polymerization
- size distribution, polymers 233
- size-exclusion chromatography 96, 294–295
- skyscraper approach, chemical patterning of surfaces 451
- smart surfaces *see* stimulus-responsive surfaces
- SNOM *see* scanning near-field optical microscopy
- sodium ions, interaction with PMAA brushes 255–256
- soft lithography 9
- solid substrates, PAA brushes 287–315
- solid supports, hyperbranched polymers 183
- solid surfaces, active sites 320
- solution 93–94
 - polymer growth 114
- solution grafting 40
- solvents
 - tethering reactions 320–322
 - triblock copolymer brushes 163
- solvent-selective ultrathin films 55
- solvent state analysis, binary polymer brushes 434–437
- SPB *see* spherical polyelectrolyte brushes
- spectroscopy
 - FT-IR 385
 - infrared 146, 226
 - polymer films 194–195
 - reflectance FT-IR 385
 - reflection absorption infrared *see* FT-RAIRS
 - X-ray photoelectron *see* XPS
- spherical brushes 58, 61–63
 - individual 61
 - polyelectrolyte 231–248
- spherical colloidal particle, surface-initiated polymerization 205
- SPM 195–196
- SPS *see* surface plasmon resonance spectrometry
- SRP brushes *see* stimulus-responsive polymer brushes
- SST *see* strong stretching approximation
- stability test 220
- stabilization, colloidal particles 341–343
- step-by-step procedure 198–199
- steric hindrance, reduction 127
- stimulus-responsive surfaces 345–346
- stimulus-responsive polymer brushes 54–55, 381–402
- streaming potential measurements 196
- stripping process, chemical patterning of surfaces 450
- strong polyelectrolytes 290
- strong stretching approximation, mixed polymer brushes 404–408
- strong system, PEL-PEL complexes 265–266
- styrene, polymerization 138–143, 141
- substrates 131–133
 - gold 383–384
 - particle 192–193
 - photopatterning 132
 - solid 287–315
- substrate surface, synthesis technique 37
- surface-anchored PAA brushes 287–315
- surface-attached polyelectrolyte complexes 265–270
- surface-attached polymers 10
 - applications 331–370
- surface behavior, environment-dependent 403–425
- surface coatings 343–345
 - techniques 6–10
- surface coverage
 - determination 73
 - films 89
- surface energy, pNIPAAm brushes 396
- surface force apparatus *see* SFA
- surface force measurements, pNIPAAm 393–396
- surface-grafted hyperbranched polymers 167–186
- surface grafting 168
- surface hydrolysis, PtBA 304–306
- surface-immobilization 155
- surface-initiated approach, polymerization 214
- surface-initiated atom transfer radical polymerization 275
 - from polymeric substrates 375–377
 - kinetics 374–375
- surface-initiated polymerization 1, 20–21, 28, 119–129, 191, 199, 225, 333, 371, 373
 - azo initiators 453–455
 - bulk 386–390
 - gold substrates 383–384
- surface-initiated ROP 107
- surface-initiated vinyl (co)polymerization 175–181
- surface plasmon resonance spectrometry 195
- surfaces 105–117
 - control of properties 55
 - flat 52–57, 192–193
 - functionalized 38, 71, 345–350

- gold 40
 - indium tin oxide 377–379
 - investigation 199–200
 - modification 41
 - modification and functionalization 332–336
 - nanoparticle 213–230
 - PHEMA 115
 - planar 171
 - polymer brush synthesis 37
 - stimulus-responsive 345–346
 - tailor made 1–31
 - temperature-responsive 338–339
 - surface-sensitive techniques, summary 197
 - surface tensiometry 196
 - swelling behavior
 - PMAA brushes 253, 277–279
 - weak polyelectrolyte brushes in aqueous environments 253–265
 - switchable binary polymer brushes 427–440
 - switchable polymer carpets 441–448
 - switchable surfaces 345–346
 - switches, mixed polymer brushes 403
 - synthesis
 - 2D hybrids 170–171, 175–178
 - 3D hybrids 178–181
 - block copolymer brushes 151–165
 - immobilized macroinitiators 121
 - macroinitiators 73–77
 - mixed polymer brushes 409–412
 - PHEMA-g-PLA 109
 - photoinitiators 135–137
 - polypeptide brushes 87–103
 - trichlorosilane ATRP initiator 373
 - triphenylamine acrylate monomer 373
 - synthesis techniques *see* grafting
 - synthetic brushes, physical attachment 35
 - synthetic routes 179
- t**
- tapping mode AFM, pNIPAAm brushes 398
 - temperature-responsive surfaces 338–339
 - TEMPO (2,2,6,6-tetramethyl-1-piperidyloxy) 191
 - termination of growth 113
 - tethered chains, polymer brush synthesis 36, 70
 - tethering, polymer grafting 87, 318, 320–322, 335
 - thermal analysis, in-situ investigations 206
 - thermal polymerization 460–462
 - thin films
 - coatings 343–345
 - formation 332–336
 - organic 4, 129
 - preparation 70
 - polyelectrolyte 289
 - thiol layer, surface-initiated polymerizations 225
 - thiol-stabilized gold nanoparticles 221
 - three-dimensional hybrids, synthesis 171, 178–181
 - three-regime kinetics, polymer brush formation 324
 - titration curve 235–236
 - TMEOS 215
 - TMEOS-coated nanoparticles 218–219
 - TMEOS silica-polymer mixture 219
 - toluene solution, binary polymer brushes 434–437
 - topological patterning of surfaces 449–451
 - total charge density, polyelectrolyte brushes 297–299
 - TPAA *see* triphenylamine acrylate
 - transport mechanisms, switchable polymer carpets 441–447
 - triblock copolymer brushes 57, 158–159
 - rearrangement 162
 - tribology, affected by polymer brushes 341
 - trichlorosilane ATRP initiator, synthesis 373
 - trimethylethoxysilane *see* TMEOS
 - triphenylamine acrylate monomer, synthesis 373
 - trivalent cations, interaction with PMAA brushes 263
 - tunable microchannels, mixed polymer brushes 422–423
 - two-dimensional arrangement, polymer brushes 451
 - two-dimensional hybrids, synthesis 170–171, 175–178
 - two-step reaction, polymerization 23
- u**
- ultrathin films 279–282
 - characterization 193–198
 - solvent-selective 55
 - stimuli-responsive 55
 - surface coatings 343–345
 - UV ablation, polymer brushes 455–460
- v**
- vinyl (co)polymerization 175–181
 - vinyl monomers 173
 - vinyl-terminated polymer chain 39
 - viscosity, sphere suspensions 240–241

w

- wafer, functionalized 176
- weak polyelectrolyte brushes 249–272
- weak polyelectrolytes 290
- weak system, PEL-PEL complexes 265–266
- well-defined polymerization system 125
- wettability, of a surface 343–345
- wet thickness, PAA brushes 306–310

x

- XPEEM *see* X-ray photoemission electron microscopy

XPS 146

- X-ray exposure, microstructured polymer brushes 459–460
- X-ray photoelectron spectroscopy *see* XPS
- X-ray photoemission electron microscopy, mixed polymer brushes 414–416

z

- zeta potential, in-situ investigations 207

