

Subject Index

- A2 statistic, *see under* statistic
 ‘energy only’ market, *see under* market
 ‘free lunch’, *see under* arbitrage
 ‘hockey stick’ dependence, 74, 75
 ‘one price only’ market, *see under* market
 ‘sinusoidal’ approach, 33
 Absolute Percentage Error (APE), 90
 additive model, *see under* model
 Akaike’s Final Prediction Error (FPE), *see under*
 information criterion
 Alberta Electric System Operator (AESO), 22
 Alberta Watt Exchange (Watt-Ex), 22
 Amsterdam Power Exchange (APX), 4
 ancillary services market, *see under* market
 Anderson-Darling (A2) statistic, *see under*
 statistic
 ANN, *see under* artificial neural network
 anti-persistence, 43, 50, 52
 APX Group, 10
 AR, *see under* autoregressive model
 AR-GARCH, *see under* autoregressive GARCH
 model
 arbitrage, 148
 area spot price, *see under* zonal price
 ARFIMA, *see under* AutoRegressive
 Fractionally Integrated Moving Average
 model
 ARIMA, *see under* autoregressive integrated
 moving average model
 arithmetic Brownian motion (ABM), *see under*
 Brownian motion
 arithmetic Ornstein-Uhlenbeck process, *see under*
 mean-reverting diffusion
 ARMA, *see under* autoregressive moving
 average model
 ARMAX, 96–98, 111–113
 transfer function form, 97
 artificial intelligence-based (AI-based) model, *see*
 under price forecasting
 artificial neural network (ANN), 68, 75–76, 78
 back propagation, 76
 supervised learning, 76
 auction
 discriminatory, 5, 10
 marginal, 5
 one-sided, 4
 pay-as-bid, 5, 10
 two-sided, 5, 11
 uniform-price, 5, 11, 15, 32
 auction trading, 13
 Australian National Electricity Market (NEM), 1,
 22, 23
 Management Company (NEMMCO), 22
 price cap, 32
 South Australia, 23
 autocorrelation function (ACF), 36, 84
 decreasing, 37
 autocovariance function (ACVF), 36
 AutoRegressive Conditional Heteroskedastic
 (ARCH) model, 113
 AutoRegressive Fractionally Integrated Moving
 Average (ARFIMA) model, 110
 Markov regime-switching, 131
 autoregressive GARCH model, 113–114
 autoregressive integrated moving average model
 (ARIMA), 43, 80, 95–96, 109–111, 118
 seasonal (SARIMA), 95
 autoregressive model, 82–83
 characteristic polynomial, 82
 Two-Level Seasonal AR (TLSAR), 83
 autoregressive moving average model, 83–86, 88,
 109–111
 calibration, 84
 exogenous variable, *see under* ARMAX
 identification, 84
 input variable, *see under* ARMAX
 invertible, 83
 residual, 89

172 Subject Index

- backward shift operator, *see under* seasonal decomposition
- balancing market, *see under* market
- base load, 29, *see under* load
- basis function, 47
- Bayesian Information Criterion (BIC), *see under* information criterion
- Bera-Jarque test, 45, 140, 142
- bias-corrected Akaike's Information Criterion (AICC), *see under* information criterion
- bid/ask stack, 12
- bidding strategy, 32
- bilateral market, *see under* market
- bottleneck, *see under* grid congestion
- Box-Jenkins model, *see under* autoregressive integrated moving average model (ARIMA)
- Box-Tiao model, *see under* ARMAX
- Brownian motion, 37, 64
 - arithmetic (ABM), 137
 - geometric (GBM), 137
- Burg algorithm, 85
- CAISO, *see under* California Independent System Operator
- California Independent System Operator (CAISO), 20, 21
 - day-ahead forecast, 83
 - system-wide load, 40, 47, 72, 114
- California Power Exchange (CalPX), 4, 6, 20, 21, 37, 38
 - spot price, 43
 - system price, 54, 114
- California-Oregon Border (COB), 18, 28
- CalPX, *see under* California Power Exchange
- capacity market, *see under* market
- capacity payment, 2, 15
- Cauchy distribution, *see under* distribution
- Census I method, *see under* seasonal decomposition
- Central Limit Theorem, 57
 - generalized, 57
- characteristic function, 57
- CHP, *see under* power plant
- Cinergy, 18, 28
- CO₂ emissions allowance, 9, 11, 16
- COB, *see under* California-Oregon Border
- combined heat and power plant (CHP), *see under* power plant
- Compania Operadora del Mercado Español de Electricidad (OMEL), 14
- complete market, 148
- compound Poisson process, *see under* Poisson process
- conditional characteristic function (CCF), 139
- confidence interval (CI), 136, 154
- conjectural variation, 102, 103, 154
- contract
 - financial, 7
 - for differences (CfD), 10, 11
 - futures, 8
 - option, 8
 - physical, 7
 - Power Purchasing Agreement (PPA), 8, 27
 - vesting, 8
- contract for differences (CfD), *see under* contract
- convenience yield, 148
- correlogram, 37, 43
- cost-based (production-cost) model, *see under* price forecasting
- cost-of-carry, 148
- Council for Mutual Economic Aid (CMEA), 16
- covariance matrix, 36
- covariance stationarity, *see under* stationarity
- credit risk, 28
- cumulative distribution function (CDF), 57, 60
- cycle, 39
- Daily Root Mean Square Error (DRMSE), 108
- data preprocessing, 69, 70
 - filtering, *see under* filtering
- day-ahead market, *see under* market
- demand curve, 4, 5, 30
- denoising, 45
- derivative, 147
- Detrended Fluctuation Analysis, *see under* statistic
- DFA analysis, *see under* statistic
- diagnostic check, 85
 - difference-sign test, 85
 - minimum AICC AR model test, 85
 - portmanteau test, 85
 - rank test, 86
 - sample ACF/PACF test, 85
 - turning point test, 85
- diagnostic checking, 87
- differencing, *see under* seasonal decomposition
- differencing parameter, 53
- Directive 96/92/EC, 13
- discrete wavelet transform (DWT), 47
- discriminatory auction, *see under* auction
- distribution
 - Cauchy, 59
 - Gaussian, 57, 59, 62, 145
 - log-density, 58
 - tail, 57, 59
 - generalized hyperbolic, 58
 - generalized inverse Gaussian (GIG), 58
 - heavy-tailed, 56
 - hyperbolic, 58–60, 62, 83, 90
 - log-density, 58
 - PDF, 58

- leptokurtic, 56, 57, 114
- log-normal, 145
- NIG, 60, 62
 - tail, 59
- normal-inverse Gaussian (NIG), 58
- PDF, 58
- Pareto, 57, 145
- stable, 56, 60, 62, 114
 - characteristic function, 57
 - estimation, 57
 - simulation, 57
 - tail, 57, 59
- Subbotin, 56
- variance-gamma, 58
- Dow Jones Industrial Average (DJIA), 55
- DR, *see under* dynamic regression (DR) model
- dynamic regression (DR) model, 111, 112, 118
 - see under* ARMAX
- Eastern Interconnected System, 18
- econometric (quantitative) model, *see under* price forecasting
- economic pool, *see under* power pool
- EEX, *see under* European Energy Exchange
- emissions, *see under* CO2 emissions allowance
- emissions trading scheme (ETS), 9
- empirical distribution function (EDF), 60, 65
- Energy Policy Act (EPAct), 18
- England and Wales Electricity Pool, 9
 - pool purchase price (PPP), 9
 - pool selling price (PSP), 9
- Entergy, 18
 - on-peak price, 54
- equilibrium model, *see under* price forecasting
- equilibrium point, *see under* market cross
- equilibrium trading, *see under* auction trading
- European Energy Exchange (EEX), 15
 - Phelix index, 16, 59
 - system price, 54, 59
- evolutionary programming (EP), 98
- exogenous variable
 - humidity, 72
 - precipitation, 72
 - social event, 74
 - solar radiation, 72
 - temperature, 71, 72
 - time factors, 71
 - weather conditions, 71
 - ensemble approach, 72
- Expectation-Maximization (EM) algorithm, 132
 - smoothed inferences, 132
- expert system, 76–77
- Exponential GARCH (EGARCH), 112
- exponential smoothing, 79–80
 - double seasonal, 76, 80
 - Holt's method, 79
 - modified Holt's method, 79
 - modified Holt-Winter's method, 79
 - simple, 79
 - Winter's method, 79
- FARIMA, 53
- fat-tailed (heavy-tailed) distribution, *see under* distribution
- father wavelet, *see under* wavelet
- filtering, 45, 49, 59, 69
- filter bands, 69
 - holiday, 71
 - lowpass, 49
 - missing data, 70
 - running median, 69
 - similar-day method, 70
- fixed transmission rights (FTR), 20
- forecasting
 - interval, 136
 - load, *see under* load forecasting
 - price, *see under* price forecasting
- forward curve, 33
- forward premium, 104
- forward price, 104, 148
- forward price model, 105
- Fourier decomposition, 36
- Fourier frequency, 39, 53
- Fourier transform, 47
- Fractional ARIMA (FARIMA), *see under* ARFIMA
- function
 - MacDonald, 58
 - modified Bessel, 58
- fundamental model, *see under* price forecasting
- fuzzy logic, 77–78
 - defuzzification process, 77
- game theoretic (equilibrium) model, *see under* price forecasting
- Generalized AutoRegressive Conditional Heteroskedastic (GARCH) model, 113
- Generalized Method of Moments (GMM), 143
- generating capacity market, *see under* market
- generation pool, *see under* power pool
- genetic algorithm (GA), 77
- geometric Brownian motion (GBM), *see under* Brownian motion
- Girsanov theorem, 151
- goodness-of-fit statistic, *see under* statistic
- grid congestion, 13
- Hannan-Rissanen algorithm, 85
- harmonic analysis, 39
- harmonics, *see under* spectral analysis
- heavy-tailed distribution, *see under* distribution
- hedging, 147

174 Subject Index

- heteroscedasticity, 138
 heteroskedasticity, 113
 Holt's method, *see under* exponential smoothing
 homogeneous Poisson process (HPP), *see under* Poisson process
 homoscedasticity, 113
 hourly Ontario energy price (HOEP), 22
 HPP, *see under* Poisson process
 Hurst exponent, 50, 51, 53, 54, 56
 hybrid model, 143–144
 hyperbolic distribution, *see under* distribution
- implied volatility, 151, 155
 independent and identically distributed (i.i.d.) noise, *see under* noise
 Independent Electricity Market Operator (IMO), 22
 Independent Electricity System Operator (IESO), 22
 independent power producer (IPP), 18
 independent system operator (ISO), 18
 indicator function, 128
 information criterion, 84
 AICC, 84
 BIC, 84
 FPE, 84
 innovations algorithm, 85
 installed capacity (ICAP), 2
 installed capacity (ICAP) market, 2
 instrumental variables method, 97
 Intercontinental Exchange (ICE), 10
 International Petroleum Exchange (IPE), 10
 interrupted time series model, *see under* ARMAX
 interval forecasting, 136, 154
 intervention model, *see under* ARMAX
- jump-diffusion model, 137–140
 calibration, 139
- Kolmogorov(-Smirnov) statistic, *see under* statistic
- lag- h differencing operator, *see under* seasonal decomposition
 least squares, 132
 least squares method, 81, 97
 recursive, 84
 Leipzig Power Exchange (LPX), 15
 leptokurtic distribution, *see under* distribution
 leverage effect, 112
 Lévy motion, 64
 levy system, 8
 liberalization, 1
 linear multiple regression, 39
- load
 base, 78
 normal, 78
 special event component, 78
 weather sensitive part, 78
 weather-normalized, 67, 78
 load forecasting, 67
 artificial intelligence-based (AI-based, non-parametric) approach, 68
 long-term (LTLF), 67
 medium-term (MTLF), 67
 short-term (STLF), 67, 71
 statistical approach, 68
 locational marginal price (LMP), *see under* nodal price
 log-return, 26, 47
 logistic smooth transition autoregressive model (LSTAR), 128
 long memory, 50
 long-range dependence, 50, 54
 long-tailed (heavy-tailed) distribution, *see under* distribution
 lowpass filtering, 45, 49
 LSTAR, *see under* logistic smooth transition autoregressive model
 LTLF, *see under* load forecasting
 LTPF, *see under* price forecasting
- MA, *see under* moving average model
 MacDonald function, *see under* function
 marginal cost, 29
- market
 'energy only', 2, 3, 23
 'one price only', 3
 ancillary services, 7, 19, 21
 balancing, 7
 bilateral, 7
 capacity, 2, 15, 19
 day-ahead, 7
 financial transmission entitlements, 19
 generating capacity, 7
 installed capacity (ICAP), 2
 over-the-counter (OTC), 7, 54
 real-time, 7
 transmission, 21
 transmission capacity, 7
 market clearing price (MCP), 4–7, 15, 20, 22
 market clearing volume (MCV), 4
 market cross, 13
 market power, 3, 13, 30
 market price of risk, 149, 151
 market risk, 147
 Markov chain Monte Carlo (MCMC), 129
 Markov regime-switching (MRS) model, 129
 maximum likelihood (ML), 97, 139
 estimator, 85

- Mean Absolute Error (MAE), 107, 121
Mean Absolute Percentage Error (MAPE), 90, 108
Mean Daily Error (MDE), 108, 118
mean reversion, 49, 50
Mean Weekly Error (MWE), 108
mean-reversion
 level, 138
 rate, 138
mean-reverting diffusion, 137
 geometric, 137
Median Daily Error (MeDE), 108, 118
Median Weekly Error (MeWE), 108
MIBEL, 14
missing value, 69
model
 additive, 78
 multiplicative, 78
modified Bessel function, *see under* function
modified Holt's method, *see under* exponential smoothing
modified Holt-Winter's method, *see under* exponential smoothing
mother wavelet, *see under* wavelet
moving average model (MA), 83
 invertible, 83
moving average technique, *see under* seasonal decomposition
MRS, *see under* Markov regime-switching model
MTLF, *see under* load forecasting
MTPF, *see under* price forecasting
multiple regression, 81–82
multiplicative model, *see under* model
naive method, *see under* similar-day method
NEM, *see under* Australian National Electricity Market
New Electricity Trading Arrangements (NETA), 4, 6, 10
NHPP, *see under* Poisson process
nodal price, 6, 20
noise
 independent and identically distributed (i.i.d.), 36, 109
 white, 36, 43, 50, 52, 88
 confidence interval, 37
non-homogeneous Poisson process (NHPP), *see under* Poisson process
Nord Pool, 3, 4, 9, 11–13, 27
 Asian-style option (AEO), 150
 Elbas, 11
 Elspot, 11, 12, 26
 block bidding, 12
 flexible hourly bidding, 12
 hourly bidding, 12
 Eltermin, 11
 Elweb, 12
 European-style option (EEO), 150
 price cap, 32
 system price, 33, 40, 49, 54, 55
 normal (Gaussian) distribution, *see under* distribution
 normal load, *see under* load
 normal-inverse Gaussian (NIG) distribution, *see under* distribution
 North American Electric Reliability Council (NERC), 18
 OMEL, *see under* Compania Operadora del Mercado Español de Electricidad
 OMIE, *see under* Operador del Mercado Ibérico de Energia – Polo Español (OMIE)
 on-peak hour, 26
 Operador del Mercado Ibérico de Energia – Polo Español (OMIE), 14
 outlier, 69
 over-the-counter (OTC) market, *see under* market
 Pacific Gas & Electric (PG&E), 20
 Palo Verde, 18
 partial autocorrelation function (ACF), 84
 partial autocorrelation function (PACF), 37, 38
 partial maximum likelihood (PML), 139
 particle swarm optimization (PSO), 98
 pay-as-bid auction, *see under* auction
 peak-demand, 29
 Pennsylvania-New Jersey-Maryland (PJM), 1, 18, 19
 spot price, 74
 Periodic Autoregressive Moving-Average (PARMA) model, 116
 periodic correlation, 116, 154
 periodogram, 39–41, 53
 sensitivity, 40
 periodogram regression (GPH), *see under* statistic, 53
 persistence, 50, 52, 56
 Physical Electricity Index (Phelix), *see under* EEX,
 PJM, *see under* Pennsylvania-New Jersey-Maryland
 Platforma Obrotu Energi , a Elektryczn , a (POEE), 17, 28
 POEE, *see under* Platforma Obrotu Energi , a Elektryczn , a
 Poisson process
 compound, 137, 142
 homogeneous (HPP), 137
 non-homogeneous (NHPP), 139

176 Subject Index

- Polish Power Exchange (PolPX), 16, 17, 28
 PolPX, *see under* Polish Power Exchange
 pool purchase price (PPP), *see under* England and Wales Electricity Pool
 pool selling price (PSP), *see under* England and Wales Electricity Pool
 Power Company of America (PCA), 28
 power exchange (PX), 3, 4
 bankruptcy, 21
 power plant
 combined heat and power plant (CHP), 18
 fossil-fired, 30
 hydro, 30
 natural-gas-fired, 30
 nuclear, 30
 Open Cycle Gas Turbine (OCGT), 23
 power pool, 3
 economic, 4
 generation, 3
 technical, 3
 Power Pool of Alberta, 22
 Power Purchasing Agreement (PPA), *see under* contract
 prediction error method, 97, 132
 price cap, 23, 32
 price forecasting, 102
 artificial intelligence-based (AI-based) model, 106
 equilibrium model, 102
 Cournot-Nash framework, 103
 supply function, 103
 exogenous factor, 106
 forecasted load, 107
 fuel price, 107
 historical load, 107
 seasonal pattern, 107
 fundamental model, 103
 long-term (LTPF), 101
 medium-term (MTPF), 101
 production-cost (PCM) model, 102, 154
 quantitative model, 104
 short-term (STPF), 101
 statistical model, 105
 strategic production-cost (SPCM) model, 102, 154
 price risk, 147
 price spike, 3, 25, 28
 definition, 32
 Principal Component Analysis (PCA), 33
 probability density function (PDF), 57
 probability measure
 ‘risky’, 148
 risk-neutral, 148
 process
 self-affine, 53
 production-cost model (PCM), *see under* price forecasting
 Public Utilities Regulatory Policies Act (PURPA), 18
 quantitative model, *see under* price forecasting
 quasi-maximum likelihood (QML), 139
 R/S analysis, *see under* statistic
 R/S statistic, *see under* statistic
 real-time market, *see under* market
 reduced form (quantitative) model, *see under* price forecasting
 regime, 129
 regime-switching model, 127–132, 144
 regional transmission organization (RTO), 19
 rescaled range analysis, *see under* statistic
 residual, 84, 85, 89, 90, 114, 118
 return, 26, 32, 37, 45, 60
 risk, 147
 risk premium, 104, 149, 151
 risk-adjusted measure, 151
 risk-neutral measure, 151
 rolling volatility, 45, 47
 rolling volatility technique, *see under* seasonal decomposition
 San Diego Gas and Electric (SDG&E), 20
 SARIMA, 83
 seasonal ARIMA (SARIMA), *see under* ARIMA
 seasonal component, *see under* seasonal decomposition
 seasonal decomposition, 41
 additive, 41, 78
 backward shift operator, 42, 95, 109
 Census I method, 41
 differencing, 37, 42, 45, 95, 109
 differencing-smoothing, 86
 lag- h differencing operator, 42
 lag-1 differencing operator, 95
 mean week, 44
 median week, 44
 moving average technique, 36, 44, 45, 60, 74, 86, 141
 multiplicative, 41, 78
 rolling volatility technique, 45, 46, 86
 seasonal component, 41, 44, 78
 stochastic component, 41, 43, 44, 47, 78
 trend component, 41, 48, 78
 trend-cycle component, 41, 78
 seasonality, 32
 ‘double peak structure’, 33
 self exciting threshold autoregressive model (SETAR), 128

- self-affine process, *see under* process
- self-similarity parameter, *see under* Hurst exponent
- serial correlation, 36
- SETAR, *see under* self exciting threshold autoregressive model
- similar-day method, 70, 79, 107, 126
- simultaneous price setting, *see under* auction trading
- sinosoidal wave, 47
- smooth transition autoregressive model (STAR), 128
- smoothing, 43, 49
- Southern California Edison (SCE), 20
- spectral analysis, 39, 47
harmonics, 40
- spectral decomposition, 44
- spectral density, 53
- spectrum, 36
- spike preprocessing, 107
damping spikes, 126
limiting spikes, 126
similar-day method, 126
- spot price, 7
- spot price model, 105
- stable (α -stable) distribution, *see under* distribution
- standard frequency, *see under* Fourier frequency
- STAR, *see under* smooth transition autoregressive model
- stationarity, 42, 47, 82, 83
covariance, 82
second-order, 82
weak, 82, 95, 109
- statistic
AWC, 51, 54, 56
DFA, 51, 52, 54
goodness-of-fit, 60, 84
A2, 62
Kolmogorov(-Smirnov), 60
GPH, 51, 53, 54
asymptotic distribution, 53
R/S, 50–52
R/S-AL, 51, 52, 54
- statistical model, *see under* price forecasting
- STLF, *see under* load forecasting
- stochastic (quantitative) model, *see under* price forecasting
- stochastic component, *see under* seasonal decomposition
- stochastic differential equation (SDE), 138, 149
- STPF, *see under* price forecasting
- stranded
assets, 8
costs, 8, 14
investments, 8
- structural (fundamental) model, *see under* price forecasting
- sum of absolute errors, 80
- supply curve, 4, 5
- supply stack, 29, 30
- support vector machine (SVM), 78
- system marginal price (SMP), 9, 22
- system operator (SO), 7, 18
- TAR, *see under* threshold autoregressive model, 128, 132
threshold level, 133
threshold variable, 133
- TARX, 128, 132
- technical pool, *see under* power pool
- temperature-humidity index (THI), 72
- Texas Interconnected System, 18
- TF, *see under* transfer function (TF) model
- third-party access (TPA), 3
negotiated (nTPA), 15
regulated (rTPA), 3
- threshold autoregressive model, 128, 132
- thresholding, 49
- tolling margin, 107
- Towarowa Gielda Energii SA (TGE), *see under* PolPX
- transfer function (TF) model, 106, 111, 112, 118
see under ARMAX
- transmission capacity market, *see under* market
- transmission system operator (TSO)
- trend component, *see under* seasonal decomposition
- trend-cycle component, *see under* seasonal decomposition
- two-sided auction, *see under* auction
- UK Automated Power Exchange (APX UK), 10
- UK Power Exchange (UKPX), 10
- unbundling, 1, 3
- unforced capacity (UCAP), 3
- uniform-price auction, *see under* auction
- unit root, 82, 88
- Value-at-Risk, 64
- variance-gamma distribution, *see under* distribution
- vesting contract, *see under* contract
- volatility, 25, 28
- volumetric risk, 67, 75
- wave frequency, 39
- wavelength, 39

178 Subject Index

- wavelet, 47
 - decomposition, 45, 47–49
 - family, 47
 - father, 47
 - mother, 47
 - transform, 47, 53
- weak stationarity, *see under* stationarity
- weather-normalized load, *see under* load
- Weekly Root Mean Square Error (WRMSE), 108
- Western Interconnected System, 18
- white noise, *see under* noise
- Wiener process, *see under* Brownian motion
- WIG20 Warsaw Stock Exchange index, 55
- wind chill index (WCI), 72
- Winter's method, *see under* exponential smoothing
- wired company, 18
- Yule-Walker algorithm, 85
- zonal market clearing price (ZMCP), *see under* zonal price
- zonal price, 6, 13, 131