

## INDEX

- AA ligands, 92–93, 100–102
- AA substituted pentacyanoferrate(II) complexes, 93–94
- AA substituted pentacyanoferrate(II) ions, infrared spectroscopic analysis and, 92–94
- Acetylacetonate ligand, 216–217
- Acid–base chemistry, 16–18
- hard–soft–acid–base theory, 16–18
- Acid–base titrations, 40–43
- Acid hydrolysis constants, 17
- Acid listings, hard–soft–acid–base theory and, 17
- Amino acid complexes, cadmium and, 178–185
- Amino acid derivatives of
- Aquapentacyanoferrate(II) ion, 90–92
- Amino acids, aquapentacyanoferrate(II) ion and, 86–110
- formation  $k_F$ , 103–107
- stopped flow method, 105–106
- substitution kinetics II, 107–110
- Aquapentacyanoferrate(II) complex, synthesis of, 87–89
- Aquapentacyanoferrate(II) ion, amino acids, 86–110
- derivatives, 90–92
- formation  $k_F$ , 103–107
- stopped flow method, 105–106
- substitution kinetics II, 107–110
- Aquapentacyanoferrate(II) ion, cyclic voltammetric analysis, 94–99
- Aquapentacyanoferrate(II) ion, infrared spectroscopic analysis, 92–94
- Aquapentacyanoferrate(II) ion, substituted pentacyanoferrate(II) complexes, semi empirical calculations, 99–102
- Aquapentacyanoferrate(II) ion, UV spectroscopic analysis, 90–92
- Aquated Co(II) ion:  $[\text{Co}(\text{H}_2\text{O})_6]^{2+}$ , measurement of, 38–39
- Aqueous monodentate ligand complexed inorganic ions, 8
- Aqueous solution, metal ion complexes, substitution properties, 87–88
- Atomic absorption spectroscopy, 186–188
- Base listings, hard–soft–acid–base theory and, 17
- Beer's Law, 34–36
- Benesi–Hildebrand method. *See* Double reciprocal method, 77–81
- Biosynthesis, phytochelatin and
- atomic absorption spectroscopy, 186–188
- fission yeast, 186–191
- Brown and green products
- calibration constant determination, 61
- Hartree–Fock calculations and structure predictions, 68–72
- infrared analysis (IR), 65–68
- isolation of, 53–57
- magnetic moments, 61
- magnetic susceptibility measurements, 57–62
- thermal analysis, 62–65
- Cadmium, 161–191
- amino acid complexes, 178–185
- qualitative UV spectroscopy study, 175–178
- phytochelatin, 175–178
- Calibration constant determination, 61
- Calorimetry, differential scanning, 62–63
- Cancer treatments, 140–159

- Catalytic chemistry, Vanadyl-*bis*(2,4-pentanedione) and, 226–228
- Cation exchange column, 47–49
- CF splitting and magnetism, 71
- CFSE. *See* Crystal field stabilization energy
- CFT. *See* Crystal field theory
- Chemistry, writing skills, 252–259
- Chinese hamster ovary (CHO) cell culture, 244–248
- Chiral discrimination, 210–211
- CHO (Chinese hamster ovary), 244–248
- Chromatography, ion exchange, 125–131
- cis*-Diamminedichloroplatinum(II), 140  
synthesis of, 141–144
- cis*-Platin cytotoxicity assay, determination of, 155–159
- cis*-Platin oligonucleotide, molecular modeling, 150–155
- cis*-Platin, 140–159  
DNA, 147–150  
NMR spectroscopy, 148–150  
*trans*-Platin  
DMSO substitution kinetics, 146–147  
reaction between, 144–147
- CN<sup>−</sup> ligands, 92–93
- Co<sup>2</sup>(aq) standard solutions, 37
- Cobalt (II), cobalt(III) reduced to, 37–38
- Cobalt amine complexes, 23  
coordination compound  
synthesis, 28–34  
cobalt complex I, 29–30  
cobalt complex II, 30–31  
cobalt complex III, 31–33  
visible spectroscopy, 49–51
- Cobalt ammine  
Beer's Law, 34–36  
synthesis and analysis, 22–51  
visible spectroscopy, 34–36
- Cobalt complex I, 29–30
- Cobalt complex II, 30–31
- Cobalt complex III, 31–33
- Cobalt coordination compound solution  
cobalt(III) reduced to cobalt(II), 37–38  
decomposition and reduction, 37–38
- Cobalt coordination compounds  
II–acid–base titrimetric determination  
of ammonia, 40–43  
acid–base titrations, 40–43
- Cobalt coordination compounds IV  
cation exchange column, 47–49  
equivalent weight by ion exchange  
chromatography, 46–49
- Cobalt(III), cobalt (II) reduced from, 37–38
- Colors, 2  
aqueous monodentate ligand complexed  
inorganic ions, 8  
monodentate ligand complexed inorganic  
ions, 8  
names assigned by Frey, 3  
origin, transition metal coordination  
complexes and, 8–9
- Complex ions, 2–4  
coordinate bonding, 4  
coordination  
complexes, 4  
number, 4  
counterions, 3  
geometric isomerism, 4  
ligand number, 4  
metal  
complexes, 3  
coordination complex, 2  
robust complexes, 4  
stability constants, 4
- Compounds, 2
- Concentration polarization, 237–238
- Conventional kinetic measurements,  
Tris(bidentate chelate) cobalt(II/III)  
complexes and, 131–136
- Coordinate bond–bonding models, 5–8  
crystal field theory, 5–7  
coordinate bond–bonding models, ligand  
field theory (LFT), 8  
molecular orbital theory (MOT), 8  
valence bond theory, 5
- Coordinate bonding, 4
- Coordination complex reactivity, 9–12  
electron transfer reactions, 11–12  
substitution reactions, 9–11
- Coordination complexes, 4  
applications of, 13–14
- Coordination compound synthesis, cobalt  
ammine, 28–34
- Coordination number, 4
- Coordination theory, Werner's, 24–26
- Counterions, 3
- Crystal field stabilization energy (CFSE), 6
- Crystal field theory (CFT), 5–7, 70  
crystal field stabilization energy (CFSE), 6  
spectrochemical series, 7
- Cyclic voltammetric analysis, 94–99  
ferricyanide study, 96–97  
substituted pentacyanoferrate(II)  
complexes, 97–99

- Cyclic voltammetric analyzer, 238–241  
 Cyclic voltammetry, 121–125, 236–241  
   Nernst equation, 235  
   Nernstian conditions, 237–238
- Decomposition of cobalt coordination  
 compound solution, 37–38
- Diamagnetic susceptibilities, 59
- Differential scanning calorimetry, 62–63
- DMSO substitution kinetics, 146–147  
   temperature dependence study, 146–147
- DNA, *cis*-Platin and, 147–150
- Double reciprocal method, 77–81
- Electrochemistry investigation, cyclic  
 voltammetry, 121–125
- Electrolytic theory of dissociation, 27
- Electromagnetic regions of infrared  
 spectroscopy, 65
- Electron transfer quenching  
   kinetics of, 204–205  
   Stern–Volmer equation, 205–207  
   thermodynamics of, 202–204
- Electron transfer reactions, 11–12  
   self exchange, 11  
   stoichiometry determination of, 125–131  
   tris(bidentate chelate) cobalt(II/III)  
   complexes and, 111–139
- Electron transfer, 202
- Electronic spectra of metal complexes,  
 73–74, 117–120
- Encapsulation, Vanadyl-*bis*(2,4-pentanedione)  
 and, 226
- Energy absorption, nucleus and, 230–231
- Environment, metals impact on, 161–191  
   cadmium, 161–191  
   solid phase peptide synthesis, 170–175  
   trace metal ions, 162–170
- Epoxidation reactions, 222–223  
   geraniol, 223–225
- Equilibrium dialysis study, 210–213
- Excited states, 164–165, 243
- Experimental inorganic chemistry, 1–20
- Expoxidation reactions, geranyl acetate, 225–226
- Far IR spectroscopy, 67
- Ferricyanide study, 96–97
- Fission yeast, 186–191
- Fluorescence detection in aqueous solution  
   luminescence, 164–167  
   trace metal ions and, 162–170
- Fluorescence spectrum, 167–168
- Fluorimetric reagent, 168–170
- Formation constant  $k_f$ , 103–107  
   determination of, 106–107
- Fourier transform NMR spectroscopy, 233
- Fremy, Edmond, 3
- Frequencies, mid infrared transitions, 66
- Geometric isomerism, 4
- Geometries of Ni(II) coordination complexes, 54
- Geraniol, 223–225
- Geranyl acetate, 225–226
- Green products  
   infrared analysis (IR), 65–68  
   isolation of, 53–57  
   magnetic moments, 61  
   thermal analysis, 62–65
- Ground states, 242–243
- $^1\text{H}$  NMR spectra, 82–83
- Hard–soft–acid–base theory, 16–18  
   acid, base examples and, 17  
   acid hydrolysis constants, 17
- Hartree–Fock  
   approximation, 68–70  
   calculations and structure predictions, 68–72  
   CF splitting and magnetism, 71  
   crystal field theory, 70  
   preferred triplet structure, 70–71  
   single point UHF calculations, 70–71
- Hexaaquacobalt(II) ion, 36–37
- HQS. *See* Hydroxyquinoline-5-sulfonic acid
- Hydroxyquinoline (HQ), 162–163 (replace “8”  
 after sorted)
- 8-hydroxyquinoline-5-sulfonic acid (HQS),  
 162–163  
   fluorescence spectrum, 167–168  
   fluorimetric reagent, 168–170
- Impurities, 19–20
- Inert atmosphere, 133–136
- Infrared analysis (IR), 65–68  
   brown and green forms, 67–68  
   far IR spectroscopy, 67  
   infrared spectroscopy, 65–67
- Infrared spectroscopic analysis  
 AA ligands, 92–93  
 AA substituted  
   pentacyanoferrate(II) complexes, 93–94  
   pentacyanoferrate(II) ions  
   and, 92–94  
 aquapentacyanoferrate(II) ion and, 92–94  
 $\text{CN}^-$  ligands, 92–93

- Infrared spectroscopy  
 electromagnetic, 65  
 far, 67  
 metal carbonyls, 221  
 mid transitions and frequencies, 66  
 transition metal complexes, 65–67
- Infrared studies, vanadyl-*bis*(2,4-pentanedione), 221–222
- Inorganic chemistry  
 complex ions, 2–4  
 compounds and colors, 2  
 coordinate bond–bonding models, 5–8  
 coordination  
 complex reactivity, 9–12  
 complexes, 13–14  
 experimental, 1–20  
 inorganic synthesis, governing factors, 14–20  
 transition metal coordination complexes, 8–9  
 writing skills, 252–259
- Inorganic synthesis  
 acid–base chemistry, 16–18  
 governing factors, 14–20  
 precipitation, 18–20  
 stoichiometry, 18  
 thermodynamics vs. kinetics, 14–16
- Ion exchange chromatography, 46–49, 125–131
- Ions, trace metal, 162–170
- IR. *See* Infrared analysis, 65–68
- Jørgensen's chain theory, 23–24  
 Tassaert's cobalt amine complexes, 23
- Job's method, 72–77
- Kinetic measurements  
 outer sphere rate constant, 136–139  
 tris(bidentate chelate) cobalt(II/III) complexes and, 131–136  
 rate law, 131–133  
 inert atmosphere, 133–136
- Kinetics, thermodynamics vs., inorganic synthesis, 14–16
- LFT. *See* Ligand field theory
- Ligand  
 field theory (LFT), 8  
 number, 4
- Ligand  $pK_a$  values, 179–182  
 potentiometric titrations, 179–182
- Ligands,  
 AA, 92–93, 100–102  
 $CN^-$ , 92–93
- Luminescence 164–167  
 excited states, 164–165  
 quantum efficiency, 165  
 quenching  
 steady state, 208  
 time resolved, 209  
 sensing, 165–166  
 spectroscopy, 166–167  
 spectrum, 207–208  
 studies, 207
- Magnetic  
 moments, 61  
 properties, transition metal complexes and, 57–62  
 susceptibility measurements, 57–62  
 diamagnetic susceptibilities, 59
- Magnetism, CF splitting and, 71
- Marcus Theory, 136–139
- Measuring, weighing by difference, 36
- Medicine  
 cancer treatments, 140–159  
*cis*-Diamminedichloroplatinum(II), 140  
 metals and, 140–159
- Metal carbonyls, 221
- Metal complex DNA binding, 210–211  
 chiral discrimination, 210–211
- Metal complex formation, 77–78
- Metal complex structure, 23  
 Jørgensen's chain theory, 23–24  
 Werner's coordination theory, 24–26
- Metal complexes, 3  
 electronic spectra of, 73–74, 117–120  
 octahedral, 103–105  
 photochemistry of, 202  
 phytochelatins and, 175–178  
 pulsed NMR spectroscopy, 230–234  
 square planar, substitution in, 144–147
- Metal coordination complex, 2  
 optical isomers, 196
- Metal ion complexes, aqueous solution and, substitution properties, 87–88
- Metal ligand stability constants,  
 potentiometric titrations, 179–182
- Metals in the environment, 161–191  
 cadmium, 161–191  
 phytochelatins, biosynthesis of, 186–191

- Metals, medicine, 140–159  
 cancer treatments, 140–159  
*cis*-Diamminedichloroplatinum(II), 140  
*cis*-Platin, 140–159  
 molecular biology and, 193–213  
*trans*-Platin, 140–159
- Mid infrared transitions and frequencies, 66
- M–L bonds, stretches and  
 bends, 67
- Molecular biology, metals and, 193–213
- Molecular biology, Tris(1,10-phenanthroline)  
 chromium(III) hexafluorophosphate,  
 193–213
- Molecular geometry and stability, solid and  
 solution phase analysis, 52–83
- Molecular mechanics calculations, 150–155
- Molecular modeling  
*cis*-Platin oligonucleotide and, 150–155  
 molecular mechanics calculations, 150–155
- Molecular orbital theory (MOT), 8
- Monodentate ligand complexed inorganic  
 ions, 8
- MOT. *See* Molecular orbital theory
- N,N'*-disalicylaldehyde-1,3-propanediimine  
 nickel(II), [Ni(salpd)],  
 brown and green products  
 isolation of, 53–57  
 magnetic susceptibility measurements,  
 57–62  
 calibration constant determination, 61  
 magnetic moments, 61  
 thermal analysis, 62–65  
 infrared analysis, 65–68  
 Hartree–Fock calculations and structure  
 predictions, 68–72  
 coordination complexes, geometries of, 54,  
 72–73  
 NMR spectroscopic analysis, 81–83  
<sup>1</sup>H NMR spectra, 82–83  
 pyridine binding, 72–77  
 results summary, 57  
 Schiff bases, 53–54  
 solid and solution phase analysis, 52–53  
 synthesis of, 55
- Nernst equation, 235
- Nernstian conditions, concentration  
 polarization, 237–238
- Ni(II) coordination complexes, geometries  
 of, 54
- [Ni(salpd)], 75
- Nickel(II) coordination complexes, 72–73
- NMR spectroscopic analysis, 81–83  
<sup>1</sup>H NMR spectra, 82–83  
 paramagnetic, 81
- NMR spectroscopy  
*cis*-Platin, DNA and, 148–150  
 Fourier transform, 233  
 pulsed, 230–234
- Nucleic acids, photo-oxidation effects on,  
 Tris(1,10-phenanthroline) chromium(III)  
 hexafluorophosphate, 202–210
- Nucleus, energy absorption, 230–231
- Octahedral metal complexes, 103–105
- One-dimensional pulse experiments, 233–234
- Optical isomer resolution, tartrate salts,  
 196–197
- Optical isomers, 196
- Outer sphere rate constant, 136–139  
 Marcus Theory, 136–139
- Oxidation state, 25
- Paramagnetic NMR spectroscopic analysis, 81
- Particle sizes, precipitates and, 19
- Pentacyanoferrate(II) complexes, cyclic  
 voltammetric analysis and, 97–99
- Pentacyanoglycylferrate(II) ion,  
 UV spectroscopic analysis, 90–92
- Pentacyanomethionylferrate(II) ion,  
 UV spectroscopic analysis of, 90–92
- Peptide synthesis, 170–175
- Photo-induced electron transfer, 202
- Photochemistry, metal complexes and, 202
- Phytochelators, 170–171  
 biosynthesis, fission yeast, 186–191  
 metal complexes of, 175–178
- Polyelectronic systems  
 excited states, 243  
 ground states, 242–243  
 term symbols, 242–243
- Potentiometric titrations  
 ligand p*K*<sub>a</sub> values and, 179–182  
 metal ligand stability constants and,  
 179–182
- Precipitates  
 impurities, 19–20  
 product isolation, 19  
 properties of, 18–20  
 particle sizes, 19  
 product solubility, 18–19  
 purification by recrystallization, 20
- Preferred triplet structure, 70–71
- Product isolation, precipitates and, 19

- Product solubility, precipitates and, 18–19
- Pulsed NMR spectroscopy, 230–234  
experiments, 233–234
- Purification by recrystallization, 20
- Pyridine binding  
double reciprocal method, 77–81  
Job's method, 72–77  
*N,N'*-disalicylaldehyde-1,3-propanediimine  
nickel(II) and, 72–77  
visible spectroscopic analysis, 72–77
- Qualitative analysis, 162–163
- Qualitative UV spectroscopic  
study, 175–178
- Quantitative analysis, 163
- Quantum efficiency, 165
- Rate law, 131–133
- Reactivity I, substitution reactions,  
aquapentacyanoferrate(II) ion, 86–110
- Recrystallization, purification and, 20
- Reduction of cobalt coordination compound  
solution, 37–38
- Resolution, Tris(1,10-phenanthroline)  
chromium(III) hexafluorophosphate and,  
196–198
- Robust complexes, 4
- Schiff bases, 53–54
- Self-exchange reactions, 11
- Semi-empirical calculations  
AA ligands, 100–102  
substituted pentacyanoferrate(II)  
complexes and, 99–100
- Semi-empirical method, 99–100
- Sensing, luminescence, 165–166
- Single point UHF calculations, 70
- Single point UHF calculations, 71
- Sodium amminepentacyanoferrate(II) from  
sodium nitroprusside, substitution  
reaction of, 89
- Sodium nitroprusside, sodium  
amminepentacyanoferrate(II) from,  
substitution reaction of, 89
- Solid and solution phase analysis  
molecular geometry and stability  
and, 52–53  
*N,N'*-disalicylaldehyde-1,3-propanediimine  
nickel(II), 52–53
- Solid phase peptide synthesis, 170–175  
phytochelatins, 170–171
- Solubility, precipitates and, 18–19
- Solution phase analysis, molecular geometry  
and stability and, 52–53
- Solvatochromatic properties  
Vanadyl-*bis*(2,4-pentanedione),  
219–220  
visible spectroscopy, 219–220
- Spectrochemical series, 7
- Spectroscopy, luminescence, 166–167
- Square planar metal complexes,  
substitution in, 144–147
- Stability constants, 4
- Steady state luminescence quenching, 208
- Stereoselective binding to DNA  
equilibrium dialysis study, 210–213  
Tris(1,10-phenanthroline) chromium(III)  
and, 210–213
- Stern–Volmer equation, 205–207
- Stoichiometry, 18  
determination, ion exchange chromatography,  
125–131
- Stopped-flow method, 105–106
- Substituted pentacyanoferrate(II) complexes  
cyclic voltammetric analysis and, 97–99  
semi empirical calculations, 99–102
- Substitution kinetics II,  
aquapentacyanoferrate(II) ion and,  
107–110
- Substitution kinetics  
DMSO, 146–147  
*trans*-Platin and, 144–147
- Substitution reactions, 9–11  
aquapentacyanoferrate(II) ion, amino acids,  
86–110  
aqueous solution and metal ion complexes,  
87–88  
sodium amminepentacyanoferrate(II) from  
sodium nitroprusside, 89
- Synthesis  
aquapentacyanoferrate(II) complex, 87–89  
*cis*-Diamminedichloroplatinum(II), 141–144  
*N,N'*-disalicylaldehyde-1,3-propanediimine, 55  
*N,N'*-disalicylaldehyde-1,3-  
propanediiminickel(II), 55  
tris(1,10-phenanthroline) chromium(III)  
hexafluorophosphate and, 194–195  
vanadyl-*bis*(2,4-pentanedione), 216–219
- Tassaert's cobalt amine complexes, 23
- Tartrate salts, 196–197
- Temperature dependence study, 146–147
- Term symbols, 242–243
- Thermal analysis, 62–65

- Thermodynamics,  
 electron transfer quenching, 202–204  
 kinetics vs., inorganic synthesis, 14–16
- Time-resolved luminescence quenching, 209
- Trace metal ions, 162–170  
 fluorescence detection in aqueous solution,  
 162–170  
 8-hydroxyquinoline (HQ), 162–163  
 qualitative analysis, 162–163
- Transition metal complexes  
 infrared spectroscopy and, 65–67  
 magnetic properties, 57–62
- Transition metal coordination complexes, origin  
 of color, 8–9
- trans*-Platin, 140–159  
*cis*-Platin and  
 DMSO substitution kinetics, 146–147  
 reaction between, 144–147  
 substitution kinetics, 144–147
- Tris(1,10-phenanthroline) chromium(III)  
 hexafluorophosphate  
 resolution of, 196–198  
 synthesis of, 194–195  
 luminescence  
 spectrum, 207–208  
 studies of, 207  
 nucleic acids affected by, 202–210  
 stereoselective binding to DNA, 210–213
- Tris(bidentate chelate) cobalt(II/III)  
 complexes,  
 conventional kinetic measurements,  
 131–136  
 inert atmosphere, 133–136  
 outer-sphere rate constant, 136–139  
 rate law, 131–133  
 electrochemistry of, cyclic voltammetry,  
 121–125  
 electron transfer reactions of, 111–139  
 synthesis of, 112–117  
 visible spectroscopy of, 117–120
- Two-dimensional pulse experiments, 233–234
- UV spectroscopic study of  
 cadmium, 175–178  
 phytochelatins, 175–178
- UV spectroscopic analysis  
 aquapentacyanoferrate(II) ion, 90–92  
 pentacyanomethionylferrate(II) ion, 90–92
- UV-visible spectroscopic analysis, 75
- Valence bond theory, 5
- Vanadium catalyst, 215–228  
 vanadyl-*bis*(2,4-pentanedione), 215–228
- Vanadyl-*bis*(2,4-pentanedione)  
 catalytic chemistry, 226–228  
 encapsulation of, 226  
 epoxidation reactions, 222–223  
 infrared studies, 221–222  
 solvatochromatic properties of, 219–220  
 synthesis of, 216–219  
 acetylacetonate ligand, 216–217  
 complex, 217–219
- Visible spectroscopic analysis  
 pyridine binding and, 72–77  
 UV-visible, [Ni(salpd)], 75
- Visible spectroscopy, 34–36  
 Co<sub>2</sub>(aq) standard solutions, 37  
 cobalt ammine complexes, 49–51  
 cobalt coordination compound solution,  
 37–38  
 cobalt coordination compounds  
 II–acid–base titrimetric determination  
 of ammonia, 40–43  
 cobalt coordination compounds  
 IV, 46–49  
 hexaaquacobalt(II) ion, 36–37  
 measurement of aquated Co(II) ion:  
 [Co(H<sub>2</sub>O)<sub>6</sub>]<sup>2+</sup>, 38–39  
 metal complexes electronic spectra,  
 117–120  
 tris(bidentate chelate) cobalt(II/III)  
 complexes and, 117–120  
 vanadyl-*bis*(2,4-pentanedione) and, 219–220
- Weighing by difference, 36
- Werner, Alfred, 3, 14, 16, 22–24, 28
- Werner's coordination theory, 24–26  
 electrolytic theory of dissociation, 27  
 oxidation state, 25
- Werner's notion, 22–51
- Werner–Jørgensen, metal complex  
 structure, 23
- Writing skills, 252–259
- Yeast culture, 249–251