

INDEX

- Absolute (additive) risk model, 266
Absorbed dose, chemical, 248
Absorbed dose, radiological, 203
Activity, radionuclide, 33
Adiabatic lapse rate, 157–158
Administered dose, 247
Advection, 45, 82, 90, 122
 advective compartment, 51 Fig. 2.11, 116
 advective flux, 35, 46
 advective heterogeneities, 45, 134
 advective velocity, 130
 one-dimensional, 90–96
Advective flux, 35, 46
Advective homogeneous compartment, 51–52
Analytic-deliberative process, 328
Anatomy and physiology, 220–242
 cellular, 221–226. *See also* Cell
 organ systems, 226–237. *See also* Organ
 systems
Applied dose, 248
Aquifer, 128
Aquitard, 128
Areal concentration, 186
Assessment measure, 24
Atmospheric deposition, 188
Atmospheric dispersion, 156–161
Atmospheric inversion, 158–159
Atmospheric resuspension, 189
Atmospheric transport, 156–178
 atmospheric dispersion, 156–161
 adiabatic lapse rate, 157–158
 fumigation, 159
 inversion, 158–159
 Pasquill-Gifford stability classification
 system, 160–161, 164, 165 Table 7.5, 167
 building wake, 174
 dispersion parameters, 162–165, 163 Fig. 7.4
 and Table 7.3, 165 Fig. 7.5
 dry deposition, 176–178
 eddy diffusivity, 161, 162
 effective release height, 173
 Henry's law constant, 177 Table 7.7
 mixing height, 174–176
 plume rise, 162–166
 precipitation scavenging (wet deposition),
 176–178
 removal mechanisms, 176–178
 transport models, 161–178
 Gaussian plume, 162–166
 Gaussian puff, 171–172
 infinite line source, 172
 sector-average approximation, 167–171
 summation of Gaussian plumes, 167
 volumetric washout factors, 177–178, 177
 Table 7.7
Bioaccumulation, 184
Bioaccumulation factor, 192–195, 194 Table 8.1
Bioconcentration, 184
Biomagnification, 185
Benchmark dose (BMD), 271
Benchmark dose lower limit (BMDL), 272
Benchmark response, 271
Benchmarking (intercomparison), 28
Briggs curves, 162–163, 163 Fig. 7.4 and Table
 7.3, 167. *See also* Atmospheric
 transport, dispersion parameters
Building wake, 174
Bulk soil density, 174

Cancer slope factors, 275, 276 Table 11.10
Carbohydrates, 221
Carcinogenic health effects, 226, 229, 239–240,
 247, 263
 carcinogenesis, 239
 models, *see* Dose-response
 carcinogens, 231, 240. *See also*
 Contaminants
Case-control study, 257
Cell, 220–226
 anatomy, 221–226
 mechanisms of toxicity, 224–226
 neuronal structure, 234 Fig. 10.5
CERCLA, 343, 361–364, 367
Chemical dose, 201–203
 absorbed, 248, 249, 251

- Chemical dose (*Continued*)
 administered, 201, 247, 248, 251
 average daily, 17, 202
 calculation, 209–211
 effective, 248, 249, 251
 equivalent human, 262
 extrapolation, *see* Dose response, modeling
 internal, 201
 maximum tolerated, 258
 potential, 201
- Clean Air Act (CAA), 366
- Clean Water Act (CWA), 366
- Cohort study, 255
- Colloidal transport, 150
- Colloids, 150
- Compartmental model, *see* Model(s),
 compartmental
- Comprehensive Environmental Response,
 Compensation, and Liability Act
 (CERCLA), 343, 361–364, 367
- Conceptual model, 25–26
 emission rate, 60–62, 67
 environmental transport, 81–82
- Conservative model, 29
- Conservative processes, 45
- Constant-source first-order removal model,
 39–42, 67, 82
- Contact rate, 204–209
 dermal absorption, 207–209
 ingestion, 206–207
 inhalation, 204–205
- Contaminant(s), 8, 63–65 Table 3.1
 categories, 62, 66
 common environmental, 63–65 Table 3.1
 concentration, 17, 32, 46–48, 95
 contact rate, 204. *See also* Contact rate
 emission rate, 16. *See also* Emission rate
 exposure, 199. *See also* Exposure
 flux, 47–48
 health effects, *see* Health effects
 identification, 62–66, 63–65 Table 3, 66
 Table 3.2
 intake, intake rate, 204–209, 196, 247
 inventory, 67
 mass balance, 67
 release, *see* Emission rate
 source(s), 62, 63–65, 67
 uptake rate, *see* Contact rate
- Contaminant continuity equation, 46
- Contaminant flux, 47–48
- Contaminant transport
 modeling, *see* Transport of contaminants in
 processes, 45
 theory, *see* Contaminant transport equation,
 81–100
- Contaminant transport equation, 44–53, 75,
 82–96, 140–141
- first-order removal process of a sorbed
 contaminant, 115
- one-dimensional approximation, 83, 83
 Fig. 4.2, 106
- solutions, 83–100
 advection, 83
 advection-dispersion, 83, 94
 saturated-zone, 142–148
 superposition integral, 98
 subsurface transport equation, 140–141
 three-dimensional approximation, 96–97
 two-dimensional approximation, 96–97
 zero-dimensional approximations, 48–54
- Continuous endpoints, 253
- Control volume, 30
- Critical pathways, 29
- Cytoskeleton, 222
- Cytosol, 222
- Darcy's Law, 130
- Decision analysis, 339. *See also* Risk Management
- Decision matrix, 342
- Decomposers, 183
- Deposition velocity, 188
- Dermal absorption, 207
- Dermal absorption fraction, 209 Table 9.3
- Dermal permeability constants, 208 Table 9.2
- Deterministic health effects, 18, 238–239, 246,
 253–255, 259, 263, 267, 270
 dose-response, 245–246
 margin of safety (MOS), 18, 245, 267–269
- Discrete endpoints, 253
- Dispersion, 45, 82, 83, 91, 107, 134
 atmospheric, 156–161
 dispersive flux, 46
 dispersivity, 135–137, 136 Fig. 6.5, 143, 145
 in groundwater (subsurface), 134–137
 in rivers and streams, 106
 mechanical, 134
 one-dimensional, 90–96
 parameters, *see* Dispersion parameters
- Dispersion coefficient(s), 46, 97, 119–121, 162
 longitudinal dispersion coefficient, 97, 120
 mechanical, 135
 molecular, 137
 transverse dispersion coefficient, 97
- Dispersion parameters, 162–165, 163
 Fig. 7.4 and Table 7.3, 165 Fig. 7.5.
See also Atmospheric transport,
 transport modeling
- Dispersion tail, 91 Fig. 4.5
- Dispersive flux, 46
- Distribution coefficient(s), 109–112
 inorganic contaminants, 111 Table 5.2
 organic contaminants, 112 Table 5.3
- Dispersion parameters, *see* Dispersion
 coefficients

- Dose, 200, 219
 absorbed, chemical, 248
 absorbed, radiological, 203
 administered, *see* Chemical, administered
 applied, 248
 average daily dose rate, 17, 202
 benchmark, 271, 275
 calculations, 209–216
 chemical, 201–203. *See also* Chemical dose
 dose rate, 200, 251
 effective, chemical, 248
 effective, radiological, 17, 203, 247–248
 equivalent, 17, 247
 equivalent human, 262
 extrapolation, 262–263
 lifetime average daily, 202
 maximum tolerated, 258
 potential, *see* Chemical, potential
 radiological, 203–204, 274. *See also*
 Radiological dose
 reference, 271, 273 Table 11.9
 relative (multiplicative) risk model, 266
 threshold, 246, 255, 258, 267
 total, 200
 Dose-response data, 255–261
 Dose-response modeling, 245–270, 275–277
 animal-to-human extrapolation, 262
 biological basis for, 245–247
 dose-rate dependence, 251–252
 endpoints, continuous and discrete, 253
 epidemiological, 255–257, 260, 263, 265–266
 fractional response, 245, 255, 258 Fig. 11.6,
 261, 267, 269–270
 high- to low-dose extrapolation, 262–263, 265,
 266
 margin of safety (MOS), 245, 267–268
 mechanistic models of carcinogenicity, 263–
 265, 264 Table 11.7
 multihit model, 264
 multistage model, 265
 one-hit model, 265
 pharmacokinetic models, 249–252, 262
 tolerance distribution models, 263, 264 Table
 11.6, 267
 Drinking water pathways, 109
 Dry adiabatic lapse rate, 157–158
 Dry deposition, 176–178
 Eddy diffusivity, 161, 162
 Effective dose, chemical, 248
 Effective dose, radiological, 17, 203, 247–248
 Effective porosity, 129, 133 Table 6.1
 Effective release height, 173
 Emission rate(s), 60, 66, 73, 74–78. *See also*
 Release assessment
 approximations, 74–78, 74 Fig. 3.7, 75 Table
 3.3
 to atmosphere, 162, 171, 172
 to groundwater, 143
 to surface water, 116, 118, 119
 conceptual model, 60–61
 direct measurement, 60, 66
 process knowledge, 60–61, 66
 quantification, 66–78
 specific emission rate, 73
 source term, 61, 67
 Endocrine disruption, disruptors, 233
 Endoplasmic reticulum, 224
 Environmental compartments(s), 49, 81–82, 82
 Fig. 4.1
 atmospheric, *see* Atmospheric transport,
 mixing height
 compartmental models, *see* Models,
 compartmental
 food chain, *see* Food chain transport,
 compartments
 groundwater, *see* Groundwater transport,
 vadose zone transport
 homogeneous, 49–54, 107, 117
 surface water, *see* Surface water transport,
 compartments
 Environmental risk analysis, 1
 Environmental transport, *see* Contaminant
 transport
 Epidemiologic (risk) models, 263, 265–266
 Epidemiological studies, 254–257
 Epigenetic carcinogens, 240
 Epilimnion, 117
 Equivalent human dose, 262
 Excitable membrane, 233, 238
 Expert elicitation, 297
 Exposure, 199
 acute, 200, 252, 257
 assessment, 17, 199–216
 chronic, 200, 252, 257
 factor(s), 204, 205–206 Table 9.1
 pathway, 9, 29, 200
 route, 199, 252
 subchronic, 200
 External dose (radiation), 211, 213–216
 Extractable soil concentration, 192
 First-order rate constants, 117, Appendix B
 First order removal model, 37–39, 82
 Food chain pathways, 109, 183–184, 184 Fig. 8.1
 Food chain transport, 183–197
 compartments, 183–185, 184 Fig. 8.1
 contaminant concentration in animals,
 195–197
 intake rates, 196 Table 8.2
 meat transfer factor, 196
 milk transfer factor, 195
 contaminant concentration in soil, 186–190
 areal concentration, 186

- Food chain transport (*Continued*)
- atmospheric deposition, 188
 - deposition velocity, 188
 - atmospheric resuspension, 189
 - resuspension factor, 189
 - depth of the root zone, 186
 - irrigation deposition, 188
 - contaminant concentration in vegetation, 190–195, 191 Fig. 8.6
 - bioaccumulation factor, 192, 194 Table 8.1
 - conceptual model, 186–188
 - extractable soil concentration, 192
 - irrigation deposition, 188–189
 - translocation factor, 191
 - vegetative yield, 191
 - pathways, 109, 183–184, 184 Fig. 8.1
 - transport parameters, 194 Table 8.1
 - trophic level(s), 183, 184 Fig. 8.2
 - decomposers, 183
 - primary consumers, 183
 - primary producers, 183
 - secondary consumers, 183
 - tertiary consumers, 183
- Fraction sorbed, 113–114, 137–139
 - groundwater, 137–139, 138 Table 6.3
 - surface water, 113–114, 114 Fig. 5.4
- Fractional response, 245, 258 Fig. 11.6, 261, 267, 269–270
- Free radical(s), 225–226
- Freundlich isotherm, 110
- Fumigation, 160
- Gaussian distribution, 90, 96, 162
- Gaussian plume model, 162, 167, 168, 171
 - summation of Gaussian plumes, 167
- Gaussian puff model, 171–172
- Golgi apparatus, 224. *See also* Cell, anatomy
- Groundwater transport, 127–152
 - colloidal transport, 150
 - dispersivity, 135–136, 136 Fig. 6.5, 143, 145
 - mean linear contaminant velocity, 141–142, 142 Table 6.4
 - mean percolation rate, 148
 - non-aqueous phase liquids (NAPLs), 151–152
 - retardation factor, 139
 - saturated flow in porous media, 130–133
 - dispersion, 134–137
 - hydraulic conductivity, 130, 133–134, 134 Table 6.2
 - hydraulic head, 130, 132
 - mean linear velocity, 131
 - sorption, 137–139
 - fraction sorbed, 137–138, 138 Table 6.3
 - subsurface characterization, 129–130
 - subsurface materials/media, 127–128
 - transformation processes, 150–151
 - transport models, 139–148
 - derivation of subsurface transport equation, 140–141
 - linear equilibrium model, 139–147
 - one-dimensional solutions, 142–144
 - multidimensional solutions, 144–148
 - vadose zone transport, 148–149
- Hazard, 4
- Hazard index, 2, 272
- Hazard quotient (HQ), 272, 274
- Health effects (human), 62–65, 63 Table 3.1, 237–242, 238 Table 10.7
 - carcinogenic, 226, 229, 237–239, 247, 263
 - deterministic, 18, 238, 246, 253–255, 259, 263, 267, 270
 - dose response, *see* Dose-response and risk characterization
 - hereditary, 238, 242
 - stochastic, 18, 238, 246, 253–255, 259, 263, 267, 270
 - systemic, *see* Deterministic health effects
 - teratogenic, 238, 240–241, 247
 - toxicity mechanisms, 237–242
- Henry's law constants, 177 Table 7.7
- Hereditary health effects, 238, 242
 - dominant mutations, 242
 - recessive mutations, 242
- Homeostasis, 220–221, 222, 236
- Homogeneous compartment, 49–54, 107, 117. *See also* Contaminant transport equation, zero-dimensional approximations
- Hormones, 232–233, 240. *See also* Organ systems, endocrine
- Hydraulic conductivity, 130, 133–134, 134 Table 6.2
- Hydraulic head, 130, 132
- Hypolimnion, 117
- Ingestion, 206
- Instantaneous partitioning model, 42–44, 82
- Instantaneous release, 74–77, 143, 171
- Intake rate, 196, 204
 - acceptable daily, 268
 - animals, 196 Table 8.2
- Integumentary system, 235
- Intercomparison (benchmarking), 28
- Inversion, atmospheric, 158
- Irrigation deposition, 188
- Kozeny-Carmen equation, 133
- Langmuir isotherm, 110
- Laplace transform technique, 86–88, 92–94, Appendix A
- Laplace transform(s), Appendix A
- Law of Bergonié and Tribondeau, 238

- Laws and regulations, 356–373
 Clean Air Act (CAA), 366
 Clean Water Act (CWA), 366
 Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), 343, 361–364, 367
 National Environmental Policy Act (NEPA), 359–361
 Resource Conservation and Recovery Act (RCRA), 364–365
 Superfund Amendments and Reauthorization Act (SARA), 62, 342, 361–364, 367
 Toxic Substances Control Act (TSCA), 365–366
- LD50, 220 Table 2.1, 257
- Leaching rate constant, 67
- Ligand, 222, 226, 232
- Linear dose response, 263–266
- Linear isotherm, 110
- Lipid(s), 221
- LOAEL, *see* Lowest observed adverse effects level
- Lowest observed adverse effects level (LOAEL), 258, 271
- Lognormal distribution, 303
- Macromolecules, 221
- Margin of safety (MOS), 245, 267–268
- Mass balance equation, 31
- Maximum contaminant level (MCL), 147
- Maximum tolerated dose (MTD), 258
- Mean linear velocity, 131, 148
- Mean linear contaminant velocity, 141–142
- Mean percolation rate, 148
- Meat transfer factor, 194 Table 8.1, 196
- Mechanistic models of carcinogenicity, 263–265, 264 Table 11.7
- Metabolic activation, 228–229, 240, 252
- Metastasis, 240
- Milk transfer factor, 194 Table 8.1, 195
- Mitochondria, 224
- Mixing height, 174–176
- Mobile water volume, 129
- Model validation, 28, 286
- Modeling process, 23–29
 computational model, 27
 conceptual model, 25–26
 mathematical model, 26
 model assurance, 27–29, 28 Fig. 2.2
 benchmarking (intercomparison), 28
 calibration, 28–29
 validation, 28, 286
 peer review, 28
 verification, 27–28
 model development, 23–27
 problem statement, 23
 system description, 25
 screening process, 29, 66
 transport process, 45
- Model(s)
 absolute (additive) risk model, 266
 compartmental, 37–44, 48–54, 82, 82 Fig. 4.1, 149 Fig. 6.12
 constant-source first-order removal, 39–42, 67, 82
 first order removal model, 37–39, 82
 instantaneous partitioning, 42–44, 82
 computational, 27, 67, 81
 conceptual, 25–26, 81
 emission rate, 60–62, 67
 environmental transport, 81–82
 conservative, 29
 contaminant transport, *see* Transport of contaminants in
 dose-response, *see* Dose-response, model(s)
 epidemiological (radiological risk), 263, 265–266
 mathematical, 26, 61, 67, 81
 mechanistic models of carcinogenicity, 263–264
 Moolgavkar-Venson-Knudson (MVK) model, 265
 multihit model, 264
 multistage model, 265
 one-hit model, 264–265
 pharmacokinetic models, 249–252, 262
 physical and mathematical basis, 29–44
 relative (multiplicative) risk model, 266
 risk communication, 327–330
 tolerance distribution models, 263, 264 Table 11.6, 267
 uncertainty, 285
- Moisture content, 129
- Molecular diffusion, 45, 135
 coefficient, 137
- Monte Carlo method(s), 305–309, 311
- Moolgavkar-Venson-Knudson (MVK) model, 265
- Multihit model, 264
- Multistage model, 265
- Muscular system, 235
- Mutagenic carcinogens, 240
- National Environmental Policy Act (NEPA), 359–360
- Neurons, 233–235, 234 Fig. 10.5
- No observed adverse effects level (NOAEL), 258, 271
- NOAEL, *see* No observed adverse effects level
- Non-advective homogeneous compartment.
See also Contaminant transport equation, zero-dimensional approximations, 49–51

- Non-aqueous phase liquid (NAPL), 15, 152
 light (LNAPL), 15, 152
 dense (DNAPL), 15, 152
- Nonconservative processes, 45
- Nonthreshold effects, 247
- Nucleic acids, 221
- Nucleus, cell, 223
- One-dimensional advection, 84, 90–96, 118
 concentration vs. distance plot, 85, 122
 concentration vs. time plot, 85, 91, 122
- One-dimensional advection and dispersion, 90, 94, 119
- One-hit model, 264–265
- Organ systems, 220
 major systems, 226–237
 cardiovascular, 231–232
 digestive, 227–229
 endocrine, 232–233
 immune, 231–232
 integumentary, 235
 lymphatic, 231–232
 muscular, 235
 nervous, 232–235
 reproductive, 237
 respiratory, 229–231, 230 Figs. 10.3, 10.4
 skeletal, 235
 urinary, 227–229
 tissue types, 227
- Organelles, 222
- Organic carbon–water partition coefficient, 112
- Parameter uncertainty, 285
- Partition factor, 42, 44 Table 2.2
- Pasquill-Gifford stability classification system, 160–161, 164, 165 Table 7.5, 167
- Peclet number (Pe), 91, 122, 144
- Peer review, 29
- Pharmacodynamics, 247
- Pharmacokinetic models, 249–252, 262
- Pharmacokinetics, 247
- Physiology, *see* Anatomy and physiology
- Planetary boundary layer, 156
- Plume rise, 173
- Point of departure, 272, 273, 275
- Porosity, 129, 133
 effective porosity, 129, 133 Table 6.1
- Precipitation scavenging, 176–178
- Presidential/Congressional Commission on Risk Assessment and Risk Management, 3, 4, 5, 7
- Primary consumers, 183
- Primary producers, 183
- Probabilistic risk assessment (PRA), 68
 actuarial methods, 69
 event tree(s), 69, 71, 73 Fig. 3.6
 fault tree(s), 69, 70, 72, 73
 accidental release, 69
- Probability, *see* Statistical fundamentals
- Process knowledge, 60–61
- Progression (cancer), 239
- Promotion (cancer), 239
- Proteins, 221–222, 232
- Public participation, 316
- Radiological decay, 117
- Radiological dose, 203–204, 247
 absorbed, 203
 calculation, 211–216
 effective, 203, 212, 247–248, 275
 effective dose [conversion] factor, 211–213, 214 Table 9.4
 equivalent, 203
 external, 211, 213–216
 internal, 211–212
- Radiolysis, 225
- Radionuclide activity, 33
- Random variable, 290
- Receptor, 199, 222, 233–235
- Receptor-ligand interactions, 238
- Reference concentration (RfC), 272
- Reference dose (RfD), 271, 273
 Table 11.9
- Regolith, 127
- Relative (multiplicative) risk model, 266
- Release assessment, 15, 60–78. *See also*
 Emission rate
 contaminant identification, 62–66, 63–65
 direct measurement, 60
 probability of, *see* Probabilistic risk assessment
 process knowledge, 60–61
- Reproductive system, 237
- Resource Conservation and Recovery Act (RCRA), 364–365
- Resuspension factor, 189
- Retardation factor, 139
- Ribosome, 224
- RI/FS Process (Remedial Investigation and Feasibility Study), 370, 371
- Risk, 4
- Risk analysis, environmental, 1
- Risk assessment, 1–4
 process, 13–19
 uses, 10–12
- Risk calculation process, 14–18, 61, 82, 283
 consequence assessment, 82, 283
 exposure assessment, 82, 283
 release assessment, 15–16, 82, 283
 sensitivity analysis, 283
 transport assessment, 82, 283
- Risk characterization, 267–277

- Risk communication, 1, 2, 3, 325–332
 models, 327–330
 communication theory approaches, 329
 hazard plus outrage paradigm, 330
 mechanistic, 327
 mental models approach, 330
 public policy approaches, 328
 seven cardinal rules of, 331 Table 13.6
- Risk curve, 5, 6
- Risk drivers, 29
- Risk management, 1, 2, 336–354
 decision analysis under certainty, 337–354
 decision analysis under risk, 351–354
 attitude-based, 349–350
 dimension reduction, 346–347
 dimensional scoring, 350–351
 dominance, 347–348
 sequential, 348–349
 decision-making criteria, 337
 hybrid, 338
 rights-based, 338
 technology-based, 338
 utility-based, 338
 decision matrix, 242
 process, 336–337
 scaling, 343–346
- Risk perception, 325–327
- Risk triple, 7
- Rock, 127
- Root zone, 186
- SARA (Superfund Amendments and Reauthorization Act), 62, 342, 361–364, 367
- Saturated-zone, 128
 transport solutions, 142–148
- Scaling methods, 343–346
- Screening, 29, 66
- Secondary consumers, 183
- Sector-averaged approximation, 167–171
- Sediment, 127
 bottom, 107, 116
 suspended, 107
- Sensitivity analysis, 283–311
- Sensitivity coefficient, 299
- Settling, 117
- Skeletal system, 235–236
- Slope factor, *see* Cancer slope factor
- Solubility limit(s), 104, 105 Table 5.1
- Sorption, 104, 108, 109–115, 137
 fraction sorbed, 113, 114, 137–139, 138 Table 6.3
 isotherm(s), 110
 Freundlich, 110
 Langmuir, 110
 linear, 110
- Source, 67. *See also* Emission rate
- Source term, 61, 67. *See also* Emission rate
- Specific emission rate, 73
- Stakeholder, 317
- Stakeholder involvement, 316–324
- Statistical fundamentals, 290–298
 arithmetic mean, 292
 complementary cumulative distribution function, 291
 cumulative distribution function (CDF), 290
 median, 293
 probability density function (PDF), 290
 probability mass function (PMF), 292
 random variable, 290
 standard deviation, 293
 variance, 293
- Stochastic health effects, 18, 238, 246, 253–255, 259, 263, 267, 270
 dose-response, 245–246
 fractional response, 18, 269
- Subsurface, 127
 characterization, 128 Fig. 6.1, 129–130
 bulk soil density, 129–130
 effective porosity, 129
 mobile water volume, 129
 moisture content, 129
 porosity, 129
- Subsurface contaminant transport in, *see* Groundwater transport
- Superfund, *see* Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)
- Superfund Amendments and Reauthorization Act (SARA), 62, 342, 361–364, 367
- Superposition integral, 98–100
- Surface water transport, 104–123
 categories/types of surface water, 106–109
 estuaries, 106, 108
 lakes, 106, 107
 thermal stratification, 117
 oceans, 106, 109
 reservoirs on rivers, 106, 107
 rivers, streams, 106
 one-dimensional open-channel approximations, 118
 open-channel flow, 106
 turbulence, 119
 turbulent flow, 106
 turbulent mixing, 120
 compartments, 104–107, 106 Fig. 5.1, 116 Fig. 5.6
 contaminants, 105 Table 5.1
 contaminant transport, 104–123
 dispersion coefficient, 119–121, 121 Table 5.4
 sorption, 109–115
 distribution coefficient, 109–113
 inorganic contaminants, 111 Table 5.2
 organic contaminants, 112 Table 5.3

- Surface water transport (*Continued*)
 fraction sorbed, 113–114, 114 Fig. 5.44
 isotherms, 110
 transport models, 116–123
 lakes, 116–118
 rivers and streams, 118–123
- Systemic health effect, *see* Deterministic health effects
- Teratogenic health effects, 238, 240–241, 247
 human teratogens, 241–242, 242 Table 10.2
- Tertiary consumers, 183
- Threshold dose, 246, 255, 258, 267
- Time-integrated concentration, 171
- Tissue, 220
- Tolerance distribution models, 263, 264 Table 11.6, 267
- Toxic Substances Control Act (TSCA), 365–366
- Toxicity, 237
 cellular mechanisms, 224–226
- Toxicology, basic human, 219–242. *See also*
 Health effects
 mechanisms, 237–242
- Transformation processes in groundwater, 150–151
 abiotic transformations, 150
 biotic transformation, 150
- Translocation factor, 191
- Transpiration, 148
- Transport of contaminants in
 atmosphere, 156–178
 food chain, 183–185
 groundwater (subsurface), 127–152
 saturated zone, 128
 unsaturated/vadose zone, 148–149
 subsurface, *see* Groundwater (above)
 surface water, 104–123
- Transport pathways, 82 Fig. 4.1
- Trophic level, 183
- Tumor, 239
- Turbulent diffusion, 45, 119
- Uncertainty/ uncertainty analysis, 283–311
 deterministic models, 284
 propagation, 298–311
 concepts, 299–301
 sensitivity coefficient, 299
 methods, 301–311
 sources of, 283–289
 parameter uncertainty, 285, 287–289
 model uncertainty, 285–286, 288–289
 model validation, 286
 scenario uncertainty, 286
 stochastic models, 284
 types, 286–289
 aleatory, 286–289
 epistemic, 286–289
 type A, *see* Uncertainly, types, aleatory
 type B, *see* Uncertainly, types, epistemic
 uncertainty, 287
 variability, 287
- Uncertainty coefficient, 301
- Uptake rate, *see* Contact rate
- Vadose zone, 128
 transport in, 148–149
- Vegetative yield, 191
- Volumetric washout factors, 177–178, 177 Table 7.7
- Water balance, 148
- Wet deposition (precipitation scavenging), 176–178